

# Ó!zge TunÃ§alp

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4967117/publications.pdf>

Version: 2024-02-01

154  
papers

30,891  
citations

57681

46  
h-index

8212

153  
g-index

159  
all docs

159  
docs citations

159  
times ranked

30882  
citing authors

#	ARTICLE	IF	CITATIONS
1	Women’s report of mistreatment during facility-based childbirth: validity and reliability of community survey measures. <i>BMJ Global Health</i> , 2022, 5, e004822.	2.0	5
2	Characteristics of Women Receiving Emergency Caesarean Section: A Cross-Sectional Analysis from Ghana and Dominican Republic. <i>Maternal and Child Health Journal</i> , 2022, 26, 177-184.	0.7	1
3	Integration of new digital antenatal care tools using the WHO SMART guideline approach: Experiences from Rwanda and Zambia. <i>Digital Health</i> , 2022, 8, 205520762210762.	0.9	3
4	Health facilities’ capability to provide comprehensive postabortion care in Sub-Saharan Africa: Evidence from a cross-sectional survey across 210 high-volume facilities. <i>International Journal of Gynecology and Obstetrics</i> , 2022, 156, 7-19.	1.0	5
5	Prevalence and determinants of self-reported anxiety and stress among women with abortion-related complications admitted to health facilities in Eastern and Southern Africa: A cross-sectional survey. <i>International Journal of Gynecology and Obstetrics</i> , 2022, 156, 53-62.	1.0	6
6	Transitioning to Digital Systems: The Role of World Health Organization’s Digital Adaptation Kits in Operationalizing Recommendations and Interoperability Standards. <i>Global Health, Science and Practice</i> , 2022, 10, e2100320.	0.6	10
7	Experiences of women seeking care for abortion complications in health facilities: Secondary analysis of the WHO Multi-Country Survey on Abortion in 11 African countries. <i>International Journal of Gynecology and Obstetrics</i> , 2022, 156, 44-52.	1.0	4
8	The relationship between insecurity and the quality of hospital care provided to women with abortion-related complications in the Democratic Republic of Congo: A cross-sectional analysis. <i>International Journal of Gynecology and Obstetrics</i> , 2022, 156, 20-26.	1.0	5
9	Adolescent experiences of mistreatment during childbirth in health facilities: secondary analysis of a community-based survey in four countries. <i>BMJ Global Health</i> , 2022, 5, e007954.	2.0	7
10	Health workers’ and hospital administrators’ perspectives on mistreatment of women during facility-based childbirth: a multicenter qualitative study in Ghana. <i>Reproductive Health</i> , 2022, 19, 82.	1.2	7
11	To call or not to call: exploring the validity of telephone interviews to derive maternal self-reports of experiences with facility childbirth care in northern Nigeria. <i>BMJ Global Health</i> , 2022, 7, e008017.	2.0	2
12	Health workforce governance for compassionate and respectful care: a framework for research, policy and practice. <i>BMJ Global Health</i> , 2022, 7, e008007.	2.0	8
13	Global and regional estimates of maternal near miss: a systematic review, meta-analysis and experiences with application. <i>BMJ Global Health</i> , 2022, 7, e007077.	2.0	8
14	Country-specific estimates of unintended pregnancy and abortion incidence: a global comparative analysis of levels in 2015–2019. <i>BMJ Global Health</i> , 2022, 7, e007151.	2.0	60
15	Rethinking trust in the context of mistreatment of women during childbirth: a neglected focus. <i>BMJ Global Health</i> , 2022, 7, e009490.	2.0	4
16	Strategies to reduce stigma and discrimination in sexual and reproductive healthcare settings: A mixed-methods systematic review. <i>PLOS Global Public Health</i> , 2022, 2, e0000582.	0.5	18
17	The first 2 h after birth: prevalence and factors associated with neonatal care practices from a multicountry, facility-based, observational study. <i>The Lancet Global Health</i> , 2021, 9, e72-e80.	2.9	26
18	WHO SMART guidelines: optimising country-level use of guideline recommendations in the digital age. <i>The Lancet Digital Health</i> , 2021, 3, e213-e216.	5.9	40

#	ARTICLE	IF	CITATIONS
19	Abortion metrics: a scoping review of abortion measures and indicators. <i>BMJ Global Health</i> , 2021, 6, e003813.	2.0	6
20	Implementing antenatal care recommendations, South Africa. <i>Bulletin of the World Health Organization</i> , 2021, 99, 220-227.	1.5	14
21	Women's experiences of mistreatment during childbirth and their satisfaction with care: findings from a multicountry community-based study in four countries. <i>BMJ Global Health</i> , 2021, 5, e003688.	2.0	16
22	Later life outcomes of women by adolescent birth history: analysis of the 2016 Uganda Demographic and Health Survey. <i>BMJ Open</i> , 2021, 11, e041545.	0.8	4
23	A road to optimising maternal and newborn quality care measurement for all. <i>The Lancet Global Health</i> , 2021, 9, e221-e222.	2.9	4
24	Self-management of iron and folic acid supplementation during pre-pregnancy, pregnancy and postnatal periods: a systematic review. <i>BMJ Global Health</i> , 2021, 6, e005531.	2.0	2
25	Re: The Use of Time to Pregnancy for Estimating and Monitoring Human Fecundity From Demographic and Health Surveys. <i>Epidemiology</i> , 2021, 32, e16-e17.	1.2	1
26	Methods for managing miscarriage: a network meta-analysis. <i>The Cochrane Library</i> , 2021, 2021, CD012602.	1.5	16
27	Neonatal care practices need to be further explored – Authors' reply. <i>The Lancet Global Health</i> , 2021, 9, e754.	2.9	0
28	Abortion-related morbidity in six Latin American and Caribbean countries: findings of the WHO/HRP multi-country survey on abortion (MCS-A). <i>BMJ Global Health</i> , 2021, 6, e005618.	2.0	10
29	What's needed to improve safety and quality of abortion care: reflections from WHO/HRP Multi-Country Study on Abortion across the sub-Saharan Africa and Latin America and Caribbean regions. <i>BMJ Global Health</i> , 2021, 6, e007226.	2.0	4
30	Development of measures for assessing mistreatment of women during facility-based childbirth based on labour observations. <i>BMJ Global Health</i> , 2021, 5, e004080.	2.0	7
31	Understanding abortion-related complications in health facilities: results from WHO multicountry survey on abortion (MCS-A) across 11 sub-Saharan African countries. <i>BMJ Global Health</i> , 2021, 6, e003702.	2.0	22
32	Adolescents' satisfaction with care for abortion-related complications in 11 Sub-Saharan African countries: A cross-sectional facility-based study. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 156, 63.	1.0	2
33	Scoping reviews: reinforcing and advancing the methodology and application. <i>Systematic Reviews</i> , 2021, 10, 263.	2.5	174
34	Level and determinants of contraceptive uptake among women attending facilities with abortion-related complications in East and Southern Africa. <i>International Journal of Gynecology and Obstetrics</i> , 2021, , .	1.0	2
35	Vaginal examinations and mistreatment of women during facility-based childbirth in health facilities: secondary analysis of labour observations in Ghana, Guinea and Nigeria. <i>BMJ Global Health</i> , 2021, 5, e006640.	2.0	9
36	Community mobilization to strengthen support for appropriate and timely use of antenatal and postnatal care: A review of reviews. <i>Journal of Global Health</i> , 2021, 11, 04076.	1.2	14

#	ARTICLE	IF	CITATIONS
37	First and second trimester ultrasound in pregnancy: A systematic review and metasynthesis of the views and experiences of pregnant women, partners, and health workers. <i>PLoS ONE</i> , 2021, 16, e0261096.	1.1	8
38	Developing measures for WHO recommendations on antenatal care for a positive pregnancy experience: a conceptual framework and scoping review. <i>BMJ Open</i> , 2020, 9, e024130.	0.8	28
39	Development of the WHO Antenatal Care Recommendations Adaptation Toolkit: a standardised approach for countries. <i>Health Research Policy and Systems</i> , 2020, 18, 70.	1.1	19
40	Vaccine implementation factors affecting maternal tetanus immunization in low- and middle-income countries: Results of the Maternal Immunization and Antenatal Care Situational Analysis (MIACSA) project. <i>Vaccine</i> , 2020, 38, 5268-5277.	1.7	13
41	Unintended pregnancy and abortion by income, region, and the legal status of abortion: estimates from a comprehensive model for 1990â€“2019. <i>The Lancet Global Health</i> , 2020, 8, e1152-e1161.	2.9	500
42	Self-care and remote care during pregnancy: a new paradigm?. <i>Health Research Policy and Systems</i> , 2020, 18, 107.	1.1	12
43	Mistreatment during childbirth â€“ Authors' reply. <i>Lancet, The</i> , 2020, 396, 817-818.	6.3	2
44	WHO recommendations on antenatal nutrition: an update on multiple micronutrient supplements. <i>BMJ Global Health</i> , 2020, 5, e003375.	2.0	21
45	How Women Are Treated During Facility-Based Childbirth in Four Countries: A Cross-sectional Study With Labour Observations and Community-Based Surveys. <i>Obstetrical and Gynecological Survey</i> , 2020, 75, 219-221.	0.2	1
46	Provision of intensive care to severely ill pregnant women is associated with reduced mortality: Results from the WHO Multicountry Survey on Maternal and Newborn Health. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 150, 346-353.	1.0	9
47	Transforming intrapartum care: Respectful maternity care. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2020, 67, 113-126.	1.4	64
48	Reporting scoping reviewsâ€”PRISMA ScR extension. <i>Journal of Clinical Epidemiology</i> , 2020, 123, 177-179.	2.4	168
49	A qualitative study on acceptability of the mistreatment of women during childbirth in Myanmar. <i>Reproductive Health</i> , 2020, 17, 56.	1.2	20
50	Implementation of the new WHO antenatal care model for a positive pregnancy experience: a monitoring framework. <i>BMJ Global Health</i> , 2020, 5, e002605.	2.0	33
51	Measuring experiences of facility-based care for pregnant women and newborns: a scoping review. <i>BMJ Global Health</i> , 2020, 5, e003368.	2.0	26
52	Labour companionship and womenâ€™s experiences of mistreatment during childbirth: results from a multi-country community-based survey. <i>BMJ Global Health</i> , 2020, 5, e003564.	2.0	25
53	Building a Digital Tool for the Adoption of the World Health Organizationâ€™s Antenatal Care Recommendations: Methodological Intersection of Evidence, Clinical Logic, and Digital Technology. <i>Journal of Medical Internet Research</i> , 2020, 22, e16355.	2.1	14
54	Operationalizing a Human Rights-Based Approach to Address Mistreatment against Women during Childbirth. <i>Health and Human Rights</i> , 2020, 22, 251-264.	1.3	14

#	ARTICLE	IF	CITATIONS
55	Correction: Building a Digital Tool for the Adoption of the World Health Organization's Antenatal Care Recommendations: Methodological Intersection of Evidence, Clinical Logic, and Digital Technology. <i>Journal of Medical Internet Research</i> , 2020, 22, e24891.	2.1	5
56	How women are treated during facility-based childbirth in four countries: a cross-sectional study with labour observations and community-based surveys. <i>Lancet, The</i> , 2019, 394, 1750-1763.	6.3	279
57	Qualitative Evidence Synthesis (QES) for Guidelines: Paper 3 "Using qualitative evidence syntheses to develop implementation considerations and inform implementation processes. <i>Health Research Policy and Systems</i> , 2019, 17, 74.	1.1	21
58	Qualitative Evidence Synthesis (QES) for Guidelines: Paper 1 "Using qualitative evidence synthesis to inform guideline scope and develop qualitative findings statements. <i>Health Research Policy and Systems</i> , 2019, 17, 76.	1.1	33
59	Qualitative Evidence Synthesis (QES) for Guidelines: Paper 2 "Using qualitative evidence synthesis findings to inform evidence-to-decision frameworks and recommendations. <i>Health Research Policy and Systems</i> , 2019, 17, 75.	1.1	15
60	Factors influencing awareness of healthcare providers on maternal sepsis: a mixed-methods approach. <i>BMC Public Health</i> , 2019, 19, 683.	1.2	8
61	Perceptions and experiences of labour companionship: a qualitative evidence synthesis. <i>The Cochrane Library</i> , 2019, 2019, CD012449.	1.5	134
62	Pregnancies, abortions, and pregnancy intentions: a protocol for modeling and reporting global, regional and country estimates. <i>Reproductive Health</i> , 2019, 16, 36.	1.2	14
63	Measuring quality of care for all women and newborns: how do we know if we are doing it right? A review of facility assessment tools. <i>The Lancet Global Health</i> , 2019, 7, e624-e632.	2.9	63
64	Qualitative evidence synthesis for complex interventions and guideline development: clarification of the purpose, designs and relevant methods. <i>BMJ Global Health</i> , 2019, 4, e000882.	2.0	169
65	Taking account of context in systematic reviews and guidelines considering a complexity perspective. <i>BMJ Global Health</i> , 2019, 4, e000840.	2.0	58
66	Synthesising quantitative and qualitative evidence to inform guidelines on complex interventions: clarifying the purposes, designs and outlining some methods. <i>BMJ Global Health</i> , 2019, 4, e000893.	2.0	221
67	Complex health interventions in complex systems: improving the process and methods for evidence-informed health decisions. <i>BMJ Global Health</i> , 2019, 4, e000963.	2.0	30
68	Formulating questions to explore complex interventions within qualitative evidence synthesis. <i>BMJ Global Health</i> , 2019, 4, e001107.	2.0	104
69	Provision and uptake of routine antenatal services: a qualitative evidence synthesis. <i>The Cochrane Library</i> , 2019, 2019, CD012392.	1.5	62
70	When the patient is the expert: measuring patient experience and satisfaction with care. <i>Bulletin of the World Health Organization</i> , 2019, 97, 563-569.	1.5	182
71	Taking a complexity perspective when developing public health guidelines. <i>Bulletin of the World Health Organization</i> , 2019, 97, 247-247A.	1.5	3
72	Uterotonic drugs to prevent postpartum haemorrhage: a network meta-analysis. <i>Health Technology Assessment</i> , 2019, 23, 1-356.	1.3	26

#	ARTICLE	IF	CITATIONS
73	Systematic review of shorter versus longer duration of bladder catheterization after surgical repair of urinary obstetric fistula. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 142, 15-22.	1.0	4
74	Uterotonic agents for preventing postpartum haemorrhage: a network meta-analysis. <i>The Cochrane Library</i> , 2018, 4, CD011689.	1.5	64
75	Developing strategies to address contraceptive needs of adolescents: exploring patterns of use among sexually active adolescents in 46 low- and middle-income countries. <i>Contraception</i> , 2018, 98, 36-40.	0.8	21
76	Risk of maternal mortality in women with severe anaemia during pregnancy and post partum: a multilevel analysis. <i>The Lancet Global Health</i> , 2018, 6, e548-e554.	2.9	237
77	Uterotonic agents for preventing postpartum haemorrhage: a network meta-analysis. <i>The Cochrane Library</i> , 2018, 2018, CD011689.	1.5	72
78	PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation. <i>Annals of Internal Medicine</i> , 2018, 169, 467-473.	2.0	15,209
79	Methodological development of tools to measure how women are treated during facility-based childbirth in four countries: labor observation and community survey. <i>BMC Medical Research Methodology</i> , 2018, 18, 132.	1.4	70
80	Not just a number: examining coverage and content of antenatal care in low-income and middle-income countries. <i>BMJ Global Health</i> , 2018, 3, e000779.	2.0	150
81	The magnitude and severity of abortion-related morbidity in settings with limited access to abortion services: a systematic review and meta-regression. <i>BMJ Global Health</i> , 2018, 3, e000692.	2.0	45
82	Applying GRADE-CERQual to qualitative evidence synthesis findings: introduction to the series. <i>Implementation Science</i> , 2018, 13, 2.	2.5	578
83	Applying GRADE-CERQual to qualitative evidence synthesis findings” paper 2: how to make an overall CERQual assessment of confidence and create a Summary of Qualitative Findings table. <i>Implementation Science</i> , 2018, 13, 10.	2.5	287
84	Applying GRADE-CERQual to qualitative evidence synthesis findings” paper 3: how to assess methodological limitations. <i>Implementation Science</i> , 2018, 13, 9.	2.5	149
85	Applying GRADE-CERQual to qualitative evidence synthesis findings” paper 4: how to assess coherence. <i>Implementation Science</i> , 2018, 13, 13.	2.5	137
86	Applying GRADE-CERQual to qualitative evidence synthesis findings” paper 5: how to assess adequacy of data. <i>Implementation Science</i> , 2018, 13, 14.	2.5	146
87	Standardizing the measurement of maternal morbidity: Pilot study results. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 141, 10-19.	1.0	37
88	Progression of the first stage of spontaneous labour: A prospective cohort study in two sub-Saharan African countries. <i>PLoS Medicine</i> , 2018, 15, e1002492.	3.9	57
89	Leadership, action, learning and accountability to deliver quality care for women, newborns and children. <i>Bulletin of the World Health Organization</i> , 2018, 96, 222-224.	1.5	12
90	Qualitative evidence to improve guidelines and health decision-making. <i>Bulletin of the World Health Organization</i> , 2018, 96, 79-79A.	1.5	45

#	ARTICLE	IF	CITATIONS
91	Early adolescent childbearing in low- and middle-income countries: associations with income inequity, human development and gender equality. <i>Health Policy and Planning</i> , 2017, 32, czw121.	1.0	19
92	Experience from a multi-country initiative to improve the monitoring of selected reproductive health indicators in Africa. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 137, 205-212.	1.0	1
93	<scp>WHO</scp> recommendations on antenatal care for a positive pregnancy experience“ going beyond survival. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 860-862.	1.1	232
94	Estimating infertility prevalence in low-to-middle-income countries: an application of a current duration approach to Demographic and Health Survey data. <i>Human Reproduction</i> , 2017, 32, 1064-1074.	0.4	72
95	Increases in Caesarean Delivery Rates and Change of Perinatal Outcomes in Low“and Middle“Income Countries: A Hospital“Level Analysis of Two WHO Surveys. <i>Paediatric and Perinatal Epidemiology</i> , 2017, 31, 251-262.	0.8	20
96	Global initiatives in maternal and newborn health. <i>Obstetric Medicine</i> , 2017, 10, 21-25.	0.5	22
97	Global, regional, and subregional classification of abortions by safety, 2010“14: estimates from a Bayesian hierarchical model. <i>Lancet, The</i> , 2017, 390, 2372-2381.	6.3	544
98	Integrated Person-Centered Health Care for All Women During Pregnancy: Implementing World Health Organization Recommendations on Antenatal Care for a Positive Pregnancy Experience. <i>Global Health, Science and Practice</i> , 2017, 5, 197-201.	0.6	50
99	Mistreatment of women during childbirth in Abuja, Nigeria: a qualitative study on perceptions and experiences of women and healthcare providers. <i>Reproductive Health</i> , 2017, 14, 9.	1.2	129
100	Defining quality of care during childbirth from the perspectives of Nigerian and Ugandan women: A qualitative study. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 139, 4-16.	1.0	42
101	Implementation of effective practices in health facilities: a systematic review of cluster randomised trials. <i>BMJ Global Health</i> , 2017, 2, e000266.	2.0	20
102	Programme Reporting Standards (PRS) for improving the reporting of sexual, reproductive, maternal, newborn, child and adolescent health programmes. <i>BMC Medical Research Methodology</i> , 2017, 17, 117.	1.4	18
103	Characteristics of a global classification system for perinatal deaths: a Delphi consensus study. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 223.	0.9	21
104	Seeking order amidst chaos: a systematic review of classification systems for causes of stillbirth and neonatal death, 2009“2014. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 295.	0.9	47
105	Alternative regimens of magnesium sulfate for treatment of preeclampsia and eclampsia: a systematic review of non“randomized studies. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2016, 95, 144-156.	1.3	30
106	WHO Multi-Country Survey on Abortion-related Morbidity and Mortality in Health Facilities: study protocol. <i>BMJ Global Health</i> , 2016, 1, e000113.	2.0	27
107	Onsite midwife-led birth units (OMBUs) for care around the time of childbirth: a systematic review. <i>BMJ Global Health</i> , 2016, 1, e000096.	2.0	20
108	Abortion incidence between 1990 and 2014: global, regional, and subregional levels and trends. <i>Lancet, The</i> , 2016, 388, 258-267.	6.3	535

#	ARTICLE	IF	CITATIONS
109	“By slapping their laps, the patient will know that you truly care for her” A qualitative study on social norms and acceptability of the mistreatment of women during childbirth in Abuja, Nigeria. <i>SSM - Population Health</i> , 2016, 2, 640-655.	1.3	97
110	Classification systems for causes of stillbirth and neonatal death, 2009–2014: an assessment of alignment with characteristics for an effective global system. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 269.	0.9	31
111	Learning from every stillbirth and neonatal death. <i>Lancet, The</i> , 2016, 388, 741-743.	6.3	2
112	Male Partners’ Involvement in Abortion Care: A Mixed-Methods Systematic Review. <i>Perspectives on Sexual and Reproductive Health</i> , 2016, 48, 209-219.	0.9	27
113	Global, regional and national levels and trends of preterm birth rates for 1990 to 2014: protocol for development of World Health Organization estimates. <i>Reproductive Health</i> , 2016, 13, 76.	1.2	47
114	Constructing maternal morbidity “towards a standard tool to measure and monitor maternal health beyond mortality. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 45.	0.9	95
115	Maternal morbidity measurement tool pilot: study protocol. <i>Reproductive Health</i> , 2016, 13, 69.	1.2	25
116	Women’s Awareness and Knowledge of Abortion Laws: A Systematic Review. <i>PLoS ONE</i> , 2016, 11, e0152224.	1.1	46
117	Classifying the causes of perinatal death. <i>Bulletin of the World Health Organization</i> , 2016, 94, 79-79A.	1.5	33
118	Monitoring adolescent sexual and reproductive health. <i>Bulletin of the World Health Organization</i> , 2016, 94, 159-159.	1.5	16
119	Formative research and development of innovative tools for “Better Outcomes in Labour Difficulty” (BOLD): study protocol. <i>Reproductive Health</i> , 2015, 12, 50.	1.2	20
120	How women are treated during facility-based childbirth: development and validation of measurement tools in four countries “phase 1 formative research study protocol. <i>Reproductive Health</i> , 2015, 12, 60.	1.2	53
121	Measuring abortion-related mortality: challenges and opportunities. <i>Reproductive Health</i> , 2015, 12, 87.	1.2	15
122	WHO Better Outcomes in Labour Difficulty (BOLD) project: innovating to improve quality of care around the time of childbirth. <i>Reproductive Health</i> , 2015, 12, 48.	1.2	22
123	Searching for the definition of macrosomia through an outcome-based approach in low- and middle-income countries: a secondary analysis of the WHO Global Survey in Africa, Asia and Latin America. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 324.	0.9	52
124	Non-pneumatic anti-shock garment for improving maternal survival following severe postpartum haemorrhage: a systematic review. <i>Reproductive Health</i> , 2015, 12, 28.	1.2	33
125	The development of a Simplified, Effective, Labour Monitoring-to-Action (SELMA) tool for Better Outcomes in Labour Difficulty (BOLD): study protocol. <i>Reproductive Health</i> , 2015, 12, 49.	1.2	40
126	What is the optimal rate of caesarean section at population level? A systematic review of ecologic studies. <i>Reproductive Health</i> , 2015, 12, 57.	1.2	356



#	ARTICLE	IF	CITATIONS
127	Sexual and Reproductive Health Research and Research Capacity Strengthening in Africa: Perspectives from the region. <i>Reproductive Health</i> , 2015, 12, 64.	1.2	6
128	Conflict, displacement and sexual and reproductive health services in Mali: analysis of 2013 health resources availability mapping system (HeRAMS) survey. <i>Conflict and Health</i> , 2015, 9, 28.	1.0	18
129	The Mistreatment of Women during Childbirth in Health Facilities Globally: A Mixed-Methods Systematic Review. <i>PLoS Medicine</i> , 2015, 12, e1001847.	3.9	883
130	A Systematic Review of Reporting Tools Applicable to Sexual and Reproductive Health Programmes: Step 1 in Developing Programme Reporting Standards. <i>PLoS ONE</i> , 2015, 10, e0138647.	1.1	6
131	Burden of obstetric fistula: from measurement to action. <i>The Lancet Global Health</i> , 2015, 3, e243-e244.	2.9	46
132	Use of the Robson classification to assess caesarean section trends in 21 countries: a secondary analysis of two WHO multicountry surveys. <i>The Lancet Global Health</i> , 2015, 3, e260-e270.	2.9	795
133	Measuring the incidence and prevalence of obstetric fistula: approaches, needs and recommendations. <i>Bulletin of the World Health Organization</i> , 2015, 93, 60-62.	1.5	72
134	Quality of care for pregnant women and newbornsâ€”the <scp>WHO</scp> vision. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 1045-1049.	1.1	697
135	From concept to measurement: operationalizing WHOâ€™s definition of unsafe abortion. <i>Bulletin of the World Health Organization</i> , 2014, 92, 155-155.	1.5	116
136	Education and severe maternal outcomes in developing countries: a multicountry crossâ€”sectional survey. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 57-65.	1.1	48
137	Global causes of maternal death: a WHO systematic analysis. <i>The Lancet Global Health</i> , 2014, 2, e323-e333.	2.9	3,772
138	Understanding the Continuum of Maternal Morbidity in Accra, Ghana. <i>Maternal and Child Health Journal</i> , 2014, 18, 1648-1657.	0.7	11
139	Community-based screening for obstetric fistula in Nigeria: a novel approach. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 44.	0.9	20
140	Maternal nearâ€”miss audits to improve quality of care. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 102-104.	1.1	25
141	Comprehensive Adolescent Health Programs That Include Sexual and Reproductive Health Services: A Systematic Review. <i>American Journal of Public Health</i> , 2014, 104, e23-e36.	1.5	16
142	New WHO recommendations on prevention and treatment of postpartum hemorrhage. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 123, 254-256.	1.0	132
143	Framing maternal morbidity: WHO scoping exercise. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 213.	0.9	37
144	Assessment of maternal nearâ€”miss and quality of care in a hospitalâ€”based study in Accra, Ghana. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 123, 58-63.	1.0	70

#	ARTICLE	IF	CITATIONS
145	Maternal near miss and quality of maternal health care in Baghdad, Iraq. BMC Pregnancy and Childbirth, 2013, 13, 11.	0.9	70
146	Measuring maternal health: focus on maternal morbidity. Bulletin of the World Health Organization, 2013, 91, 794-796.	1.5	189
147	Measuring Coverage in MNCH: Validating Women's Self-Report of Emergency Cesarean Sections in Ghana and the Dominican Republic. PLoS ONE, 2013, 8, e60761.	1.1	35
148	Steps through the Revision Process of Reproductive Health Sections of ICD-11. Gynecologic and Obstetric Investigation, 2012, 74, 228-232.	0.7	5
149	Prostaglandins for preventing postpartum haemorrhage. The Cochrane Library, 2012, , CD000494.	1.5	105
150	Listening to Women's Voices: The Quality of Care of Women Experiencing Severe Maternal Morbidity, in Accra, Ghana. PLoS ONE, 2012, 7, e44536.	1.1	44
151	National, regional, and worldwide estimates of stillbirth rates in 2009 with trends since 1995: a systematic analysis. Lancet, The, 2011, 377, 1319-1330.	6.3	514
152	Surgical procedures for evacuating incomplete miscarriage. The Cochrane Library, 2010, , CD001993.	1.5	42
153	US is accused of jeopardising HIV prevention in Uganda. BMJ: British Medical Journal, 2005, 331, 715.1.	2.4	0
154	Uterotonic agents for preventing postpartum haemorrhage: a network meta-analysis. The Cochrane Library, 0, , .	1.5	4