

Adrian Wagg Mb, Frcp

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4968028/publications.pdf>

Version: 2024-02-01

177
papers

5,073
citations

101543

36
h-index

114465

63
g-index

182
all docs

182
docs citations

182
times ranked

3945
citing authors

#	ARTICLE	IF	CITATIONS
1	6th International Consultation on Incontinence. Recommendations of the International Scientific Committee: EVALUATION AND TREATMENT OF URINARY INCONTINENCE, PELVIC ORGAN PROLAPSE AND FAECAL INCONTINENCE. <i>Neurourology and Urodynamics</i> , 2018, 37, 2271-2272.	1.5	484
2	Persistence with prescribed antimuscarinic therapy for overactive bladder: a UK experience. <i>BJU International</i> , 2012, 110, 1767-1774.	2.5	286
3	Persistence and Adherence with Mirabegron versus Antimuscarinic Agents in Patients with Overactive Bladder: A Retrospective Observational Study in UK Clinical Practice. <i>European Urology</i> , 2017, 72, 389-399.	1.9	162
4	Incontinence in the frail elderly: Report from the 4th international consultation on incontinence. <i>Neurourology and Urodynamics</i> , 2010, 29, 165-178.	1.5	155
5	A review of adherence to drug therapy in patients with overactive bladder. <i>BJU International</i> , 2008, 102, 774-779.	2.5	143
6	Efficacy and tolerability of solifenacin in elderly subjects with overactive bladder syndrome: A pooled analysis. <i>American Journal of Geriatric Pharmacotherapy</i> , 2006, 4, 14-24.	3.0	133
7	Urinary incontinence in frail elderly persons: Report from the 5th International Consultation on Incontinence. <i>Neurourology and Urodynamics</i> , 2015, 34, 398-406.	1.5	115
8	Randomised, Multicentre, Placebo-controlled, Double-blind Crossover Study Investigating the Effect of Solifenacin and Oxybutynin in Elderly People with Mild Cognitive Impairment: The SENIOR Study. <i>European Urology</i> , 2013, 64, 74-81.	1.9	113
9	Appropriateness of oral drugs for long-term treatment of lower urinary tract symptoms in older persons: results of a systematic literature review and international consensus validation process (LUTS-FORTA 2014). <i>Age and Ageing</i> , 2015, 44, 745-755.	1.6	105
10	CUA guideline on adult overactive bladder. <i>Canadian Urological Association Journal</i> , 2017, 11, 142.	0.6	105
11	Patient Characteristics Associated with Quality of Life in European Women Seeking Treatment for Urinary Incontinence: Results from PURE. <i>European Urology</i> , 2007, 51, 1073-1082.	1.9	99
12	The efficacy and tolerability of the β -3-adrenoceptor agonist mirabegron for the treatment of symptoms of overactive bladder in older patients. <i>Age and Ageing</i> , 2014, 43, 666-675.	1.6	99
13	Flexible Dose Fesoterodine in Elderly Adults with Overactive Bladder: Results of the Randomized, Double-blind, Placebo-controlled Study of Fesoterodine in an Aging Population Trial. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 185-193.	2.6	95
14	Persistence and adherence with the new beta-3 receptor agonist, mirabegron, versus antimuscarinics in overactive bladder: Early experience in Canada. <i>Canadian Urological Association Journal</i> , 2015, 9, 343.	0.6	94
15	Patient-reported impact of urinary incontinence—Results from treatment seeking women in 14 European countries. <i>Maturitas</i> , 2005, 52, 24-34.	2.4	82
16	Cardiovascular Safety of β -3-adrenoceptor Agonists for the Treatment of Patients with Overactive Bladder Syndrome. <i>European Urology</i> , 2016, 69, 311-323.	1.9	80
17	Review of cognitive impairment with antimuscarinic agents in elderly patients with overactive bladder. <i>International Journal of Clinical Practice</i> , 2010, 64, 1279-1286.	1.7	74
18	National audit of continence care for older people: management of urinary incontinence. <i>Age and Ageing</i> , 2007, 37, 39-44.	1.6	73

#	ARTICLE	IF	CITATIONS
19	A review of published anticholinergic scales and measures and their applicability in database analyses. Archives of Gerontology and Geriatrics, 2020, 87, 103885.	3.0	69
20	Can incontinence be cured? A systematic review of cure rates. BMC Medicine, 2017, 15, 63.	5.5	68
21	The association between lower urinary tract symptoms and falls: Forming a theoretical model for a research agenda. Neurourology and Urodynamics, 2018, 37, 501-509.	1.5	66
22	Overactive bladder syndrome in older people. BJU International, 2007, 99, 502-509.	2.5	65
23	Current controversies in urinary tract infections: ICI-RS 2017. Neurourology and Urodynamics, 2018, 37, S86-S92.	1.5	65
24	Efficacy and Tolerability of Fesoterodine in Older and Younger Subjects With Overactive Bladder. Urology, 2010, 76, 1350-1357.	1.0	61
25	New horizons: urinary incontinence in older people. Age and Ageing, 2014, 43, 157-163.	1.6	58
26	Oral pharmacotherapy for overactive bladder in older patients: mirabegron as a potential alternative to antimuscarinics. Current Medical Research and Opinion, 2016, 32, 621-638.	1.9	58
27	Overactive bladder: Is there a link to the metabolic syndrome in men?. Neurourology and Urodynamics, 2010, 29, 1360-1364.	1.5	56
28	Management of bowel problems in older people: an update. Clinical Medicine, 2005, 5, 289-295.	1.9	54
29	Impact of frailty on outcomes after discharge in older surgical patients: a prospective cohort study. Cmaj, 2018, 190, E184-E190.	2.0	52
30	The extent and severity of urinary incontinence amongst women in UK GP waiting rooms. Family Practice, 2006, 23, 497-506.	1.9	51
31	Mobility of Vulnerable Elders Study: Effect of the Sit-to-Stand Activity on Mobility, Function, and Quality of Life. Journal of the American Medical Directors Association, 2015, 16, 138-143.	2.5	51
32	Prioritizing research: Patients, carers, and clinicians working together to identify and prioritize important clinical uncertainties in urinary incontinence. Neurourology and Urodynamics, 2010, 29, 708-714.	1.5	50
33	Efficacy, safety, and tolerability of mirabegron in patients aged ≥65 yr with overactive bladder wet: a phase IV, double-blind, randomised, placebo-controlled study (PILLAR). European Urology, 2020, 77, 211-220.	1.9	50
34	Design and Validation of a New Screening Instrument for Lower Urinary Tract Dysfunction: The Bladder Control Self-Assessment Questionnaire (B-SAQ). European Urology, 2007, 52, 230-238.	1.9	47
35	Long-term safety, tolerability and efficacy of flexible-dose fesoterodine in elderly patients with overactive bladder: Open-label extension of the SOFIA trial. Neurourology and Urodynamics, 2014, 33, 106-114.	1.5	47
36	Detrusor underactivity: Pathophysiological considerations, models and proposals for future research. ICI-RS 2013. Neurourology and Urodynamics, 2014, 33, 591-596.	1.5	38

#	ARTICLE	IF	CITATIONS
37	The Association Between Overactive Bladder and Falls and Fractures: A Systematic Review. <i>Advances in Therapy</i> , 2018, 35, 1831-1841.	2.9	38
38	Antimicrobial stewardship in rural nursing homes: Impact of interprofessional education and clinical decision tool implementation on urinary tract infection treatment in a cluster randomized trial. <i>Infection Control and Hospital Epidemiology</i> , 2019, 40, 432-437.	1.8	35
39	Treating overactive bladder in the elderly. <i>Canadian Urological Association Journal</i> , 2011, 5, S149-S151.	0.6	35
40	National audit of continence care for older people: results of a pilot study*. <i>Journal of Evaluation in Clinical Practice</i> , 2005, 11, 525-532.	1.8	34
41	Clinical Effectiveness of the Elder-Friendly Approaches to the Surgical Environment Initiative in Emergency General Surgery. <i>JAMA Surgery</i> , 2020, 155, e196021.	4.3	34
42	Medical therapy for the overactive bladder in the elderly. <i>Age and Ageing</i> , 2002, 31, 241-246.	1.6	32
43	To what extent are national guidelines for the management of urinary incontinence in women adhered? Data from a national audit. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 1592-1600.	2.3	32
44	Incontinence in frail elderly persons: Report of the 6th International Consultation on Incontinence. <i>Neurourology and Urodynamics</i> , 2021, 40, 38-54.	1.5	31
45	Antimuscarinic Treatment in Overactive Bladder. <i>Drugs and Aging</i> , 2012, 29, 539-548.	2.7	30
46	Frailty predicts increased costs in emergent general surgery patients: A prospective cohort cost analysis. <i>Surgery</i> , 2019, 166, 82-87.	1.9	30
47	Incontinence in the elderly, 'normal' ageing, or unaddressed pathology?. <i>Nature Reviews Urology</i> , 2017, 14, 440-448.	3.8	29
48	Persistence and adherence with mirabegron vs antimuscarinics in overactive bladder: Retrospective analysis of a UK General Practice prescription database. <i>International Journal of Clinical Practice</i> , 2017, 71, e12996.	1.7	29
49	Etiology of overactive bladder: A diet and lifestyle model for diabetes and obesity in older women. <i>Neurourology and Urodynamics</i> , 2012, 31, 487-495.	1.5	27
50	Managing Urinary Incontinence in Patients with Dementia: Pharmacological Treatment Options and Considerations. <i>Drugs and Aging</i> , 2015, 32, 559-567.	2.7	27
51	Efficacy and safety of tadalafil 5 mg once daily in the treatment of lower urinary tract symptoms associated with benign prostatic hyperplasia in men aged ≥75 years: integrated analyses of pooled data from multinational, randomized, placebo-controlled clinical studies. <i>BJU International</i> , 2017, 119, 793-803.	2.5	27
52	Greater Independence in Activities of Daily Living is Associated with Higher Health-Related Quality of Life Scores in Nursing Home Residents with Dementia. <i>Healthcare (Switzerland)</i> , 2015, 3, 503-518.	2.0	26
53	A pooled analysis of the efficacy of fesoterodine for the treatment of overactive bladder, and the relationship between safety, co-morbidity and polypharmacy in patients aged 65 years or older. <i>Age and Ageing</i> , 2017, 46, 620-626.	1.6	26
54	Safety and efficacy of flexible-dose fesoterodine in British subjects with overactive bladder: insights into factors associated with dose escalation. <i>International Urogynecology Journal</i> , 2012, 23, 1581-1590.	1.4	25

#	ARTICLE	IF	CITATIONS
55	SCOPEOUT: sustainability and spread of quality improvement activities in long-term care- a mixed methods approach. BMC Health Services Research, 2018, 18, 174.	2.2	25
56	A concept analysis of dignity-protective continence care for care dependent older people in long-term care settings. BMC Geriatrics, 2020, 20, 266.	2.7	25
57	Mobility of Vulnerable Elders (MOVE): study protocol to evaluate the implementation and outcomes of a mobility intervention in long-term care facilities. BMC Geriatrics, 2011, 11, 84.	2.7	24
58	National audit of continence care: adherence to National Institute for Health and Clinical Excellence (NICE) Guidance in older versus younger adults with faecal incontinence. Age and Ageing, 2014, 43, 785-793.	1.6	24
59	Perspectives about Interprofessional Collaboration and Patient-Centred Care. Canadian Journal on Aging, 2020, 39, 443-455.	1.1	24
60	Developing an Internationally-Applicable Service Specification for Continence Care: Systematic Review, Evidence Synthesis and Expert Consensus. PLoS ONE, 2014, 9, e104129.	2.5	24
61	National audit of continence care for older people: management of faecal incontinence. Age and Ageing, 2007, 36, 268-273.	1.6	23
62	Urinary incontinence in stroke: results from the UK National Sentinel Audits of Stroke 1998-2004. Age and Ageing, 2008, 37, 542-546.	1.6	23
63	The educational needs of nursing staff when working with hospitalised older people. Journal of Clinical Nursing, 2019, 28, 221-234.	3.0	22
64	Sustainment, Sustainability, and Spread Study (SSaSSy): protocol for a study of factors that contribute to the sustainment, sustainability, and spread of practice changes introduced through an evidence-based quality-improvement intervention in Canadian nursing homes. Implementation Science, 2019, 14, 109.	6.9	22
65	Optimizing seniorâ€™s surgical care - Elder-friendly Approaches to the Surgical Environment (EASE) study: rationale and objectives. BMC Health Services Research, 2015, 15, 338.	2.2	21
66	Fesoterodine clinical efficacy and safety for the treatment of overactive bladder in relation to patient profiles: a systematic review. Current Medical Research and Opinion, 2015, 31, 1201-1243.	1.9	20
67	Improving nurse engagement in continence care. Nursing (Auckland, N Z), 0, Volume 8, 1-7.	2.0	19
68	Multicriteria Decision Analysis Applied to the Clinical Use of Pharmacotherapy for Overactive Bladder Symptom Complex. European Urology Focus, 2020, 6, 522-530.	3.1	19
69	Knowledge and understanding of urinary incontinence: survey of family practitioners in northern Alberta. Canadian Family Physician, 2013, 59, e330-7.	0.4	19
70	Overactive bladder: strategies to ensure treatment compliance and adherence. Clinical Interventions in Aging, 2016, 11, 755.	2.9	18
71	Development of a core set of outcome measures for OAB treatment. International Urogynecology Journal, 2017, 28, 1785-1793.	1.4	18
72	Improving Nursing Home Care through Feedback On PerformMance Data (INFORM): Protocol for a cluster-randomized trial. Trials, 2017, 18, 9.	1.6	18

#	ARTICLE	IF	CITATIONS
73	Assessment of patients with lower urinary tract symptoms where an undiagnosed neurological disease is suspected: A report from an International Continence Society consensus working group. <i>Neurourology and Urodynamics</i> , 2020, 39, 2535-2543.	1.5	18
74	Validation of the bladder control self-assessment questionnaire (B&SAQ) in men. <i>BJU International</i> , 2014, 113, 783-788.	2.5	17
75	Can we define and characterize the aging lower urinary tract? ICI&RS 2015. <i>Neurourology and Urodynamics</i> , 2017, 36, 854-858.	1.5	17
76	Review of the Efficacy and Safety of Fesoterodine for Treating Overactive Bladder and Urgency Urinary Incontinence in Elderly Patients. <i>Drugs and Aging</i> , 2015, 32, 103-125.	2.7	16
77	Is the belief that urinary incontinence is normal for ageing related to older Canadian women's experience of urinary incontinence?. <i>International Urogynecology Journal</i> , 2019, 30, 2157-2160.	1.4	16
78	Current and future trends in the management of overactive bladder. <i>International Urogynecology Journal</i> , 2007, 18, 81-94.	1.4	15
79	Measuring Activity Performance of Older Adults Using the activPAL: A Rapid Review. <i>Healthcare (Switzerland)</i> , 2017, 5, 94.	2.0	15
80	Implementing Frontline Worker-Led Quality Improvement in Nursing Homes: Getting to How. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2018, 44, 526-535.	0.7	15
81	Safety and Tolerability Results from the PILLAR Study: A Phase IV, Double-Blind, Randomized, Placebo-Controlled Study of Mirabegron in Patients >65 years with Overactive Bladder-Wet. <i>Drugs and Aging</i> , 2020, 37, 665-676.		14
82	Secondary-care treatment patterns in the UK for women with urinary incontinence. <i>BJU International</i> , 2005, 96, 839-842.	2.5	13
83	Falls risk reduction and treatment of overactive bladder symptoms with antimuscarinic agents: A scoping review. <i>Neurourology and Urodynamics</i> , 2011, 30, 490-494.	1.5	13
84	Continence Across Continents To Upend Stigma and Dependency (CACTUS-D): study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2015, 16, 565.	1.6	13
85	Is there brain OAB and how can we recognize it? International Consultation on Incontinence Research Society (ICI&RS) 2017. <i>Neurourology and Urodynamics</i> , 2018, 37, S38-S45.	1.5	13
86	Special considerations in the urological management of the older spinal cord injury patient. <i>World Journal of Urology</i> , 2018, 36, 1603-1611.	2.2	13
87	Exercise intervention in the management of urinary incontinence in older women in villages in Bangladesh: a cluster randomised trial. <i>The Lancet Global Health</i> , 2019, 7, e923-e931.	6.3	13
88	The impact of delayed mobilization on post-discharge outcomes after emergency abdominal surgery: A prospective cohort study in older patients. <i>PLoS ONE</i> , 2020, 15, e0241554.	2.5	13
89	Factors associated with dose escalation of fesoterodine for treatment of overactive bladder in people >65 years of age: A post hoc analysis of data from the SOFIA study. <i>Neurourology and Urodynamics</i> , 2015, 34, 438-443.	1.5	12
90	Overactive Bladder in Frail Older Adults. <i>Drugs and Aging</i> , 2020, 37, 559-565.	2.7	12

#	ARTICLE	IF	CITATIONS
91	Do self-reported 'integrated' continence services provide high-quality continence care?. Age and Ageing, 2009, 38, 730-733.	1.6	11
92	Self-reported Outcomes in Individuals Aged 65 and Older Admitted for Treatment to an Acute Care Surgical Service: A 6-Month Prospective Cohort Study. Journal of the American Geriatrics Society, 2015, 63, 2388-2394.	2.6	11
93	Economic Impact of Mirabegron Versus Antimuscarinics for the Treatment of Overactive Bladder in the UK. Pharmacoeconomics - Open, 2017, 1, 25-36.	1.8	11
94	Urinary incontinence in older adults. Medicine, 2017, 45, 23-27.	0.4	11
95	The safety and efficacy of tolterodine extended release in the treatment of overactive bladder in the elderly. Clinical Interventions in Aging, 2009, 4, 191.	2.9	10
96	Effects of drug cessation after flexible-dose fesoterodine in patients with overactive bladder. BJU International, 2013, 112, 820-829.	2.5	10
97	Lower urinary tract symptoms and falls in older women: A case control study. Maturitas, 2015, 80, 308-311.	2.4	10
98	Urinary incontinence in older people. British Journal of Hospital Medicine (London, England: 2005), 2016, 77, C27-C32.	0.5	10
99	Anticholinergics for Overactive Bladder in Frail and Medically Complex Older People: The Case For. Drugs and Aging, 2018, 35, 777-780.	2.7	10
100	Association between nocturia and frailty among elderly males in a veterans administration population. Aging Clinical and Experimental Research, 2020, 32, 1993-2000.	2.9	10
101	Urinary and faecal incontinence in older adults. Medicine, 2021, 49, 44-50.	0.4	10
102	National audit of continence care: laying the foundation. Journal of Evaluation in Clinical Practice, 2005, 11, 533-543.	1.8	9
103	The Care of Older Adults Experiencing Cognitive Challenges: How Interprofessional Teams Collaborate. Canadian Journal on Aging, 2017, 36, 485-500.	1.1	9
104	Long-term effect of community-based continence promotion on urinary symptoms, falls and healthy active life expectancy among older women: cluster randomised trial. Age and Ageing, 2019, 48, 526-532.	1.6	9
105	Preferences for Continence Care Experienced at End of Life: A Qualitative Study. Journal of Pain and Symptom Management, 2019, 57, 1099-1105.e3.	1.2	9
106	Comparing effects of two higher intensity feedback interventions with simple feedback on improving staff communication in nursing homes—the INFORM cluster-randomized controlled trial. Implementation Science, 2020, 15, 75.	6.9	9
107	International Continence Society white paper on ethical considerations in older adults with urinary incontinence. Neurourology and Urodynamics, 2022, 41, 14-30.	1.5	9
108	Factors associated with the responsive behaviours of older adults living in long-term care homes towards staff: a systematic review protocol. BMJ Open, 2019, 9, e028416.	1.9	8

#	ARTICLE	IF	CITATIONS
109	Recent advances in the treatment of urinary incontinence in older women. <i>Current Opinion in Urology</i> , 2008, 18, 383-388.	1.8	7
110	Knowledge translation interventions to sustain direct care provider behaviour change in long-term care: A process evaluation. <i>Journal of Evaluation in Clinical Practice</i> , 2018, 24, 159-165.	1.8	7
111	Choosing oral drug therapy for overactive bladder in older people. <i>Expert Opinion on Pharmacotherapy</i> , 2018, 19, 1375-1380.	1.8	7
112	Examining the Impact of Knowledge Translation Interventions on Uptake of Evidence-Based Practices by Care Aides in Continuing Care. <i>Worldviews on Evidence-Based Nursing</i> , 2019, 16, 21-28.	2.9	7
113	Cost-effectiveness Analysis of the Elder-Friendly Approaches to the Surgical Environment (EASE) Intervention for Emergency Abdominal Surgical Care of Adults Aged 65 Years and Older. <i>JAMA Network Open</i> , 2020, 3, e202034.	5.9	7
114	Predicting response to a community-based educational workshop on incontinence among community-dwelling older women: Post hoc analysis of the CACTUS trial. <i>Neurourology and Urodynamics</i> , 2021, 40, 705-713.	1.5	7
115	Treatment Patterns for Patients on Overactive Bladder Therapy: A Retrospective Statistical Analysis Using Canadian Claims Data. <i>Journal of Health Economics and Outcomes Research</i> , 2015, 3, 43-55.	1.2	7
116	Factors Associated With Residents' Responsive Behaviors Toward Staff in Long-Term Care Homes: A Systematic Review. <i>Gerontologist</i> , The, 2023, 63, 674-689.	3.9	7
117	SCOPE: safer care for older persons (in residential) environments—a pilot study to enhance care aide-led quality improvement in nursing homes. <i>Pilot and Feasibility Studies</i> , 2022, 8, 26.	1.2	7
118	An Approach to Urinary Incontinence for Dermatologists. <i>Journal of Cutaneous Medicine and Surgery</i> , 2017, 21, 15-22.	1.2	6
119	Development and initial psychometric properties of the ICIQ-Cog™: a new assessment tool to measure the disease-related impact and care effort associated with incontinence in cognitively impaired adults. <i>BJU International</i> , 2018, 122, 309-316.	2.5	6
120	Seniors Health Strategic Clinical Network. <i>Cmaj</i> , 2019, 191, S19-S21.	2.0	6
121	Optimizing hospital-to-home transitions for older persons in rural communities: a participatory, multimethod study protocol. <i>Implementation Science Communications</i> , 2021, 2, 81.	2.2	6
122	Influences of post-implementation factors on the sustainability, sustainment, and intra-organizational spread of complex interventions. <i>BMC Health Services Research</i> , 2022, 22, 666.	2.2	6
123	The feasibility of implementing education on older person care to practice on medical units: Nurses' perceptions and the influence of practice context. <i>International Journal of Older People Nursing</i> , 2019, 14, e12265.	1.3	5
124	Development of quality outcome indicators to improve the quality of urinary and faecal continence care. <i>International Urogynecology Journal</i> , 2019, 30, 23-32.	1.4	5
125	What are the chances of improvement or cure from overactive bladder? A pooled responder analysis of efficacy and treatment emergent adverse events following treatment with fesoterodine. <i>Neurourology and Urodynamics</i> , 2021, 40, 1559-1568.	1.5	5
126	Managing Special Populations: The Elderly. <i>European Urology Supplements</i> , 2006, 5, 866-870.	0.1	4

#	ARTICLE	IF	CITATIONS
127	Promoting and maintaining urinary continence: Follow-up from a cluster-randomized trial of elderly village women in Bangladesh. <i>Neurourology and Urodynamics</i> , 2020, 39, 1152-1161.	1.5	4
128	The development and validation of instruments to measure dignity-protective continence care for care-dependent older people in residential aged care facilities: A study protocol. <i>Neurourology and Urodynamics</i> , 2020, 39, 1363-1370.	1.5	4
129	The use of onabotulinumtoxinA to treat idiopathic overactive bladder in elderly patients is in need of study. <i>Neurourology and Urodynamics</i> , 2022, 41, 42-47.	1.5	4
130	Do Older Adults with Overactive Bladder Demonstrate Impaired Executive Function Compared to Their Peers Without OAB?. <i>Canadian Geriatrics Journal</i> , 2020, 23, 329-334.	1.2	4
131	Clinical utility of transdermal delivery of oxybutynin gel via a metered-dose pump in the management of overactive bladder. <i>Research and Reports in Urology</i> , 2012, 4, 57.	1.0	3
132	Urinary incontinence in older people: an overview. <i>Medicine</i> , 2013, 41, 20-23.	0.4	3
133	Nocturnal Enuresis in Older People. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2016, 43, 401-406.	1.0	3
134	Prevalence and predictors of overactive bladder in nonpregnant nulliparous women below 65 years of age. <i>International Urogynecology Journal</i> , 2018, 29, 531-537.	1.4	3
135	Overnight Urge Perception in Nocturia Is Independent of Depression, PTSD, or Anxiety in a Male Veterans Administration Population. <i>Journal of Clinical Sleep Medicine</i> , 2019, 15, 615-621.	2.6	3
136	Effectiveness of reminders to sustain practice change among direct care providers in residential care facilities: a cluster randomized controlled trial. <i>Implementation Science</i> , 2020, 15, 51.	6.9	3
137	Which drugs are best for overactive bladder? From patients' expectations to physicians' decisions. <i>International Journal of Clinical Practice</i> , 2021, 75, e13870.	1.7	3
138	Older Persons and Nursing Staff's Perspectives on Continence Care in Rehabilitation. <i>Rehabilitation Nursing</i> , 2021, 46, 305-314.	0.5	3
139	Urinary Incontinence in People Living with Cognitive Impairment. <i>Current Geriatrics Reports</i> , 2021, 10, 124.	1.1	3
140	Prioritizing supports and services to help older adults age in place: A Delphi study comparing the perspectives of family/friend care partners and healthcare stakeholders. <i>PLoS ONE</i> , 2021, 16, e0259387.	2.5	3
141	Is it Possible to Measure What Truly Matters? The Paradox of Clinical Audit in Developing Continence Service Standards for Older People. <i>Patient</i> , 2010, 3, 11-23.	2.7	2
142	Does fesoterodine have a role in the treatment of poorly managed patients with overactive bladder?. <i>Drug Design, Development and Therapy</i> , 2014, 8, 113.	4.3	2
143	Persistence with medication and overactive bladder: an ongoing challenge. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2016, 16, 475-481.	1.4	2
144	Aging in Place: Implications for Continence Care for Older People. <i>European Urology</i> , 2019, 75, 272-273.	1.9	2

#	ARTICLE	IF	CITATIONS
145	Is the strong desire to void a source of diverted attention in healthy adult volunteers?. <i>Neurourology and Urodynamics</i> , 2020, 39, 324-330.	1.5	2
146	Male Overactive Bladder: Underappreciated, Under-researched. More Please?. <i>European Urology</i> , 2021, 79, 505-506.	1.9	2
147	Identifying what matters most for the health of older adults in Alberta: results from a James Lind Alliance Research Priority Setting Partnership. <i>CMAJ Open</i> , 2021, 9, E522-E528.	2.4	2
148	The Bladder at Night during Hospitalisation: Towards optimal care for elderly patients with nocturia. <i>International Journal of Clinical Practice</i> , 2021, 75, e14876.	1.7	2
149	Urinary urgency acts as a source of divided attention leading to changes in gait in older adults with overactive bladder. <i>PLoS ONE</i> , 2021, 16, e0257506.	2.5	2
150	Bladder and bowel preferences of patients at the end of life: a scoping review. <i>International Journal of Palliative Nursing</i> , 2020, 26, 432-442.	0.5	2
151	Safety and Tolerability of Fesoterodine in Older Adult Patients with Overactive Bladder. <i>Canadian Geriatrics Journal</i> , 2022, 25, 72-78.	1.2	2
152	Risk factors for incidence of dementia in primary care practice: a retrospective cohort study in older adults. <i>Family Practice</i> , 2022, 39, 406-412.	1.9	2
153	Transdermal oxybutynin: topical therapy for overactive bladder syndrome. <i>Expert Review of Obstetrics and Gynecology</i> , 2008, 3, 175-179.	0.4	1
154	Reply from Authors re: Jean-Nicolas Cornu. Overactive Bladder Medical Management in the Elderly: It Is Time to Go Beyond the Tip of the Iceberg. <i>Eur Urol</i> 2013;64:82-3. <i>European Urology</i> , 2013, 64, 83-84.	1.9	1
155	Urinary incontinence in the frail elderly: what do we still need to learn?. <i>Clinical Practice (London, England)</i> 2014;14:14-17. <i>Clinical Practice (London, England)</i> , 2014, 14, 14-17.	0.784314	1
156	Affirming the Value of the Resident Assessment Instrument: Minimum Data Set Version 2.0 for Nursing Home Decision-Making and Quality Improvement. <i>Healthcare (Switzerland)</i> , 2015, 3, 659-665.	2.0	1
157	Urinary Tract Infections in the Elderly. <i>Current Bladder Dysfunction Reports</i> , 2015, 10, 222-226.	0.5	1
158	Overactive Bladder: From Continence to Incontinence in Nursing Home Care: The Influence of a Dementia Diagnosis. <i>Alzheimer's and Dementia</i> , 2016, 12, P265.	0.8	1
159	Appendix: Executive summary of CLIA guideline on adult overactive bladder. <i>Canadian Urological Association Journal</i> , 2017, 11, 248.	0.6	1
160	Long-term urinary catheterisation in community-dwelling adults. <i>British Journal of Community Nursing</i> , 2019, 24, 258-262.	0.4	1
161	Patient reported outcomes in an elder-friendly surgical environment: Prospective, controlled before-after study. <i>Annals of Medicine and Surgery</i> , 2021, 65, 102368.	1.1	1
162	Epidemiology of dementia onset captured in Canadian primary care electronic medical records. <i>Family Practice</i> , 2022, 39, 74-79.	1.9	1

#	ARTICLE	IF	CITATIONS
163	Antimuscarinic Treatment in Overactive Bladder. <i>Drugs and Aging</i> , 2012, 29, 539-548.	2.7	1
164	Transdermal Oxybutynin. <i>Drugs and Aging</i> , 2003, 20, 865-866.	2.7	0
165	Disorders of the Lower Urinary Tract. , 0, , 343-352.		0
166	The effect on fall rate of blood glucose testing at the time of falls in elderly diabetics. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 65.	2.7	0
167	Pharmacological Treatment of Voiding Dysfunction in Older Men. <i>Current Geriatrics Reports</i> , 2015, 4, 44-50.	1.1	0
168	Trends in the use of older overactive bladder agents and uptake of fesoterodine and mirabegron in Canada. <i>Neurourology and Urodynamics</i> , 2018, 37, 2977-2978.	1.5	0
169	Continence in nursing homes: a state of irreversible decline?. <i>Nature Reviews Urology</i> , 2019, 16, 278-279.	3.8	0
170	Role of Policy in Best-Practice Dissemination: Informal Professional Advice Networks in Canadian Long-Term Care. <i>Canadian Journal on Aging</i> , 2021, 40, 166-176.	1.1	0
171	Electronic Rapid Fitness Assessment Identifies Factors Associated with Adverse Early Postoperative Outcomes following Radical Cystectomy. Letter. <i>Journal of Urology</i> , 2022, 207, 237-238.	0.4	0
172	Editorial Comment. <i>Journal of Urology</i> , 2021, 205, 1152-1152.	0.4	0
173	Nonpharmacologic Interventions for Care Home Residents With Dementia: Utility of Current Practices. <i>Journal of the American Medical Directors Association</i> , 2021, , .	2.5	0
174	Considerations in the Medically Complex and Frail Elderly. , 2019, , 267-290.		0
175	Editorial Comment. <i>Journal of Urology</i> , 2020, 203, 967-968.	0.4	0
176	Do Older Adults with Overactive Bladder Demonstrate Impaired Executive Function Compared to Their Peers Without OAB?. <i>Canadian Geriatrics Journal</i> , 2020, 23, 329-334.	1.2	0
177	Pilot of Patient Engagement in Continence Care on Geriatric Rehabilitation Units. <i>Rehabilitation Nursing</i> , 2022, Publish Ahead of Print, .	0.5	0