

Adrian Wagg Mb, Frcp

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4968028/publications.pdf>

Version: 2024-02-01

177
papers

5,073
citations

101543

36
h-index

114465

63
g-index

182
all docs

182
docs citations

182
times ranked

3945
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors Associated With Residents'™ Responsive Behaviors Toward Staff in Long-Term Care Homes: A Systematic Review. <i>Gerontologist, The</i> , 2023, 63, 674-689.	3.9	7
2	Electronic Rapid Fitness Assessment Identifies Factors Associated with Adverse Early Postoperative Outcomes following Radical Cystectomy. Letter. <i>Journal of Urology</i> , 2022, 207, 237-238.	0.4	0
3	Epidemiology of dementia onset captured in Canadian primary care electronic medical records. <i>Family Practice</i> , 2022, 39, 74-79.	1.9	1
4	International Continence Society white paper on ethical considerations in older adults with urinary incontinence. <i>Neurourology and Urodynamics</i> , 2022, 41, 14-30.	1.5	9
5	The use of onabotulinumtoxinA to treat idiopathic overactive bladder in elderly patients is in need of study. <i>Neurourology and Urodynamics</i> , 2022, 41, 42-47.	1.5	4
6	SCOPE: safer care for older persons (in residential) environments'™ a pilot study to enhance care aide-led quality improvement in nursing homes. <i>Pilot and Feasibility Studies</i> , 2022, 8, 26.	1.2	7
7	Safety and Tolerability of Fesoterodine in Older Adult Patients with Overactive Bladder. <i>Canadian Geriatrics Journal</i> , 2022, 25, 72-78.	1.2	2
8	Pilot of Patient Engagement in Continence Care on Geriatric Rehabilitation Units. <i>Rehabilitation Nursing</i> , 2022, Publish Ahead of Print, .	0.5	0
9	Risk factors for incidence of dementia in primary care practice: a retrospective cohort study in older adults. <i>Family Practice</i> , 2022, 39, 406-412.	1.9	2
10	Influences of post-implementation factors on the sustainability, sustainment, and intra-organizational spread of complex interventions. <i>BMC Health Services Research</i> , 2022, 22, 666.	2.2	6
11	Role of Policy in Best-Practice Dissemination: Informal Professional Advice Networks in Canadian Long-Term Care. <i>Canadian Journal on Aging</i> , 2021, 40, 166-176.	1.1	0
12	Incontinence in frail elderly persons: Report of the 6th International Consultation on Incontinence. <i>Neurourology and Urodynamics</i> , 2021, 40, 38-54.	1.5	31
13	Which drugs are best for overactive bladder? From patients'™ expectations to physicians'™ decisions. <i>International Journal of Clinical Practice</i> , 2021, 75, e13870.	1.7	3
14	Urinary and faecal incontinence in older adults. <i>Medicine</i> , 2021, 49, 44-50.	0.4	10
15	Older Persons and Nursing Staff'™s Perspectives on Continence Care in Rehabilitation. <i>Rehabilitation Nursing</i> , 2021, 46, 305-314.	0.5	3
16	Predicting response to a community'™based educational workshop on incontinence among community'™dwelling older women: Post hoc analysis of the CACTUS'™ trial. <i>Neurourology and Urodynamics</i> , 2021, 40, 705-713.	1.5	7
17	Male Overactive Bladder: Underappreciated, Under-researched. More Please?. <i>European Urology</i> , 2021, 79, 505-506.	1.9	2
18	Editorial Comment. <i>Journal of Urology</i> , 2021, 205, 1152-1152.	0.4	0

#	ARTICLE	IF	CITATIONS
19	Identifying what matters most for the health of older adults in Alberta: results from a James Lind Alliance Research Priority Setting Partnership. <i>CMAJ Open</i> , 2021, 9, E522-E528.	2.4	2
20	What are the chances of improvement or cure from overactive bladder? A pooled responder analysis of efficacy and treatment emergent adverse events following treatment with fesoterodine. <i>Neurourology and Urodynamics</i> , 2021, 40, 1559-1568.	1.5	5
21	Patient reported outcomes in an elder-friendly surgical environment: Prospective, controlled before-after study. <i>Annals of Medicine and Surgery</i> , 2021, 65, 102368.	1.1	1
22	Optimizing hospital-to-home transitions for older persons in rural communities: a participatory, multimethod study protocol. <i>Implementation Science Communications</i> , 2021, 2, 81.	2.2	6
23	Nonpharmacologic Interventions for Care Home Residents With Dementia: Utility of Current Practices. <i>Journal of the American Medical Directors Association</i> , 2021, , .	2.5	0
24	Urinary Incontinence in People Living with Cognitive Impairment. <i>Current Geriatrics Reports</i> , 2021, 10, 124.	1.1	3
25	The Bladder at Night during Hospitalisation: Towards optimal care for elderly patients with nocturia. <i>International Journal of Clinical Practice</i> , 2021, 75, e14876.	1.7	2
26	Urinary urgency acts as a source of divided attention leading to changes in gait in older adults with overactive bladder. <i>PLoS ONE</i> , 2021, 16, e0257506.	2.5	2
27	Prioritizing supports and services to help older adults age in place: A Delphi study comparing the perspectives of family/friend care partners and healthcare stakeholders. <i>PLoS ONE</i> , 2021, 16, e0259387.	2.5	3
28	A review of published anticholinergic scales and measures and their applicability in database analyses. <i>Archives of Gerontology and Geriatrics</i> , 2020, 87, 103885.	3.0	69
29	Perspectives about Interprofessional Collaboration and Patient-Centred Care. <i>Canadian Journal on Aging</i> , 2020, 39, 443-455.	1.1	24
30	Efficacy, safety, and tolerability of mirabegron in patients aged ≥65 yr with overactive bladder wet: a phase IV, double-blind, randomised, placebo-controlled study (PILLAR). <i>European Urology</i> , 2020, 77, 211-220.	1.9	50
31	Multicriteria Decision Analysis Applied to the Clinical Use of Pharmacotherapy for Overactive Bladder Symptom Complex. <i>European Urology Focus</i> , 2020, 6, 522-530.	3.1	19
32	Is the strong desire to void a source of diverted attention in healthy adult volunteers?. <i>Neurourology and Urodynamics</i> , 2020, 39, 324-330.	1.5	2
33	Association between nocturia and frailty among elderly males in a veterans administration population. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1993-2000.	2.9	10
34	Safety and Tolerability Results from the PILLAR Study: A Phase IV, Double-Blind, Randomized, Placebo-Controlled Study of Mirabegron in Patients ≥65 Years with Overactive Bladder-Wet. <i>Drugs and Aging</i> , 2020, 37, 665-676.		14
35	A concept analysis of dignity-protective continence care for care dependent older people in long-term care settings. <i>BMC Geriatrics</i> , 2020, 20, 266.	2.7	25
36	Assessment of patients with lower urinary tract symptoms where an undiagnosed neurological disease is suspected: A report from an International Continence Society consensus working group. <i>Neurourology and Urodynamics</i> , 2020, 39, 2535-2543.	1.5	18

#	ARTICLE	IF	CITATIONS
37	Cost-effectiveness Analysis of the Elder-Friendly Approaches to the Surgical Environment (EASE) Intervention for Emergency Abdominal Surgical Care of Adults Aged 65 Years and Older. JAMA Network Open, 2020, 3, e202034.	5.9	7
38	Comparing effects of two higher intensity feedback interventions with simple feedback on improving staff communication in nursing homes—the INFORM cluster-randomized controlled trial. Implementation Science, 2020, 15, 75.	6.9	9
39	Overactive Bladder in Frail Older Adults. Drugs and Aging, 2020, 37, 559-565.	2.7	12
40	Promoting and maintaining urinary continence: Follow-up from a cluster-randomized trial of elderly village women in Bangladesh. Neurourology and Urodynamics, 2020, 39, 1152-1161.	1.5	4
41	Effectiveness of reminders to sustain practice change among direct care providers in residential care facilities: a cluster randomized controlled trial. Implementation Science, 2020, 15, 51.	6.9	3
42	Clinical Effectiveness of the Elder-Friendly Approaches to the Surgical Environment Initiative in Emergency General Surgery. JAMA Surgery, 2020, 155, e196021.	4.3	34
43	The development and validation of instruments to measure dignity-protective continence care for care-dependent older people in residential aged care facilities: A study protocol. Neurourology and Urodynamics, 2020, 39, 1363-1370.	1.5	4
44	The impact of delayed mobilization on post-discharge outcomes after emergency abdominal surgery: A prospective cohort study in older patients. PLoS ONE, 2020, 15, e0241554.	2.5	13
45	Editorial Comment. Journal of Urology, 2020, 203, 967-968.	0.4	0
46	Bladder and bowel preferences of patients at the end of life: a scoping review. International Journal of Palliative Nursing, 2020, 26, 432-442.	0.5	2
47	Do Older Adults with Overactive Bladder Demonstrate Impaired Executive Function Compared to Their Peers Without OAB?. Canadian Geriatrics Journal, 2020, 23, 329-334.	1.2	0
48	Do Older Adults with Overactive Bladder Demonstrate Impaired Executive Function Compared to Their Peers Without OAB?. Canadian Geriatrics Journal, 2020, 23, 329-334.	1.2	4
49	The educational needs of nursing staff when working with hospitalised older people. Journal of Clinical Nursing, 2019, 28, 221-234.	3.0	22
50	Long-term urinary catheterisation in community-dwelling adults. British Journal of Community Nursing, 2019, 24, 258-262.	0.4	1
51	Long-term effect of community-based continence promotion on urinary symptoms, falls and healthy active life expectancy among older women: cluster randomised trial. Age and Ageing, 2019, 48, 526-532.	1.6	9
52	The feasibility of implementing education on older person care to practice on medical units: Nurses' perceptions and the influence of practice context. International Journal of Older People Nursing, 2019, 14, e12265.	1.3	5
53	Exercise intervention in the management of urinary incontinence in older women in villages in Bangladesh: a cluster randomised trial. The Lancet Global Health, 2019, 7, e923-e931.	6.3	13
54	Factors associated with the responsive behaviours of older adults living in long-term care homes towards staff: a systematic review protocol. BMJ Open, 2019, 9, e028416.	1.9	8

#	ARTICLE	IF	CITATIONS
55	Frailty predicts increased costs in emergent general surgery patients: A prospective cohort cost analysis. <i>Surgery</i> , 2019, 166, 82-87.	1.9	30
56	Preferences for Continence Care Experienced at End of Life: A Qualitative Study. <i>Journal of Pain and Symptom Management</i> , 2019, 57, 1099-1105.e3.	1.2	9
57	Continence in nursing homes: a state of irreversible decline?. <i>Nature Reviews Urology</i> , 2019, 16, 278-279.	3.8	0
58	Is the belief that urinary incontinence is normal for ageing related to older Canadian women's experience of urinary incontinence?. <i>International Urogynecology Journal</i> , 2019, 30, 2157-2160.	1.4	16
59	Antimicrobial stewardship in rural nursing homes: Impact of interprofessional education and clinical decision tool implementation on urinary tract infection treatment in a cluster randomized trial. <i>Infection Control and Hospital Epidemiology</i> , 2019, 40, 432-437.	1.8	35
60	Examining the Impact of Knowledge Translation Interventions on Uptake of Evidence-Based Practices by Care Aides in Continuing Care. <i>Worldviews on Evidence-Based Nursing</i> , 2019, 16, 21-28.	2.9	7
61	Overnight Urge Perception in Nocturia Is Independent of Depression, PTSD, or Anxiety in a Male Veterans Administration Population. <i>Journal of Clinical Sleep Medicine</i> , 2019, 15, 615-621.	2.6	3
62	Seniors Health Strategic Clinical Network. <i>Cmaj</i> , 2019, 191, S19-S21.	2.0	6
63	Sustainment, Sustainability, and Spread Study (SSaSSy): protocol for a study of factors that contribute to the sustainment, sustainability, and spread of practice changes introduced through an evidence-based quality-improvement intervention in Canadian nursing homes. <i>Implementation Science</i> , 2019, 14, 109.	6.9	22
64	Ageing in Place: Implications for Continence Care for Older People. <i>European Urology</i> , 2019, 75, 272-273.	1.9	2
65	Development of quality outcome indicators to improve the quality of urinary and faecal continence care. <i>International Urogynecology Journal</i> , 2019, 30, 23-32.	1.4	5
66	Considerations in the Medically Complex and Frail Elderly. , 2019, , 267-290.		0
67	Prevalence and predictors of overactive bladder in nonpregnant nulliparous women below 65 years of age. <i>International Urogynecology Journal</i> , 2018, 29, 531-537.	1.4	3
68	Impact of frailty on outcomes after discharge in older surgical patients: a prospective cohort study. <i>Cmaj</i> , 2018, 190, E184-E190.	2.0	52
69	Is there a "brain OAB" and how can we recognize it? International Consultation on Incontinence Research Society (ICI-RS) 2017. <i>Neurourology and Urodynamics</i> , 2018, 37, S38-S45.	1.5	13
70	Development and initial psychometric properties of the ICIQ-Cog™: a new assessment tool to measure the disease-related impact and care effort associated with incontinence in cognitively impaired adults. <i>BJU International</i> , 2018, 122, 309-316.	2.5	6
71	The association between lower urinary tract symptoms and falls: Forming a theoretical model for a research agenda. <i>Neurourology and Urodynamics</i> , 2018, 37, 501-509.	1.5	66
72	Knowledge translation interventions to sustain direct care provider behaviour change in long-term care: A process evaluation. <i>Journal of Evaluation in Clinical Practice</i> , 2018, 24, 159-165.	1.8	7

#	ARTICLE	IF	CITATIONS
73	The Association Between Overactive Bladder and Falls and Fractures: A Systematic Review. <i>Advances in Therapy</i> , 2018, 35, 1831-1841.	2.9	38
74	Trends in the use of older overactive bladder agents and uptake of fesoterodine and mirabegron in Canada. <i>Neurourology and Urodynamics</i> , 2018, 37, 2977-2978.	1.5	0
75	Current controversies in urinary tract infections: ICIâ€RS 2017. <i>Neurourology and Urodynamics</i> , 2018, 37, S86-S92.	1.5	65
76	Special considerations in the urological management of the older spinal cord injury patient. <i>World Journal of Urology</i> , 2018, 36, 1603-1611.	2.2	13
77	SCOPEOUT: sustainability and spread of quality improvement activities in long-term care- a mixed methods approach. <i>BMC Health Services Research</i> , 2018, 18, 174.	2.2	25
78	Choosing oral drug therapy for overactive bladder in older people. <i>Expert Opinion on Pharmacotherapy</i> , 2018, 19, 1375-1380.	1.8	7
79	Implementing Frontline Workerâ€™Led Quality Improvement in Nursing Homes: Getting to â€™Howâ€™. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2018, 44, 526-535.	0.7	15
80	6th International Consultation on Incontinence. Recommendations of the International Scientific Committee: EVALUATION AND TREATMENT OF URINARY INCONTINENCE, PELVIC ORGAN PROLAPSE AND FAECAL INCONTINENCE. <i>Neurourology and Urodynamics</i> , 2018, 37, 2271-2272.	1.5	484
81	Anticholinergics for Overactive Bladder in Frail and Medically Complex Older People: The Case For. <i>Drugs and Aging</i> , 2018, 35, 777-780.	2.7	10
82	Persistence and Adherence with Mirabegron versus Antimuscarinic Agents in Patients with Overactive Bladder: A Retrospective Observational Study in UK Clinical Practice. <i>European Urology</i> , 2017, 72, 389-399.	1.9	162
83	Incontinence in the elderly, 'normal' ageing, or unaddressed pathology?. <i>Nature Reviews Urology</i> , 2017, 14, 440-448.	3.8	29
84	Can we define and characterize the aging lower urinary tract?â€™ICIâ€RS 2015. <i>Neurourology and Urodynamics</i> , 2017, 36, 854-858.	1.5	17
85	Can incontinence be cured? A systematic review of cure rates. <i>BMC Medicine</i> , 2017, 15, 63.	5.5	68
86	Efficacy and safety of tadalafil 5 mg once daily in the treatment of lower urinary tract symptoms associated with benign prostatic hyperplasia in men aged â‰¥75 years: integrated analyses of pooled data from multinational, randomized, placeboâ€™controlled clinical studies. <i>BJU International</i> , 2017, 119, 793-803.	2.5	27
87	The Care of Older Adults Experiencing Cognitive Challenges: How Interprofessional Teams Collaborate. <i>Canadian Journal on Aging</i> , 2017, 36, 485-500.	1.1	9
88	Development of a core set of outcome measures for OAB treatment. <i>International Urogynecology Journal</i> , 2017, 28, 1785-1793.	1.4	18
89	Persistence and adherence with mirabegron vs antimuscarinics in overactive bladder: Retrospective analysis of a UK General Practice prescription database. <i>International Journal of Clinical Practice</i> , 2017, 71, e12996.	1.7	29
90	A pooled analysis of the efficacy of fesoterodine for the treatment of overactive bladder, and the relationship between safety, co-morbidity and polypharmacy in patients aged 65 years or older. <i>Age and Ageing</i> , 2017, 46, 620-626.	1.6	26

#	ARTICLE	IF	CITATIONS
91	Economic Impact of Mirabegron Versus Antimuscarinics for the Treatment of Overactive Bladder in the UK. <i>PharmacoEconomics - Open</i> , 2017, 1, 25-36.	1.8	11
92	Improving Nursing Home Care through Feedback On Performance Data (INFORM): Protocol for a cluster-randomized trial. <i>Trials</i> , 2017, 18, 9.	1.6	18
93	Urinary incontinence in older adults. <i>Medicine</i> , 2017, 45, 23-27.	0.4	11
94	An Approach to Urinary Incontinence for Dermatologists. <i>Journal of Cutaneous Medicine and Surgery</i> , 2017, 21, 15-22.	1.2	6
95	CUA guideline on adult overactive bladder. <i>Canadian Urological Association Journal</i> , 2017, 11, 142.	0.6	105
96	Measuring Activity Performance of Older Adults Using the activPAL: A Rapid Review. <i>Healthcare (Switzerland)</i> , 2017, 5, 94.	2.0	15
97	Appendix: Executive summary of CUA guideline on adult overactive bladder. <i>Canadian Urological Association Journal</i> , 2017, 11, 248.	0.6	1
98	Overactive bladder: strategies to ensure treatment compliance and adherence. <i>Clinical Interventions in Aging</i> , 2016, 11, 755.	2.9	18
99	Persistence with medication and overactive bladder: an ongoing challenge. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2016, 16, 475-481.	1.4	2
100	Nocturnal Enuresis in Older People. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2016, 43, 401-406.	1.0	3
101	O2â€4â€04: From Continence to Incontinence in Nursing Home Care: The Influence of a Dementia Diagnosis. <i>Alzheimer's and Dementia</i> , 2016, 12, P265.	0.8	1
102	Urinary incontinence in older people. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2016, 77, C27-C32.	0.5	10
103	Oral pharmacotherapy for overactive bladder in older patients: mirabegron as a potential alternative to antimuscarinics. <i>Current Medical Research and Opinion</i> , 2016, 32, 621-638.	1.9	58
104	Cardiovascular Safety of Î²3-adrenoceptor Agonists for the Treatment of Patients with Overactive Bladder Syndrome. <i>European Urology</i> , 2016, 69, 311-323.	1.9	80
105	Continence Across Continents To Upend Stigma and Dependency (CACTUS-D): study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2015, 16, 565.	1.6	13
106	Factors associated with dose escalation of fesoterodine for treatment of overactive bladder in people >65 years of age: A post hoc analysis of data from the SOFIA study. <i>Neurourology and Urodynamics</i> , 2015, 34, 438-443.	1.5	12
107	Self-Reported Outcomes in Individuals Aged 65 and Older Admitted for Treatment to an Acute Care Surgical Service: A 6-Month Prospective Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2388-2394.	2.6	11
108	Persistence and adherence with the new beta-3 receptor agonist, mirabegron, versus antimuscarinics in overactive bladder: Early experience in Canada. <i>Canadian Urological Association Journal</i> , 2015, 9, 343.	0.6	94

#	ARTICLE	IF	CITATIONS
109	Greater Independence in Activities of Daily Living is Associated with Higher Health-Related Quality of Life Scores in Nursing Home Residents with Dementia. <i>Healthcare (Switzerland)</i> , 2015, 3, 503-518.	2.0	26
110	Affirming the Value of the Resident Assessment Instrument: Minimum Data Set Version 2.0 for Nursing Home Decision-Making and Quality Improvement. <i>Healthcare (Switzerland)</i> , 2015, 3, 659-665.	2.0	1
111	Fesoterodine clinical efficacy and safety for the treatment of overactive bladder in relation to patient profiles: a systematic review. <i>Current Medical Research and Opinion</i> , 2015, 31, 1201-1243.	1.9	20
112	Lower urinary tract symptoms and falls in older women: A case control study. <i>Maturitas</i> , 2015, 80, 308-311.	2.4	10
113	Review of the Efficacy and Safety of Fesoterodine for Treating Overactive Bladder and Urgency Urinary Incontinence in Elderly Patients. <i>Drugs and Aging</i> , 2015, 32, 103-125.	2.7	16
114	Pharmacological Treatment of Voiding Dysfunction in Older Men. <i>Current Geriatrics Reports</i> , 2015, 4, 44-50.	1.1	0
115	Managing Urinary Incontinence in Patients with Dementia: Pharmacological Treatment Options and Considerations. <i>Drugs and Aging</i> , 2015, 32, 559-567.	2.7	27
116	Optimizing seniorâ€™s surgical care - Elder-friendly Approaches to the Surgical Environment (EASE) study: rationale and objectives. <i>BMC Health Services Research</i> , 2015, 15, 338.	2.2	21
117	Urinary Tract Infections in the Elderly. <i>Current Bladder Dysfunction Reports</i> , 2015, 10, 222-226.	0.5	1
118	Appropriateness of oral drugs for long-term treatment of lower urinary tract symptoms in older persons: results of a systematic literature review and international consensus validation process (LUTS-FORTA 2014). <i>Age and Ageing</i> , 2015, 44, 745-755.	1.6	105
119	Urinary incontinence in frail elderly persons: Report from the 5th International Consultation on Incontinence. <i>Neurourology and Urodynamics</i> , 2015, 34, 398-406.	1.5	115
120	Mobility of Vulnerable Elders Study: Effect of the Sit-to-Stand Activity on Mobility, Function, and Quality of Life. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 138-143.	2.5	51
121	Treatment Patterns for Patients on Overactive Bladder Therapy: A Retrospective Statistical Analysis Using Canadian Claims Data. <i>Journal of Health Economics and Outcomes Research</i> , 2015, 3, 43-55.	1.2	7
122	Does fesoterodine have a role in the treatment of poorly managed patients with overactive bladder?. <i>Drug Design, Development and Therapy</i> , 2014, 8, 113.	4.3	2
123	Urinary incontinence in the frail elderly: what do we still need to learn?. <i>Clinical Practice (London, England)</i> , 2014, 14, 101-104.	0.1	1
124	Validation of the bladder control self-assessment questionnaire (B-C-SAQ) in men. <i>BJU International</i> , 2014, 113, 783-788.	2.5	17
125	Long-term safety, tolerability and efficacy of flexible-dose fesoterodine in elderly patients with overactive bladder: Open-label extension of the SOFIA trial. <i>Neurourology and Urodynamics</i> , 2014, 33, 106-114.	1.5	47
126	Detrusor underactivity: Pathophysiological considerations, models and proposals for future research. ICI-RS 2013. <i>Neurourology and Urodynamics</i> , 2014, 33, 591-596.	1.5	38

#	ARTICLE	IF	CITATIONS
127	The efficacy and tolerability of the β ³ -adrenoceptor agonist mirabegron for the treatment of symptoms of overactive bladder in older patients. <i>Age and Ageing</i> , 2014, 43, 666-675.	1.6	99
128	National audit of continence care: adherence to National Institute for Health and Clinical Excellence (NICE) Guidance in older versus younger adults with faecal incontinence. <i>Age and Ageing</i> , 2014, 43, 785-793.	1.6	24
129	The effect on fall rate of blood glucose testing at the time of falls in elderly diabetics. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 65.	2.7	0
130	New horizons: urinary incontinence in older people. <i>Age and Ageing</i> , 2014, 43, 157-163.	1.6	58
131	Developing an Internationally-Applicable Service Specification for Continence Care: Systematic Review, Evidence Synthesis and Expert Consensus. <i>PLoS ONE</i> , 2014, 9, e104129.	2.5	24
132	Randomised, Multicentre, Placebo-controlled, Double-blind Crossover Study Investigating the Effect of Solifenacin and Oxybutynin in Elderly People with Mild Cognitive Impairment: The SENIOR Study. <i>European Urology</i> , 2013, 64, 74-81.	1.9	113
133	Reply from Authors re: Jean-Nicolas Cornu. Overactive Bladder Medical Management in the Elderly: It Is Time to Go Beyond the Tip of the Iceberg. <i>Eur Urol</i> 2013;64:82-3. <i>European Urology</i> , 2013, 64, 83-84.	1.9	1
134	Urinary incontinence in older people: an overview. <i>Medicine</i> , 2013, 41, 20-23.	0.4	3
135	Flexible-dose Fesoterodine in Elderly Adults with Overactive Bladder: Results of the Randomized, Double-blind, Placebo-controlled Study of Fesoterodine in an Aging Population Trial. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 185-193.	2.6	95
136	Effects of drug cessation after flexible-dose fesoterodine in patients with overactive bladder. <i>BJU International</i> , 2013, 112, 820-829.	2.5	10
137	Knowledge and understanding of urinary incontinence: survey of family practitioners in northern Alberta. <i>Canadian Family Physician</i> , 2013, 59, e330-7.	0.4	19
138	Clinical utility of transdermal delivery of oxybutynin gel via a metered-dose pump in the management of overactive bladder. <i>Research and Reports in Urology</i> , 2012, 4, 57.	1.0	3
139	Safety and efficacy of flexible-dose fesoterodine in British subjects with overactive bladder: insights into factors associated with dose escalation. <i>International Urogynecology Journal</i> , 2012, 23, 1581-1590.	1.4	25
140	Antimuscarinic Treatment in Overactive Bladder. <i>Drugs and Aging</i> , 2012, 29, 539-548.	2.7	30
141	Etiology of overactive bladder: A diet and lifestyle model for diabetes and obesity in older women. <i>Neurourology and Urodynamics</i> , 2012, 31, 487-495.	1.5	27
142	Persistence with prescribed antimuscarinic therapy for overactive bladder: a UK experience. <i>BJU International</i> , 2012, 110, 1767-1774.	2.5	286
143	Antimuscarinic Treatment in Overactive Bladder. <i>Drugs and Aging</i> , 2012, 29, 539-548.	2.7	1
144	To what extent are national guidelines for the management of urinary incontinence in women adhered? Data from a national audit. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 1592-1600.	2.3	32

#	ARTICLE	IF	CITATIONS
145	Mobility of Vulnerable Elders (MOVE): study protocol to evaluate the implementation and outcomes of a mobility intervention in long-term care facilities. <i>BMC Geriatrics</i> , 2011, 11, 84.	2.7	24
146	Falls risk reduction and treatment of overactive bladder symptoms with antimuscarinic agents: A scoping review. <i>Neurourology and Urodynamics</i> , 2011, 30, 490-494.	1.5	13
147	Treating overactive bladder in the elderly. <i>Canadian Urological Association Journal</i> , 2011, 5, S149-S151.	0.6	35
148	Prioritizing research: Patients, carers, and clinicians working together to identify and prioritize important clinical uncertainties in urinary incontinence. <i>Neurourology and Urodynamics</i> , 2010, 29, 708-714.	1.5	50
149	Incontinence in the frail elderly: Report from the 4th international consultation on incontinence. <i>Neurourology and Urodynamics</i> , 2010, 29, 165-178.	1.5	155
150	Overactive bladder: Is there a link to the metabolic syndrome in men?. <i>Neurourology and Urodynamics</i> , 2010, 29, 1360-1364.	1.5	56
151	Review of cognitive impairment with antimuscarinic agents in elderly patients with overactive bladder. <i>International Journal of Clinical Practice</i> , 2010, 64, 1279-1286.	1.7	74
152	Efficacy and Tolerability of Fesoterodine in Older and Younger Subjects With Overactive Bladder. <i>Urology</i> , 2010, 76, 1350-1357.	1.0	61
153	Is it Possible to Measure What Truly Matters? The Paradox of Clinical Audit in Developing Continence Service Standards for Older People. <i>Patient</i> , 2010, 3, 11-23.	2.7	2
154	The safety and efficacy of tolterodine extended release in the treatment of overactive bladder in the elderly. <i>Clinical Interventions in Aging</i> , 2009, 4, 191.	2.9	10
155	Do self-reported 'integrated' continence services provide high-quality continence care?. <i>Age and Ageing</i> , 2009, 38, 730-733.	1.6	11
156	A review of adherence to drug therapy in patients with overactive bladder. <i>BJU International</i> , 2008, 102, 774-779.	2.5	143
157	Urinary incontinence in stroke: results from the UK National Sentinel Audits of Stroke 1998-2004. <i>Age and Ageing</i> , 2008, 37, 542-546.	1.6	23
158	Transdermal oxybutynin: topical therapy for overactive bladder syndrome. <i>Expert Review of Obstetrics and Gynecology</i> , 2008, 3, 175-179.	0.4	1
159	Recent advances in the treatment of urinary incontinence in older women. <i>Current Opinion in Urology</i> , 2008, 18, 383-388.	1.8	7
160	National audit of continence care for older people: management of urinary incontinence. <i>Age and Ageing</i> , 2007, 37, 39-44.	1.6	73
161	National audit of continence care for older people: management of faecal incontinence. <i>Age and Ageing</i> , 2007, 36, 268-273.	1.6	23
162	Overactive bladder syndrome in older people. <i>BJU International</i> , 2007, 99, 502-509.	2.5	65

#	ARTICLE	IF	CITATIONS
163	Patient Characteristics Associated with Quality of Life in European Women Seeking Treatment for Urinary Incontinence: Results from PURE. <i>European Urology</i> , 2007, 51, 1073-1082.	1.9	99
164	Design and Validation of a New Screening Instrument for Lower Urinary Tract Dysfunction: The Bladder Control Self-Assessment Questionnaire (B-SAQ). <i>European Urology</i> , 2007, 52, 230-238.	1.9	47
165	Current and future trends in the management of overactive bladder. <i>International Urogynecology Journal</i> , 2007, 18, 81-94.	1.4	15
166	Managing Special Populations: The Elderly. <i>European Urology Supplements</i> , 2006, 5, 866-870.	0.1	4
167	Efficacy and tolerability of solifenacin in elderly subjects with overactive bladder syndrome: A pooled analysis. <i>American Journal of Geriatric Pharmacotherapy</i> , 2006, 4, 14-24.	3.0	133
168	The extent and severity of urinary incontinence amongst women in UK GP waiting rooms. <i>Family Practice</i> , 2006, 23, 497-506.	1.9	51
169	Secondary-care treatment patterns in the UK for women with urinary incontinence. <i>BJU International</i> , 2005, 96, 839-842.	2.5	13
170	National audit of continence care for older people: results of a pilot study*. <i>Journal of Evaluation in Clinical Practice</i> , 2005, 11, 525-532.	1.8	34
171	National audit of continence care: laying the foundation. <i>Journal of Evaluation in Clinical Practice</i> , 2005, 11, 533-543.	1.8	9
172	Management of bowel problems in older people: an update. <i>Clinical Medicine</i> , 2005, 5, 289-295.	1.9	54
173	Patient-reported impact of urinary incontinence—Results from treatment seeking women in 14 European countries. <i>Maturitas</i> , 2005, 52, 24-34.	2.4	82
174	Transdermal Oxybutynin. <i>Drugs and Aging</i> , 2003, 20, 865-866.	2.7	0
175	Medical therapy for the overactive bladder in the elderly. <i>Age and Ageing</i> , 2002, 31, 241-246.	1.6	32
176	Disorders of the Lower Urinary Tract. , 0, , 343-352.		0
177	Improving nurse engagement in continence care. <i>Nursing (Auckland, N Z)</i> , 0, Volume 8, 1-7.	2.0	19