## Indara Suarez

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4969025/publications.pdf

Version: 2024-02-01

197 papers 6,077 citations

38 h-index 98798 67 g-index

207 all docs

207 docs citations

times ranked

207

7539 citing authors

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.   | 3.9 | 499       |
| 2  | Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.  | 3.9 | 355       |
| 3  | Observation of a new boson with mass near 125 GeV in pp collisions at $\$ sqrt{s}=7 $\$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 320       |
| 4  | Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.   | 3.9 | 198       |
| 5  | Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.  | 3.9 | 123       |
| 6  | Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$\$$ sqrt $\$$ _{mathrm $\$$ N};mathrm $\$$ N}}= $5.02 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 103       |
| 7  | Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 101       |
| 8  | Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.              | 3.9 | 98        |
| 9  | Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\{s\}$ $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 95        |
| 10 | Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 86        |
| 11 | Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.  | 3.9 | 83        |
| 12 | Suppression and azimuthal anisotropy of prompt and nonprompt $f(s)/\rho s $ mathrm{J}}/psi $f(s)/\rho s$ production in PbPb collisions at $s$ qrt{ $f(s)/\rho s$ = 2.76\$\$ s NN = 2.76\$\$, mathrm{TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 252. | 3.9 | 82        |
| 13 | Search for narrow and broad dijet resonances in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 82        |
| 14 | Search for additional neutral MSSM Higgs bosons in the $\ddot{l}$ , $\ddot{l}$ , final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 73        |
| 15 | Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$$ sqrt $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 63        |
| 16 | Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 62        |
| 17 | Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 62        |
| 18 | Measurement of the weak mixing angle using the forwardâ€"backward asymmetry of Drellâ€"Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.                                     | 3.9 | 58        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in protonâ $\in$ proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2017, 77, 578.   | 3.9 | 57        |
| 20 | Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 57        |
| 21 | Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 57        |
| 22 | Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 54        |
| 23 | Measurement of prompt and nonprompt $\mbox{mathrm{J}/{psi}}$ production in $\mbox{mathrm {p}mathrm {p}}$ p p and $\mbox{mathrm {p}mathrm {Pb}}$ p Pb collisions at $\mbox{sqrt}$ =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.   | 3.9 | 53        |
| 24 | Measurement of double-differential cross sections for top quark pair production in pp collisions at $\$$ sqrt $\{s\} = 8$ \$ $s = 8$ \$,ext $\{TeV\}$ \$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.  | 3.9 | 52        |
| 25 | Measurements of the $\$ mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}\$\$ p p → Z Z production cross section and the $\$ mathrm{Z}ightarrow 4ell \$\$ Z → 4 â," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.   | 3.9 | 52        |
| 26 | Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\$$ sqrt $\{s\}=13$ ,ext $\{Te\}$ ext $\{V\}$ $\$$ 5. European Physical Journal C, 2019, 79, 564.  | 3.9 | 50        |
| 27 | Observation of Y(1S) pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 48        |
| 28 | Search for vector-like quarks in events with two oppositely charged leptons and jets in proton $\hat{s}$ for vector collisions at $\frac{s}{s} = 13$ , ext $Te$ ext $V$ $$ = 13$ Te. European Physical Journal C, 2019, 79, 364.   | 3.9 | 48        |
| 29 | Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ sqrt $\$$ 1, lepton at $\$$ 5, represent the search formula of the search form | 3.9 | 46        |
| 30 | Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ $\in$ proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.  | 3.9 | 44        |
| 31 | Search for natural and split supersymmetry in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 43        |
| 32 | Search for vector-like T and B quark pairs in final states with leptons at $\$\$ $ sqrt $\{s\}=13 $ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 42        |
| 33 | Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13 $ \$\$ sqrt{ $s$ }=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 42        |
| 34 | Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13 $ \$ sqrt{ $s}=13 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 41        |
| 35 | Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$\$ t t $\hat{A}^-$ production cross section using events in the \$\$mathrm {e}mu \$\$ e $\hat{I}$ 4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.  | 3.9 | 40        |
| 36 | Search for new physics in dijet angular distributions using proton–proton collisions at \$\$\$qrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.   | 3.9 | 40        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.  | 3.9 | 40        |
| 38 | Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at $s=13 $ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 40        |
| 39 | Measurement of differential cross sections for $\{z\}$ Z boson production in association with jets in proton-proton collisions at $\{z\}$ = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 965.   | 3.9 | 39        |
| 40 | Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying i,, leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 38        |
| 41 | Measurement of the WZ production cross section in pp collisions at $\$$ sqrt $\{s\} = 7$ \$ s = 7 and 8 $\$$ ,ext $\{TeV\}$ \$ TeV and search for anomalous triple gauge couplings at $\$$ sqrt $\{s\} = 8$ ,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.  | 3.9 | 37        |
| 42 | Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 37        |
| 43 | Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$ , " $\hat{l}$ ½ $\hat{a}$ ," $\hat{l}$ ½ $\hat{a}$ , " $\hat{l}$ ½ $\hat{a}$ ," $\hat{l}$ ½ $\hat{a}$ , " $\hat{l}$ ½ $\hat{a}$ ," $\hat{l}$ ½ $\hat{a}$ , " $\hat{l}$ ½ $\hat{a}$ ," $\hat{l}$ ½ $\hat{a}$ , " $\hat{l}$ ½ $\hat{a}$ ," $\hat{l}$ ½ $\hat{a}$ , " $\hat{l}$ ½ $\hat{a}$ ," $\hat{l}$ ½ $\hat{a}$ , " $\hat{l}$ ½ $\hat{a}$ ," $\hat{l}$ ½ $\hat{a}$ , " $\hat{l}$ ½ $\hat{a}$ ," $\hat{l}$ ½ $\hat{a}$ , " $\hat{l}$ ½ $\hat{a}$ ," $\hat{l}$ ½ $\hat{a}$ , " $\hat{l}$ ½ $\hat{a}$ ," $\hat{l}$ 2 $\hat{a}$ 0, " $\hat{l}$ 2 $\hat{a}$ 0," $\hat{l}$ 3 $\hat{a}$ 3 $\hat{a}$ 3 $\hat{a}$ 4 $\hat{a}$ 5 $\hat{a}$ 5 $\hat{a}$ 6 $\hat{a}$ 8, " $\hat{l}$ 2 $\hat{a}$ 8," $\hat{l}$ 2 $\hat{a}$ 8, " $\hat{l}$ 2 $\hat{a}$ 8," $\hat{l}$ 2 $\hat{a}$ 8, " $\hat{l}$ 2 $\hat{a}$ 8," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 8," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 8," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 8," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 $\hat{a}$ 9," $\hat{l}$ 2 $\hat{a}$ 9, " $\hat{l}$ 2 | 4.7 | 36        |
| 44 | Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 35        |
| 45 | Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 35        |
| 46 | Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$  | 3.9 | 35        |
| 47 | Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.   | 3.9 | 35        |
| 48 | Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two $\ddot{\parallel}$ , leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 34        |
| 49 | Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm $\{p\}$ \$\$\$mathrm $\{p\}$ \$\$ collisions at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ \$\$. European Physical Journal C, 2018, 78, 891.   | 3.9 | 34        |
| 50 | Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 34        |
| 51 | Search for single production of vector-like quarks decaying to a top quark and a \$\$mathrm {W} \$\$ W boson in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.   | 3.9 | 34        |
| 52 | Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two $\ddot{l}$ , leptons and two jets in proton-proton collisions at \$\$ $qt=13 $ \$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 33        |
| 53 | Measurement of exclusive $\{\{\{uprho_{}^{}\}\}_{}^{}\}\{\{left(\{770\}ight)\}\{\}_{}^{}\}\}\}$   | 3.9 | 33        |
| 54 | Searches for pair production of third-generation squarks in $\frac{13}{s} = 13$ , ext {TeV}\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.  | 3.9 | 32        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Search for top squark pair production in pp collisions at $s=13 \$\$ sqrt\{s\}=13 \$\$ TeV$ using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 31        |
| 56 | Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 31        |
| 57 | Measurements of the associated production of a Z boson and b jets in pp collisions at $\{s\} = 8$ , ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.  | 3.9 | 30        |
| 58 | A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ T} $\$$ \$ $\hat{I}$ ± T variable. European Physical Journal C, 2017, 77, 294.               | 3.9 | 29        |
| 59 | Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 29        |
| 60 | Search for lepton flavour violating decays of the Higgs boson to $1\frac{1}{4}$ , and e, in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 29        |
| 61 | Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 29        |
| 62 | Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.  | 3.9 | 29        |
| 63 | Measurements of $\$ mathrm{t}-overline{mathrm{t}} \$\$ differential cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 28        |
| 64 | Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 28        |
| 65 | Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 27        |
| 66 | Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in protonâ $\in$ "proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.   | 3.9 | 27        |
| 67 | Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 27        |
| 68 | Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 26        |
| 69 | Search for high-mass resonances in final states with a lepton and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 25        |
| 70 | Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 24        |
| 71 | Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 23        |
| 72 | Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ and $s=8$ s = 8 ATeV. European Physical Journal C, 2017, 77, 354.   | 3.9 | 23        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 73 | Measurement of the triple-differential dijet cross section in proton-proton collisions at $s=0.00$ squares, ext $TeV$ s = 8 TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.  | 3.9 | 23        |
| 74 | Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 23        |
| 75 | Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 23        |
| 76 | Search for resonant $\$ mathrm{t}overline{mathrm{t}} \$\$ production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 23        |
| 77 | Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 23        |
| 78 | Search for t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.                        | 4.7 | 22        |
| 79 | Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 22        |
| 80 | Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 22        |
| 81 | Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying $\ddot{l}_n$ , leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.                     | 4.7 | 22        |
| 82 | Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 21        |
| 83 | Search for supersymmetry in events with a Ï,, lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 21        |
| 84 | Search for beyond the standard model Higgs bosons decaying into a $$$ mathrm $b$ overline $mathrm\{b\}$ \$ pair in pp collisions at \$\$ sqrt $s$ =13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 21        |
| 85 | Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the all-jet final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 20        |
| 86 | Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 20        |
| 87 | Search for rare decays of $\$$ mathrm $\{Z\}$ \$\$ Z and Higgs bosons to $\$$ {mathrm $\{J\}$ /psi $\}$ \$\$ J / $\ddot{\Gamma}$ and a photon in proton-proton collisions at $\$$ \$\$qrt $\{s\}$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94. | 3.9 | 20        |
| 88 | Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\ddot{l}$ , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 19        |
| 89 | Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 19        |
| 90 | Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = $2.76 $ \$\$ sqrt{s_{mathrm{N};mathrm{N}}}= $2.76 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 18        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Measurement of normalized differential $\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                 | 4.7 | 18        |
| 92  | Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                    | 4.7 | 18        |
| 93  | Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 18        |
| 94  | Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20. | 3.9 | 18        |
| 95  | Measurement of the differential Drell-Yan cross section in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 18        |
| 96  | Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.                                | 3.9 | 18        |
| 97  | Search for new physics in the monophoton final state in proton-proton collisions at $s=13~$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 17        |
| 98  | Measurement of electroweak-induced production of $\hat{W}^3$ with two jets in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 17        |
| 99  | Measurements of jet charge with dijet events in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 17        |
| 100 | Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s = 8 $ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.               | 4.7 | 17        |
| 101 | Charged-particle nuclear modification factors in XeXe collisions at $\$$ sqrt $\{s_{NN}\}$ = 5.44 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 17        |
| 102 | Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 17        |
| 103 | Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                        | 4.7 | 17        |
| 104 | Search for the decay of a Higgs boson in the $\hat{a}$ , " $\hat{a}$ ," $\hat{a}$ channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                                  | 4.7 | 17        |
| 105 | Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.  | 3.9 | 17        |
| 106 | Electroweak production of two jets in association with a Z boson in protonâ $\in$ "proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.                                 | 3.9 | 17        |
| 107 | Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.                                 | 4.7 | 17        |
| 108 | Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt $\{s\} = 8\{$ , mathrm $\{\{TeV\}\}\}$ $\$$ s s = 8 TeV. European Physical Journal C, 2017, 77, 92.          | 3.9 | 16        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.  | 3.9 | 16        |
| 110 | Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 16        |
| 111 | Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 15        |
| 112 | Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 15        |
| 113 | Measurement of the t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 15        |
| 114 | Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 15        |
| 115 | Search for a singly produced third-generation scalar leptoquark decaying to a $\ddot{l}$ , lepton and a bottom quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                             | 4.7 | 15        |
| 116 | Measurement of b hadron lifetimes in pp collisions at $\$\$qrt\{s\} = 8\$\$ s = 8\$,ext \{Te\}ext \{V\}\$\$ TeV$ . European Physical Journal C, 2018, 78, 457.   | 3.9 | 15        |
| 117 | Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 15        |
| 118 | Search for associated production of dark matter with a Higgs boson decaying to b b $\hat{A}^-$ \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.         | 4.7 | 14        |
| 119 | Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 14        |
| 120 | Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 14        |
| 121 | Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.             | 4.7 | 14        |
| 122 | Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 14        |
| 123 | Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 â^— ( 5840 ) 0 and \$\${mathrm {B}}  |     |           |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 127 | Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13 $ \$\$ sqrt $s=13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.           | 4.7 | 13        |
| 128 | Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.              | 4.7 | 13        |
| 129 | Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 13        |
| 130 | Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 13        |
| 131 | Jet properties in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 13        |
| 132 | Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ $sqrt{s}=13 $ \$ TeV. Journal of High Energy Physics, 2019, 2019, 1.                | 4.7 | 13        |
| 133 | Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.                                | 4.7 | 13        |
| 134 | Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.               | 4.7 | 13        |
| 135 | Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 12        |
| 136 | Measurement of the groomed jet mass in PbPb and pp collisions at $\$$ sqrt $\{s_{NN}\}=5.02$ \$TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 12        |
| 137 | Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 12        |
| 138 | Search for dark matter produced in association with a Higgs boson decaying to $\hat{l}^3\hat{l}^3$ or $\hat{l}_* + \hat{l}_*$ $\hat{a}^*$ at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.            | 4.7 | 12        |
| 139 | Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$\$qrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.  | 3.9 | 12        |
| 140 | Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 12        |
| 141 | Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 12        |
| 142 | Search for electroweak production of charginos in final states with two $\ddot{l}$ , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.                                   | 4.7 | 11        |
| 143 | Measurement of the semileptonic t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ + $\hat{I}^3$ production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 11        |
| 144 | Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.              | 4.7 | 11        |

| #   | Article  | IF               | CITATIONS |
|-----|--|------------------|-----------|
| 145 | Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7              | 11        |
| 146 | Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.  | 3.9              | 11        |
| 147 | Search for nonresonant Higgs boson pair production in the \$\$ mathrm{b}overline{mathrm{b}} sqrt{s} $= 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7              | 11        |
| 148 | Study of the underlying event in top quark pair production in $\frac{p}{mathrm \{p\}}$ p p collisions at 13 $\frac{Te}{ext \{V\}}$ Te. European Physical Journal C, 2019, 79, 123.   | 3.9              | 11        |
| 149 | Bose-Einstein correlations of charged hadrons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7              | 11        |
| 150 | Measurements of the pp $\hat{a}^{\dagger}$ ' $\hat{W}^{\hat{j}\hat{l}^3}$ and pp $\hat{a}^{\dagger}$ ' $\hat{Z}^{\hat{l}^3}\hat{l}^3$ cross sections and limits on anomalous quartic gauge coupling at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | <sup>S</sup> 4.7 | 10        |
| 151 | Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7              | 10        |
| 152 | Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7              | 10        |
| 153 | Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at \$\$\$qrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.  | 3.9              | 10        |
| 154 | Measurement of the \$\$mathrm {Z}/gamma ^{*} ightarrow au au \$\$ $Z/\hat{i}^3$ â^— â†' $\ddot{i}$ , $\ddot{i}$ , cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708.                  | 3.9              | 10        |
| 155 | Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7              | 10        |
| 156 | Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7              | 9         |
| 157 | Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e^{1}$ /4 final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7              | 9         |
| 158 | Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\$$ sqrt $\{s\}$ = 13~hbox $\{TeV\}$ \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.   | 3.9              | 9         |
| 159 | Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.  | 3.9              | 9         |
| 160 | Searches for Wâ $\in$ <sup>2</sup> bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7              | 8         |
| 161 | Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 \$\$$ sqrt $\{s_{mathrm{NN}}\}=5.02 \$\$$ and $8.16$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7              | 8         |
| 162 | Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\hat{a}$ , "2q final states at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7              | 8         |

| #   | Article  | IF       | CITATIONS |
|-----|--|----------|-----------|
| 163 | Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$ , ext $f(x) = 13$ , | 3.9      | 8         |
| 164 | Search for high-mass $Z\hat{l}^3$ resonances in e+eâ <sup>-</sup> ' $\hat{l}^3$ and $\hat{l}^1\!/_4 + \hat{l}^1\!/_4$ â <sup>-</sup> ' $\hat{l}^3$ final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.  | ;<br>4.7 | 7         |
| 165 | Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV via Higgs boson decays to $\ddot{I}$ , leptons. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7      | 7         |
| 166 | Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7      | 6         |
| 167 | Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7      | 6         |
| 168 | Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $\mathrm{p}$ athrm $p$ collisions at $\mathrm{TeV}$ s. European Physical Journal C, 2019, 79, 969.  | 3.9      | 6         |
| 169 | Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 4.7      | 6         |
| 170 | Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7      | 6         |
| 171 | Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7      | 5         |
| 172 | Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7      | 5         |
| 173 | Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13 $ \$ sqrt $\{s\}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7      | 5         |
| 174 | Search for a Wâ $\in$ <sup>2</sup> boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7      | 5         |
| 175 | Search for the pair production of light top squarks in the $e\hat{A}\pm\hat{l}^{1}/4\hat{a}$ final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7      | 5         |
| 176 | Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.  | 3.9      | 5         |
| 177 | Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 4.7      | 5         |
| 178 | Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .   | 4.7      | 5         |
| 179 | Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 4.7      | 5         |
| 180 | Search for CP violation in t t $\hat{A}^-$ \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7      | 4         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 181 | Measurement of differential cross sections in the kinematic angular variable $i^*$ for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 4         |
| 182 | Search for ZZ resonances in the $2\hat{a}$ , " $2\hat{l}$ ½ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 4         |
| 183 | Event shape variables measured using multijet final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 4         |
| 184 | Search for resonant production of second-generation sleptons with same-sign dimuon events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.  | 3.9 | 4         |
| 185 | Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .   | 4.7 | 4         |
| 186 | Search for top quark partners with charge $5/3$ in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 3         |
| 187 | Inclusive search for supersymmetry in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 3         |
| 188 | Search for excited leptons in $\hat{a}$ , $\hat{a}$ , $\hat{l}^3$ final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 3         |
| 189 | Measurements of the (mathrm $\{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$ ) production cross section and the (mathrm $\{Z\}$ ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at $\{p\}$ = 13,ext $\{p\}$ ., 2018, 78, 1. |     | 3         |
| 190 | Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.  | 3.9 | 2         |
| 191 | Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 2         |
| 192 | Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 2         |
| 193 | Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .   | 4.7 | 2         |
| 194 | Measurement of b hadron lifetimes in pp collisions at (sqrt $\{s\} = 8$ ) (,ext $\{Te\}$ ext $\{V\}$ )., 2018, 78, 1.   |     | 1         |
| 195 | Study of dijet events with large rapidity separation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 4.7 | 1         |
| 196 | Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .                       | 3.9 | 1         |
| 197 | Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\$\$$ sqrt $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 0         |