Indara Suarez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4969025/publications.pdf

Version: 2024-02-01

197 papers 6,077 citations

38 h-index 98798 67 g-index

207 all docs

207 docs citations

times ranked

207

7539 citing authors

#	Article	IF	CITATIONS
1	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
2	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $$$ sqrt $\{s\}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
3	Study of dijet events with large rapidity separation in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
4	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	3.9	18
5	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
6	Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	4.7	5
7	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\$$ sqrt $\{s\}$ \$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	12
8	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
9	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
10	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
11	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
12	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	2
13	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	4
14	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	3.9	1
15	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	3.9	35
16	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
17	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
18	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11

#	Article	IF	Citations
19	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
20	Measurement of single-diffractive dijet production in protonâ \in "proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5
21	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two \ddot{I} , leptons and two jets in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	33
22	Search for a W′ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
23	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
24	Inclusive search for supersymmetry in pp collisions at $\$\$$ sqrt $\$\$=13$ $\$\$$ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
25	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\$$ sqrt $\$$ =13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17
26	Search for excited leptons in \hat{a} , " \hat{a} ," \hat{a} ," final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
27	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	4.7	24
28	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	3.9	9
29	Measurement of exclusive $\{\{\{uprho _{}^{}\}\}_{}^{}\}\{\{left(\{770\}ight) \}_{}^{}\}\}$	3.9	33
30	Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$	3.9	35
31	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\$$ qrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$. European Physical Journal C, 2019, 79, 564.	3.9	50
32	Measurement of the top quark mass in the all-jets final state at $\$\$qrt\{s\}=13$,ext $\{TeV\}$ $\$\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
33	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$, ext $f(x) = 13$,	3.9	8
34	Search for resonant production of second-generation sleptons with same-sign dimuon events in protonâ \in "proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	3.9	4
35	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV via Higgs boson decays to \ddot{I} , leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	7
36	Search for the pair production of light top squarks in the $e\hat{A}\pm\hat{1}/4\hat{a}$ final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5

#	Article	IF	CITATIONS
37	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	3.9	355
38	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	3.9	11
39	Measurements of the pp \hat{a} † WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
40	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$\$qrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	3.9	12
41	Search for nonresonant Higgs boson pair production in the $\$$ mathrm{b}overline{mathrm{b}} state at $\$$ sqrt{s} $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
42	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in protonâ \in "proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	3.9	29
43	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
44	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton $\hat{a} \in \text{``proton collisions at $$sqrt{s} = 13,ext {Te}ext {V} $$ s = 13 Te. European Physical Journal C, 2019, 79, 364.$	3.9	48
45	Search for single production of vector-like quarks decaying to a top quark and a $\$$ mathrm $\{W\}$ $\$$ W boson in protonâ \in "proton collisions at $\$$ sqrt $\{s\}$ = 13 ,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	3.9	34
46	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	3.9	11
47	Search for rare decays of \$\$mathrm {Z}\$\$ Z and Higgs bosons to \$\${mathrm {J}/psi } \$\$ J / $\tilde{\Gamma}$ and a photon in proton-proton collisions at \$\$sqrt{s}\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	3.9	20
48	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
49	Measurements of $\$$ mathrm{t}overline{mathrm{t}} $\$$ differential cross sections in proton-proton collisions at $\$$ sqrt{mathrm{s}}=13 $\$$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
50	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} \\$ production in the \\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \\$ decay channel with leptonic \\$ mathrm{t}overline{mathrm{t}} \\$ decays in proton-proton collisions at \\$ sqrt{s}=13 \\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
51	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\$$ = 13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
52	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
53	Search for resonant $\$ mathrm{t}overline{mathrm{t}} \$\$ production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	23
54	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14

#	Article	IF	CITATIONS
55	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
56	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	40
57	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt{s} = 13,ext {TeV} $\$$ s s = 13 TeV. European Physical Journal C, 2019, 79, 20.	3.9	18
58	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $\$$ mathrm{p}mathrm{p}\$\$ collisions at $\$$ qrt{s} = 8,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 969.	3.9	6
59	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
60	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $\$$ sqrt $\{s\}=7$ \$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	3.9	10
61	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 \$\$$ sqrt $\{s_{mathrm{NN}}\}=5.02 \$\$$ and 8.16 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
62	Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$, " $\hat{1}$ / $2\hat{a}$, " $\hat{1}$ / $2\hat{a}$," " $\hat{1}$ / 2	4.7	36
63	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	3.9	27
64	Measurements of the $\$ mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}\$\$ p p → Z Z production cross section and the $\$ mathrm{Z}ightarrow 4ell \$\$ Z → 4 â," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
65	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	3.9	16
66	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
67	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	0
68	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 $ \$ sqrt $\{s\}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
69	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13~$ \$\$ sqrt $\{s\}=13~$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6
70	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
71	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
72	Measurement of differential cross sections in the kinematic angular variable \ddot{i}^* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4

#	Article	IF	Citations
73	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
74	Measurement of normalized differential $\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
75	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
76	Search for ZZ resonances in the $2\hat{a}$, " $2\hat{l}$ ½ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018 , 2018 , 1 .	4.7	4
77	Search for $\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the all-jet final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
78	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $\$$ sqrt $\{s\}=8$ $\$$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
79	Measurement of the groomed jet mass in PbPb and pp collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
80	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $$$ sqrt ${s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
81	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	19
82	Search for natural and split supersymmetry in proton-proton collisions at $\$\$ $ sqrt $\{\$\}=13 $ $\$\$ $ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	4.7	43
83	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
84	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two \ddot{l} , leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
85	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	26
86	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
87	Charged-particle nuclear modification factors in XeXe collisions at $\$$ sqrt $\{s_{mathrm{NN}}\} = 5.44$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
88	Measurement of the top quark mass with lepton+jets final states using $\mbox{mathrm } \{p\}$ should be collisions at \mbox{p} should be collisions at \mbo	3.9	34
89	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
90	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57

#	Article	IF	CITATIONS
91	Event shape variables measured using multijet final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
92	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
93	Search for narrow and broad dijet resonances in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	4.7	82
94	Search for $Z\hat{1}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
95	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
96	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
97	Search for supersymmetry in events with a Ï,, lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
98	Search for the decay of a Higgs boson in the \hat{a} , " \hat{a} ," \hat{a} channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
99	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ qrt{s}=13,ext {Te}ext {V} $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	3.9	46
100	Measurement of differential cross sections for $\{z\}$ Z boson production in association with jets in proton-proton collisions at $\{z\}$ Z boson production in association with jets in proton-proton collisions at $\{z\}$ Z	3.9	39
101	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 \hat{a} — (5840) 0 and \$\${mathrm {B}}		

#	Article	IF	Citations
109	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
110	Measurement of the \$\$mathrm {Z}/gamma ^{*} ightarrow au au \$\$ Z / \hat{I}^3 â^— â†' Ï,, Ï,, cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708.	3.9	10
111	Search for vector-like T and B quark pairs in final states with leptons at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
112	Search for dark matter produced in association with a Higgs boson decaying to $\hat{l}^3\hat{l}^3$ or \ddot{l}_3 + \ddot{l}_3 \hat{l}_3 at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
113	Search for additional neutral MSSM Higgs bosons in the Ï,, Ï,, final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	73
114	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
115	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
116	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline $\{u\}$ mathrm $\{q\}$ overline $\{mathrm \{q\}\}$ \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
117	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	35
118	Search for beyond the standard model Higgs bosons decaying into a \$\$ mathrm{b}overline{mathrm{b}} $$$ pair in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
119	Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	3.9	58
120	Measurement of prompt and nonprompt charmonium suppression in $\$$ ext {PbPb} $\$$ collisions at 5.02 $\$$,ext {Te}ext {V} $\$$ \$. European Physical Journal C, 2018, 78, 509.	3.9	83
121	Search for lepton flavour violating decays of the Higgs boson to μÏ,, and eÏ,, in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
122	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying \ddot{l} , leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
123	Electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	17
124	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
125	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
126	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16

#	Article	IF	CITATIONS
127	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $$$ sqrt ${s}=13$ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
128	Search for a singly produced third-generation scalar leptoquark decaying to a \ddot{I} , lepton and a bottom quark in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
129	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $$$ sqrt ${s}=13$ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
130	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
131	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
132	Search for high-mass resonances in dilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
133	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
134	Jet properties in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
135	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\$\$$ sqrt $\$\}=13$ $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
136	Search for standard model production of four top quarks with same-sign and multilepton final states in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	3.9	44
137	Measurement of b hadron lifetimes in pp collisions at $\$$ sqrt $\{s\} = 8$ \$ s = 8 $\$$,ext $\{Te\}$ ext $\{V\}$ \$ TeV. European Physical Journal C, 2018, 78, 457.	3.9	15
138	Measurements of the (mathrm $\{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$) production cross section and the (mathrm $\{Z\}$ ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at $\{p\}$ = 13,ext $\{TeV\}$)., 2018, 78, 1.		3
139	Measurement of b hadron lifetimes in pp collisions at (sqrt{s} = 8) (,ext {Te}ext {V})., 2018, 78, 1.		1
140	Measurement of the $\frac{t}{\sigma}$ mathrm{t}-werline{mathrm{t}} \$\$ t t \hat{A}^- production cross section using events in the \$\$mathrm {e}mu \$\$ e \hat{I}_4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	3.9	40
141	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
142	Search for electroweak production of charginos in final states with two \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
143	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt $\{s\} = 8$, mathrm $\{\{TeV\}\}\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	3.9	16
144	Measurement of the WZ production cross section in pp collisions at $\$\$qrt\{s\} = 7\$\$ s = 7$ and 8 $\$\$,ext\{TeV\}\$\$ TeV$ and search for anomalous triple gauge couplings at $\$\$qrt\{s\} = 8,ext\{TeV\}\$\$ s = 8$ TeV. European Physical Journal C, 2017, 77, 236.	3.9	37

#	Article	IF	CITATIONS
145	Measurement of prompt and nonprompt $\mbox{mathrm{J}}{psi}$ production in $\mbox{mathrm {p}mathrm {p}}$ p Pb collisions at $\mbox{posterior}$ and $\mbox{mathrm {p}}$ and $\mbox{mathrm {p}}$ p Pb collisions at $\mbox{posterior}$ and $\mbox{mathrm {NN}}$ =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	3.9	53
146	A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ T} $\$$ \$ \hat{I} ± T variable. European Physical Journal C, 2017, 77, 294.	3.9	29
147	Search for new physics in the monophoton final state in proton-proton collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
148	Measurement of double-differential cross sections for top quark pair production in pp collisions at $s=8$ = 8 \$, ext {TeV}\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	3.9	52
149	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$\$$ sqrt{s_{mathrm{N}}}= $5.02 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	103
150	Search for t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
151	Search for associated production of dark matter with a Higgs boson decaying to b b \hat{A}^- \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
152	Observation of Y(1S) pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
153	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt $\{s\}=7 $ \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	35
154	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13 $ \$\$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
155	Measurement of the semileptonic t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ + \hat{I}^3 production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
156	Measurements of the pp \hat{a} †' $\hat{W}^{\hat{3}\hat{1}\hat{3}}$ and pp \hat{a} †' $\hat{Z}^{\hat{3}\hat{3}\hat{3}}$ cross sections and limits on anomalous quartic gauge couplings at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	³ 4.7	10
157	Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	3.9	98
158	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ \$\$ sqrt s =8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
159	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
160	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
161	Suppression and azimuthal anisotropy of prompt and nonprompt $\$ (mathrm{J}}/psi \$\$ J / $\ddot{\Gamma}$ production in PbPb collisions at \$\$sqrt{{s_{_{ext {NN}}}}} = 2.76\$\$ s NN = 2.76 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 252.	3.9	82
162	Searches for pair production of third-generation squarks in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32

#	Article	IF	CITATIONS
163	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ s = 8 ÂTeV. European Physical Journal C, 2017, 77, 354.	3.9	23
164	Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\{s\}$ $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95
165	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
166	Measurement of electroweak-induced production of \hat{Wl}^3 with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
167	Searches for $W\hat{a}\in ^2$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
168	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
169	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ \$\$ $sqrt\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
170	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
171	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
172	Search for top squark pair production in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
173	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
174	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
175	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13~$ \$\$ sqrt $\{s\}=13~$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5
176	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in protonâ \in proton collisions at $\$$ qrt $\{s\} = 13$,ext $\{TeV\}$ $\$$. European Physical Journal C, 2017, 77, 578.	3.9	57
177	Search for top quark partners with charge $5/3$ in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
178	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
179	Measurements of jet charge with dijet events in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
180	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21

#	Article	IF	CITATIONS
181	Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
182	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62
183	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13 \$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
184	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	3.9	2
185	Search for high-mass $Z^{\hat{1}3}$ resonances in e+eâ ⁻ ' $\hat{1}^3$ and $\hat{1}^1/4 + \hat{1}^1/4$ â ⁻ ' $\hat{1}^3$ final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	7
186	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \ddot{l} , leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
187	Search for CP violation in t t \hat{A}^- \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	4
188	Measurement of the triple-differential dijet cross section in proton-proton collisions at $\$$ sqrt $\{s\}=8$,ext $\{TeV\}$ $\$$ s = 8 TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	3.9	23
189	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\$$ sqrt $\{s\}=8$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
190	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13 $ \$ sqrt $\{s\}=13 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
191	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
192	Measurements of the associated production of a Z boson and b jets in pp collisions at $\$\{sqrt\{s\}\} = 8,ext\{TeV\} $ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	3.9	30
193	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
194	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = 2.76 $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=2.76 $\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	18
195	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
196	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
197	Observation of a new boson with mass near 125 GeV in pp collisions at $\ \sqrt{s}=7 \ and 8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320