

Bruno Etain

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4970147/publications.pdf>

Version: 2024-02-01

263
papers

18,982
citations

31974

53
h-index

16180

124
g-index

296
all docs

296
docs citations

296
times ranked

19336
citing authors

#	ARTICLE	IF	CITATIONS
1	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	1.3	61
2	Handedness in bipolar disorders is associated with specific neurodevelopmental features: results of the BD-FACE cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 827-838.	3.2	3
3	Chronotypes and circadian rest-activity rhythms in bipolar disorders: a meta-analysis of self- and observer rating scales. <i>Bipolar Disorders</i> , 2022, 24, 286-297.	1.9	10
4	Violent suicide attempt history in elderly patients with bipolar disorder: The role of sex, abdominal obesity, and verbal memory: Results from the FACE-BD cohort (FondaMental Advanced center of) Tj ETQq0 0 0 rgB7. J Overlock 10 Tf 50		
5	Circadian Rhythms, Physical and Mental Health. , 2022, , 583-588.		1
6	Do self-ratings of the Pittsburgh Sleep Quality Index reflect actigraphy recordings of sleep quality or variability? An exploratory study of bipolar disorders versus healthy controls. <i>Journal of Sleep Research</i> , 2022, 31, e13507.	3.2	3
7	Childhood Trauma and the Severity of past Suicide Attempts in Outpatients with Cocaine use Disorders. <i>Substance Abuse</i> , 2022, 43, 623-632.	2.3	5
8	Neurobiological and behavioral mechanisms of circadian rhythm disruption in bipolar disorder: A critical multi-disciplinary literature review and agenda for future research from the ISBD task force on chronobiology. <i>Bipolar Disorders</i> , 2022, 24, 232-263.	1.9	36
9	Influence of childhood maltreatment on prevalence, onset, and persistence of psychiatric comorbidities and suicide attempts in bipolar disorders. <i>European Psychiatry</i> , 2022, 65, 1-32.	0.2	8
10	Methylomic Biomarkers of Lithium Response in Bipolar Disorder: A Proof of Transferability Study. <i>Pharmaceuticals</i> , 2022, 15, 133.	3.8	5
11	Association between childhood maltreatment and the clinical course of bipolar disorders: A survival analysis of mood recurrences. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 373-383.	4.5	9
12	The molecular pathophysiology of mood disorders: From the analysis of single molecular layers to multi-omic integration. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 116, 110520.	4.8	6
13	Short communication: Do clinical guidelines for bipolar disorders adequately address sleep, circadian rhythm, activity and lifestyle problems?. <i>Journal of Affective Disorders</i> , 2022, 301, 433-436.	4.1	0
14	Self-Reported Pain and Emotional Reactivity in Bipolar Disorder: A Prospective FACE-BD Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 893.	2.4	2
15	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228.	2.8	11
16	Predictors of functional impairment in bipolar disorder: Results from 13 cohorts from seven countries by the global bipolar cohort collaborative. <i>Bipolar Disorders</i> , 2022, 24, 709-719.	1.9	16
17	A systematic review and meta-analysis of sleep and circadian rhythms disturbances in individuals at high-risk of developing or with early onset of bipolar disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 135, 104585.	6.1	13
18	A network analysis of rest-activity rhythms in young people with emerging bipolar disorders. <i>Journal of Affective Disorders</i> , 2022, 305, 220-226.	4.1	0

#	ARTICLE	IF	CITATIONS
19	Direct medical cost of bipolar disorder: Insights from the FACE-BD longitudinal cohort. <i>Journal of Affective Disorders</i> , 2022, 306, 223-231.	4.1	3
20	Key findings on bipolar disorders from the longitudinal FondaMental Advanced Center of Expertise-Bipolar Disorder (FACE-BD) cohort. <i>Journal of Affective Disorders</i> , 2022, 307, 149-156.	4.1	6
21	Which Actigraphy Dimensions Predict Longitudinal Outcomes in Bipolar Disorders?. <i>Journal of Clinical Medicine</i> , 2022, 11, 2204.	2.4	2
22	CADPS functional mutations in patients with bipolar disorder increase the sensitivity to stress. <i>Molecular Psychiatry</i> , 2022, 27, 1145-1157.	7.9	1
23	Preventive Medication Patterns in Bipolar Disorder and Their Relationship With Comorbid Substance Use Disorders in a Cross-National Observational Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 813256.	2.6	4
24	Associations between circadian misalignment and telomere length in BD: an actigraphy study. <i>International Journal of Bipolar Disorders</i> , 2022, 10, .	2.2	8
25	Childhood trauma in bipolar disorder: new targets for future interventions. <i>BJPsych Open</i> , 2022, 8, .	0.7	5
26	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	7.9	44
27	A taxonomy of clinical response to mood stabilizers. <i>Bipolar Disorders</i> , 2021, 23, 24-32.	1.9	2
28	Association between anhedonia and suicidal events in patients with mood disorders: A 3-year prospective study. <i>Depression and Anxiety</i> , 2021, 38, 17-27.	4.1	25
29	Non-alcoholic fatty liver disease in a sample of individuals with bipolar disorders: results from the FACE-BD cohort. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 82-91.	4.5	11
30	Characterization of depressed bipolar patients with current suicidal ideation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 289-304.	2.3	12
31	Clinical predictors of recurrences in bipolar disorders type 1 and 2: A FACE-BD longitudinal study. <i>Journal of Psychiatric Research</i> , 2021, 134, 129-137.	3.1	10
32	Clinical characteristics of bipolar disorders with postpartum depressive onset. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 107, 110225.	4.8	6
33	Make lithium great again – Precisely!. <i>Bipolar Disorders</i> , 2021, 23, 209-210.	1.9	1
34	Longitudinal relationships between cognition and functioning over 2 years in euthymic patients with bipolar disorder: a cross-lagged panel model approach with the FACE-BD cohort. <i>British Journal of Psychiatry</i> , 2021, 218, 80-87.	2.8	23
35	Blood-brain barrier's interplay with peripheral and central inflammation as a pathophysiological mechanism of bipolar disorders. , 2021, , 143-153.		1
36	A conceptual framework to develop a patient-reported experience measure of the quality of mental health care: a qualitative study of the PREMIUM project in France. <i>Journal of Market Access & Health Policy</i> , 2021, 9, 1885789.	1.5	11

#	ARTICLE	IF	CITATIONS
37	Can actigraphy be used to define lithium response dimensions in bipolar disorders?. Journal of Affective Disorders, 2021, 283, 402-409.	4.1	8
38	Trajectories of medication adherence in patients with Bipolar Disorder along 2 years-follow-up. Journal of Affective Disorders, 2021, 282, 812-819.	4.1	12
39	Network of co-expressed circadian genes, childhood maltreatment and sleep quality in bipolar disorders. Chronobiology International, 2021, 38, 986-993.	2.0	7
40	The role of brain barriers in the neurokinetics and pharmacodynamics of lithium. Pharmacological Research, 2021, 166, 105480.	7.1	7
41	Early Life Stress and Chronobiological Rhythms Desynchronization. Journal of Nervous and Mental Disease, 2021, 209, 518-524.	1.0	3
42	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	21.4	629
43	The course of bipolar disorder as a function of the presence and sequence of onset of comorbid alcohol use disorders in outpatients attending the Fondamental Advanced Centres of Expertise. Journal of Affective Disorders, 2021, 287, 196-203.	4.1	5
44	Pharmacological treatment profiles in the FACE-BD cohort: An unsupervised machine learning study, applied to a nationwide bipolar cohort. Journal of Affective Disorders, 2021, 286, 309-319.	4.1	4
45	Sleep disturbances and first onset of major mental disorders in adolescence and early adulthood: A systematic review and meta-analysis. Sleep Medicine Reviews, 2021, 57, 101429.	8.5	64
46	Characterisation of age and polarity at onset in bipolar disorder. British Journal of Psychiatry, 2021, 219, 659-669.	2.8	20
47	Mini review: Recent advances on epigenetic effects of lithium. Neuroscience Letters, 2021, 761, 136116.	2.1	5
48	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. International Journal of Bipolar Disorders, 2021, 9, 26.	2.2	6
49	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. Scientific Reports, 2021, 11, 17823.	3.3	10
50	Childhood maltreatment and metabolic syndrome in bipolar disorders: In search of moderators. Psychoneuroendocrinology, 2021, 131, 105327.	2.7	3
51	Using density of antecedent events and trajectory path analysis to investigate family-correlated patterns of onset of bipolar I disorder: a comparison of cohorts from Europe and USA. International Journal of Bipolar Disorders, 2021, 9, 29.	2.2	4
52	Predictors of Suicidal Ideation and Preparatory Behaviors in Individuals With Bipolar Disorder. Journal of Clinical Psychiatry, 2021, 82, .	2.2	6
53	A Comparison of Different Approaches to Clinical Phenotyping of Lithium Response: A Proof of Principle Study Employing Genetic Variants of Three Candidate Circadian Genes. Pharmaceuticals, 2021, 14, 1072.	3.8	2
54	A pilot study of new approaches to exploring illness trajectories and patterns of comorbidity in major mental disorders. Microbial Biotechnology, 2021, , .	1.7	0

#	ARTICLE	IF	CITATIONS
55	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	4.8	25
56	Lithium effects on serine-threonine kinases activity: High throughput kinomic profiling of lymphoblastoid cell lines from excellent-responders and non-responders bipolar patients. <i>World Journal of Biological Psychiatry</i> , 2020, 21, 317-324.	2.6	4
57	Use of a serious game to strengthen medication adherence in euthymic patients with bipolar disorder following a psychoeducational programme: A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2020, 262, 182-188.	4.1	9
58	Eveningness and poor sleep quality contribute to depressive residual symptoms and behavioral inhibition in patients with bipolar disorder. <i>Chronobiology International</i> , 2020, 37, 101-110.	2.0	12
59	An examination of the quality and performance of the Alda scale for classifying lithium response phenotypes. <i>Bipolar Disorders</i> , 2020, 22, 255-265.	1.9	24
60	Childhood maltreatment and polygenic risk in bipolar disorders. <i>Bipolar Disorders</i> , 2020, 22, 174-181.	1.9	29
61	Unipolar mania: Identification and characterisation of cases in France and the United Kingdom. <i>Journal of Affective Disorders</i> , 2020, 263, 228-235.	4.1	11
62	Childhood maltreatment and HPA axis gene expression in bipolar disorders: A gene network analysis. <i>Psychoneuroendocrinology</i> , 2020, 120, 104753.	2.7	6
63	<p>Measuring the Patient Experience of Mental Health Care: A Systematic and Critical Review of Patient-Reported Experience Measures</p>. <i>Patient Preference and Adherence</i> , 2020, Volume 14, 2147-2161.	1.8	32
64	Evolution and characteristics of the use of valproate in women of childbearing age with bipolar disorder: Results from the FACE-BD cohort. <i>Journal of Affective Disorders</i> , 2020, 276, 963-969.	4.1	6
65	A DNA methylation signature discriminates between excellent and non-response to lithium in patients with bipolar disorder type 1. <i>Scientific Reports</i> , 2020, 10, 12239.	3.3	21
66	Trajectories of functioning in bipolar disorders: A longitudinal study in the FondaMental Advanced Centers of Expertise in Bipolar Disorders cohort. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 985-996.	2.3	9
67	White matter structure abnormalities in bipolar disorders: Towards a traumatic dysconnectivity in the brain?. <i>Bipolar Disorders</i> , 2020, 22, 757-758.	1.9	0
68	Allostatic load, emotional hyperéactivity, and functioning in individuals with bipolar disorder. <i>Bipolar Disorders</i> , 2020, 22, 711-721.	1.9	17
69	Measuring circadian function in bipolar disorders: Empirical and conceptual review of physiological, actigraphic, and selféreport approaches. <i>Bipolar Disorders</i> , 2020, 22, 693-710.	1.9	49
70	Accumulation of Lithium in the Hippocampus of Patients With Bipolar Disorder: A Lithium-7 Magnetic Resonance Imaging Study at 7 Tesla. <i>Biological Psychiatry</i> , 2020, 88, 426-433.	1.3	20
71	Metabolic and psychiatric effects of acyl coenzyme A binding protein (ACBP)/diazepam binding inhibitor (DBI). <i>Cell Death and Disease</i> , 2020, 11, 502.	6.3	16
72	Childhood Maltreatment in Bipolar Disorders. <i>Current Topics in Behavioral Neurosciences</i> , 2020, 48, 277-301.	1.7	13

#	ARTICLE	IF	CITATIONS
73	Psychiatric comorbidities in bipolar disorders: An examination of the prevalence and chronology of onset according to sex and bipolar subtype. <i>Journal of Affective Disorders</i> , 2020, 267, 258-263.	4.1	31
74	Can network analysis shed light on predictors of lithium response in bipolar I disorder?. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 522-533.	4.5	13
75	Association between coffee, tobacco, and alcohol daily consumption and sleep/wake cycle: an actigraphy study in euthymic patients with bipolar disorders. <i>Chronobiology International</i> , 2020, 37, 712-722.	2.0	16
76	Association between affective temperaments and mood features in bipolar disorder II: The role of insomnia and chronobiological rhythms desynchronization. <i>Journal of Affective Disorders</i> , 2020, 266, 263-272.	4.1	12
77	Contribution of common and rare damaging variants in familial forms of bipolar disorder and phenotypic outcome. <i>Translational Psychiatry</i> , 2020, 10, 124.	4.8	5
78	Commentary: 20-Year Trends in the Pharmacologic Treatment of Bipolar Disorder by Psychiatrists in Outpatient Care Settings. <i>Frontiers in Psychiatry</i> , 2020, 11, 592593.	2.6	0
79	An ecological study of objective rest-activity markers of lithium response in bipolar-I-disorder. <i>Psychological Medicine</i> , 2020, , 1-9.	4.5	11
80	Misperception of sleep in bipolar disorder: an exploratory study using questionnaire versus actigraphy. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 34.	2.2	10
81	An evidence map of actigraphy studies exploring longitudinal associations between rest-activity rhythms and course and outcome of bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 37.	2.2	13
82	Socio-demographic and clinical predictors of outcome to long-term treatment with lithium in bipolar disorders: a systematic review of the contemporary literature and recommendations from the ISBD/IGSLI Task Force on treatment with lithium. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 40.	2.2	15
83	Childhood Trauma in Depressive Disorders. , 2020, , 161-184.		2
84	Childhood-maltreatment subtypes in bipolar patients with suicidal behavior: systematic review and meta-analysis. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 558-567.	1.7	13
85	Impulsivity and its association with childhood trauma experiences across bipolar disorder, attention deficit hyperactivity disorder and borderline personality disorder. <i>Journal of Affective Disorders</i> , 2019, 244, 33-41.	4.1	42
86	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.	1.9	20
87	Prevalence and determinants of cognitive impairment in the euthymic phase of bipolar disorders: results from the FACE-BD cohort. <i>Psychological Medicine</i> , 2019, 49, 519-527.	4.5	19
88	The chronotherapeutic treatment of bipolar disorders: A systematic review and practice recommendations from the ISBD task force on chronotherapy and chronobiology. <i>Bipolar Disorders</i> , 2019, 21, 741-773.	1.9	113
89	Selecting reference genes in RT-qPCR based on equivalence tests: a network based approach. <i>Scientific Reports</i> , 2019, 9, 16231.	3.3	15
90	Which actigraphic variables optimally characterize the sleep-wake cycle of individuals with bipolar disorders?. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 269-279.	4.5	13

#	ARTICLE	IF	CITATIONS
91	Increased plasma levels of high mobility group box 1 protein in patients with bipolar disorder: A pilot study. <i>Journal of Neuroimmunology</i> , 2019, 334, 576993.	2.3	5
92	Does childhood experience of attention-deficit hyperactivity disorder symptoms increase sleep/wake cycle disturbances as measured with actigraphy in adult patients with bipolar disorder?. <i>Chronobiology International</i> , 2019, 36, 1124-1130.	2.0	2
93	Tobacco smoking and other substance use disorders associated with recurrent suicide attempts in bipolar disorder. <i>Journal of Affective Disorders</i> , 2019, 256, 348-357.	4.1	21
94	Reconsideration of the factorial structure of the Barratt Impulsiveness Scale (BIS-11): Assessment of impulsivity in a large population of euthymic bipolar patients. <i>Journal of Affective Disorders</i> , 2019, 253, 203-209.	4.1	11
95	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	21.4	1,191
96	F3. CHILDHOOD MALTREATMENT AND POLYGENIC RISK IN BIPOLAR DISORDERS. <i>Schizophrenia Bulletin</i> , 2019, 45, S255-S256.	4.3	0
97	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019, 113, 1-9.	3.1	25
98	<p>The Patient-Reported Experience Measure for Improving qUality of care in Mental health (PREMIUM) project in France: study protocol for the development and implementation strategy</p>. <i>Patient Preference and Adherence</i> , 2019, Volume 13, 165-177.	1.8	26
99	A MULTI-LEVEL FUNCTIONAL STUDY OF A SNAP25 AT-RISK VARIANT FOR BIPOLAR DISORDER AND SCHIZOPHRENIA. <i>European Neuropsychopharmacology</i> , 2019, 29, S1009-S1010.	0.7	0
100	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11.	28.9	935
101	Activation Levels, Cardiovascular Risk, and Functional Impairment in Remitted Bipolar Patients: Clinical Relevance of a Dimensional Approach. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 45-47.	8.8	11
102	Clinical characteristics of obstructive sleep apnea in bipolar disorders. <i>Journal of Affective Disorders</i> , 2019, 245, 1-7.	4.1	9
103	Sleep and circadian rhythms as possible trait markers of suicide attempt in bipolar disorders: An actigraphy study. <i>Journal of Affective Disorders</i> , 2019, 244, 1-8.	4.1	59
104	Response to Lithium in Patients with Bipolar Disorder: What are Psychiatristsâ€™ Experiences and Practices Compared to Literature Review?. <i>Pharmacopsychiatry</i> , 2019, 52, 70-77.	3.3	6
105	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 20.	2.2	41
106	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.	11.0	102
107	Lithium response in bipolar disorders and core clock genes expression. <i>World Journal of Biological Psychiatry</i> , 2018, 19, 619-632.	2.6	45
108	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. <i>Molecular Psychiatry</i> , 2018, 23, 133-142.	7.9	247

#	ARTICLE	IF	CITATIONS
109	A study in the general population about sadness to disentangle the continuum from well-being to depressive disorders. <i>Journal of Affective Disorders</i> , 2018, 226, 66-71.	4.1	25
110	Insomnia and hypersomnia in major depressive episode: Prevalence, sociodemographic characteristics and psychiatric comorbidity in a population-based study. <i>Journal of Affective Disorders</i> , 2018, 226, 132-141.	4.1	129
111	A study of the real-world effectiveness of group psychoeducation for bipolar disorders: Is change in illness perception a key mediator of benefit?. <i>Journal of Affective Disorders</i> , 2018, 227, 713-720.	4.1	19
112	Bright Light Therapy in the Morning or at Mid-Day in the Treatment of Non-Seasonal Bipolar Depressive Episodes (LuBi): Study Protocol for a Dose Research Phase I / II Trial. <i>Psychiatry Investigation</i> , 2018, 15, 1188-1202.	1.6	11
113	Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 20.	2.2	13
114	DNA Methylation as a Biomarker of Treatment Response Variability in Serious Mental Illnesses: A Systematic Review Focused on Bipolar Disorder, Schizophrenia, and Major Depressive Disorder. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3026.	4.1	38
115	Can an Integrated Science Approach to Precision Medicine Research Improve Lithium Treatment in Bipolar Disorders?. <i>Frontiers in Psychiatry</i> , 2018, 9, 360.	2.6	23
116	Obesity, mixed, and bipolar features in major depression: Should we identify the usual suspects or also look for covert mediators?. <i>Bipolar Disorders</i> , 2018, 20, 772-773.	1.9	0
117	More comprehensive models are needed to understand how relative amplitude might affect wellbeing and risk of mood disorders. <i>Lancet Psychiatry</i> , 2018, 5, 697.	7.4	3
118	Secular trends in the age at onset of bipolar I disorder – Support for birth cohort effects from interational, multi-centre clinical observational studies. <i>European Psychiatry</i> , 2018, 52, 61-67.	0.2	5
119	Emotional hyperreactivity and cardiometabolic risk in remitted bipolar patients: a machine learning approach. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 348-359.	4.5	19
120	Metabolic syndrome and actigraphy measures of sleep and circadian rhythms in bipolar disorders during remission. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 155-162.	4.5	10
121	The neurobiology of adaptation to seasons: Relevance and correlations in bipolar disorders. <i>Chronobiology International</i> , 2018, 35, 1335-1353.	2.0	44
122	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.	2.6	28
123	Association between CRP genetic diversity and bipolar disorder comorbid complications. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 4.	2.2	8
124	HLA genetics in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 464-471.	4.5	18
125	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018, 173, 1705-1715.e16.	28.9	623
126	Quelles innovations thérapeutiques dans la prise en charge du trouble bipolaire ?. <i>French Journal of Psychiatry</i> , 2018, 1, S61-S62.	0.1	0

#	ARTICLE	IF	CITATIONS
127	Association between childhood dimensions of attention deficit hyperactivity disorder and adulthood clinical severity of bipolar disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 382-392.	2.3	7
128	Affect lability predicts occurrence of suicidal ideation in bipolar patients: a two-year prospective study. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 460-469.	4.5	18
129	TLR4 gene polymorphism associated with lifetime cigarette smoking in bipolar disorder. <i>Journal of Neuroimmunology</i> , 2017, 305, 96-101.	2.3	3
130	Emotional reactivity, functioning, and C-reactive protein alterations in remitted bipolar patients: Clinical relevance of a dimensional approach. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 788-798.	2.3	15
131	Cognitive profiles in euthymic patients with bipolar disorders: results from the FACE-BD cohort. <i>Bipolar Disorders</i> , 2017, 19, 146-153.	1.9	41
132	Efficacy of Vitamin B6 in Lithium-Associated Tremor. <i>Journal of Clinical Psychopharmacology</i> , 2017, 37, 267-269.	1.4	2
133	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. <i>Translational Psychiatry</i> , 2017, 7, e1155-e1155.	4.8	150
134	Seasonal pattern in bipolar disorders and cardio-vascular risk factors: A study from the FACE-BD cohort. <i>Chronobiology International</i> , 2017, 34, 845-854.	2.0	10
135	A re-examination of antidepressant treatment-emergent mania in bipolar disorders: evidence of gender differences. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 479-488.	4.5	15
136	Childhood trauma and mixed episodes are associated with poor response to lithium in bipolar disorders. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 319-327.	4.5	39
137	Affective lability mediates the association between childhood trauma and suicide attempts, mixed episodes and co-morbid anxiety disorders in bipolar disorders. <i>Psychological Medicine</i> , 2017, 47, 902-912.	4.5	73
138	A Multilevel Functional Study of a SNAP25 At-Risk Variant for Bipolar Disorder and Schizophrenia. <i>Journal of Neuroscience</i> , 2017, 37, 10389-10397.	3.6	29
139	Associations between residual depressive symptoms, cognition, and functioning in patients with euthymic bipolar disorder: results from the FACE-BD cohort. <i>British Journal of Psychiatry</i> , 2017, 211, 381-387.	2.8	30
140	Sleep quality, chronotype and metabolic syndrome components in bipolar disorders during the remission period: Results from the FACE-BD cohort. <i>Chronobiology International</i> , 2017, 34, 1114-1124.	2.0	14
141	Outcomes for bipolar patients assessed in the French expert center network: A 2-year follow-up observational study (FondaMental Advanced Centers of Expertise for Bipolar Disorder [FACE-BD]). <i>Bipolar Disorders</i> , 2017, 19, 651-660.	1.9	25
142	Sleep quality and emotional reactivity cluster in bipolar disorders and impact on functioning. <i>European Psychiatry</i> , 2017, 45, 190-197.	0.2	19
143	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 571-582.	4.5	24
144	Childhood Trauma in Bipolar Disorders: Familial and Individual Mediators for Predicting Occurrence and Outcome. <i>European Psychiatry</i> , 2017, 41, S28-S28.	0.2	0

#	ARTICLE	IF	CITATIONS
145	Childhood trauma, dimensions of psychopathology and the clinical expression of bipolar disorders: A pathway analysis. <i>Journal of Psychiatric Research</i> , 2017, 95, 37-45.	3.1	43
146	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 473-476.	1.3	4
147	Cross-validation of clinical characteristics and treatment patterns associated with phenotypes for lithium response defined by the Alda scale. <i>Journal of Affective Disorders</i> , 2017, 208, 62-67.	4.1	18
148	Alcohol use disorders are associated with increased affective lability in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 208, 316-324.	4.1	21
149	Clinical factors associated with lithium response in bipolar disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 524-530.	2.3	45
150	Identification of a Bipolar Disorder Vulnerable Gene CHDH at 3p21.1. <i>Molecular Neurobiology</i> , 2017, 54, 5166-5176.	4.0	9
151	Revisiting the association between childhood trauma and psychosis in bipolar disorder: A quasi-dimensional path-analysis. <i>Journal of Psychiatric Research</i> , 2017, 84, 73-79.	3.1	22
152	Neuropsychological functioning, age, and medication adherence in bipolar disorder. <i>PLoS ONE</i> , 2017, 12, e0184313.	2.5	22
153	Lithium and Circadian Rhythms. , 2017, , 111-124.		4
154	Circadian genes and lithium response in bipolar disorders: associations with <i>PPARGC1A</i> (<i>PPARGC1A</i>) and <i>RORA</i> . <i>Genes, Brain and Behavior</i> , 2016, 15, 660-668.	2.2	37
155	Emotional reactivity, functioning and low-grade inflammation in remitted bipolar patients: clinical relevance of a dimensional approach. <i>European Neuropsychopharmacology</i> , 2016, 26, S442-S443.	0.7	0
156	The role of childhood trauma in bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 2.	2.2	219
157	Similarities between emotional dysregulation in adults suffering from ADHD and bipolar patients. <i>Journal of Affective Disorders</i> , 2016, 198, 230-236.	4.1	39
158	Childhood trauma and the limbic network: a multimodal MRI study in patients with bipolar disorder and controls. <i>Journal of Affective Disorders</i> , 2016, 200, 159-164.	4.1	55
159	What can we learn from offspring studies in bipolar disorder?. <i>BJ Psych Advances</i> , 2016, 22, 176-185.	0.7	4
160	Effect of early trauma on the sleep quality of euthymic bipolar patients. <i>Journal of Affective Disorders</i> , 2016, 206, 261-267.	4.1	12
161	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 17.	2.2	35
162	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016, 242, 388-394.	3.3	36

#	ARTICLE	IF	CITATIONS
163	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394.	2.9	182
164	Using admixture analysis to examine birth cohort effects on age at onset of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 205-213.	4.5	8
165	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093.	13.7	306
166	Convergent Lines of Evidence Support LRP8 as a Susceptibility Gene for Psychosis. <i>Molecular Neurobiology</i> , 2016, 53, 6608-6619.	4.0	20
167	Impact of a cis-associated gene expression SNP on chromosome 20q11.22 on bipolar disorder susceptibility, hippocampal structure and cognitive performance. <i>British Journal of Psychiatry</i> , 2016, 208, 128-137.	2.8	11
168	Cannabis use disorder is associated with greater illness severity in tobacco smoking patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 190, 286-293.	4.1	26
169	Interaction between SLC6A4 promoter variants and childhood trauma on the age at onset of bipolar disorders. <i>Scientific Reports</i> , 2015, 5, 16301.	3.3	17
170	Bipolar patients referred to specialized services of care: Not resistant but impaired by sub-syndromal symptoms. Results from the FACE-BD cohort. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 898-905.	2.3	35
171	Violent suicidal behaviour in bipolar disorder is associated with nitric oxide synthase 3 gene polymorphism. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 218-225.	4.5	18
172	Increased risk of suicide attempt in bipolar patients with severe tobacco dependence. <i>Journal of Affective Disorders</i> , 2015, 183, 113-118.	4.1	35
173	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015, 30, 99-105.	0.2	28
174	Clinical and neuropsychological characteristics of euthymic bipolar patients having a history of severe suicide attempt. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 129-138.	4.5	34
175	Joint Analysis of Psychiatric Disorders Increases Accuracy of Risk Prediction for Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. <i>American Journal of Human Genetics</i> , 2015, 96, 283-294.	6.2	225
176	Sleep- and circadian rhythm-associated pathways as therapeutic targets in bipolar disorder. <i>Expert Opinion on Therapeutic Targets</i> , 2015, 19, 747-763.	3.4	75
177	Combined Effect of TLR2 Gene Polymorphism and Early Life Stress On the Age at Onset of Bipolar Disorders. <i>European Psychiatry</i> , 2015, 30, 445.	0.2	1
178	An evidence map of psychosocial interventions for the earliest stages of bipolar disorder. <i>Lancet Psychiatry, the</i> , 2015, 2, 548-563.	7.4	68
179	Psychometric properties of the Affective Lability Scale (54 and 18-item version) in patients with bipolar disorder, first-degree relatives, and healthy controls. <i>Journal of Affective Disorders</i> , 2015, 172, 375-380.	4.1	53
180	Adherence to medication is associated with non-planning impulsivity in euthymic bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2015, 184, 60-66.	4.1	19

#	ARTICLE	IF	CITATIONS
181	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015, 64, 1-8.	3.1	39
182	Genetics of emotional reactivity in bipolar disorders. <i>Journal of Affective Disorders</i> , 2015, 188, 101-106.	4.1	8
183	Genetic association study of circadian genes with seasonal pattern in bipolar disorders. <i>Scientific Reports</i> , 2015, 5, 10232.	3.3	56
184	Reply: Sleep in Patients with Remitted Bipolar Disorders: Analyses stratified on actigraphy devices, age and gender. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 400-400.	4.5	9
185	Sleep in patients with remitted bipolar disorders: a meta-analysis of actigraphy studies. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 89-99.	4.5	168
186	Links between sleep and body mass index in bipolar disorders: An exploratory study. <i>European Psychiatry</i> , 2015, 30, 89-93.	0.2	26
187	Combined Effect of TLR2 Gene Polymorphism and Early Life Stress on the Age at Onset of Bipolar Disorders. <i>PLoS ONE</i> , 2015, 10, e0119702.	2.5	56
188	Melatonin and Melatonin Agonists as Adjunctive Treatments in Bipolar Disorders. <i>Current Pharmaceutical Design</i> , 2015, 21, 3352-3358.	1.9	57
189	Attitudes of Medical Students towards Conflict of Interest: A National Survey in France. <i>PLoS ONE</i> , 2014, 9, e92858.	2.5	21
190	Circadian abnormalities as markers of susceptibility in bipolar disorders. <i>Frontiers in Bioscience - Scholar</i> , 2014, S6, 120-137.	2.1	29
191	Correlations between objective and subjective sleep and circadian markers in remitted patients with bipolar disorder. <i>Chronobiology International</i> , 2014, 31, 698-704.	2.0	64
192	Additive effects of childhood abuse and cannabis abuse on clinical expressions of bipolar disorders. <i>Psychological Medicine</i> , 2014, 44, 1653-1662.	4.5	61
193	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014, 19, 108-114.	7.9	85
194	Affective lability in patients with bipolar disorders is associated with high levels of childhood trauma. <i>Psychiatry Research</i> , 2014, 218, 252-255.	3.3	50
195	Age at onset in bipolar I affective disorder in the USA and Europe. <i>World Journal of Biological Psychiatry</i> , 2014, 15, 369-376.	2.6	59
196	Identification of Pathways for Bipolar Disorder. <i>JAMA Psychiatry</i> , 2014, 71, 657.	11.0	204
197	Sleep in remitted bipolar disorder: A naturalistic case-control study using actigraphy. <i>Journal of Affective Disorders</i> , 2014, 158, 1-7.	4.1	98
198	Affect intensity measure in bipolar disorders: A multidimensional approach. <i>Journal of Affective Disorders</i> , 2014, 157, 8-13.	4.1	13

#	ARTICLE	IF	CITATIONS
199	Polymorphism of Toll-like receptor 4 gene in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 152-154, 395-402.	4.1	53
200	An <scp>ASMT</scp> variant associated with bipolar disorder influences sleep and circadian rhythms: a pilot study. <i>Genes, Brain and Behavior</i> , 2014, 13, 299-304.	2.2	37
201	Ralentissement psychomoteur et trouble bipolaire. <i>European Psychiatry</i> , 2014, 29, 580-580.	0.2	0
202	Seasonality and bipolar disorder: A systematic review, from admission rates to seasonality of symptoms. <i>Journal of Affective Disorders</i> , 2014, 168, 210-223.	4.1	164
203	Genetic association between a "standing"™ variant of NOD2 and bipolar disorder. <i>Immunobiology</i> , 2014, 219, 766-771.	1.9	13
204	Association between circadian genes, bipolar disorders and chronotypes. <i>Chronobiology International</i> , 2014, 31, 807-814.	2.0	71
205	Association between toll-like receptor 2 gene diversity and early-onset bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 165, 135-141.	4.1	34
206	Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. <i>Journal of Affective Disorders</i> , 2014, 167, 104-111.	4.1	43
207	Allelic differences between Europeans and Chinese for CREB1 SNPs and their implications in gene expression regulation, hippocampal structure and function, and bipolar disorder susceptibility. <i>Molecular Psychiatry</i> , 2014, 19, 452-461.	7.9	61
208	Circadian biomarkers in patients with bipolar disorder: promising putative predictors of lithium response. <i>International Journal of Bipolar Disorders</i> , 2014, 2, 28.	2.2	27
209	Common and Rare Variant Analysis in Early-Onset Bipolar Disorder Vulnerability. <i>PLoS ONE</i> , 2014, 9, e104326.	2.5	34
210	Sleep and Circadian Profiles of Bipolar Disorder: From Chronobiology to Novel Therapeutic Strategies. <i>Current Psychiatry Reviews</i> , 2014, 10, 235-247.	0.9	1
211	Can the response to mood stabilizers be predicted in bipolar disorder. <i>Frontiers in Bioscience - Elite</i> , 2014, E6, 120-138.	1.8	30
212	Metabolic Syndrome in a French Cohort of Patients With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 1078-1085.	2.2	37
213	L'apport des centres experts en psychiatrie. , 2014, , 217-224.		0
214	25. Anxiété, troubles anxieux et troubles bipolaires. , 2014, , 269.		0
215	Chronotypes of Bipolar Patients in Remission: Validation of the French Version of the Circadian Type Inventory in the FACE-BD Sample. <i>Chronobiology International</i> , 2013, 30, 1042-1049.	2.0	44
216	Reconsideration of bipolar disorder as a developmental disorder: Importance of the time of onset. <i>Journal of Physiology (Paris)</i> , 2013, 107, 278-285.	2.1	77

#	ARTICLE	IF	CITATIONS
217	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013, 45, 984-994.	21.4	2,067
218	Depressive residual symptoms are associated with lower adherence to medication in bipolar patients without substance use disorder: Results from the FACE-BD cohort. <i>Journal of Affective Disorders</i> , 2013, 151, 1009-1015.	4.1	45
219	Kleine-Levin syndrome and bipolar disorder: a differential diagnosis of recurrent and resistant depression. <i>Bipolar Disorders</i> , 2013, 15, 899-902.	1.9	17
220	The HLA-G low expressor genotype is associated with protection against bipolar disorder. <i>Human Immunology</i> , 2013, 74, 593-597.	2.4	30
221	Trauma affectifs dans l'enfance et dyscontrôle impulsif. <i>European Psychiatry</i> , 2013, 28, 38-38.	0.2	0
222	Clinical features associated with trait-impulsiveness in euthymic bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2013, 144, 240-247.	4.1	57
223	Duration of untreated bipolar disorder: missed opportunities on the long road to optimal treatment. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 136-144.	4.5	181
224	Identification of risk loci with shared effects on five major psychiatric disorders: a genome-wide analysis. <i>Lancet</i> , The, 2013, 381, 1371-1379.	13.7	2,643
225	All SNPs Are Not Created Equal: Genome-Wide Association Studies Reveal a Consistent Pattern of Enrichment among Functionally Annotated SNPs. <i>PLoS Genetics</i> , 2013, 9, e1003449.	3.5	268
226	Bipolar Disorder with Seasonal Pattern: Clinical Characteristics and Gender Influences. <i>Chronobiology International</i> , 2013, 30, 1101-1107.	2.0	51
227	Gene X Environment Interactions in Schizophrenia and Bipolar Disorder: Evidence from Neuroimaging. <i>Frontiers in Psychiatry</i> , 2013, 4, 136.	2.6	41
228	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636.	2.5	156
229	Biomarkers of bipolar disorder specific or shared with schizophrenia. <i>Frontiers in Bioscience - Elite</i> , 2013, E5, 845-863.	1.8	33
230	Childhood Trauma Is Associated With Severe Clinical Characteristics of Bipolar Disorders. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 991-998.	2.2	175
231	Genetic and functional abnormalities of the melatonin biosynthesis pathway in patients with bipolar disorder. <i>Human Molecular Genetics</i> , 2012, 21, 4030-4037.	2.9	90
232	Validation of the french version of the functioning assessment short test (FAST) in patients with bipolar disorder. A study from the french bipolar expert centers network. <i>International Clinical Psychopharmacology</i> , 2012, 28, e62-e63.	1.7	12
233	Clinical and dimensional characteristics of euthymic bipolar patients with or without suicidal behavior. <i>European Psychiatry</i> , 2012, 27, 570-576.	0.2	49
234	Combination Therapy for Manic Phases: A Critical Review of a Common Practice. <i>CNS Neuroscience and Therapeutics</i> , 2012, 18, 957-964.	3.9	38

#	ARTICLE	IF	CITATIONS
235	Genetic heterogeneity according to age at onset in bipolar disorder: A combined positional cloning and candidate gene approach. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 653-659.	1.7	13
236	Is processing speed a valid cognitive endophenotype for bipolar disorder?. <i>Journal of Affective Disorders</i> , 2012, 139, 98-101.	4.1	39
237	Clinical Expression of Bipolar Disorder Type I as a Function of Age and Polarity at Onset. <i>Journal of Clinical Psychiatry</i> , 2012, 73, e561-e566.	2.2	113
238	Which psychosocial interventions in bipolar depression ?. <i>L'Encephale</i> , 2011, 37, S214-S217.	0.9	1
239	Genetics of circadian rhythms and mood spectrum disorders. <i>European Neuropsychopharmacology</i> , 2011, 21, S676-S682.	0.7	144
240	Circadian biomarkers, circadian genes and bipolar disorders. <i>Journal of Physiology (Paris)</i> , 2011, 105, 183-189.	2.1	70
241	A French network of bipolar expert centres: A model to close the gap between evidence-based medicine and routine practice. <i>Journal of Affective Disorders</i> , 2011, 131, 358-363.	4.1	68
242	MRI exploration of pineal volume in bipolar disorder. <i>Journal of Affective Disorders</i> , 2011, 135, 377-379.	4.1	27
243	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2011, 88, 372-381.	6.2	257
244	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2011, 88, 396.	6.2	6
245	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. <i>Nature Genetics</i> , 2011, 43, 977-983.	21.4	1,283
246	New Ways to Classify Bipolar Disorders: Going from Categorical Groups to Symptom Clusters or Dimensions. <i>Current Psychiatry Reports</i> , 2010, 12, 505-511.	4.5	52
247	European collaborative study of early-onset bipolar disorder: Evidence for genetic heterogeneity on 2q14 according to age at onset. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1425-1433.	1.7	16
248	Preferential association between childhood emotional abuse and bipolar disorder. <i>Journal of Traumatic Stress</i> , 2010, 23, 376-383.	1.8	129
249	A SNAP25 promoter variant is associated with early-onset bipolar disorder and a high expression level in brain. <i>Molecular Psychiatry</i> , 2010, 15, 748-755.	7.9	70
250	Self-reported childhood trauma correlates with schizotypal measures in schizophrenia but not bipolar pedigrees. <i>Psychological Medicine</i> , 2009, 39, 365-370.	4.5	19
251	Clinique de la bipolarité. <i>Le Journal Des Psychologues</i> , 2009, n° 273, 20-23.	0.1	0
252	Association between brain-derived neurotrophic factor gene and a severe form of bipolar disorder, but no interaction with the serotonin transporter gene. <i>Bipolar Disorders</i> , 2008, 10, 580-587.	1.9	60

#	ARTICLE	IF	CITATIONS
253	Beyond genetics: childhood affective trauma in bipolar disorder. <i>Bipolar Disorders</i> , 2008, 10, 867-876.	1.9	202
254	Association between the PPP3CC gene, coding for the calcineurin gamma catalytic subunit, and bipolar disorder. <i>Behavioral and Brain Functions</i> , 2008, 4, 2.	3.3	27
255	No evidence for physical anhedonia as a candidate symptom or an endophenotype in bipolar affective disorder. <i>Bipolar Disorders</i> , 2007, 9, 706-712.	1.9	19
256	Social phobia is associated with suicide attempt history in bipolar inpatients. <i>Bipolar Disorders</i> , 2007, 9, 713-721.	1.9	46
257	Familial resemblance for executive functions in families of schizophrenic and bipolar patients. <i>Psychiatry Research</i> , 2006, 144, 131-138.	3.3	56
258	Genome-wide scan for genes involved in bipolar affective disorder in 70 European families ascertained through a bipolar type I early-onset proband: supportive evidence for linkage at 3p14. <i>Molecular Psychiatry</i> , 2006, 11, 685-694.	7.9	68
259	Lack of association between 5HT2A receptor gene haplotype, bipolar disorder and its clinical subtypes in a West European sample. <i>American Journal of Medical Genetics Part A</i> , 2004, 129B, 29-33.	2.4	23
260	Maternal transmission disequilibrium of the glutamate receptor GRIK2 in schizophrenia. <i>NeuroReport</i> , 2004, 15, 1987-1991.	1.2	56
261	Bipolar Patients With Suicidal Behavior. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 1035-1039.	2.2	120
262	Anxiety Disorders in 318 Bipolar Patients. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 331-335.	2.2	160
263	Jean Delay, M.D., 1907-1987. <i>American Journal of Psychiatry</i> , 2002, 159, 1489-1489.	7.2	3