

# Alessandra Doria

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4972104/publications.pdf>

Version: 2024-02-01

558  
papers

27,818  
citations

5896

81  
h-index

11939

134  
g-index

567  
all docs

567  
docs citations

567  
times ranked

10306  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.   | 3.9 | 6         |
| 2  | Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s}=13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .   | 3.9 | 14        |
| 3  | Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.  | 4.7 | 2         |
| 4  | Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1. | 3.9 | 8         |
| 5  | Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.                                    | 4.7 | 10        |
| 6  | AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.   | 2.9 | 23        |
| 7  | Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \mu^{\pm} \nu_{\mu} (\rightarrow \pi^{\pm} \nu_{\mu}) \nu_{\tau}$ events in Run 2 data. European Physical Journal C, 2022, 82, 1.   | 3.9 | 4         |
| 8  | The ATLAS inner detector trigger performance in pp collisions at $\sqrt{s}=13$ TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.   | 3.9 | 5         |
| 9  | Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .  | 3.9 | 7         |
| 10 | Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s}=13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .  | 3.9 | 2         |
| 11 | Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13$ TeV. European Physical Journal C, 2022, 82, 1.  | 3.9 | 12        |
| 12 | Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 4         |
| 13 | Search for squarks and gluinos in final states with jets and missing transverse momentum using $139 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 37        |
| 14 | Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.   | 3.9 | 12        |
| 15 | Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 3.9 | 38        |
| 16 | Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 18        |
| 17 | Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.   | 3.9 | 17        |
| 18 | Measurement of light-by-light scattering and search for axion-like particles with $2.2 \text{ nb}^{-1}$ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 19        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 6         |
| 20 | Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 14        |
| 21 | Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 22        |
| 22 | Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.   | 3.9 | 18        |
| 23 | Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.  | 3.9 | 15        |
| 24 | Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow e^+e^- u \bar{u}$ final states using 139 fb <sup>-1</sup> of proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 40        |
| 25 | Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 18        |
| 26 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^- \rightarrow b\bar{b} H$ and $e^+e^- \rightarrow W W H$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.                          | 3.9 | 26        |
| 27 | Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 23        |
| 28 | Measurements of $W+W\gamma+1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 8         |
| 29 | Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 46        |
| 30 | Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.  | 3.9 | 14        |
| 31 | Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\bar{l}_\tau$ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 27        |
| 32 | Search for supersymmetry in events with four or more charged leptons in 139 fb <sup>-1</sup> of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 12        |
| 33 | Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W_{\pm}$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 10        |
| 34 | Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 8         |
| 35 | A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 5         |
| 36 | Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.   | 3.9 | 82        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.                         | 3.9 | 13        |
| 38 | Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8, \sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.                  | 3.9 | 3         |
| 39 | Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.   | 3.9 | 64        |
| 40 | Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 12        |
| 41 | Search for dark matter produced in association with a single top quark in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.   | 3.9 | 9         |
| 42 | Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.     | 4.7 | 14        |
| 43 | Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.  | 3.9 | 5         |
| 44 | Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 12        |
| 45 | Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.      | 3.9 | 7         |
| 46 | Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 10        |
| 47 | Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.                   | 4.7 | 10        |
| 48 | Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 4         |
| 49 | Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.             | 4.7 | 4         |
| 50 | Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.      | 3.9 | 28        |
| 51 | Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.  | 3.9 | 7         |
| 52 | Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow \tau^+ J/\psi K^{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 3         |
| 53 | Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 17        |
| 54 | Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 24        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4\ell\ell$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.  | 3.9 | 32        |
| 56 | Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 34        |
| 57 | Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 11        |
| 58 | Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 17        |
| 59 | Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 12        |
| 60 | Measurements of top-quark pair spin correlations in the $t\bar{t}$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 22        |
| 61 | Higgs boson production cross-section measurements and their EFT interpretation in the $4\ell\ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.  | 3.9 | 41        |
| 62 | Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 36        |
| 63 | Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb <sup>-1</sup> of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 19        |
| 64 | Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 14        |
| 65 | Reconstruction and identification of boosted $d\bar{t}$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 8         |
| 66 | Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.   | 3.9 | 93        |
| 67 | Search for top squarks in events with a Higgs or Z boson using 139 fb <sup>-1</sup> of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 4         |
| 68 | Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.  | 3.9 | 30        |
| 69 | Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.  | 3.9 | 29        |
| 70 | Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 36        |
| 71 | Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.  | 3.9 | 12        |
| 72 | Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ -hbox {TeV} using the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 15        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 49        |
| 74 | Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.   | 3.9 | 24        |
| 75 | Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.   | 3.9 | 77        |
| 76 | Measurement of $VH$ , $\mathcal{H} \rightarrow \mathcal{B} \overline{\mathcal{B}}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 14        |
| 77 | Performance of top-quark and $W$ -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.   | 3.9 | 42        |
| 78 | Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.   | 1.2 | 37        |
| 79 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.  | 3.9 | 46        |
| 80 | Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 6         |
| 81 | Search for pair production of Higgs bosons in the $b\overline{b}b\overline{b}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.                            | 4.7 | 55        |
| 82 | Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.   | 3.9 | 24        |
| 83 | Measurement of $W^{\pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 3.9 | 8         |
| 84 | Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 3.9 | 9         |
| 85 | ATLAS b-jet identification performance and efficiency measurement with $t\overline{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.  | 3.9 | 130       |
| 86 | Measurements of top-quark pair differential and double-differential cross-sections in the $ell$ $ll$ +jets channel with pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.                    | 3.9 | 34        |
| 87 | Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 $\text{fb}^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.                 | 4.7 | 116       |
| 88 | Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.   | 3.9 | 218       |
| 89 | Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = s$ . European Physical Journal C, 2018, 78, 102.   | 3.9 | 13        |
| 90 | Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.  | 3.9 | 52        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ and $5.0$ TeV. European Physical Journal C, 2018, 78, 142.  | 3.9 | 59        |
| 92  | Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.  | 3.9 | 75        |
| 93  | Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.  | 3.9 | 20        |
| 94  | Search for heavy ZZ resonances in the $ee \rightarrow e\ell^+e\ell^- \gamma^* \gamma^* \rightarrow \ell^+\ell^- \ell^+\ell^-$ final states using proton-lead collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293. | 3.9 | 101       |
| 95  | A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.  | 3.9 | 66        |
| 96  | Search for heavy resonances decaying into WW in the $e\mu u e \ell^+\ell^-$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.   | 3.9 | 108       |
| 97  | Direct top-quark decay width measurement in the $t \rightarrow \ell^+ \nu_\ell + \text{jets}$ channel at $\sqrt{s} = 8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.  | 3.9 | 17        |
| 98  | Search for WW/Z resonance production in $qq$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 31        |
| 99  | Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 46        |
| 100 | Search for Higgs boson pair production in the $\gamma\gamma WW$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.   | 3.9 | 53        |
| 101 | Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.  | 3.9 | 16        |
| 102 | Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 30        |
| 103 | Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-lead collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 903.  | 3.9 | 181       |
| 104 | Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.   | 3.9 | 25        |
| 105 | Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.            | 4.7 | 48        |
| 106 | Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in $5.02$ TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.   | 3.9 | 61        |
| 107 | Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 40        |
| 108 | Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.  | 3.9 | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.  | 3.9 | 79        |
| 110 | Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 136       |
| 111 | Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 17        |
| 112 | Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.   | 3.9 | 60        |
| 113 | Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.  | 3.9 | 132       |
| 114 | Measurement of $\sigma_{\text{pol}}$ , polarisation in $Z/\gamma \rightarrow \mu\mu$ . European Physical Journal C, 2018, 78, 163.  | 3.9 | 7         |
| 115 | Measurement of differential cross sections and $W^+/W^0$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.                                 | 4.7 | 16        |
| 116 | Measurement of the $\sigma(\text{Z})$ and $\sigma(\text{W})$ production cross sections in multilepton final states using 3.2 fb <sup>-1</sup> of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40. | 3.9 | 41        |
| 117 | A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.                                   | 3.9 | 29        |
| 118 | Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.                                      | 4.7 | 29        |
| 119 | Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.                     | 3.9 | 11        |
| 120 | Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.  | 3.9 | 37        |
| 121 | Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.   | 3.9 | 87        |
| 122 | Measurements of top-quark pair differential cross-sections in the $e\bar{\nu}_e$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.  | 3.9 | 27        |
| 123 | Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s}=8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.  | 3.9 | 61        |
| 124 | Measurement of the prompt $J/\psi$ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.   | 3.9 | 81        |
| 125 | Search for triboson $W^+W^-W$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.  | 3.9 | 25        |
| 126 | Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.   | 3.9 | 325       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 531.   | 3.9 | 56        |
| 128 | Measurements of electroweak $Wjj$ production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 474.   | 3.9 | 26        |
| 129 | Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017, 77, 466.  | 3.9 | 145       |
| 130 | Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 428.  | 3.9 | 86        |
| 131 | Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.   | 4.7 | 31        |
| 132 | Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . <i>European Physical Journal C</i> , 2017, 77, 804.  | 3.9 | 28        |
| 133 | Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.   | 4.7 | 9         |
| 134 | Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.   | 4.7 | 9         |
| 135 | Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017, 77, 673.   | 3.9 | 75        |
| 136 | Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 144.  | 3.9 | 12        |
| 137 | Measurement of the ZZ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV using the $ZZ \rightarrow \gamma\gamma$ , $ZZ \rightarrow \tau\tau$ , $ZZ \rightarrow \mu\mu$ , $ZZ \rightarrow e^+e^-$ and $ZZ \rightarrow e^+e^- + \tau^+\tau^-$ decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. |     |           |
| 138 | Probing the $Wtb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.   | 4.7 | 17        |
| 139 | Measurements of $J/\psi$ and $X(3872)$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.   | 4.7 | 33        |
| 140 | Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13, 8, 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.  | 4.7 | 13        |
| 141 | Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.   | 3.9 | 79        |
| 142 | Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.   | 3.9 | 489       |
| 143 | Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332.   | 3.9 | 71        |
| 144 | Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2017, 77, 361.  | 3.9 | 47        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Precision measurement and interpretation of inclusive $W^+W^-$ , $W^+W^-$ . European Physical Journal C, 2017, 77, 367.  | 3.9 | 145       |
| 146 | Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379.  | 3.9 | 51        |
| 147 | Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.  | 3.9 | 80        |
| 148 | Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 14        |
| 149 | Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.  | 3.9 | 50        |
| 150 | Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 8         |
| 151 | Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $pp$ collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.  | 3.9 | 19        |
| 152 | Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 8         |
| 153 | Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 17        |
| 154 | Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 23        |
| 155 | Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 38        |
| 156 | Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.   | 3.9 | 35        |
| 157 | Measurement of $WW/WZ \rightarrow \ell \nu q q'$ , $W W / W Z \rightarrow \ell \nu q q'$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563. | 3.9 | 28        |
| 158 | Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 12        |
| 159 | Searches for the $Z\tilde{\chi}^0_3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 30        |
| 160 | Studies of $Z\tilde{\chi}^0_3$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 14        |
| 161 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 16        |
| 162 | Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow \tilde{\chi}^0_3\tilde{\chi}^0_3$ , in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 18        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Study of $WW\gamma$ and $WZ$ . European Physical Journal C, 2017, 77, 646.  | 3.9 | 30        |
| 164 | Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 20        |
| 165 | Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.                                 | 4.7 | 11        |
| 166 | Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 16        |
| 167 | Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 28        |
| 168 | Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 45        |
| 169 | Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 36        |
| 170 | Measurement of the $k_t$ splitting scales in $Z\tau^+\tau^-$ events in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 3         |
| 171 | Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.             | 4.7 | 8         |
| 172 | Evidence for the $H\tau^+\tau^-$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 64        |
| 173 | Search for new high-mass phenomena in the dilepton final state using 36 $\text{fb}^{-1}$ of proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.                               | 4.7 | 168       |
| 174 | Determination of the strong coupling constant $\alpha_s$ from transverse energy correlations in multijet events at $\sqrt{s}=8$ TeV. European Physical Journal C, 2017, 77, 872.  | 3.9 | 32        |
| 175 | Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 30        |
| 176 | Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.                                   | 4.7 | 10        |
| 177 | Measurement of event-shape observables in $Z\tau^+\tau^-$ events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.   | 3.9 | 15        |
| 178 | Charged-particle distributions in pp interactions at $\sqrt{s}=8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.   | 3.9 | 30        |
| 179 | Charged-particle distributions at low transverse momentum in $\sqrt{s}=13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.   | 3.9 | 61        |
| 180 | Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.  | 3.9 | 37        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Search for minimal supersymmetric standard model Higgs Bosons $H^{\pm}/A^0$ and for a $Z^{\prime}$ boson in the $l^+l^-$ , $l^+l^-$ , final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585. | 3.9 | 51        |
| 182 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.   | 3.9 | 73        |
| 183 | Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.   | 3.9 | 12        |
| 184 | The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.  | 3.9 | 21        |
| 185 | Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 541.  | 3.9 | 23        |
| 186 | Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.   | 3.9 | 24        |
| 187 | Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 292.   | 3.9 | 453       |
| 188 | Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.  | 3.9 | 48        |
| 189 | Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.  | 3.9 | 31        |
| 190 | Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 44        |
| 191 | Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 71        |
| 192 | Search for flavour-changing neutral current top-quark decays to $qZ$ in $pp$ collision data collected with the ATLAS detector at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 12.   | 3.9 | 39        |
| 193 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 87.   | 3.9 | 39        |
| 194 | Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.  | 3.9 | 10        |
| 195 | Search for charged Higgs bosons in the $H^{\pm} \rightarrow t\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 43        |
| 196 | Study of the rare decays of $B^0 \rightarrow \mu^+\mu^-$ and $B^0 \rightarrow \mu^+\mu^-$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.   | 3.9 | 46        |
| 197 | Search for supersymmetry in a final state containing two photons and missing transverse momentum in $pp$ collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 517.   | 3.9 | 24        |
| 198 | Search for resonances in diphoton events at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 70        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.  | 3.9 | 43        |
| 200 | Measurement of the relative width difference of the $B^0 \leftrightarrow \bar{B}^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 8         |
| 201 | Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.  | 3.9 | 50        |
| 202 | Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 581.  | 3.9 | 298       |
| 203 | Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.  | 3.9 | 51        |
| 204 | Measurement of jet activity in top quark events using the $e^+e^-$ final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.                                   | 4.7 | 4         |
| 205 | Measurement of the transverse momentum and $\phi_{\eta}^*$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.                              | 3.9 | 154       |
| 206 | Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^-$ with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.                       | 4.7 | 15        |
| 207 | Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 20        |
| 208 | A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 14        |
| 209 | Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 17        |
| 210 | A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.   | 2.9 | 2         |
| 211 | Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.  | 1.2 | 11        |
| 212 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.   | 3.9 | 115       |
| 213 | Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.                        | 3.9 | 63        |
| 214 | Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.   | 3.9 | 279       |
| 215 | Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683. | 3.9 | 11        |
| 216 | Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 33        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Searches for heavy diboson resonances in pp collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 25        |
| 218 | Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 16        |
| 219 | Search for the Standard Model Higgs boson decaying into $b \bar{b} \overline{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 21        |
| 220 | Measurement of the CP-violating phase $\arg(\lambda)$ and the $B_s^0$ meson decay width difference with $B_s^0 \rightarrow \mu^+ \mu^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 13        |
| 221 | Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.  | 3.9 | 73        |
| 222 | Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 38        |
| 223 | A search for prompt lepton-jets in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 31        |
| 224 | Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 13        |
| 225 | Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 199.   | 3.9 | 60        |
| 226 | Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 14        |
| 227 | Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 19        |
| 228 | Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 154.   | 3.9 | 62        |
| 229 | Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 210.  | 3.9 | 95        |
| 230 | Probing lepton flavour violation via neutrinoless $\tau \rightarrow 3\mu$ , $\tau \rightarrow 3\ell$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.  | 3.9 | 19        |
| 231 | A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.  | 3.9 | 9         |
| 232 | Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.   | 3.9 | 72        |
| 233 | Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 49        |
| 234 | Search for anomalous couplings in the $Wtb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.                                | 4.7 | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 5.  | 3.9 | 109       |
| 236 | Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and $8 \text{ TeV}$ in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.                       | 3.9 | 274       |
| 237 | Measurements of fiducial cross-sections for $t \bar{t} \hat{A}^-$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.       | 3.9 | 54        |
| 238 | Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c + \hat{A}^+ J/\psi D_s +$ and $B_c^+ \rightarrow J/\psi D_s +$ and $B_c^+ \rightarrow J/\psi D_s \hat{A}^- +$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4. | 3.9 | 40        |
| 239 | Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.                               | 3.9 | 197       |
| 240 | Search for single top-quark production via flavour-changing neutral currents at $8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 55.  | 3.9 | 43        |
| 241 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1.  |     | 1         |
| 242 | Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 4         |
| 243 | A search for high-mass resonances decaying to $\bar{l}, l, \hat{A}^0$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 23        |
| 244 | Search for lepton-flavour-violating $H \rightarrow \tau \tau$ decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 52        |
| 245 | Measurement of four-jet differential cross sections in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.   | 4.7 | 11        |
| 246 | A search for $t \bar{t} \hat{A}^0$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.                            | 4.7 | 66        |
| 247 | Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.                                | 4.7 | 28        |
| 248 | Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 67        |
| 249 | Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 33        |
| 250 | Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.                                      | 4.7 | 78        |
| 251 | Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 84        |
| 252 | Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.       | 4.7 | 71        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 20        |
| 254 | Summary of the searches for squarks and gluinos using $\sqrt{s}=8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 60        |
| 255 | Determination of the top-quark pole mass using $t\bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 25        |
| 256 | Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 22        |
| 257 | Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.   | 4.7 | 19        |
| 258 | Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 36        |
| 259 | Improvements of LHC data analysis techniques at Italian WLCG sites. Case-study of the transfer of this technology to other research areas. Journal of Physics: Conference Series, 2015, 664, 032006.  | 0.4 | 0         |
| 260 | Search for $W' \rightarrow tb$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.   | 3.9 | 35        |
| 261 | Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7$ TeV. European Physical Journal C, 2015, 75, 158.  | 3.9 | 17        |
| 262 | Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.  | 3.9 | 67        |
| 263 | Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 22        |
| 264 | Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.  | 3.9 | 27        |
| 265 | Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.   | 3.9 | 41        |
| 266 | Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.   | 3.9 | 268       |
| 267 | Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.   | 3.9 | 30        |
| 268 | Search for resonant diboson production in the $q\bar{q} \rightarrow \gamma^* \rightarrow q\bar{q} + \gamma^* \rightarrow q\bar{q} + Z$ final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69. | 3.9 | 74        |
| 269 | Measurements of the W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.  | 3.9 | 92        |
| 270 | Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.   | 3.9 | 77        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 89        |
| 272 | Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.                                    | 4.7 | 35        |
| 273 | Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.                  | 4.7 | 60        |
| 274 | Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.  | 3.9 | 79        |
| 275 | Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.  | 3.9 | 62        |
| 276 | Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.   | 3.9 | 90        |
| 277 | Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu u\bar{u}$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.   | 3.9 | 21        |
| 278 | Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.                               | 3.9 | 238       |
| 279 | Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $u\bar{u} + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.   | 3.9 | 60        |
| 280 | Measurement of three-jet production cross-sections in pp collisions at $\sqrt{s} = 7$ TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.  | 3.9 | 23        |
| 281 | Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.  | 3.9 | 95        |
| 282 | Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 303.   | 3.9 | 70        |
| 283 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.   | 3.9 | 174       |
| 284 | Observation and measurements of the production of prompt and non-prompt $J/\psi$ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.              | 3.9 | 64        |
| 285 | Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.                     | 3.9 | 123       |
| 286 | Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318. | 3.9 | 56        |
| 287 | Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.   | 3.9 | 36        |
| 288 | Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.   | 3.9 | 42        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s} = 7 \text{ TeV}$ ATLAS data. European Physical Journal C, 2015, 75, 330.       | 3.9 | 52        |
| 290 | ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.  | 3.9 | 138       |
| 291 | Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s} = 7) \text{ TeV}$ using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. , 2015, 2015, 1.   |     | 3         |
| 292 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.  |     | 3         |
| 293 | ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.   |     | 3         |
| 294 | Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.                              | 4.7 | 82        |
| 295 | Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.  | 3.9 | 213       |
| 296 | Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.                           | 3.9 | 40        |
| 297 | A measurement of the ratio of the production cross sections for $W$ and $Z$ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.  | 3.9 | 23        |
| 298 | Measurement of the $t \bar{t}$ production cross-section using $e^+e^-$ events with $b$ -tagged jets in pp collisions at $\sqrt{s} = 7$ and $8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3109. | 3.9 | 143       |
| 299 | Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ in 2010. European Physical Journal C, 2014, 74, 3034.                                   | 3.9 | 58        |
| 300 | Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.   | 3.9 | 172       |
| 301 | Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.            | 3.9 | 48        |
| 302 | Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.                                      | 3.9 | 68        |
| 303 | Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.              | 3.9 | 46        |
| 304 | Measurement of the $Z/\gamma^*$ boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.                                    | 4.7 | 131       |
| 305 | Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.                                 | 4.7 | 42        |
| 306 | The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7 \text{ TeV}$ pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.                                   | 3.9 | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 2941.  | 3.9 | 204       |
| 308 | Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.  | 3.9 | 23        |
| 309 | Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{\text{NN}}}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2982.                                  | 3.9 | 22        |
| 310 | Light-quark and gluon jet discrimination in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3023.   | 3.9 | 77        |
| 311 | Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 22        |
| 312 | Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s}=8$ TeV $pp$ collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.                            | 4.7 | 88        |
| 313 | Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W^{\pm}$ boson in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.                                    | 4.7 | 35        |
| 314 | Search for supersymmetry at $\sqrt{s}=8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.   | 4.7 | 45        |
| 315 | Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.   | 4.7 | 25        |
| 316 | Search for direct top-squark pair production in final states with two leptons in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.  | 4.7 | 59        |
| 317 | Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.   | 4.7 | 10        |
| 318 | Search for new particles in events with one lepton and missing transverse momentum in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.   | 4.7 | 45        |
| 319 | Search for direct top squark pair production in events with a $Z$ boson, $b$ -jets and missing transverse momentum in $\sqrt{s}=8$ TeV $pp$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2883.                                  | 3.9 | 55        |
| 320 | PROOF-based analysis on the ATLAS Grid facilities: first experience with the PoD/PanDa plugin. <i>Journal of Physics: Conference Series</i> , 2014, 513, 032102.  | 0.4 | 2         |
| 321 | Measurement of the production cross section of jets in association with a Z boson in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.  | 4.7 | 73        |
| 322 | Measurement of the cross-section for W boson production in association with b-jets in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.   | 4.7 | 53        |
| 323 | Search for third generation scalar leptoquarks in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.   | 4.7 | 32        |
| 324 | Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.   | 4.7 | 137       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | Measurement of ZZ production in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous ZZZ and ZZ $\tilde{\chi}^0_1$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 61        |
| 326 | Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.                               | 4.7 | 19        |
| 327 | Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 52        |
| 328 | Measurement of k T splitting scales in $W\hat{t}\hat{a}, \tau^{1/2}$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.   | 3.9 | 19        |
| 329 | Search for a light charged Higgs boson in the decay channel $H^+ \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.                   | 3.9 | 119       |
| 330 | Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.                   | 4.7 | 102       |
| 331 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.                        | 4.7 | 71        |
| 332 | Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 31        |
| 333 | Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 52        |
| 334 | Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.  | 3.9 | 362       |
| 335 | Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=2.76 \text{ TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509. | 3.9 | 105       |
| 336 | Multi-channel search for squarks and gluinos in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.   | 3.9 | 34        |
| 337 |   |     |           |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 15        |
| 344 | Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7\text{TeV}$ . European Physical Journal C, 2013, 73, 1.  | 3.9 | 61        |
| 345 | Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ . European Physical Journal C, 2013, 73, 1.   | 3.9 | 45        |
| 346 | Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.   | 3.9 | 15        |
| 347 | Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.  | 3.9 | 45        |
| 348 | Jet energy resolution in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.   | 3.9 | 209       |
| 349 | Measurement of the $\tau$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.  | 3.9 | 45        |
| 350 | Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.  | 2.9 | 15        |
| 351 | Enabling data analysis à la PROOF on the Italian ATLAS Tier-2s using PoD. Journal of Physics: Conference Series, 2012, 396, 032043.  | 0.4 | 1         |
| 352 | ATLAS computing activities and developments in the Italian Grid cloud. Journal of Physics: Conference Series, 2012, 396, 042052.   | 0.4 | 0         |
| 353 | Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.                   | 4.7 | 45        |
| 354 | Jet mass and substructure of inclusive jets in $\sqrt{s} = 7\text{TeV}$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 88        |
| 355 | Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 12        |
| 356 | Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in $4.7\text{fb}^{-1}$ of $\sqrt{s} = 7\text{TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.                       | 4.7 | 53        |
| 357 | A search for $\overline{t}t$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.                        | 4.7 | 40        |
| 358 | Search for the Standard Model Higgs boson in the $H \rightarrow \tau\tau$ , $H \rightarrow \tau\nu$ decay mode in $\sqrt{s} = 7\text{TeV}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.                                | 4.7 | 43        |
| 359 | A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 34        |
| 360 | Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 361 | Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 54        |
| 362 | Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 54        |
| 363 | Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 17        |
| 364 | Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7\text{TeV}$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.                 | 4.7 | 48        |
| 365 | Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.                       | 4.7 | 13        |
| 366 | Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.  | 3.9 | 248       |
| 367 | Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s}=7\text{TeV}$ . European Physical Journal C, 2012, 72, 1.   | 3.9 | 100       |
| 368 | Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s}=7\text{TeV}$ . European Physical Journal C, 2012, 72, 1.             | 3.9 | 13        |
| 369 | Measurement of $\text{Star}{t}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.           | 3.9 | 109       |
| 370 | A search for $\text{Star}{t}$ resonances with the ATLAS detector in $2.05\text{fb}^{-1}$ of proton-proton collisions at $\sqrt{s}=7\text{TeV}$ . European Physical Journal C, 2012, 72, 2083.                         | 3.9 | 25        |
| 371 | Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.   | 3.9 | 37        |
| 372 | Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.  | 3.9 | 16        |
| 373 | Measurement of $W\hat{\Delta}Z$ production in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.   | 3.9 | 59        |
| 374 | Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.             | 3.9 | 25        |
| 375 | Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s}=7\text{TeV}$ . European Physical Journal C, 2012, 72, 1.   | 3.9 | 22        |
| 376 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1. | 3.9 | 13        |
| 377 | Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7\text{TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.              | 3.9 | 31        |
| 378 | ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s}=7\text{TeV}$ . European Physical Journal C, 2012, 72, 1.   | 3.9 | 36        |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
|---|---------|----|-----------|

|     |  |  |  |
|-----|--|--|--|
| 379 |  |  |  |
|-----|--|--|--|

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 397 | Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2011, 71, 1.  | 3.9 | 146       |
| 398 | Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.   | 3.9 | 17        |
| 399 | Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.   | 3.9 | 179       |
| 400 | Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s}=900$ GeV and $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.        | 3.9 | 31        |
| 401 | Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1. | 3.9 | 18        |
| 402 | Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.          | 3.9 | 41        |
| 403 | Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.   | 3.9 | 40        |
| 404 | Search for diphoton events with large missing transverse energy with $36 \text{ pb}^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.                               | 3.9 | 15        |
| 405 | Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.  | 3.9 | 60        |
| 406 | Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.                          | 3.9 | 56        |
| 407 | Search for a heavy neutral particle decaying into an electron and a muon using $1 \text{ fb}^{-1}$ of ATLAS data. European Physical Journal C, 2011, 71, 1.  | 3.9 | 14        |
| 408 | Search for massive colored scalars in four-jet final states in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.  | 3.9 | 39        |
| 409 | Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.  | 3.9 | 73        |
| 410 | Measurement of $W^{\pm}Z$ and $Z^{\pm}Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 11        |
| 411 | Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 33        |
| 412 | Deployment of job priority mechanisms in the Italian Cloud of the ATLAS experiment. Journal of Physics: Conference Series, 2010, 219, 072001.  | 0.4 | 2         |
| 413 | Powerfarm: A power and emergency management thread-based software tool for the ATLAS Napoli Tier2. Journal of Physics: Conference Series, 2010, 219, 052018.   | 0.4 | 1         |
| 414 | Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.  | 3.9 | 61        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 415 | The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.   | 3.9 | 95        |
| 416 | Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.  | 3.9 | 51        |
| 417 | Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays. European Physical Journal C, 2010, 70, 875-916.  | 3.9 | 23        |
| 418 | The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.  | 3.9 | 1,187     |
| 419 | Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.   | 3.9 | 121       |
| 420 | Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.  | 4.7 | 18        |
| 421 | Measurement of the $W \rightarrow e \nu_e$ and $Z \rightarrow e^+ e^-$ production cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.  | 4.7 | 64        |
| 422 | RECENT RESULTS FROM KLOE AT DAΦNE. International Journal of Modern Physics E, 2009, 18, 231-240.  | 1.0 | 1         |
| 423 | Scalar mesons at KLOE. Nuclear Physics, Section B, Proceedings Supplements, 2009, 186, 290-293.   | 0.4 | 26        |
| 424 | Calibration and performances of the KLOE calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 598, 239-243.  | 1.6 | 17        |
| 425 | Measurement of $\langle \sigma_{\text{had}} \rangle$ and $\langle \sigma_{\text{had}}^{\text{had}} \rangle$ at $\sqrt{s} = 1.02$ GeV with the KLOE detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 598, 244-248. |     |           |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 433 | Measurement of the absolute branching ratios for semileptonic $K \rightarrow \hat{A}^\pm$ decays with the KLOE detector. Journal of High Energy Physics, 2008, 2008, 098-098.   | 4.7 | 4         |
| 434 | Measurement of the $K \rightarrow L \hat{A}^\pm$ $\hat{\Gamma}_{1/4}^{1/2}$ form factor parameters with the KLOE detector. Journal of High Energy Physics, 2007, 2007, 105-105.   | 4.7 | 5         |
| 435 | Precise measurements of the $\hat{\Gamma}$ meson and the neutral kaon masses with the KLOE detector. Journal of High Energy Physics, 2007, 2007, 073-073.   | 4.7 | 2         |
| 436 | Measurement of the pseudoscalar mixing angle and $\langle \text{mml:math altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://$ | 4.1 | 97        |
| 437 | Study of inclusive strange-baryon production and search for pentaquarks in two-photon collisions at LEP. European Physical Journal C, 2007, 49, 395-410.  | 3.9 | 6         |
| 438 | Dalitz plot analysis of $e+e \rightarrow \hat{\Gamma} \hat{\Gamma}^0 \hat{\Gamma}^0$ events at $\sqrt{s} = \text{meq}\{M\}_{\phi}$ with the KLOE detector. European Physical Journal C, 2007, 49, 473.  | 3.9 | 62        |
| 439 | Measurement of the absolute branching ratios for the dominant $K \rightarrow \hat{A}^\pm$ decays with the KLOE detector. Journal of High Energy Physics, 2008, 2008, 098-098.   | 4.1 | 68        |
| 440 | Measurement of the absolute branching ratio for the $K \rightarrow L \hat{A}^\pm$ decays with the KLOE detector. Journal of High Energy Physics, 2007, 2007, 105-105.   | 4.1 | 44        |
| 441 | Measurement of the form factors slopes for the decay $K \rightarrow L \hat{A}^\pm$ with the KLOE detector. Journal of High Energy Physics, 2007, 2007, 105-105.   | 4.1 | 72        |
| 442 | Measurement of the form factors slopes for the decay $K \rightarrow L \hat{A}^\pm$ with the KLOE detector. Journal of High Energy Physics, 2007, 2007, 105-105.   | 4.1 | 42        |
| 443 | Analysis of the $K \rightarrow L \hat{A}^\pm$ decays with the KLOE detector. Journal of High Energy Physics, 2007, 2007, 105-105.   | 4.1 | 61        |
| 444 | Measurement of the form factors slopes for the decay $K \rightarrow L \hat{A}^\pm$ with the KLOE detector. Journal of High Energy Physics, 2007, 2007, 105-105.   | 4.1 | 3         |
| 445 | First observation of quantum interference in the process $K \rightarrow L \hat{A}^\pm$ with the KLOE detector. Journal of High Energy Physics, 2007, 2007, 105-105.   | 4.1 | 25        |
| 446 | Precise measurement of $\hat{\Gamma}(K_S^0 \rightarrow \hat{\Gamma}^0 \hat{\Gamma}^0)$ with the KLOE detector at DAΦNE. European Physical Journal C, 2006, 48, 767.   | 4.1 | 66        |
| 447 | Precise measurement of $\hat{\Gamma}(K_S^0 \rightarrow \hat{\Gamma}^0 \hat{\Gamma}^0)$ with the KLOE detector at DAΦNE. European Physical Journal C, 2006, 48, 767.   | 3.9 | 23        |
| 448 | Search for neutral MSSM Higgs bosons at LEP. European Physical Journal C, 2006, 47, 547.  | 3.9 | 592       |
| 449 | Measurement of the DAΦNE luminosity with the KLOE detector using large angle Bhabha scattering. European Physical Journal C, 2006, 47, 589.   | 3.9 | 43        |
| 450 | A search for flaring very-high-energy cosmic $\hat{\Gamma}^3$ -ray sources with the L3+C muon spectrometer. Astroparticle Physics, 2006, 25, 298-310.   | 4.3 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 451 | Upper limit on the $\chi_{c1}$ meson with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 608, 199-205.  | 4.1 | 194       |
| 452 | Measurement of the leptonic decay widths of the $\Upsilon$ -meson with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 608, 199-205.                                   | 4.1 | 21        |
| 453 | Measurement of the leptonic decay widths of the $\Upsilon$ -meson with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 608, 199-205.                                   | 4.1 | 15        |
| 454 | Search for an invisibly-decaying Higgs boson at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 609, 35-48.  | 4.1 | 22        |
| 455 | Z-boson production with two unobserved, back-to-back, hard photons at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 613, 118-127.  | 4.1 | 0         |
| 456 | Measurement of exclusive $\chi_{c1}$ meson production in $e^+e^- \rightarrow \chi_{c1} \gamma$ at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 616, 145-158.                      | 4.1 | 11        |
| 457 | Compton scattering of quasi-real virtual photons at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 616, 145-158.  | 4.1 | 3         |
| 458 | Neutral-current four-fermion production in $e^+e^- \rightarrow \mu^+\mu^- \gamma$ at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 619, 71-81.                                     | 4.1 | 2         |
| 459 | Measurement of the cross section for open-beauty production in photon-photon collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 619, 71-81.                               | 4.1 | 29        |
| 460 | Measurement of the cross section for open-beauty production in photon-photon collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 619, 71-81.                               | 4.1 | 13        |
| 461 | Measurement of the running of the electromagnetic coupling at large momentum-transfer at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 623, 26-36.                                 | 4.1 | 5         |
| 462 | Measurement of the running of the electromagnetic coupling at large momentum-transfer at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 623, 26-36.                                 | 4.1 | 30        |
| 463 | Measurement of the running of the electromagnetic coupling at large momentum-transfer at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 623, 26-36.                                 | 4.1 | 36        |
| 464 | Meson decay studies with the KLOE detector at DAΦNE. Nuclear Physics A, 2005, 752, 175-184.   | 1.5 | 0         |
| 465 | The hadronic cross section measurement at KLOE. Nuclear Physics, Section B, Proceedings Supplements, 2005, 144, 231-237.  | 0.4 | 2         |
| 466 | Measurement of the atmospheric muon spectrum from 20 to 3000 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 598, 15-32.   | 4.1 | 100       |
| 467 | Measurement of the Z-boson mass using $e^+e^- \rightarrow \mu^+\mu^- Z^0$ events at centre-of-mass energies above the Z pole. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 585, 42-52. | 4.1 | 8         |
| 468 | Muon-pair and tau-pair production in two-photon collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 585, 53-62.  | 4.1 | 13        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 469 | Data acquisition and monitoring for the KLOE detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 516, 288-314.                 | 1.6  | 18        |
| 470 | Data handling, reconstruction, and simulation for the KLOE experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 534, 403-433. | 1.6  | 86        |
| 471 | Search for scalar leptons and scalar quarks at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 580, 37-49.   | 4.1  | 87        |
| 472 | Search for colour singlet and colour reconnection effects in hadronic Z decays at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 581, 19-30.                                  | 4.1  | 7         |
| 473 | Flavour independent search for neutral Higgs bosons at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 583, 14-27.   | 4.1  | 16        |
| 474 | Single- and multi-photon events with missing energy in $e^+e^-$ collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 587, 16-32.                                      | 4.1  | 100       |
| 475 | Inclusive Lambda production in two-photon collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 586, 140-150.  | 4.1  | 1         |
| 476 | Measurement of triple-gauge-boson couplings of the W boson at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 586, 151-166.  | 4.1  | 44        |
| 477 | Search for anomalous couplings in the Higgs sector at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 589, 89-102.   | 4.1  | 19        |
| 478 | Upper limit on the $\hat{\Gamma}_{\tau^+\tau^-\tau^+\tau^-}$ branching ratio with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 591, 49-54.                    | 4.1  | 14        |
| 479 | Measurement of the branching ratio for the decay $\tau^+ \rightarrow \pi^+ \nu_\tau$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 591, 55-58.                                  | 4.1  | 11        |
| 480 | Measurement of the branching ratio for the decay $\tau^+ \rightarrow \rho^+ \nu_\tau$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 591, 59-62.                                 | 4.1  | 11        |
| 481 | Measurement of the branching ratio for the decay $\tau^+ \rightarrow \omega^+ \nu_\tau$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 591, 63-66.                               | 4.1  | 4         |
| 482 | Search for branons at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 597, 145-154.  | 4.1  | 37        |
| 483 | Measurement of the cross section of W-boson pair production at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 600, 22-40.   | 4.1  | 31        |
| 484 | Inclusive jet production in two-photon collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 602, 157-166.   | 4.1  | 9         |
| 485 | Measurement of the cross section of inclusive $W^+W^-$ production at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 602, 167-174.   | 4.1  | 3         |
| 486 | Studies of hadronic event structure in $e^+e^-$ annihilation from 30 to 209 GeV with the L3 detector. Physics Reports, 2004, 399, 71-174.   | 25.6 | 90        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 487 | Measurement of exclusive $\tau^+\tau^-$ production in two-photon collisions at high $Q^2$ at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 568, 11-22.   | 4.1 | 27        |
| 488 | Search for a Higgs boson decaying to weak boson pairs at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 568, 191-204.   | 4.1 | 15        |
| 489 | Search for charged Higgs bosons at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 575, 208-220.   | 4.1 | 38        |
| 490 | Search for excited leptons at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 568, 23-34.  | 4.1 | 23        |
| 491 | Proton-antiproton pair production in two-photon collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 571, 11-20.  | 4.1 | 9         |
| 492 | Z boson pair-production at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 572, 133-144.   | 4.1 | 16        |
| 493 | Search for doubly-charged Higgs bosons at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 576, 18-28.  | 4.1 | 60        |
| 494 | KLOE results on kaon decays and phi radiative decays. Nuclear Physics, Section B, Proceedings Supplements, 2003, 115, 145-149.  | 0.4 | 0         |
| 495 | Measurement of W polarisation at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 557, 147-156.   | 4.1 | 17        |
| 496 | Study of the $e^+e^- \rightarrow \tau^+Z e^-$ process at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 561, 73-81.   | 4.1 | 2         |
| 497 | Measurement of the ratio $\sigma(K_L^+ \rightarrow \tau^+ \nu_\tau) / \sigma(K_L^+ \rightarrow \pi^+ \nu_\pi)$ with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 566, 61-69.                | 4.1 | 12        |
| 498 | Measuring the hadronic cross section via radiative return. Nuclear Physics, Section B, Proceedings Supplements, 2003, 116, 243-248.   | 0.4 | 10        |
| 499 | Study of the decay $\tau^+ \rightarrow \pi^+ \nu_\tau$ with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 561, 55-60.  | 4.1 | 45        |
| 500 | Search for colour reconnection effects in $e^+e^- \rightarrow \tau^+W^+W^- \rightarrow \tau^+ \text{hadrons}$ through particle-flow studies at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 561, 202-212. | 4.1 | 15        |
| 501 | The KLOE electromagnetic calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 482, 364-386.  | 1.6 | 234       |
| 502 | The QCAL tile calorimeter of KLOE. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 483, 649-659.   | 1.6 | 20        |
| 503 | The tracking detector of the KLOE experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 488, 51-73.  | 1.6 | 232       |
| 504 | The trigger system of the KLOE experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 492, 134-146.   | 1.6 | 78        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 505 | Inclusive $\Upsilon(0)$ and $K_S(0)$ production in two-photon collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 524, 44-54.   | 4.1 | 12        |
| 506 | Bose-Einstein correlations of neutral and charged pions in hadronic Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 524, 55-64.  | 4.1 | 19        |
| 507 | Search for R-parity violating decays of supersymmetric particles in $e^+e^-$ collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 524, 65-80.  | 4.1 | 33        |
| 508 | Study of multiphoton final states and tests of QED in $e^+e^-$ collisions at $\sqrt{s}$ up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 531, 28-38.   | 4.1 | 11        |
| 509 | Measurement of the branching fraction for the decay $K_S \rightarrow \Upsilon(0)\pi^0$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 535, 37-42.   | 4.1 | 16        |
| 510 | Inclusive production in two-photon collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 535, 59-69.  | 4.1 | 8         |
| 511 | $\Upsilon(0)$ and $\Upsilon(1)$ pair production in two-photon collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 536, 24-33.   | 4.1 | 13        |
| 512 | Determination of $\Gamma_{\text{had}}$ from hadronic event shapes in $e^+e^-$ annihilation at $\sqrt{s} = 209$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 536, 217-228.                                      | 4.1 | 31        |
| 513 | Study of the decay $\Upsilon(0) \rightarrow \Upsilon(0)\pi^0$ with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 536, 209-216.  | 4.1 | 105       |
| 514 | Study of the decay $\Upsilon(0) \rightarrow \Upsilon(0)\pi^0$ with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 537, 21-27.  | 4.1 | 148       |
| 515 | Measurement of $\Gamma(\Upsilon(0) \rightarrow \Upsilon(0)\pi^0) / \Gamma(\Upsilon(0) \rightarrow \Upsilon(0)\pi^0)$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 538, 21-26.                                     | 4.1 | 18        |
| 516 | The reaction at LEP and constraints on anomalous quartic gauge boson couplings. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 540, 43-51.  | 4.1 | 17        |
| 517 | Measurement of genuine three-particle Bose-Einstein correlations in hadronic Z decay. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 540, 185-198.  | 4.1 | 13        |
| 518 | Measurement of $\Gamma(\Upsilon(0) \rightarrow \Upsilon(0)\pi^0) / \Gamma(\Upsilon(0) \rightarrow \Upsilon(0)\pi^0)$ and the pseudoscalar mixing angle. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 541, 45-51.    | 4.1 | 47        |
| 519 | Search for neutral Higgs bosons of the minimal supersymmetric standard model in $e^+e^-$ interactions at up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 545, 30-42.                                    | 4.1 | 14        |
| 520 | Measurement of Bose-Einstein correlations in $e^+e^- \rightarrow W^+W^-$ events at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 547, 139-150.  | 4.1 | 22        |
| 521 | Search for single top production at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 549, 290-300.   | 4.1 | 63        |
| 522 | Light resonances in $K_S \rightarrow \Upsilon(0)\pi^0$ and $\Upsilon(0) \rightarrow \Upsilon(0)\pi^0$ final states in $\Upsilon(0)\pi^0$ collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 501, 1-11. | 4.1 | 44        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 523 | KOSKOS final state in two-photon collisions and implications for glueballs. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 501, 173-182.  | 4.1 | 41        |
| 524 | Search for neutral Higgs bosons of the minimal supersymmetric standard model in $e^+e^-$ interactions at $\sqrt{s} \leq 202 \text{ GeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 503, 21-33. | 4.1 | 9         |
| 525 | Study of the process at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 505, 47-58.   | 4.1 | 6         |
| 526 | Search for the Standard Model Higgs boson in $e^+e^-$ collisions at up to $202 \text{ GeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 508, 225-236.  | 4.1 | 16        |
| 527 | Measurement of the charm production cross section in $\hat{\tau}^+\hat{\tau}^-$ collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 514, 19-28.   | 4.1 | 16        |
| 528 | Search for heavy isosinglet neutrino in $e^+e^-$ annihilation at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 517, 67-74.  | 4.1 | 60        |
| 529 | Search for heavy neutral and charged leptons in $e^+e^-$ annihilation at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 517, 75-85.  | 4.1 | 123       |
| 530 | Standard model Higgs boson with the L3 experiment at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 517, 319-331.  | 4.1 | 46        |
| 531 | Total cross section in $\hat{\tau}^+\hat{\tau}^-$ collisions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 519, 33-45.   | 4.1 | 35        |
| 532 | The KLOE drift chamber. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 461, 25-28.   | 1.6 | 11        |
| 533 | Calibration and reconstruction performances of the KLOE electromagnetic calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 461, 344-347.      | 1.6 | 9         |
| 534 | The KLOE trigger system. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 461, 465-469.  | 1.6 | 2         |
| 535 | Hard-photon production and tests of QED at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 475, 198-205.  | 4.1 | 8         |
| 536 | Measurement of the running of the fine-structure constant. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 476, 40-48.   | 4.1 | 20        |
| 537 | Production of single W bosons at GeV and measurement of $WW^0$ gauge couplings. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 487, 229-240.  | 4.1 | 9         |
| 538 | Search for anomalous $ZZ^0$ and $Z^0Z^0$ couplings in the process $e^+e^- \rightarrow \hat{\tau}^+\hat{\tau}^-Z^0$ at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 489, 55-64.                 | 4.1 | 11        |
| 539 | Search for manifestations of new physics in fermion-pair production at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 489, 81-92.  | 4.1 | 50        |
| 540 | Determination of $\hat{\tau}^0/Z$ interference in $e^+e^-$ annihilation at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 489, 93-101.   | 4.1 | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 541 | Search for anomalous couplings in the Higgs sector at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 489, 102-114.   | 4.1 | 4         |
| 542 | QCD studies in $e^+e^-$ annihilation from 30 GeV to 189 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 489, 65-80.   | 4.1 | 21        |
| 543 | Search for a Higgs boson decaying into two photons in $e^+e^-$ interactions at $\sqrt{s} = 189$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 489, 115-124.   | 4.1 | 8         |
| 544 | Measurement of the $W+W\tilde{A}^3$ cross section and direct limits on anomalous quartic gauge boson couplings at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 490, 187-195.   | 4.1 | 13        |
| 545 | Measurement of Bose-Einstein correlations in $e^+e^- \rightarrow \tau^+W+W^-$ at $\sqrt{s} = 189$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 493, 233-248.   | 4.1 | 15        |
| 546 | Higgs candidates in $e^+e^-$ interactions at $\sqrt{s} = 189$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 495, 18-25.   | 4.1 | 74        |
| 547 | Search for excited leptons at $\sqrt{s} = 189$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 473, 177-185.  | 4.1 | 4         |
| 548 | Search for charginos and neutralinos in $e^+e^-$ collisions at $\sqrt{s} = 189$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 472, 420-433.   | 4.1 | 49        |
| 549 | Search for the standard model Higgs boson in $e^+e^-$ interactions at $\sqrt{s} = 189$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 461, 376-386.  | 4.1 | 17        |
| 550 | Search for extra dimensions in boson and fermion pair production in $e^+e^-$ interactions at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 470, 281-288.  | 4.1 | 43        |
| 551 | Study of Z boson pair production in $e^+e^-$ collisions at LEP at $\sqrt{s} = 189$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 465, 363-375.  | 4.1 | 20        |
| 552 | Single and multi-photon events with missing energy in $e^+e^-$ collisions at $\sqrt{s} = 189$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 470, 268-280.   | 4.1 | 38        |
| 553 | Search for neutral Higgs bosons of the Minimal Supersymmetric Standard Model in $e^+e^-$ interactions at $\sqrt{s} = 189$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 471, 321-331.   | 4.1 | 4         |
| 554 | Search for supersymmetric particles at $\sqrt{s} = 189$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 377, 289-303.   | 4.1 | 26        |
| 555 | Measurement of the Michel parameters and the average $\bar{\nu}_\mu$ neutrino helicity from $\bar{\nu}_\mu$ decays in $e^+e^- \rightarrow \tau^+ \bar{\nu}_\mu + \bar{\nu}_\mu \nu_\tau$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 377, 313-324. | 4.1 | 15        |
| 556 | Measurement of the $B_d^0$ meson oscillation frequency. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 383, 487-498.  | 4.1 | 10        |
| 557 | Search for new particles in hadronic events with isolated photons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 388, 409-418.   | 4.1 | 11        |
| 558 | Measurement of the lifetime of the tau lepton. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 389, 187-196.   | 4.1 | 3         |