## Oleg Mediannikov

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/497232/publications.pdf

Version: 2024-02-01

253 papers 8,659 citations

43 h-index 78 g-index

265 all docs

265 docs citations

265 times ranked 6956 citing authors

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Update on Tick-Borne Rickettsioses around the World: a Geographic Approach. Clinical Microbiology Reviews, 2013, 26, 657-702.  | 13.6 | 1,033     |
| 2  | From Q Fever to Coxiella burnetii Infection: a Paradigm Change. Clinical Microbiology Reviews, 2017, 30, 115-190.  | 13.6 | 616       |
| 3  | Current and Past Strategies for Bacterial Culture in Clinical Microbiology. Clinical Microbiology Reviews, 2015, 28, 208-236.  | 13.6 | 358       |
| 4  | Coxiella burnetii in Humans and Ticks in Rural Senegal. PLoS Neglected Tropical Diseases, 2010, 4, e654.   | 3.0  | 181       |
| 5  | Rickettsia raoultii sp. nov., a spotted fever group rickettsia associated with Dermacentor ticks in Europe and Russia. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1635-1639.                               | 1.7  | 146       |
| 6  | The relationship between spotted fever group <i>Rickettsiae</i> and Ixodid ticks. Veterinary Research, 2009, 40, 34.   | 3.0  | 141       |
| 7  | <i>Rickettsia felis</i> à€"associated Uneruptive Fever, Senegal. Emerging Infectious Diseases, 2010, 16, 1140-1142.  | 4.3  | 138       |
| 8  | Tick-Borne Rickettsioses, Neglected Emerging Diseases in Rural Senegal. PLoS Neglected Tropical Diseases, 2010, 4, e821.   | 3.0  | 124       |
| 9  | Tick-Borne Relapsing Fever Borreliosis, Rural Senegal. Emerging Infectious Diseases, 2011, 17, 883-885.  | 4.3  | 106       |
| 10 | Mink, SARS-CoV-2, and the Human-Animal Interface. Frontiers in Microbiology, 2021, 12, 663815.   | 3.5  | 106       |
| 11 | Emerging infectious diseases in Africa in the 21st century. New Microbes and New Infections, 2018, 26, S10-S18.  | 1.6  | 104       |
| 12 | Common Epidemiology of <i>Rickettsia felis </i> Infection and Malaria, Africa. Emerging Infectious Diseases, 2013, 19, 1775-1783.  | 4.3  | 103       |
| 13 | Rickettsia felis : The Complex Journey of an Emergent Human Pathogen. Trends in Parasitology, 2016, 32, 554-564.   | 3.3  | 102       |
| 14 | Point-of-Care Laboratory of Pathogen Diagnosis in Rural Senegal. PLoS Neglected Tropical Diseases, 2013, 7, e1999.   | 3.0  | 100       |
| 15 | <i>Tropheryma whipplei</i> Bacteremia during Fever in Rural West Africa. Clinical Infectious Diseases, 2010, 51, 515-521.  | 5.8  | 85        |
| 16 | Infectious Disease Risk Across the Growing Human-Non Human Primate Interface: A Review of the Evidence. Frontiers in Public Health, 2019, 7, 305.  | 2.7  | 85        |
| 17 | Multiple Pathogens Including Potential New Species in Tick Vectors in Côte d'Ivoire. PLoS Neglected<br>Tropical Diseases, 2016, 10, e0004367.  | 3.0  | 82        |
| 18 | Development of a new PCR-based assay to detect Anaplasmataceae and the first report of Anaplasma phagocytophilum and Anaplasma platys in cattle from Algeria. Comparative Immunology, Microbiology and Infectious Diseases, 2015, 39, 39-45. | 1.6  | 77        |

| #  | Article  | IF          | CITATIONS |
|----|--|-------------|-----------|
| 19 | Endosymbiotic bacteria associated with nematodes, ticks and amoebae. FEMS Immunology and Medical Microbiology, 2012, 64, 21-31.  | 2.7         | 76        |
| 20 | Altitude-dependent (i>Bartonella quintana (i>Genotype C in Head Lice, Ethiopia. Emerging Infectious Diseases, 2011, 17, 2357-2359.   | 4.3         | 72        |
| 21 | Mosquito-Borne Diseases Emergence/Resurgence and How to Effectively Control It Biologically. Pathogens, 2020, 9, 310.  | 2.8         | 70        |
| 22 | A Novel Obligate Intracellular Gamma-Proteobacterium Associated with Ixodid Ticks, Diplorickettsia massiliensis, Gen. Nov., Sp. Nov. PLoS ONE, 2010, 5, e11478.                        | 2.5         | 70        |
| 23 | Multiple tick-associated bacteria in Ixodes ricinus from Slovakia. Ticks and Tick-borne Diseases, 2012, 3, 406-410.  | 2.7         | 66        |
| 24 | Molecular Detection of Spotted Fever Group Rickettsiae Associated with Ixodid Ticks in Egypt. Vector-Borne and Zoonotic Diseases, 2012, 12, 346-359.                                   | 1.5         | 66        |
| 25 | Survey of Anaplasmataceae bacteria in sheep from Senegal. Tropical Animal Health and Production, 2013, 45, 1557-1561.  | 1.4         | 64        |
| 26 | Rodents as Hosts of Pathogens and Related Zoonotic Disease Risk. Pathogens, 2020, 9, 202.  | 2.8         | 64        |
| 27 | Where Are We With Human Lice? A Review of the Current State of Knowledge. Frontiers in Cellular and Infection Microbiology, 2019, 9, 474.  | 3.9         | 64        |
| 28 | Treponema species enrich the gut microbiota of traditional rural populations but are absent from urban individuals. New Microbes and New Infections, 2019, 27, 14-21.                  | 1.6         | 63        |
| 29 | Genomic, proteomic, and transcriptomic analysis of virulent and avirulent <i>Rickettsia prowazekii</i> reveals its adaptive mutation capabilities. Genome Research, 2010, 20, 655-663. | <b>5.</b> 5 | 62        |
| 30 | <i>Rickettsia africae</i> , Western Africa. Emerging Infectious Diseases, 2010, 16, 571-573.   | 4.3         | 55        |
| 31 | New Rickettsia species in soft ticks Ornithodoros hasei collected from bats in French Guiana. Ticks and Tick-borne Diseases, 2016, 7, 1089-1096.                                       | 2.7         | 52        |
| 32 | Natural Anaplasmataceae infection in Rhipicephalus bursa ticks collected from sheep in the French Basque Country. Ticks and Tick-borne Diseases, 2017, 8, 18-24.                       | 2.7         | 52        |
| 33 | Update on tick-borne bacterial diseases in Europe. Parasite, 2009, 16, 259-273.  | 2.0         | 51        |
| 34 | Detection of Acinetobacter baumannii in human head and body lice from Ethiopia and identification of new genotypes. International Journal of Infectious Diseases, 2012, 16, e680-e683. | 3.3         | 51        |
| 35 | <i>Bartonella quintana</i> in Head Lice from Sénégal. Vector-Borne and Zoonotic Diseases, 2012, 12, 564-567.   | 1.5         | 51        |
| 36 | MALDI-TOF Mass Spectrometry: A Powerful Tool for Clinical Microbiology at HÃ pital Principal de Dakar, Senegal (West Africa). PLoS ONE, 2015, 10, e0145889.                            | 2.5         | 51        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Effect of Rickettsial Toxin VapC on Its Eukaryotic Host. PLoS ONE, 2011, 6, e26528.  | 2.5 | 51        |
| 38 | Carbapenem Resistance and Acinetobacter baumannii in Senegal: The Paradigm of a Common Phenomenon in Natural Reservoirs. PLoS ONE, 2012, 7, e39495.                        | 2.5 | 50        |
| 39 | Candidatus â€~Rickettsia senegalensis' in cat fleas in Senegal. New Microbes and New Infections, 2015, 3, 24-28.   | 1.6 | 49        |
| 40 | Molecular investigation and phylogeny of Anaplasmataceae species infecting domestic animals and ticks in Corsica, France. Parasites and Vectors, 2017, 10, 302.            | 2.5 | 48        |
| 41 | Detection of bacterial pathogens including potential new species in human head lice from Mali. PLoS ONE, 2017, 12, e0184621.   | 2.5 | 48        |
| 42 | <i>Borrelia recurrentis</i> in Head Lice, Ethiopia. Emerging Infectious Diseases, 2013, 19, 796-8.   | 4.3 | 47        |
| 43 | MALDI-TOF Mass Spectrometry Detection of Pathogens in Vectors: The Borrelia crocidurae/Ornithodoros sonrai Paradigm. PLoS Neglected Tropical Diseases, 2014, 8, e2984.     | 3.0 | 47        |
| 44 | <i>Candidatus</i> Coxiella massiliensis Infection. Emerging Infectious Diseases, 2016, 22, 285-288.  | 4.3 | 47        |
| 45 | Morphological, molecular and MALDI-TOF mass spectrometry identification of ixodid tick species collected in Oromia, Ethiopia. Parasitology Research, 2016, 115, 4199-4210. | 1.6 | 47        |
| 46 | High-quality draft genome sequence and description of Haemophilus massiliensis sp. nov Standards in Genomic Sciences, 2016, 11, 31.  | 1.5 | 47        |
| 47 | Head Lice of Pygmies Reveal the Presence of Relapsing Fever Borreliae in the Republic of Congo. PLoS<br>Neglected Tropical Diseases, 2016, 10, e0005142.                   | 3.0 | 47        |
| 48 | Tick-borne rickettsiae in Guinea and Liberia. Ticks and Tick-borne Diseases, 2012, 3, 43-48.   | 2.7 | 46        |
| 49 | <i>Rickettsia aeschlimannii</i> in <i>Hyalomma marginatum</i> Ticks, Germany. Emerging Infectious Diseases, 2011, 17, 325-326.   | 4.3 | 44        |
| 50 | Molecular detection of Anaplasma platys and Ehrlichia canis in dogs from Kabylie, Algeria. Ticks and Tick-borne Diseases, 2015, 6, 198-203.                                | 2.7 | 44        |
| 51 | Biological Control of Mosquito-Borne Diseases: The Potential of <i>Wolbachia </i> Fased Interventions in an IVM Framework. Journal of Tropical Medicine, 2018, 2018, 1-15. | 1.7 | 44        |
| 52 | Coxiella burnetii-positive PCR in febrile patients in rural and urban Africa. International Journal of Infectious Diseases, 2014, 28, 107-110.                             | 3.3 | 43        |
| 53 | The Ongoing Revolution of MALDI-TOF Mass Spectrometry for Microbiology Reaches Tropical Africa.<br>American Journal of Tropical Medicine and Hygiene, 2015, 92, 641-647.   | 1.4 | 43        |
| 54 | Looking in ticks for human bacterial pathogens. Microbial Pathogenesis, 2014, 77, 142-148.   | 2.9 | 42        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 55 | Far Eastern Tick-Borne Rickettsiosis: Identification of Two New Cases and Tick Vector. Annals of the New York Academy of Sciences, 2006, 1078, 80-88.  | 3.8 | 41        |
| 56 | Nonhuman primates across sub-Saharan Africa are infected with the yaws bacterium <i>Treponema pallidum</i> subsp. <i>pertenue</i> Emerging Microbes and Infections, 2018, 7, 1-4.  | 6.5 | 41        |
| 57 | Development of a multiplex qPCR-based approach for the diagnosis of Dirofilaria immitis, D. repens and Acanthocheilonema reconditum. Parasites and Vectors, 2020, 13, 319.   | 2.5 | 41        |
| 58 | Description of "yaafâ€; the vesicular fever caused byÂacute Rickettsia felis infection in Senegal. Journal of Infection, 2013, 66, 536-540.  | 3.3 | 39        |
| 59 | Molecular investigation and phylogeny of species of the Anaplasmataceae infecting animals and ticks in Senegal. Parasites and Vectors, 2019, 12, 495.  | 2.5 | 39        |
| 60 | Comparison of Matrix-Assisted Laser Desorption Ionization–Time of Flight Mass Spectrometry and Molecular Biology Techniques for Identification of Culicoides (Diptera: Ceratopogonidae) Biting Midges in Senegal. Journal of Clinical Microbiology, 2015, 53, 410-418. | 3.9 | 38        |
| 61 | Arsenophonus nasoniae and Rickettsiae Infection of Ixodes ricinus Due to Parasitic Wasp Ixodiphagus hookeri. PLoS ONE, 2016, 11, e0149950.   | 2.5 | 38        |
| 62 | Mansonellosis, the most neglected human filariasis. New Microbes and New Infections, 2018, 26, S19-S22.  | 1.6 | 38        |
| 63 | Current Status of Putative Animal Sources of SARS-CoV-2 Infection in Humans: Wildlife, Domestic Animals and Pets. Microorganisms, 2021, 9, 868.  | 3.6 | 38        |
| 64 | Characterization of Viral Communities of Biting Midges and Identification of Novel Thogotovirus Species and Rhabdovirus Genus. Viruses, 2016, 8, 77.   | 3.3 | 37        |
| 65 | A New <i>Rickettsia </i> Species Found in Fleas Collected from Human Dwellings and from Domestic Cats and Dogs in Senegal. Vector-Borne and Zoonotic Diseases, 2012, 12, 360-365.  | 1.5 | 36        |
| 66 | Role of reptiles and associated arthropods in the epidemiology of rickettsioses: A one health paradigm. PLoS Neglected Tropical Diseases, 2021, 15, e0009090.  | 3.0 | 36        |
| 67 | First report of natural Wolbachia infection in wild Anopheles funestus population in Senegal.<br>Malaria Journal, 2018, 17, 408.   | 2.3 | 35        |
| 68 | Mansonella, including a Potential New Species, as Common Parasites in Children in Gabon. PLoS<br>Neglected Tropical Diseases, 2015, 9, e0004155.   | 3.0 | 35        |
| 69 | Rickettsia africae in Hyalomma dromedarii ticks from sub-Saharan Algeria. Ticks and Tick-borne Diseases, 2012, 3, 377-379.   | 2.7 | 34        |
| 70 | Multiplex Real-Time PCR Diagnostic of Relapsing Fevers in Africa. PLoS Neglected Tropical Diseases, 2013, 7, e2042.  | 3.0 | 34        |
| 71 | High quality draft genome sequence and description of Occidentia massiliensis gen. nov., sp. nov., a new member of the family Rickettsiaceae. Standards in Genomic Sciences, 2014, 9, 9.   | 1.5 | 34        |
| 72 | Looking for Tropheryma whipplei Source and Reservoir in Rural Senegal. American Journal of Tropical Medicine and Hygiene, 2013, 88, 339-343.   | 1.4 | 33        |

| #  | Article   | IF                | Citations  |
|----|---|-------------------|------------|
| 73 | Molecular Evidence of <i>Coxiella</i> â€like Microorganism Harbored by <i>Haemaphysalis concinnae</i> Ticks in the Russian Far East. Annals of the New York Academy of Sciences, 2003, 990, 226-228.  | 3.8               | 32         |
| 74 | Identification of <i>Rickettsia africae </i> and <i>Wolbachia </i> sp. in <i>Ceratophyllus garei </i> Fleas from Passerine Birds Migrated from Africa. Vector-Borne and Zoonotic Diseases, 2012, 12, 539-543.   | 1.5               | 32         |
| 75 | <i>Borrelia crocidurae</i> Infection in Acutely Febrile Patients, Senegal. Emerging Infectious Diseases, 2014, 20, 1335-1338.   | 4.3               | 32         |
| 76 | Louse-borne relapsing fever among East African refugees in Europe. Travel Medicine and Infectious Disease, 2016, 14, 110-114.   | 3.0               | 32         |
| 77 | Body lice of homeless people reveal the presence of several emerging bacterial pathogens in northern Algeria. PLoS Neglected Tropical Diseases, 2018, 12, e0006397.   | 3.0               | 32         |
| 78 | Prevalence of Bartonella quintana in Patients with Fever and Head Lice from Rural Areas of Sine-Saloum, Senegal. American Journal of Tropical Medicine and Hygiene, 2014, 91, 291-293.  | 1.4               | 30         |
| 79 | Molecular identification of protozoal and bacterial organisms in domestic animals and their infesting ticks from north-eastern Algeria. Ticks and Tick-borne Diseases, 2020, 11, 101330.  | 2.7               | 30         |
| 80 | High Ancient Genetic Diversity of Human Lice, Pediculus humanus, from Israel Reveals New Insights into the Origin of Clade B Lice. PLoS ONE, 2016, 11, e0164659.  | 2.5               | 30         |
| 81 | Evaluation of clinical specimens for <i>Rickettsia</i> , <i>Bartonella</i> , <i>Borrelia</i> , <i>Coxiella</i> , <i>Anaplasma</i> , <i>Franciscella</i> and <i style="text-align: center;">i&gt;,<i>Franciscella</i>and</i> osing serological and molecular biology methods. FEMS Immunology and Medical Microbiology, 2012, 64. 82-91. | >Diplorick<br>2.7 | ettsiaposi |
| 82 | Bartonella bovis and Candidatus Bartonella davousti in cattle from Senegal. Comparative Immunology, Microbiology and Infectious Diseases, 2017, 50, 63-69.  | 1.6               | 29         |
| 83 | Louse-Borne Relapsing Fever (Borrelia recurrentis) in a Somali Refugee Arriving in Italy: A Re-emerging Infection in Europe?. PLoS Neglected Tropical Diseases, 2016, 10, e0004522.   | 3.0               | 29         |
| 84 | High Prevalence of Mansonella perstans Filariasis in Rural Senegal. American Journal of Tropical Medicine and Hygiene, 2015, 93, 601-606.   | 1.4               | 28         |
| 85 | Molecular Screening of Bartonella Species in Rodents from the Russian Far East. Annals of the New York Academy of Sciences, 2005, 1063, 308-311.  | 3.8               | 27         |
| 86 | Molecular Identification of Pathogenic Bacteria in Eschars from Acute Febrile Patients, Senegal. American Journal of Tropical Medicine and Hygiene, 2014, 91, 1015-1019.  | 1.4               | 27         |
| 87 | Detection of novel RNA viruses from free-living gorillas, Republic of the Congo: genetic diversity of picobirnaviruses. Virus Genes, 2018, 54, 256-271.   | 1.6               | 27         |
| 88 | Old and new tick-borne rickettsioses. International Health, 2009, 1, 17-25.   | 2.0               | 26         |
| 89 | Spotted fever group rickettsiae in ticks and fleas from the Democratic Republic of the Congo. Ticks and Tick-borne Diseases, 2012, 3, 371-373.  | 2.7               | 26         |
| 90 | Diplorickettsia massiliensis as a human pathogen. European Journal of Clinical Microbiology and Infectious Diseases, 2012, 31, 365-369.   | 2.9               | 26         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 91  | Non-contiguous finished genome sequence and description of Bartonella florenciae sp. nov Standards in Genomic Sciences, 2013, 9, 185-196.   | 1.5 | 26        |
| 92  | Evidence of Bartonella spp. in Blood and Ticks (Ornithodoros hasei) of Bats, in French Guiana. Vector-Borne and Zoonotic Diseases, 2016, 16, 516-519.   | 1.5 | 26        |
| 93  | Detection of a Potential New Bartonella Species "Candidatus Bartonella rondoniensis―in Human<br>Biting Kissing Bugs (Reduviidae; Triatominae). PLoS Neglected Tropical Diseases, 2017, 11, e0005297.        | 3.0 | 26        |
| 94  | Detection of bacterial pathogens in clade E head lice collected from Niger's refugees in Algeria. Parasites and Vectors, 2018, 11, 348.   | 2.5 | 26        |
| 95  | Seroprevalence of Crimean-Congo Hemorrhagic Fever in Domesticated Animals in Northwestern<br>Senegal. Vector-Borne and Zoonotic Diseases, 2020, 20, 797-799.  | 1.5 | 26        |
| 96  | Role of plants in the transmission of Asaia sp., which potentially inhibit the Plasmodium sporogenic cycle in Anopheles mosquitoes. Scientific Reports, 2020, 10, 7144.                                     | 3.3 | 26        |
| 97  | Detection of relapsing fever Borrelia spp., Bartonella spp. and Anaplasmataceae bacteria in argasid ticks in Algeria. PLoS Neglected Tropical Diseases, 2017, 11, e0006064.                                 | 3.0 | 26        |
| 98  | Relapsing fever Borrelia inOrnithodorosticks from Bolivia. Annals of Tropical Medicine and Parasitology, 2011, 105, 407-411.  | 1.6 | 25        |
| 99  | New Rickettsia sp. in tsetse flies from Senegal. Comparative Immunology, Microbiology and Infectious Diseases, 2012, 35, 145-150.   | 1.6 | 25        |
| 100 | Possible Role of <i>Rickettsia felis </i> in Acute Febrile Illness among Children in Gabon. Emerging Infectious Diseases, 2015, 21, 1808-1815.  | 4.3 | 25        |
| 101 | Use of eschar swabbing for the molecular diagnosis and genotyping of Orientia tsutsugamushi causing scrub typhus in Quang Nam province, Vietnam. PLoS Neglected Tropical Diseases, 2017, 11, e0005397.      | 3.0 | 25        |
| 102 | Molecular Survey of Head and Body Lice, <i>Pediculus humanus </i> , in France. Vector-Borne and Zoonotic Diseases, 2018, 18, 243-251.   | 1.5 | 25        |
| 103 | Potential animal reservoirs (dogs and bats) of human visceral leishmaniasis due to Leishmania infantum in French Guiana. PLoS Neglected Tropical Diseases, 2019, 13, e0007456.                              | 3.0 | 25        |
| 104 | Isolation of Rickettsia heilongjiangensis strains from humans and ticks and its multispacer typing. Clinical Microbiology and Infection, 2009, 15, 288-289.   | 6.0 | 24        |
| 105 | Emergence of <i>Rickettsia africae</i> , Oceania. Emerging Infectious Diseases, 2011, 17, 100-102.  | 4.3 | 24        |
| 106 | Molecular survey of Dirofilaria immitis and Dirofilaria repens by new real-time TaqMan® PCR assay in dogs and mosquitoes (Diptera: Culicidae) in Corsica (France). Veterinary Parasitology, 2017, 235, 1-7. | 1.8 | 24        |
| 107 | Mitochondrial diversity and phylogeographic analysis of Pediculus humanus reveals a new Amazonian clade "F― Infection, Genetics and Evolution, 2019, 70, 1-8.   | 2.3 | 24        |
| 108 | Flying Fox Hemolytic Fever, Description of a New Zoonosis Caused by <i>Candidatus</i> Mycoplasma haemohominis. Clinical Infectious Diseases, 2021, 73, e1445-e1453.   | 5.8 | 24        |

| #   | Article  | lF                | CITATIONS          |
|-----|--|-------------------|--------------------|
| 109 | Bartonellae in animals and vectors in New Caledonia. Comparative Immunology, Microbiology and Infectious Diseases, 2011, 34, 497-501.  | 1.6               | 23                 |
| 110 | An Earliest Endosymbiont, Wolbachia massiliensis sp. nov., Strain PL13 from the Bed Bug (Cimex) Tj ETQq0 0 0 rg<br>8064.   | BT /Overlo<br>4.1 | ock 10 Tf 50<br>23 |
| 111 | Rickettsiae in arthropods collected from red foxes (Vulpes vulpes) in France. Comparative Immunology, Microbiology and Infectious Diseases, 2012, 35, 59-62.   | 1.6               | 21                 |
| 112 | Identification of rickettsial pathogens in ixodid ticks in northern Senegal. Ticks and Tick-borne Diseases, 2014, 5, 552-556.  | 2.7               | 21                 |
| 113 | Genetic diversity of human head lice and molecular detection of associated bacterial pathogens in Democratic Republic of Congo. Parasites and Vectors, 2019, 12, 290.  | 2.5               | 21                 |
| 114 | Non-contiguous finished genome sequence and description of Bartonella senegalensis sp. nov Standards in Genomic Sciences, 2013, 8, 279-289.  | 1.5               | 20                 |
| 115 | MOLECULAR INVESTIGATION OF VECTOR-BORNE PATHOGENS IN RED FOXES (VULPES VULPES) FROM SOUTHERN FRANCE. Journal of Wildlife Diseases, 2020, 56, 837-850.  | 0.8               | 20                 |
| 116 | Adenovirus Infections in African Humans and Wild Non-Human Primates: Great Diversity and Cross-Species Transmission. Viruses, 2020, 12, 657.   | 3.3               | 20                 |
| 117 | Multiple vector-borne pathogens of domestic animals in Egypt. PLoS Neglected Tropical Diseases, 2021, 15, e0009767.  | 3.0               | 20                 |
| 118 | Vectorborne diseases in West Africa: geographic distribution and geospatial characteristics. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2013, 107, 273-284.                                 | 1.8               | 19                 |
| 119 | Detection of a New <i>Borrelia</i> Species in Ticks Taken from Cattle in Southwest Ethiopia. Vector-Borne and Zoonotic Diseases, 2013, 13, 266-269.  | 1.5               | 19                 |
| 120 | Three new Bartonella species from rodents in Senegal. International Journal of Infectious Diseases, 2014, 21, 335.   | 3.3               | 19                 |
| 121 | A cardiac and subcutaneous canine dirofilariosis outbreak in a kennel in central France. Parasite, 2019, 26, 72.   | 2.0               | 19                 |
| 122 | Detection of Canine Vector-Borne Filariasis and Their Wolbachia Endosymbionts in French Guiana. Microorganisms, 2020, 8, 770.  | 3.6               | 19                 |
| 123 | Screening of SARS-CoV-2 among homeless people, asylum-seekers and other people living in precarious conditions in Marseille, France, March–April 2020. International Journal of Infectious Diseases, 2021, 105, 1-6. | 3.3               | 19                 |
| 124 | A study on African animal trypanosomosis in four areas of Senegal. Folia Parasitologica, 2015, 62, .   | 1.3               | 19                 |
| 125 | Co-Infection with (i) Arsenophonus nasoniae (i) and (i) Orientia tsutsugamushi (i) in a Traveler. Vector-Borne and Zoonotic Diseases, 2013, 13, 565-571.   | 1.5               | 18                 |
| 126 | High-quality genome sequence and description of Bacillus dielmoensis strain FF4T sp. nov Standards in Genomic Sciences, 2015, 10, 41.  | 1.5               | 18                 |

| #   | Article   | IF           | CITATIONS |
|-----|---|--------------|-----------|
| 127 | Serological Survey of West Nile Virus in Domestic Animals from Northwest Senegal. Vector-Borne and Zoonotic Diseases, 2016, 16, 359-361.  | 1.5          | 18        |
| 128 | Noncontiguous finished genome sequence and description of Bartonella mastomydis sp. nov New Microbes and New Infections, 2018, 25, 60-70.   | 1.6          | 18        |
| 129 | Mutations in GluCl associated with field ivermectin-resistant head lice from Senegal. International Journal of Antimicrobial Agents, 2018, 52, 593-598.   | 2.5          | 18        |
| 130 | Great diversity of Piroplasmida in Equidae in Africa and Europe, including potential new species. Veterinary Parasitology: Regional Studies and Reports, 2019, 18, 100332.  | 0.5          | 18        |
| 131 | <i>Rickettsia felis</i> and <i>Bartonella clarridgeiae</i> in Fleas from New Caledonia. Vector-Borne and Zoonotic Diseases, 2011, 11, 181-183.  | 1.5          | 17        |
| 132 | Serologic Surveillance for West Nile Virus in Dogs, Africa. Emerging Infectious Diseases, 2014, 20, 1415-1417.  | 4.3          | 17        |
| 133 | <i>Tropheryma whipplei</i> as a Cause of Epidemic Fever, Senegal, 2010–2012. Emerging Infectious Diseases, 2016, 22, 1229-1334.   | 4.3          | 17        |
| 134 | Parasitic Infections in African Humans and Non-Human Primates. Pathogens, 2020, 9, 561.   | 2.8          | 17        |
| 135 | Molecular and serological detection of animal and human vector-borne pathogens in the blood of dogs from Côte d'Ivoire. Comparative Immunology, Microbiology and Infectious Diseases, 2020, 69, 101412.   | 1.6          | 17        |
| 136 | African Tick Bite Fever in a Taiwanese Traveler Returning from South Africa: Molecular and Serologic Studies. American Journal of Tropical Medicine and Hygiene, 2009, 81, 735-739.   | 1.4          | 16        |
| 137 | Microbial Culturomics Broadens Human Vaginal Flora Diversity: Genome Sequence and Description of <i>Prevotella lascolaii </i> sp. nov. Isolated from a Patient with Bacterial Vaginosis. OMICS A Journal of Integrative Biology, 2018, 22, 210-222. | 2.0          | 16        |
| 138 | Complexin in ivermectin resistance in body lice. PLoS Genetics, 2018, 14, e1007569.   | 3 <b>.</b> 5 | 16        |
| 139 | New Molecular Approach for the Detection of Kinetoplastida Parasites of Medical and Veterinary Interest. Microorganisms, 2020, 8, 356.  | 3.6          | 16        |
| 140 | The Correlation of Q Fever andCoxiella burnetiiDNA in Household Environments in Rural Senegal. Vector-Borne and Zoonotic Diseases, 2013, 13, 70-72.   | 1.5          | 15        |
| 141 | Bartonella quintana detection in Demodex from erythematotelangiectatic rosacea patients.<br>International Journal of Infectious Diseases, 2014, 29, 176-177.  | 3.3          | 15        |
| 142 | Co-infection of bacteria and protozoan parasites in Ixodes ricinus nymphs collected in the Alsace region, France. Ticks and Tick-borne Diseases, 2019, 10, 101241.  | 2.7          | 15        |
| 143 | The Presence of Acinetobacter baumannii DNA on the Skin of Homeless People and Its Relationship With Body Lice Infestation. Preliminary Results. Frontiers in Cellular and Infection Microbiology, 2019, 9, 86.                                     | 3.9          | 15        |
| 144 | Molecular identification and evaluation of Coxiella-like endosymbionts genetic diversity carried by cattle ticks in Algeria. Ticks and Tick-borne Diseases, 2020, 11, 101493.   | 2.7          | 15        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 145 | Molecular investigation and genetic diversity of Pediculus and Pthirus lice in France. Parasites and Vectors, 2020, 13, 177.   | 2.5 | 15        |
| 146 | Molecular Evidence of <i>Leishmania infantum</i> and <i>Leishmania guyanensis</i> in Red Howler Monkey ( <i>Alouatta seniculus</i> ) from French Guiana. Vector-Borne and Zoonotic Diseases, 2019, 19, 896-900.  | 1.5 | 14        |
| 147 | Rickettsia fournieri sp. nov., a novel spotted fever group rickettsia from Argas lagenoplastis ticks in Australia. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3781-3784.   | 1.7 | 14        |
| 148 | Other Rickettsiae of Possible or Undetermined Pathogenicity. Infectious Disease and Therapy, 2007, , $163\text{-}178$ .  | 0.0 | 14        |
| 149 | Values of diagnostic tests for the various species of spirochetes. Médecine Et Maladies Infectieuses, 2019, 49, 102-111.   | 5.0 | 13        |
| 150 | Canine vector-borne protozoa: Molecular and serological investigation for Leishmania spp.,<br>Trypanosoma spp., Babesia spp., and Hepatozoon spp. in dogs from Northern Algeria. Veterinary<br>Parasitology: Regional Studies and Reports, 2020, 19, 100353. | 0.5 | 13        |
| 151 | Enteroviruses from Humans and Great Apes in the Republic of Congo: Recombination within Enterovirus C Serotypes. Microorganisms, 2020, 8, 1779.  | 3.6 | 13        |
| 152 | Molecular identification of head lice collected in Franceville (Gabon) and their associated bacteria. Parasites and Vectors, 2020, 13, 410.  | 2.5 | 13        |
| 153 | First investigation of pathogenic bacteria, protozoa and viruses in rodents and shrews in context of forest-savannah-urban areas interface in the city of Franceville (Gabon). PLoS ONE, 2021, 16, e0248244.   | 2.5 | 13        |
| 154 | Multidrug-Resistant Klebsiella pneumoniae Clones from Wild Chimpanzees and Termites in Senegal. Antimicrobial Agents and Chemotherapy, 2021, 65, e0255720.   | 3.2 | 13        |
| 155 | Identification ofBartonellaein the Soft Tick SpeciesOrnithodoros sonraiin Senegal. Vector-Borne and Zoonotic Diseases, 2014, 14, 26-32.  | 1.5 | 12        |
| 156 | Noncontiguous finished genome sequence and description of Weeksella massiliensis sp. nov New Microbes and New Infections, 2015, 8, 89-98.  | 1.6 | 12        |
| 157 | Coxiella burnetii: A Hidden Pathogen in Interstitial Lung Disease?. Clinical Infectious Diseases, 2018, 67, 1120-1124.   | 5.8 | 12        |
| 158 | Isolation of Arsenophonus nasoniae from Ixodes ricinus ticks in Slovakia. Ticks and Tick-borne Diseases, 2012, 3, 367-370.   | 2.7 | 11        |
| 159 | Reply to Slesak et al.: So much about Rickettsia felis infection to be discovered. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E6595-E6596.  | 7.1 | 11        |
| 160 | New Molecular Data on Filaria and its Wolbachia from Red Howler Monkeys (Alouatta macconnelli) in French Guiana—A Preliminary Study. Pathogens, 2020, 9, 626.  | 2.8 | 11        |
| 161 | Molecular Approach for the Diagnosis of Blood and Skin Canine Filarioids. Microorganisms, 2020, 8, 1671.   | 3.6 | 11        |
| 162 | Implementation of Syndromic Surveillance Systems in Two Rural Villages in Senegal. PLoS Neglected Tropical Diseases, 2016, 10, e0005212.   | 3.0 | 11        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Isolation of Rickettsia helvetica from ticks in Slovakia. Acta Virologica, 2012, 56, 247-252.  | 0.8 | 11        |
| 164 | Morphological, Molecular and MALDI-TOF MS Identification of Bedbugs and Associated <i>Wolbachia </i> Species in Rural Senegal. Journal of Medical Entomology, 2022, 59, 1019-1032.   | 1.8 | 11        |
| 165 | <i>Rickettsia felis</i> in Fleas, Southern Ethiopia, 2010. Emerging Infectious Diseases, 2012, 18, 1385-6.   | 4.3 | 10        |
| 166 | Usefulness of a rapid immuno-migration test for the detection of canine monocytic ehrlichiosis in Africa. Comparative Immunology, Microbiology and Infectious Diseases, 2014, 37, 31-37.   | 1.6 | 10        |
| 167 | High-quality genome sequence and description of Bacillus ndiopicus strain FF3T sp. nov New Microbes and New Infections, 2015, 8, 154-163.  | 1.6 | 10        |
| 168 | First Identification of <i>Anaplasma platys</i> in the Blood of Dogs from French Guiana. Vector-Borne and Zoonotic Diseases, 2015, 15, 170-172.  | 1.5 | 10        |
| 169 | High-quality genome sequence and description of Paenibacillus dakarensis sp. nov New Microbes and New Infections, 2016, 10, 132-141.   | 1.6 | 10        |
| 170 | Rickettsia sibirica mongolitimonae human infection: A diagnostic challenge. Travel Medicine and Infectious Disease, 2018, 26, 72-73.   | 3.0 | 10        |
| 171 | Bartonella massiliensis sp. nov., a new bacterial species isolated from an Ornithodoros sonrai tick from Senegal. New Microbes and New Infections, 2019, 32, 100596.   | 1.6 | 10        |
| 172 | Potential zoonotic pathogens hosted by endangered bonobos. Scientific Reports, 2021, 11, 6331.   | 3.3 | 10        |
| 173 | Tabanids as possible pathogen vectors in Senegal (West Africa). Parasites and Vectors, 2020, 13, 500.  | 2.5 | 10        |
| 174 | Genome Sequence of Diplorickettsia massiliensis, an Emerging Ixodes ricinus-Associated Human Pathogen. Journal of Bacteriology, 2012, 194, 3287-3287.  | 2.2 | 9         |
| 175 | Leptospirosis, one neglected disease in rural Senegal. Veterinary Medicine and Science, 2019, 5, 536-544.  | 1.6 | 9         |
| 176 | Variations in respiratory pathogen carriage among a homeless population in a shelter for men in Marseille, France, March–July 2020: cross-sectional 1-day surveys. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 1579-1582. | 2.9 | 9         |
| 177 | Human and Animal Dirofilariasis in Southeast of France. Microorganisms, 2021, 9, 1544.   | 3.6 | 9         |
| 178 | Other Tick-Borne Rickettsioses. Infectious Disease and Therapy, 2007, , 139-162.   | 0.0 | 9         |
| 179 | 16S Metagenomic Comparison of Plasmodium falciparum–Infected and Noninfected Anopheles gambiae and Anopheles funestus Microbiota from Senegal. American Journal of Tropical Medicine and Hygiene, 2018, 99, 1489-1498.                                     | 1.4 | 9         |
| 180 | Identification of a new serotype of Rickettsia heilongjiangensis in wild rats from Guangdong Province, China. Clinical Microbiology and Infection, 2009, 15, 338-339.  | 6.0 | 8         |

| #   | Article   | IF                 | CITATIONS    |
|-----|---|--------------------|--------------|
| 181 | Noncontiguous finished genome sequence and description of Necropsobacter massiliensis sp. nov New Microbes and New Infections, 2015, 8, 41-50.  | 1.6                | 8            |
| 182 | The detection of vector-borne-disease-related DNA in human stool paves the way to large epidemiological studies. European Journal of Epidemiology, 2015, 30, 1021-1026.                   | 5.7                | 8            |
| 183 | Genome Sequence of the Tick-Borne Pathogen <i>Rickettsia raoultii</i> . Genome Announcements, 2016, 4, .  | 0.8                | 8            |
| 184 | An Alternative Strategy of Preventive Control of Tick-Borne Relapsing Fever in Rural Areas of Sine-Saloum, Senegal. American Journal of Tropical Medicine and Hygiene, 2016, 95, 537-545. | 1.4                | 8            |
| 185 | Studies of nonhuman primates: key sources of data on zoonoses and microbiota. New Microbes and New Infections, 2018, 26, S104-S108.   | 1.6                | 8            |
| 186 | Insecticidal Activity of Bacteria from Larvae Breeding Site with Natural Larvae Mortality: Screening of Separated Supernatant and Pellet Fractions. Pathogens, 2020, 9, 486.              | 2.8                | 8            |
| 187 | Zoonotic Abbreviata caucasica in Wild Chimpanzees (Pan troglodytes verus) from Senegal. Pathogens, 2020, 9, 517.  | 2.8                | 8            |
| 188 | Occurrence of Ten Protozoan Enteric Pathogens in Three Non-Human Primate Populations. Pathogens, 2021, 10, 280.   | 2.8                | 8            |
| 189 | Molecular Characterization and Genetic Diversity of Haplogroup E Human Lice in Guinea, West Africa.<br>Microorganisms, 2021, 9, 257.  | 3.6                | 8            |
| 190 | LES ANIMAUX VERTÉBRÉS SONT-ILS RÉSERVOIRS DE RICKETTSI. Bulletin De L'Academie Veterinaire De France, 2010, , 291.  | 0.0                | 7            |
| 191 | Update on Tick-Borne Rickettsioses around the World: a Geographic Approach. Clinical Microbiology Reviews, 2014, 27, 166-166.   | 13.6               | 7            |
| 192 | Bacterial arthropod-borne diseases in West Africa. Acta Tropica, 2017, 171, 124-137.  | 2.0                | 7            |
| 193 | Molecular characterization of some equine vector-borne diseases and associated arthropods in Egypt. Acta Tropica, 2022, 227, 106274.  | 2.0                | 7            |
| 194 | When colour patterns reflect phylogeography: New species of Dasypeltis (Serpentes: Colubridae:) Tj ETQq0 0 0 rş   | gBT <u>/</u> Overl | ock 10 Tf 50 |
| 195 | High-quality genome sequencing and description of Dermabacter indicis sp. nov New Microbes and New Infections, $2016, 11, 59-67$ .  | 1.6                | 6            |
| 196 | Monoclonal Antibodies for the Diagnosis of Borrelia crocidurae. American Journal of Tropical Medicine and Hygiene, 2016, 94, 61-67.   | 1.4                | 6            |
| 197 | Anaplasma ovis infects sheep in Niger. Small Ruminant Research, 2017, 151, 32-35.   | 1.2                | 6            |
| 198 | Culturing Ancient Bacteria Carrying Resistance Genes from Permafrost and Comparative Genomics with Modern Isolates. Microorganisms, 2020, 8, 1522.  | 3.6                | 6            |

| #   | Article  | IF       | Citations   |
|-----|--|----------|-------------|
| 199 | Hymenopteran Parasitoids of Hard Ticks in Western Africa and the Russian Far East. Microorganisms, 2020, 8, 1992.  | 3.6      | 6           |
| 200 | Biological Control of Aedes albopictus: Obtained from the New Bacterial Candidates with Insecticidal Activity. Insects, 2020, 11, 403.   | 2.2      | 6           |
| 201 | Molecular detection of microorganisms in lice collected from farm animals in Northeastern Algeria. Comparative Immunology, Microbiology and Infectious Diseases, 2021, 74, 101569.   | 1.6      | 6           |
| 202 | Detection of Rickettsia raoultii in Dermacentor reticulatus and Haemaphysalis inermis ticks in Slovakia. Biologia (Poland), 2022, 77, 1611-1617.   | 1.5      | 6           |
| 203 | Dirofilaria immitis and Dirofilaria repens in mosquitoes from Corsica Island, France. Parasites and Vectors, 2021, 14, 427.  | 2.5      | 6           |
| 204 | Parallel Decline of Malaria and Rickettsia felis Infections in Senegal. American Journal of Tropical Medicine and Hygiene, 2018, 99, 360-361.  | 1.4      | 6           |
| 205 | Study of ehrlichiosis in kennel dogs under treatment and prevention during seven months in Dakar (Senegal). Comparative Immunology, Microbiology and Infectious Diseases, 2013, 36, 613-617.   | 1.6      | 5           |
| 206 | Genome sequence and description of Pantoea septica strain FF5. Standards in Genomic Sciences, 2015, 10, 103.   | 1.5      | 5           |
| 207 | A novel ehrlichial agent detected in tick in French Polynesia. Ticks and Tick-borne Diseases, 2016, 7, 1203-1208.  | 2.7      | 5           |
| 208 | Bartonella gabonensis sp. nov., a new bartonella species from savannah rodent Lophuromys sp. in Franceville, Gabon. New Microbes and New Infections, 2020, 38, 100796.   | 1.6      | 5           |
| 209 | An African Canine Trypanosomosis Case Import: Is There a Possibility of Creating a Secondary Focus of Trypanosoma congolense Infection in France?. Pathogens, 2020, 9, 709.  | 2.8      | 5           |
| 210 | Epidemic of venereal treponematosis in wild monkeys: a paradigm for syphilis origin. New Microbes and New Infections, 2020, 35, 100670.  | 1.6      | 5           |
| 211 | Dipetalonema graciliformis (Freitas, 1964) from the red-handed tamarins (Saguinus midas, Linnaeus,) Tj $$ ETQq $$ 1 $$ 1 $$  | 0.784314 | 4 rgBT /Ove |
| 212 | Assessment of the burden of malaria and bacteraemia by retrospective molecular diagnosis in febrile illnesses and first-line anti-infectives in CA´te d'Ivoire. Travel Medicine and Infectious Disease, 2021, 43, 102105.                            | 3.0      | 5           |
| 213 | Diagnosis of Louse-Borne Relapsing Fever despite Negative Microscopy in Two Asylum Seekers from Eastern Africa. American Journal of Tropical Medicine and Hygiene, 2017, 97, 1669-1672.  | 1.4      | 5           |
| 214 | High Circulation of Malaria and Low Prevalence of Bacteremia in Febrile and Afebrile Children in Northeastern Gabon. American Journal of Tropical Medicine and Hygiene, 2020, 102, 121-129.  | 1.4      | 5           |
| 215 | Population Diversity of Antibiotic Resistant Enterobacterales in Samples From Wildlife Origin in Senegal: Identification of a Multidrug Resistance Transposon Carrying blaCTX–M–15 in Escherichia coli. Frontiers in Microbiology, 2022, 13, 838392. | 3.5      | 5           |
| 216 | Genome Sequence of Borrelia crocidurae Strain 03-02, a Clinical Isolate from Senegal. Genome Announcements, 2014, 2, .   | 0.8      | 4           |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 217 | High-quality genome sequence and description of Chryseobacterium senegalense sp. nov New Microbes and New Infections, 2016, 10, 93-100.  | 1.6 | 4         |
| 218 | Canine leishmaniosis and first report of Leishmania infantum in the blood of equids in Kabylia (Algeria). International Journal of Infectious Diseases, 2019, 79, 117-118.   | 3.3 | 4         |
| 219 | Molecular Evidence of Bacteria in Clothes Lice Collected from Homeless People Living in Shelters in Marseille. Vector-Borne and Zoonotic Diseases, 2020, 20, 872-874.  | 1.5 | 4         |
| 220 | Stool Serology: Development of a Non-Invasive Immunological Method for the Detection of Enterovirus-Specific Antibodies in Congo Gorilla Faeces. Microorganisms, 2021, 9, 810.   | 3.6 | 4         |
| 221 | Potential of Artesunate in the treatment of visceral leishmaniasis in dogs naturally infected by Leishmania infantum: Efficacy evidence from a randomized field trial. PLoS Neglected Tropical Diseases, 2020, 14, e0008947. | 3.0 | 4         |
| 222 | Peptostreptococcus faecalis sp. nov., new bacterial species isolated from healthy indigenous congolese volunteer. Heliyon, 2022, 8, e09102.  | 3.2 | 4         |
| 223 | Throat Swab Samples for Diagnosis of Q Fever. American Journal of Tropical Medicine and Hygiene, 2014, 90, 147-148.  | 1.4 | 3         |
| 224 | Rickettsia felis and related bacteria: An epidemiological enigma. International Journal of Infectious Diseases, 2014, 21, 222.   | 3.3 | 3         |
| 225 | Prevalence of <i>Anaplasmataceae</i> and <i>Filariidae</i> species in unowned and military dogs in New Caledonia. Veterinary Medicine and Science, 2018, 4, 140-149.   | 1.6 | 3         |
| 226 | Effect of Dinotefuran, Permethrin, and Pyriproxyfen (Vectra $\hat{A}^{@}$ 3D) on the Foraging and Blood-Feeding Behaviors of Aedes albopictus Using Laboratory Rodent Model. Insects, 2020, 11, 507.                         | 2.2 | 3         |
| 227 | Non-contiguous finished genome sequence and description of Bartonella saheliensis sp. nov. from the blood of Gerbilliscus gambianus from Senegal. New Microbes and New Infections, 2020, 35, 100667.                         | 1.6 | 3         |
| 228 | Severe pneumonia in a street rat (Rattus norvegicus) caused by Rodentibacter rarus strain RMC2. Open Veterinary Journal, 2021, 11, 1.  | 0.7 | 3         |
| 229 | Detection of <i>Coxiella burnetii</i> and <i>Borrelia</i> spp. DNA in Cutaneous Samples and in Household Dust in Rural Areas, Senegal. Vector-Borne and Zoonotic Diseases, 2021, 21, 659-666.                                | 1.5 | 3         |
| 230 | Use of the proteomic tool MALDI-TOF MS in termite identification. Scientific Reports, 2022, 12, 718.   | 3.3 | 3         |
| 231 | Putative native South Amerindian origin of head lice clade F: evidence from head lice nits infesting human shrunken heads. Scientific Reports, 2022, 12, 4307.   | 3.3 | 3         |
| 232 | High Genetic Diversity and Rickettsia felis in Pediculus humanus Lice Infesting Mbuti (pygmy people), -Democratic Republic of Congo. Frontiers in Cellular and Infection Microbiology, 2022, 12, 834388.                     | 3.9 | 3         |
| 233 | Detection of Borrelia crocidurae in a vaginal swab after miscarriage, rural Senegal, Western Africa.<br>International Journal of Infectious Diseases, 2020, 91, 261-263.   | 3.3 | 2         |
| 234 | Detection of Potential Zoonotic Bartonella Species in African Giant Rats (Cricetomys gambianus) and Fleas from an Urban Area in Senegal. Microorganisms, 2022, 10, 489.  | 3.6 | 2         |

| #   | Article   | IF              | Citations    |
|-----|---|-----------------|--------------|
| 235 | Spotted Group Rickettsioses in Asia. International Journal of Infectious Diseases, 2008, 12, e42.   | 3.3             | 1            |
| 236 | High incidence of Borrelia crocidurae in acute febrile patients in Senegal. International Journal of Infectious Diseases, 2014, 21, 218.  | 3.3             | 1            |
| 237 | Staphylococcus aureus, Streptococcus pneumoniae, and Streptocccus pyogenes DNA are common in febrile patients in Senegal. International Journal of Infectious Diseases, 2014, 21, 337.                | 3.3             | 1            |
| 238 | Noncontiguous finished genome sequence and description of Diaminobutyricimonas massiliensis strain FF2T sp. nov New Microbes and New Infections, 2015, 8, 31-40.                                      | 1.6             | 1            |
| 239 | Serological survey of leptospirosis in equids, dogs, and domestic ruminants from Senegal. International Journal of Infectious Diseases, 2016, 53, 128.  | 3.3             | 1            |
| 240 | Non-contiguous finished genome sequence and description of Streptococcus varani sp. nov New Microbes and New Infections, 2016, $11$ , $93-102$ .  | 1.6             | 1            |
| 241 | Field Evaluation of Preventive Efficacy of Monthly Multimodal Prophylactic Treatment (Milbactor $\hat{A}^{m{o}}$ ) Tj ETQq $1$ 1  | 0.784314<br>1.3 | rgBT /Overlo |
| 242 | Bacterial Infections in Humans and Nonhuman Primates from Africa: Expanding the Knowledge. Yale Journal of Biology and Medicine, 2021, 94, 227-248.   | 0.2             | 1            |
| 243 | The University Hospital Institute Mediterrannée Infection from Marseille to Dakar. Medecine Et Sante Tropicales, 2019, 29, 354-360.   | 0.3             | 1            |
| 244 | Acute febrile illness in Africa. International Journal of Infectious Diseases, 2012, 16, e62-e63.   | 3.3             | 0            |
| 245 | Antibiotic susceptibility and intracellular localization of <i>Diplorickettsia massiliensis </i> FEMS Immunology and Medical Microbiology, 2012, 64, 48-56.   | 2.7             | 0            |
| 246 | Rickettsial infections., 0,, 322-329.   |                 | 0            |
| 247 | Molecular identification of pathogenic bacteria in eschars from acute febrile patients, Senegal. International Journal of Infectious Diseases, 2014, 21, 335.   | 3.3             | 0            |
| 248 | Tropheryma whipplei in Senegal. International Journal of Infectious Diseases, 2014, 21, 34.   | 3.3             | 0            |
| 249 | Molecular survey of Leishmania infantum in the blood of dogs from French Guiana. International Journal of Infectious Diseases, 2019, 79, 116.   | 3.3             | 0            |
| 250 | Protection against canine vector-borne diseases using a monthly prevention of dinotefuran-permethrin-pyriproxyfen and milbemycine oxime. International Journal of Infectious Diseases, 2019, 79, 139. | 3.3             | 0            |
| 251 | Detection of zoonotic pathogens in animals performed at the University Hospital Institute<br>Méditerranée Infection (Marseille – France). One Health, 2021, 12, 100210.                               | 3.4             | 0            |
| 252 | Phylogenetic relationship between the endosymbiont "Candidatus Riesia pediculicola―and its human louse host. Parasites and Vectors, 2022, 15, 73.   | 2.5             | 0            |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Great apes in the emergence of infectious diseases. Medecine Et Sante Tropicales, 2019, 29, 371-376. | 0.3 | O         |