

# Wilfried Thuiller

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4975548/publications.pdf>

Version: 2024-02-01

329  
papers

64,348  
citations

1377

111  
h-index

1096

239  
g-index

346  
all docs

346  
docs citations

346  
times ranked

49606  
citing authors

#	ARTICLE	IF	CITATIONS
1	An appraisal of graph embeddings for comparing trophic network architectures. <i>Methods in Ecology and Evolution</i> , 2022, 13, 203-216.	2.2	5
2	TaxoNERD: Deep neural models for the recognition of taxonomic entities in the ecological and evolutionary literature. <i>Methods in Ecology and Evolution</i> , 2022, 13, 625-641.	2.2	16
3	Trait-based projections of climate change effects on global biome distributions. <i>Diversity and Distributions</i> , 2022, 28, 25-37.	1.9	16
4	Functionally distinct tree species support long-term productivity in extreme environments. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022, 289, 20211694.	1.2	6
5	Addressing the Eltonian shortfall with trait-based interaction models. <i>Ecology Letters</i> , 2022, 25, 889-899.	3.0	17
6	Plant community impact on productivity: Trait diversity or key(stone) species effects?. <i>Ecology Letters</i> , 2022, 25, 913-925.	3.0	26
7	Ecological network complexity scales with area. <i>Nature Ecology and Evolution</i> , 2022, 6, 307-314.	3.4	35
8	Editorial: Predicting and Managing Climate-Driven Range Shifts in Plants. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, .	1.1	3
9	The diversity of biotic interactions complements functional and phylogenetic facets of biodiversity. <i>Current Biology</i> , 2022, 32, 2093-2100.e3.	1.8	25
10	Energy and physiological tolerance explain multi-trophic soil diversity in temperate mountains. <i>Diversity and Distributions</i> , 2022, 28, 2549-2564.	1.9	7
11	Tempo and drivers of plant diversification in the European mountain system. <i>Nature Communications</i> , 2022, 13, 2750.	5.8	15
12	Applying convolutional neural networks to speed up environmental DNA annotation in a highly diverse ecosystem. <i>Scientific Reports</i> , 2022, 12, .	1.6	2
13	Differential effects of soil trophic networks on microbial decomposition activity in mountain ecosystems. <i>Soil Biology and Biochemistry</i> , 2022, 172, 108771.	4.2	4
14	Effects of soil preservation for biodiversity monitoring using environmental DNA. <i>Molecular Ecology</i> , 2021, 30, 3313-3325.	2.0	21
15	Forest structure, not climate, is the primary driver of functional diversity in northeastern North America. <i>Science of the Total Environment</i> , 2021, 762, 143070.	3.9	19
16	Demographic performance of European tree species at their hot and cold climatic edges. <i>Journal of Ecology</i> , 2021, 109, 1041-1054.	1.9	23
17	Influence of climate, soil, and land cover on plant species distribution in the European Alps. <i>Ecological Monographs</i> , 2021, 91, e01433.	2.4	54
18	The spatial scaling of food web structure across European biogeographical regions. <i>Ecography</i> , 2021, 44, 653-664.	2.1	10

#	ARTICLE	IF	CITATIONS
19	Evolutionary assembly of flowering plants into sky islands. <i>Nature Ecology and Evolution</i> , 2021, 5, 640-646.	3.4	23
20	Clustering Species With Residual Covariance Matrix in Joint Species Distribution Models. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .	1.1	10
21	A new European land systems representation accounting for landscape characteristics. <i>Landscape Ecology</i> , 2021, 36, 2215-2234.	1.9	17
22	Functional and Phylogenetic Diversityâ€“Area Relationships. , 2021, , 107-132.		3
23	Climate and socioâ€“economic factors explain differences between observed and expected naturalization patterns of European plants around the world. <i>Global Ecology and Biogeography</i> , 2021, 30, 1514-1531.	2.7	8
24	On the Interpretations of Joint Modeling in Community Ecology. <i>Trends in Ecology and Evolution</i> , 2021, 36, 391-401.	4.2	75
25	The dimensionality and structure of species trait spaces. <i>Ecology Letters</i> , 2021, 24, 1988-2009.	3.0	63
26	Balancing conservation priorities for nature and for people in Europe. <i>Science</i> , 2021, 372, 856-860.	6.0	39
27	Maximizing regional biodiversity requires a mosaic of protection levels. <i>PLoS Biology</i> , 2021, 19, e3001195.	2.6	11
28	Benchmarking bioinformatic tools for fast and accurate eDNA metabarcoding species identification. <i>Molecular Ecology Resources</i> , 2021, 21, 2565-2579.	2.2	35
29	Altitudinal Zonation of Green Algae Biodiversity in the French Alps. <i>Frontiers in Plant Science</i> , 2021, 12, 679428.	1.7	22
30	Cascading effects of moth outbreaks on subarctic soil food webs. <i>Scientific Reports</i> , 2021, 11, 15054.	1.6	12
31	Potential alien ranges of European plants will shrink in the future, but less so for already naturalized than for not yet naturalized species. <i>Diversity and Distributions</i> , 2021, 27, 2063-2076.	1.9	7
32	Determinants of zoogeographical boundaries differ between vertebrate groups. <i>Global Ecology and Biogeography</i> , 2021, 30, 1796-1809.	2.7	13
33	Lags in phenological acclimation of mountain grasslands after recent warming. <i>Journal of Ecology</i> , 2021, 109, 3396-3410.	1.9	4
34	Strong links between plant traits and microbial activities but different abiotic drivers in mountain grasslands. <i>Journal of Biogeography</i> , 2021, 48, 2755-2770.	1.4	7
35	Novel methods to correct for observer and sampling bias in presenceâ€“only species distribution models. <i>Global Ecology and Biogeography</i> , 2021, 30, 2312-2325.	2.7	21
36	Dynamics of Ecological Communities Following Current Retreat of Glaciers. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2021, 52, 405-426.	3.8	35

#	ARTICLE	IF	CITATIONS
37	Can functional genomic diversity provide novel insights into mechanisms of community assembly? A pilot study from an invaded alpine streambed. <i>Ecology and Evolution</i> , 2021, 11, 12075-12091.	0.8	0
38	Environmental and anthropogenic constraints on animal space use drive extinction risk worldwide. <i>Ecology Letters</i> , 2021, 24, 2576-2585.	3.0	19
39	Combining expert-based and computational approaches to design protected river networks under climate change. <i>Diversity and Distributions</i> , 2021, 27, 2428-2440.	1.9	4
40	Productivity begets less phylogenetic diversity but higher uniqueness than expected. <i>Journal of Biogeography</i> , 2020, 47, 44-58.	1.4	12
41	From environmental DNA sequences to ecological conclusions: How strong is the influence of methodological choices?. <i>Journal of Biogeography</i> , 2020, 47, 193-206.	1.4	76
42	Macroecology in the age of Big Data – Where to go from here?. <i>Journal of Biogeography</i> , 2020, 47, 1-12.	1.4	81
43	The role of climate and biotic factors in shaping current distributions and potential future shifts of European Neocrepidodera (Coleoptera, Chrysomelidae). <i>Insect Conservation and Diversity</i> , 2020, 13, 47-62.	1.4	18
44	Model complexity affects species distribution projections under climate change. <i>Journal of Biogeography</i> , 2020, 47, 130-142.	1.4	106
45	Reconstructing the geographic and climatic origins of long-distance bird migrations. <i>Journal of Biogeography</i> , 2020, 47, 155-166.	1.4	49
46	TRY plant trait database – enhanced coverage and open access. <i>Global Change Biology</i> , 2020, 26, 119-188.	4.2	1,038
47	Unveiling the food webs of tetrapods across Europe through the prism of the Eltonian niche. <i>Journal of Biogeography</i> , 2020, 47, 181-192.	1.4	38
48	Large-scale early wilting response of Central European forests to the 2018 extreme drought. <i>Global Change Biology</i> , 2020, 26, 7021-7035.	4.2	80
49	Global distribution and conservation status of ecologically rare mammal and bird species. <i>Nature Communications</i> , 2020, 11, 5071.	5.8	61
50	Climate, soil resources and microbial activity shape the distributions of mountain plants based on their functional traits. <i>Ecography</i> , 2020, 43, 1550-1559.	2.1	14
51	Protecting Biodiversity (in All Its Complexity): New Models and Methods. <i>Trends in Ecology and Evolution</i> , 2020, 35, 1119-1128.	4.2	101
52	Farmland bird assemblages exhibit higher functional and phylogenetic diversity than forest assemblages in France. <i>Journal of Biogeography</i> , 2020, 47, 2392-2404.	1.4	17
53	A standard protocol for reporting species distribution models. <i>Ecography</i> , 2020, 43, 1261-1277.	2.1	397
54	TETRAEU 1.0: A species-level trophic metaweb of European tetrapods. <i>Global Ecology and Biogeography</i> , 2020, 29, 1452-1457.	2.7	26

#	ARTICLE	IF	CITATIONS
55	Assessing the reliability of predicted plant trait distributions at the global scale. <i>Global Ecology and Biogeography</i> , 2020, 29, 1034-1051.	2.7	36
56	Biogeography of intraspecific trait variability in matgrass ( <i>Nardus stricta</i> ): High phenotypic variation at the local scale exceeds large scale variability patterns. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2020, 46, 125555.	1.1	2
57	Dos and don'ts when inferring assembly rules from diversity patterns. <i>Global Ecology and Biogeography</i> , 2020, 29, 1212-1229.	2.7	83
58	The Treasure Vault Can be Opened: Large-Scale Genome Skimming Works Well Using Herbarium and Silica Gel Dried Material. <i>Plants</i> , 2020, 9, 432.	1.6	59
59	Spatial analyses of multi-trophic terrestrial vertebrate assemblages in Europe. <i>Global Ecology and Biogeography</i> , 2019, 28, 1636-1648.	2.7	27
60	Diversity indices for ecological networks: a unifying framework using Hill numbers. <i>Ecology Letters</i> , 2019, 22, 737-747.	3.0	49
61	Multi-trophic $\beta$ -diversity mediates the effect of environmental gradients on the turnover of multiple ecosystem functions. <i>Functional Ecology</i> , 2019, 33, 2053-2064.	1.7	26
62	Continental-scale determinants of population trends in European amphibians and reptiles. <i>Global Change Biology</i> , 2019, 25, 3504-3515.	4.2	38
63	Identifying national responsibility species based on spatial conservation prioritization. <i>Biological Conservation</i> , 2019, 236, 411-419.	1.9	3
64	Trait structure and redundancy determine sensitivity to disturbance in marine fish communities. <i>Global Change Biology</i> , 2019, 25, 3424-3437.	4.2	68
65	Effects of climate change and horticultural use on the spread of naturalized alien garden plants in Europe. <i>Ecography</i> , 2019, 42, 1548-1557.	2.1	2
66	A comprehensive evaluation of predictive performance of 33 species distribution models at species and community levels. <i>Ecological Monographs</i> , 2019, 89, e01370.	2.4	290
67	Uncertainty in ensembles of global biodiversity scenarios. <i>Nature Communications</i> , 2019, 10, 1446.	5.8	236
68	Environmental and biotic drivers of soil microbial $\beta$ -diversity across spatial and phylogenetic scales. <i>Ecography</i> , 2019, 42, 2144-2156.	2.1	21
69	The productivity-biodiversity relationship varies across diversity dimensions. <i>Nature Communications</i> , 2019, 10, 5691.	5.8	64
70	Open access solutions for biodiversity journals: Do not replace one problem with another. <i>Diversity and Distributions</i> , 2019, 25, 5-8.	1.9	19
71	Environment and evolutionary history shape phylogenetic turnover in European tetrapods. <i>Nature Communications</i> , 2019, 10, 249.	5.8	32
72	Body size determines soil community assembly in a tropical forest. <i>Molecular Ecology</i> , 2019, 28, 528-543.	2.0	129

#	ARTICLE	IF	CITATIONS
73	Do joint species distribution models reliably detect interspecific interactions from occurrence data in homogenous environments?. <i>Ecography</i> , 2018, 41, 1812-1819.	2.1	105
74	It takes one to know one: Similarity to resident alien species increases establishment success of new invaders. <i>Diversity and Distributions</i> , 2018, 24, 680-691.	1.9	25
75	Functional trait differences and trait plasticity mediate biotic resistance to potential plant invaders. <i>Journal of Ecology</i> , 2018, 106, 1607-1620.	1.9	50
76	Model averaging in ecology: a review of Bayesian, information-theoretic, and tactical approaches for predictive inference. <i>Ecological Monographs</i> , 2018, 88, 485-504.	2.4	209
77	Improving spatial predictions of taxonomic, functional and phylogenetic diversity. <i>Journal of Ecology</i> , 2018, 106, 76-86.	1.9	21
78	Integrating correlation between traits improves spatial predictions of plant functional composition. <i>Oikos</i> , 2018, 127, 472-481.	1.2	19
79	Reprint of: Disentangling drivers of plant endemism and diversification in the European Alps - a phylogenetic and spatially explicit approach. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2018, 30, 31-40.	1.1	7
80	Simulating plant invasion dynamics in mountain ecosystems under global change scenarios. <i>Global Change Biology</i> , 2018, 24, e289-e302.	4.2	54
81	The "Hutchinsonian niche" as an assemblage of demographic niches: implications for species geographic ranges. <i>Ecography</i> , 2018, 41, 1103-1113.	2.1	55
82	Comparing species interaction networks along environmental gradients. <i>Biological Reviews</i> , 2018, 93, 785-800.	4.7	203
83	Combining point-process and landscape vegetation models to predict large herbivore distributions in space and time—A case study of <i>Rupicapra rupicapra</i> . <i>Diversity and Distributions</i> , 2018, 24, 352-362.	1.9	19
84	Life-History Traits Evolved Jointly with Climatic Niche and Disturbance Regime in the Genus <i>Leucadendron</i> (Proteaceae). <i>American Naturalist</i> , 2018, 191, 220-234.	1.0	11
85	A protocol for an intercomparison of biodiversity and ecosystem services models using harmonized land-use and climate scenarios. <i>Geoscientific Model Development</i> , 2018, 11, 4537-4562.	1.3	61
86	Integrating spatial and phylogenetic information in the fourth-corner analysis to test trait-environment relationships. <i>Ecology</i> , 2018, 99, 2667-2674.	1.5	14
87	Drought effects on the stability of forest-grassland ecotones under gradual climate change. <i>PLoS ONE</i> , 2018, 13, e0206138.	1.1	13
88	Long-distance migratory birds threatened by multiple independent risks from global change. <i>Nature Climate Change</i> , 2018, 8, 992-996.	8.1	86
89	Functional traits modulate the response of alien plants along abiotic and biotic gradients. <i>Global Ecology and Biogeography</i> , 2018, 27, 1173-1185.	2.7	32
90	Global drivers of population density in terrestrial vertebrates. <i>Global Ecology and Biogeography</i> , 2018, 27, 968-979.	2.7	80

#	ARTICLE	IF	CITATIONS
91	Outstanding Challenges in the Transferability of Ecological Models. Trends in Ecology and Evolution, 2018, 33, 790-802.	4.2	403
92	Mapping the imprint of biotic interactions on $\beta$ -diversity. Ecology Letters, 2018, 21, 1660-1669.	3.0	40
93	Multifaceted biodiversity modelling at macroecological scales using Gaussian processes. Diversity and Distributions, 2018, 24, 1492-1502.	1.9	7
94	European ornamental garden flora as an invasion debt under climate change. Journal of Applied Ecology, 2018, 55, 2386-2395.	1.9	45
95	Extinction risk of North American seed plants elevated by climate and land-use change. Journal of Applied Ecology, 2017, 54, 303-312.	1.9	79
96	Unraveling the processes shaping mammalian gut microbiomes over evolutionary time. Nature Communications, 2017, 8, 14319.	5.8	357
97	Global determinants of zoogeographical boundaries. Nature Ecology and Evolution, 2017, 1, 89.	3.4	138
98	A dynamic eco-evolutionary model predicts slow response of alpine plants to climate warming. Nature Communications, 2017, 8, 15399.	5.8	153
99	The Geography of Ecological Niche Evolution in Mammals. Current Biology, 2017, 27, 1369-1374.	1.8	34
100	Large conservation gains possible for global biodiversity facets. Nature, 2017, 546, 141-144.	13.7	209
101	Will climate change increase hybridization risk between potential plant invaders and their congeners in Europe?. Diversity and Distributions, 2017, 23, 934-943.	1.9	19
102	Extinction debt and colonization credit delay range shifts of eastern North American trees. Nature Ecology and Evolution, 2017, 1, .	3.4	79
103	Functional Rarity: The Ecology of Outliers. Trends in Ecology and Evolution, 2017, 32, 356-367.	4.2	258
104	Cross-validation strategies for data with temporal, spatial, hierarchical, or phylogenetic structure. Ecography, 2017, 40, 913-929.	2.1	1,092
105	Unpacking ecosystem service bundles: Towards predictive mapping of synergies and trade-offs between ecosystem services. Global Environmental Change, 2017, 47, 37-50.	3.6	229
106	A Common Toolbox to Understand, Monitor or Manage Rarity? A Response to Carmona et al.. Trends in Ecology and Evolution, 2017, 32, 891-893.	4.2	4
107	The need for large-scale distribution data to estimate regional changes in species richness under future climate change. Diversity and Distributions, 2017, 23, 1393-1407.	1.9	32
108	Global patterns of $\beta$ -diversity along the phylogenetic time-scale: The role of climate and plate tectonics. Global Ecology and Biogeography, 2017, 26, 1211-1221.	2.7	46

#	ARTICLE	IF	CITATIONS
109	Observed long-term greening of alpine vegetation—a case study in the French Alps. <i>Environmental Research Letters</i> , 2017, 12, 114006.	2.2	79
110	Protected areas offer refuge from invasive species spreading under climate change. <i>Global Change Biology</i> , 2017, 23, 5331-5343.	4.2	142
111	Disentangling drivers of plant endemism and diversification in the European Alps — A phylogenetic and spatially explicit approach. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2017, 28, 19-27.	1.1	28
112	Extreme climate events counteract the effects of climate and land-use changes in alpine tree lines. <i>Journal of Applied Ecology</i> , 2017, 54, 39-50.	1.9	31
113	Climate change will increase the naturalization risk from garden plants in Europe. <i>Global Ecology and Biogeography</i> , 2017, 26, 43-53.	2.7	87
114	Spatial scale and intraspecific trait variability mediate assembly rules in alpine grasslands. <i>Journal of Ecology</i> , 2017, 105, 277-287.	1.9	73
115	n-dimensional hypervolumes to study stability of complex ecosystems. <i>Ecology Letters</i> , 2016, 19, 729-742.	3.0	51
116	Morphological variation in salamanders and their potential response to climate change. <i>Global Change Biology</i> , 2016, 22, 2013-2024.	4.2	25
117	What it takes to invade grassland ecosystems: traits, introduction history and filtering processes. <i>Ecology Letters</i> , 2016, 19, 219-229.	3.0	86
118	Influence of tree shape and evolutionary time-scale on phylogenetic diversity metrics. <i>Ecography</i> , 2016, 39, 913-920.	2.1	118
119	Benchmarking novel approaches for modelling species range dynamics. <i>Global Change Biology</i> , 2016, 22, 2651-2664.	4.2	180
120	A matter of scale: apparent niche differentiation of diploid and tetraploid plants may depend on extent and grain of analysis. <i>Journal of Biogeography</i> , 2016, 43, 716-726.	1.4	73
121	Matches and mismatches between national and EU-wide priorities: Examining the Natura 2000 network in vertebrate species conservation. <i>Biological Conservation</i> , 2016, 198, 193-201.	1.9	94
122	The meaning of functional trait composition of food webs for ecosystem functioning. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150268.	1.8	119
123	Understanding the evolution of holoparasitic plants: the complete plastid genome of the holoparasite <i>Cytinus hypocistis</i> (Cytinaceae). <i>Annals of Botany</i> , 2016, 118, 885-896.	1.4	55
124	Cross-scale integration of knowledge for predicting species ranges: a metamodeling framework. <i>Global Ecology and Biogeography</i> , 2016, 25, 238-249.	2.7	88
125	Improving phylogenetic regression under complex evolutionary models. <i>Ecology</i> , 2016, 97, 286-293.	1.5	18
126	Is There Any Evidence for Rapid, Genetically-Based, Climatic Niche Expansion in the Invasive Common Ragweed?. <i>PLoS ONE</i> , 2016, 11, e0152867.	1.1	19



#	ARTICLE	IF	CITATIONS
127	Gains and losses of plant species and phylogenetic diversity for a northern high-latitude region. <i>Diversity and Distributions</i> , 2015, 21, 1441-1454.	1.9	36
128	REVIEW: Predictive ecology in a changing world. <i>Journal of Applied Ecology</i> , 2015, 52, 1293-1310.	1.9	237
129	Disjunct populations of European vascular plant species keep the same climatic niches. <i>Global Ecology and Biogeography</i> , 2015, 24, 1401-1412.	2.7	39
130	Additive effects of climate change on connectivity between marine protected areas and larval supply to fished areas. <i>Diversity and Distributions</i> , 2015, 21, 139-150.	1.9	71
131	Contrasting the effects of environment, dispersal and biotic interactions to explain the distribution of invasive plants in alpine communities. <i>Biological Invasions</i> , 2015, 17, 1407-1423.	1.2	42
132	Conserving the functional and phylogenetic trees of life of European tetrapods. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2015, 370, 20140005.	1.8	70
133	Mammalian phylogenetic diversity-area relationships at a continental scale. <i>Ecology</i> , 2015, 96, 2814-2822.	1.5	24
134	Modelling snow cover duration improves predictions of functional and taxonomic diversity for alpine plant communities. <i>Annals of Botany</i> , 2015, 116, 1023-1034.	1.4	46
135	From species distributions to meta-communities. <i>Ecology Letters</i> , 2015, 18, 1321-1328.	3.0	92
136	Extending networks of protected areas to optimize connectivity and population growth rate. <i>Ecography</i> , 2015, 38, 273-282.	2.1	43
137	Phylogenetic niche conservatism - common pitfalls and ways forward. <i>Functional Ecology</i> , 2015, 29, 627-639.	1.7	104
138	Balance between climate change mitigation benefits and land use impacts of bioenergy: conservation implications for European birds. <i>GCB Bioenergy</i> , 2015, 7, 741-751.	2.5	12
139	Decomposing changes in phylogenetic and functional diversity over space and time. <i>Methods in Ecology and Evolution</i> , 2015, 6, 109-118.	2.2	8
140	Tree cover at fine and coarse spatial grains interacts with shade tolerance to shape plant species distributions across the Alps. <i>Ecography</i> , 2015, 38, 578-589.	2.1	38
141	Testing the Effectiveness of Environmental Variables to Explain European Terrestrial Vertebrate Species Richness across Biogeographical Scales. <i>PLoS ONE</i> , 2015, 10, e0131924.	1.1	25
142	Indicators of climate: Ecrins National Park participates in long-term monitoring to help determine the effects of climate change. <i>Eco Mont</i> , 2015, 8, 44-52.	0.1	2
143	Statistical ecology comes of age. <i>Biology Letters</i> , 2014, 10, 20140698.	1.0	40
144	Accounting for tree line shift, glacier retreat and primary succession in mountain plant distribution models. <i>Diversity and Distributions</i> , 2014, 20, 1379-1391.	1.9	24

#	ARTICLE	IF	CITATIONS
145	Biodiversity Funds and Conservation Needs in the EU Under Climate Change. <i>Conservation Letters</i> , 2014, 7, 390-400.	2.8	26
146	The European functional tree of bird life in the face of global change. <i>Nature Communications</i> , 2014, 5, 3118.	5.8	52
147	Modelling plant species distribution in alpine grasslands using airborne imaging spectroscopy. <i>Biology Letters</i> , 2014, 10, 20140347.	1.0	26
148	Combining the fourth-corner and the RLQ methods for assessing trait responses to environmental variation. <i>Ecology</i> , 2014, 95, 14-21.	1.5	398
149	Spatial mismatch of phylogenetic diversity across three vertebrate groups and protected areas in Europe. <i>Diversity and Distributions</i> , 2014, 20, 674-685.	1.9	67
150	Multifaceted diversity-area relationships reveal global hotspots of mammalian species, trait and lineage diversity. <i>Global Ecology and Biogeography</i> , 2014, 23, 836-847.	2.7	110
151	Anticipating the spatio-temporal response of plant diversity and vegetation structure to climate and land use change in a protected area. <i>Ecography</i> , 2014, 37, 1230-1239.	2.1	42
152	Neutral Biogeography and the Evolution of Climatic Niches. <i>American Naturalist</i> , 2014, 183, 573-584.	1.0	52
153	Asynchrony of taxonomic, functional and phylogenetic diversity in birds. <i>Global Ecology and Biogeography</i> , 2014, 23, 780-788.	2.7	91
154	Ensemble distribution models in conservation prioritization: from consensus predictions to consensus reserve networks. <i>Diversity and Distributions</i> , 2014, 20, 309-321.	1.9	92
155	Scale decisions can reverse conclusions on community assembly processes. <i>Global Ecology and Biogeography</i> , 2014, 23, 620-632.	2.7	63
156	Phylogenetic patterns of climatic, habitat and trophic niches in a European avian assemblage. <i>Global Ecology and Biogeography</i> , 2014, 23, 414-424.	2.7	81
157	What do we gain from simplicity versus complexity in species distribution models?. <i>Ecography</i> , 2014, 37, 1267-1281.	2.1	438
158	The influence of interspecific interactions on species range expansion rates. <i>Ecography</i> , 2014, 37, 1198-1209.	2.1	196
159	Editorial commentary on "Patterns and uncertainties of species' range shifts under climate change". <i>Global Change Biology</i> , 2014, 20, 3593-3594.	4.2	78
160	Vulnerability of biodiversity hotspots to global change. <i>Global Ecology and Biogeography</i> , 2014, 23, 1376-1386.	2.7	282
161	A novel downscaling approach to predict plant invasions and improve local conservation actions. <i>Biological Invasions</i> , 2014, 16, 2577-2590.	1.2	21
162	Does probability of occurrence relate to population dynamics?. <i>Ecography</i> , 2014, 37, 1155-1166.	2.1	127

#	ARTICLE	IF	CITATIONS
163	Editorial commentary on "BIOMOD" optimizing predictions of species distributions and projecting potential future shifts under global change. <i>Global Change Biology</i> , 2014, 20, 3591-3592.	4.2	126
164	Are different facets of plant diversity well protected against climate and land cover changes? A test study in the French Alps. <i>Ecography</i> , 2014, 37, 1254-1266.	2.1	52
165	Landscape structure and genetic architecture jointly impact rates of niche evolution. <i>Ecography</i> , 2014, 37, 1218-1229.	2.1	28
166	One Tree to Link Them All: A Phylogenetic Dataset for the European Tetrapoda. <i>PLOS Currents</i> , 2014, 6, .	1.4	18
167	Darwin's naturalization hypothesis: scale matters in coastal plant communities. <i>Ecography</i> , 2013, 36, 560-568.	2.1	62
168	Risk assessment for Iberian birds under global change. <i>Biological Conservation</i> , 2013, 168, 192-200.	1.9	32
169	Will climate change promote future invasions?. <i>Global Change Biology</i> , 2013, 19, 3740-3748.	4.2	477
170	Hierarchical effects of environmental filters on the functional structure of plant communities: a case study in the French Alps. <i>Ecography</i> , 2013, 36, 393-402.	2.1	250
171	Are species' responses to global change predicted by past niche evolution?. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013, 368, 20120091.	1.8	83
172	Limited evolutionary rescue of locally adapted populations facing climate change. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013, 368, 20120083.	1.8	136
173	Fine-scale regional distribution modelling of rare and threatened species: bridging GIS Tools and conservation in practice. <i>Diversity and Distributions</i> , 2013, 19, 651-663.	1.9	24
174	Building megaphylogenies for macroecology: taking up the challenge. <i>Ecography</i> , 2013, 36, 13-26.	2.1	79
175	Impacts of past habitat loss and future climate change on the range dynamics of South African Proteaceae. <i>Diversity and Distributions</i> , 2013, 19, 363-376.	1.9	33
176	Thermal niches are more conserved at cold than warm limits in arctic-alpine plant species. <i>Global Ecology and Biogeography</i> , 2013, 22, 933-941.	2.7	60
177	Unravelling the architecture of functional variability in wild populations of <i>Polygonum viviparum</i> L. <i>Functional Ecology</i> , 2013, 27, 382-391.	1.7	39
178	Disentangling the drivers of metacommunity structure across spatial scales. <i>Journal of Biogeography</i> , 2013, 40, 1560-1571.	1.4	113
179	Rare Species Support Vulnerable Functions in High-Diversity Ecosystems. <i>PLoS Biology</i> , 2013, 11, e1001569.	2.6	654
180	A road map for integrating eco-evolutionary processes into biodiversity models. <i>Ecology Letters</i> , 2013, 16, 94-105.	3.0	215

#	ARTICLE	IF	CITATIONS
181	Do ecological differences between taxonomic groups influence the relationship between speciesâ€™ distributions and climate? A global meta-analysis using species distribution models. <i>Ecography</i> , 2013, 36, 657-664.	2.1	24
182	Replicated radiations of the alpine genus <i>Androsace</i> (Primulaceae) driven by range expansion and convergent key innovations. <i>Journal of Biogeography</i> , 2013, 40, 1874-1886.	1.4	57
183	Working toward integrated models of alpine plant distribution. <i>Alpine Botany</i> , 2013, 123, 41-53.	1.1	31
184	On the importance of edaphic variables to predict plant species distributions â€” limits and prospects. <i>Journal of Vegetation Science</i> , 2013, 24, 591-592.	1.1	40
185	Low Connectivity between Mediterranean Marine Protected Areas: A Biophysical Modeling Approach for the Dusky Grouper <i>Epinephelus marginatus</i> . <i>PLoS ONE</i> , 2013, 8, e68564.	1.1	117
186	Extinction debt of high-mountain plants under twenty-first-century climate change. <i>Nature Climate Change</i> , 2012, 2, 619-622.	8.1	582
187	Improving plant functional groups for dynamic models of biodiversity: at the crossroads between functional and community ecology. <i>Global Change Biology</i> , 2012, 18, 3464-3475.	4.2	62
188	Ecological niche and species traits: key drivers of regional plant invader assemblages. <i>Biological Invasions</i> , 2012, 14, 1963-1980.	1.2	41
189	Ecophylogenetics: advances and perspectives. <i>Biological Reviews</i> , 2012, 87, 769-785.	4.7	341
190	Genetic consequences of climate change for northern plants. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 2042-2051.	1.2	162
191	Functional species pool framework to test for biotic effects on community assembly. <i>Ecology</i> , 2012, 93, 2263-2273.	1.5	205
192	Potential Impacts of Climate Change on Ecosystem Services in Europe: The Case of Pest Control by Vertebrates. <i>BioScience</i> , 2012, 62, 658-666.	2.2	61
193	Why Would Plant Species Become Extinct Locally If Growing Conditions Improve?. <i>International Journal of Biological Sciences</i> , 2012, 8, 1121-1129.	2.6	4
194	Niche breadth, rarity and ecological characteristics within a regional flora spanning large environmental gradients. <i>Journal of Biogeography</i> , 2012, 39, 204-214.	1.4	123
195	The fate of European breeding birds under climate, land-use and dispersal scenarios. <i>Global Change Biology</i> , 2012, 18, 881-890.	4.2	195
196	On the importance of intraspecific variability for the quantification of functional diversity. <i>Oikos</i> , 2012, 121, 116-126.	1.2	167
197	Assessing species and community functional responses to environmental gradients: which multivariate methods?. <i>Journal of Vegetation Science</i> , 2012, 23, 805-821.	1.1	228
198	RECONSTRUCTING THE ORIGINS OF HIGH-ALPINE NICHES AND CUSHION LIFE FORM IN THE GENUS <i>ANDROSACE</i> S.L. (PRIMULACEAE). <i>Evolution; International Journal of Organic Evolution</i> , 2012, 66, 1255-1268.	1.1	69

#	ARTICLE	IF	CITATIONS
199	Forecasting changes in population genetic structure of alpine plants in response to global warming. <i>Molecular Ecology</i> , 2012, 21, 2354-2368.	2.0	127
200	Broad-scale adaptive genetic variation in alpine plants is driven by temperature and precipitation. <i>Molecular Ecology</i> , 2012, 21, 3729-3738.	2.0	161
201	Impacts of climate change on the future of biodiversity. <i>Ecology Letters</i> , 2012, 15, 365-377.	3.0	2,720
202	Climate change impacts on tree ranges: model intercomparison facilitates understanding and quantification of uncertainty. <i>Ecology Letters</i> , 2012, 15, 533-544.	3.0	197
203	Accounting for dispersal and biotic interactions to disentangle the drivers of species distributions and their abundances. <i>Ecology Letters</i> , 2012, 15, 584-593.	3.0	352
204	Competitive interactions between forest trees are driven by species' trait hierarchy, not phylogenetic or functional similarity: implications for forest community assembly. <i>Ecology Letters</i> , 2012, 15, 831-840.	3.0	284
205	Measuring ecological niche overlap from occurrence and spatial environmental data. <i>Global Ecology and Biogeography</i> , 2012, 21, 481-497.	2.7	1,130
206	Invasive species distribution models – how violating the equilibrium assumption can create new insights. <i>Global Ecology and Biogeography</i> , 2012, 21, 1126-1136.	2.7	294
207	Selecting pseudo-absences for species distribution models: how, where and how many?. <i>Methods in Ecology and Evolution</i> , 2012, 3, 327-338.	2.2	1,658
208	How to measure and test phylogenetic signal. <i>Methods in Ecology and Evolution</i> , 2012, 3, 743-756.	2.2	759
209	Misleading results from conventional gap analysis – Messages from the warming north. <i>Biological Conservation</i> , 2011, 144, 2450-2458.	1.9	36
210	Quantifying the relevance of intraspecific trait variability for functional diversity. <i>Methods in Ecology and Evolution</i> , 2011, 2, 163-174.	2.2	210
211	The Contribution of Vegetation and Landscape Configuration for Predicting Environmental Change Impacts on Iberian Birds. <i>PLoS ONE</i> , 2011, 6, e29373.	1.1	46
212	Climate change threatens European conservation areas. <i>Ecology Letters</i> , 2011, 14, 484-492.	3.0	660
213	Beyond taxonomic diversity patterns: how do $\hat{1}$ , $\hat{2}$ and $\hat{3}$ components of bird functional and phylogenetic diversity respond to environmental gradients across France?. <i>Global Ecology and Biogeography</i> , 2011, 20, 893-903.	2.7	193
214	21st century climate change threatens mountain flora unequally across Europe. <i>Global Change Biology</i> , 2011, 17, 2330-2341.	4.2	478
215	Effects of competition on tree radial-growth vary in importance but not in intensity along climatic gradients. <i>Journal of Ecology</i> , 2011, 99, 300-312.	1.9	100
216	Effects of Harvesting Flowers from Shrubs on the Persistence and Abundance of Wild Shrub Populations at Multiple Spatial Extents. <i>Conservation Biology</i> , 2011, 25, 73-84.	2.4	17

#	ARTICLE	IF	CITATIONS
217	Spatial Predictions of Phylogenetic Diversity in Conservation Decision Making. <i>Conservation Biology</i> , 2011, 25, 1229-1239.	2.4	39
218	Consequences of climate change on the tree of life in Europe. <i>Nature</i> , 2011, 470, 531-534.	13.7	460
219	Potential responses of terrestrial biodiversity in Southern Africa to anthropogenic climate change. <i>Regional Environmental Change</i> , 2011, 11, 127-135.	1.4	51
220	Do interactions between plant and soil biota change with elevation? A study on <i>Fagus sylvatica</i> . <i>Biology Letters</i> , 2011, 7, 699-701.	1.0	33
221	Impacts of climate change on the world's most exceptional ecoregions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 2306-2311.	3.3	312
222	Social representations of an alpine grassland landscape and socio-political discourses on rural development. <i>Regional Environmental Change</i> , 2010, 10, 119-130.	1.4	64
223	Assessing the vulnerability of European butterflies to climate change using multiple criteria. <i>Biodiversity and Conservation</i> , 2010, 19, 695-723.	1.2	71
224	Environmental drivers for <i>Coquillettia</i> mosquito habitat selection: a method to highlight key field factors. <i>Hydrobiologia</i> , 2010, 652, 377-388.	1.0	13
225	Resolving Darwin's naturalization conundrum: a quest for evidence. <i>Diversity and Distributions</i> , 2010, 16, 461-475.	1.9	216
226	Predicting potential distributions of invasive species: where to go from here?. <i>Diversity and Distributions</i> , 2010, 16, 331-342.	1.9	284
227	Disentangling the relative effects of environmental versus human factors on the abundance of native and alien plant species in Mediterranean sandy shores. <i>Diversity and Distributions</i> , 2010, 16, 537-546.	1.9	62
228	The partitioning of diversity: showing Theseus a way out of the labyrinth. <i>Journal of Vegetation Science</i> , 2010, 21, 992-1000.	1.1	242
229	BioMove – an integrated platform simulating the dynamic response of species to environmental change. <i>Ecography</i> , 2010, 33, 612-616.	2.1	56
230	How much do we overestimate future local extinction rates when restricting the range of occurrence data in climate suitability models?. <i>Ecography</i> , 2010, 33, 878-886.	2.1	138
231	Biotic and abiotic variables show little redundancy in explaining tree species distributions. <i>Ecography</i> , 2010, 33, 1038-1048.	2.1	182
232	Accommodating scenarios of climate change and management in modelling the distribution of the invasive tree <i>Schinus molle</i> in South Africa. <i>Ecography</i> , 2010, 33, 1049-1061.	2.1	49
233	Sampling in ecology and evolution – bridging the gap between theory and practice. <i>Ecography</i> , 2010, 33, 1028-1037.	2.1	111
234	Within-taxon niche structure: niche conservatism, divergence and predicted effects of climate change. <i>Ecography</i> , 2010, 33, 990-1003.	2.1	181

#	ARTICLE	IF	CITATIONS
235	A multi-trait approach reveals the structure and the relative importance of intra- vs. interspecific variability in plant traits. <i>Functional Ecology</i> , 2010, 24, 1192-1201.	1.7	420
236	Knowing the past to predict the future: land-use change and the distribution of invasive bullfrogs. <i>Global Change Biology</i> , 2010, 16, 528-537.	4.2	112
237	Uncertainty in ensemble forecasting of species distribution. <i>Global Change Biology</i> , 2010, 16, 1145-1157.	4.2	537
238	The Mediterranean Sea as a "cul-de-sac" for endemic fishes facing climate change. <i>Global Change Biology</i> , 2010, 16, 3233-3245.	4.2	201
239	Intraspecific functional variability: extent, structure and sources of variation. <i>Journal of Ecology</i> , 2010, 98, 604-613.	1.9	513
240	Tracking genes of ecological relevance using a genome scan in two independent regional population samples of <i>Arabis alpina</i> . <i>Molecular Ecology</i> , 2010, 19, 2896-2907.	2.0	136
241	Defining and measuring ecological specialization. <i>Journal of Applied Ecology</i> , 2010, 47, 15-25.	1.9	568
242	Spatial mismatch and congruence between taxonomic, phylogenetic and functional diversity: the need for integrative conservation strategies in a changing world. <i>Ecology Letters</i> , 2010, 13, 1030-1040.	3.0	721
243	The CC-Bio Project: Studying the Effects of Climate Change on Quebec Biodiversity. <i>Diversity</i> , 2010, 2, 1181-1204.	0.7	37
244	Variation in habitat suitability does not always relate to variation in species' plant functional traits. <i>Biology Letters</i> , 2010, 6, 120-123.	1.0	80
245	Modelling exploration of the future of European beech ( <i>Fagus sylvatica</i> L.) under climate change – Range, abundance, genetic diversity and adaptive response. <i>Forest Ecology and Management</i> , 2010, 259, 2213-2222.	1.4	206
246	Assessing rapid evolution in a changing environment. <i>Trends in Ecology and Evolution</i> , 2010, 25, 692-698.	4.2	89
247	Predicting range shifts of northern bird species: Influence of modelling technique and topography. <i>Acta Oecologica</i> , 2010, 36, 269-281.	0.5	51
248	Biodiversity and Climate Change: Integrating Evolutionary and Ecological Responses of Species and Communities. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2010, 41, 321-350.	3.8	585
249	Climatic extremes improve predictions of spatial patterns of tree species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 19723-19728.	3.3	314
250	Reopening the climate envelope reveals macroscale associations with climate in European birds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, E45-6; author reply E41-3.	3.3	70
251	Dangers of predicting bird species distributions in response to land-cover changes. <i>Ecological Applications</i> , 2009, 19, 538-549.	1.8	52
252	The performance of state-of-the-art modelling techniques depends on geographical distribution of species. <i>Ecological Modelling</i> , 2009, 220, 3512-3520.	1.2	150



#	ARTICLE	IF	CITATIONS
253	Statistical consensus methods for improving predictive geomorphology maps. <i>Computers and Geosciences</i> , 2009, 35, 615-625.	2.0	47
254	Consensual predictions of potential distributional areas for invasive species: a case study of Argentine ants in the Iberian Peninsula. <i>Biological Invasions</i> , 2009, 11, 1017-1031.	1.2	144
255	Climate change and plant distribution: local models predict high elevation persistence. <i>Global Change Biology</i> , 2009, 15, 1557-1569.	4.2	450
256	From introduction to equilibrium: reconstructing the invasive pathways of the Argentine ant in a Mediterranean region. <i>Global Change Biology</i> , 2009, 15, 2101-2115.	4.2	38
257	BIOMOD – a platform for ensemble forecasting of species distributions. <i>Ecography</i> , 2009, 32, 369-373.	2.1	1,796
258	Partitioning of functional diversity reveals the scale and extent of trait convergence and divergence. <i>Journal of Vegetation Science</i> , 2009, 20, 475-486.	1.1	226
259	Modelling the impact of <i>Hieracium</i> spp. on protected areas in Australia under future climates. <i>Ecography</i> , 2009, 32, 757-764.	2.1	39
260	An ecosystem model-based estimate of changes in water availability differs from water proxies that are commonly used in species distribution models. <i>Global Ecology and Biogeography</i> , 2009, 18, 304-313.	2.7	52
261	Ensemble models predict Important Bird Areas in southern Africa will become less effective for conserving endemic birds under climate change. <i>Global Ecology and Biogeography</i> , 2009, 18, 701-710.	2.7	191
262	Evaluation of consensus methods in predictive species distribution modelling. <i>Diversity and Distributions</i> , 2009, 15, 59-69.	1.9	990
263	From introduction to the establishment of alien species: bioclimatic differences between presence and reproduction localities in the slider turtle. <i>Diversity and Distributions</i> , 2009, 15, 108-116.	1.9	97
264	Different climatic envelopes among invasive populations may lead to underestimations of current and future biological invasions. <i>Diversity and Distributions</i> , 2009, 15, 409-420.	1.9	263
265	How species traits and affinity to urban land use control large-scale species frequency. <i>Diversity and Distributions</i> , 2009, 15, 533-546.	1.9	66
266	Using summed individual species models and state-of-the-art modelling techniques to identify threatened plant species hotspots. <i>Biological Conservation</i> , 2009, 142, 2501-2509.	1.9	46
267	Alien species in a warmer world: risks and opportunities. <i>Trends in Ecology and Evolution</i> , 2009, 24, 686-693.	4.2	1,031
268	Comparing niche- and process-based models to reduce prediction uncertainty in species range shifts under climate change. <i>Ecology</i> , 2009, 90, 1301-1313.	1.5	377
269	Potential effects of predicted climate change on the endemic South African Dwarf Chameleons, <i>Bradypodion</i> . <i>African Journal of Herpetology</i> , 2009, 58, 28-35.	0.3	14
270	Scale effects in species distribution models: implications for conservation planning under climate change. <i>Biology Letters</i> , 2009, 5, 39-43.	1.0	204



#	ARTICLE	IF	CITATIONS
271	Potential impacts of climate change on the winter distribution of Afro-Palaearctic migrant passerines. <i>Biology Letters</i> , 2009, 5, 248-251.	1.0	78
272	Will Climate Change Promote Alien Plant Invasions?. , 2008, , 197-211.		112
273	A comparison of predictive methods in modelling the distribution of periglacial landforms in Finnish Lapland. <i>Earth Surface Processes and Landforms</i> , 2008, 33, 2241-2254.	1.2	48
274	Favourability functions versus probability of presence: advantages and misuses. <i>Ecography</i> , 2008, 31, 417-422.	2.1	32
275	Developing an approach to defining the potential distributions of invasive plant species: a case study of <i>Hakea</i> species in South Africa. <i>Global Ecology and Biogeography</i> , 2008, 17, 569-584.	2.7	40
276	Climate change hastens the turnover of stream fish assemblages. <i>Global Change Biology</i> , 2008, 14, 2232-2248.	4.2	226
277	Land-use change and subalpine tree dynamics: colonization of <i>Larix decidua</i> in French subalpine grasslands. <i>Journal of Applied Ecology</i> , 2008, 45, 659-669.	1.9	52
278	Introduction. Global change and biodiversity: future challenges. <i>Biology Letters</i> , 2008, 4, 553-555.	1.0	29
279	Incorporating the effects of changes in vegetation functioning and CO <sub>2</sub> on water availability in plant habitat models. <i>Biology Letters</i> , 2008, 4, 556-559.	1.0	41
280	Predicting extinction risks under climate change: coupling stochastic population models with dynamic bioclimatic habitat models. <i>Biology Letters</i> , 2008, 4, 560-563.	1.0	552
281	Climate and land use change impacts on plant distributions in Germany. <i>Biology Letters</i> , 2008, 4, 564-567.	1.0	138
282	Predicting global change impacts on plant species' distributions: Future challenges. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2008, 9, 137-152.	1.1	966
283	Environmental change hastens the demise of the critically endangered riverine rabbit ( <i>Bunolagus</i> ) in the Overberg region of South Africa. <i>Conservation Biology</i> , 2008, 22, 1078-1084.	1.9	24
284	Land ahead: using genome scans to identify molecular markers of adaptive relevance. <i>Plant Ecology and Diversity</i> , 2008, 1, 273-283.	1.0	94
285	Using a mathematical model to simulate the influence of tubificid worms ( <i>Oligochaeta</i> ) on oxygen concentrations in hyporheic sediments. <i>Fundamental and Applied Limnology</i> , 2008, 172, 135-145.	0.4	3
286	MACIS: Minimisation of and Adaptation to Climate Change Impacts on Biodiversity. <i>Gaia</i> , 2008, 17, 393-395.	0.3	10
287	Spatial and temporal variation in species-area relationships in the Fynbos biological hotspot. <i>Ecography</i> , 2007, 30, 852-861.	2.1	11
288	PLANT-TRAIT-BASED MODELING ASSESSMENT OF ECOSYSTEM-SERVICE SENSITIVITY TO LAND-USE CHANGE. , 2007, 17, 2377-2386.		124

#	ARTICLE	IF	CITATIONS
289	Climate change and the ecologist. <i>Nature</i> , 2007, 448, 550-552.	13.7	538
290	Residence time and potential range: crucial considerations in modelling plant invasions. <i>Diversity and Distributions</i> , 2007, 13, 11-22.	1.9	295
291	Home away from home – objective mapping of high-risk source areas for plant introductions. <i>Diversity and Distributions</i> , 2007, 13, 299-312.	1.9	115
292	Prediction and validation of the potential global distribution of a problematic alien invasive species – the American bullfrog. <i>Diversity and Distributions</i> , 2007, 13, 476-485.	1.9	321
293	A changing climate is eroding the geographical range of the Namib Desert tree <i>Aloe</i> through population declines and dispersal lags. <i>Diversity and Distributions</i> , 2007, 13, 645-653.	1.9	157
294	<i>Fagus sylvatica</i> L. recruitment across a fragmented Mediterranean Landscape, importance of long distance effective dispersal, abiotic conditions and biotic interactions. <i>Diversity and Distributions</i> , 2007, 13, 799-807.	1.9	50
295	Modelling the winter distribution of a rare and endangered migrant, the Aquatic Warbler <i>Acrocephalus paludicola</i> . <i>Ibis</i> , 2007, 149, 701-714.	1.0	25
296	Plant Species Migration as a Key Uncertainty in Predicting Future Impacts of Climate Change on Ecosystems: Progress and Challenges. , 2007, , 129-137.		30
297	Stochastic Species Turnover and Stable Coexistence in a Species-Rich, Fire-Prone Plant Community. <i>PLoS ONE</i> , 2007, 2, e938.	1.1	67
298	Methods and uncertainties in bioclimatic envelope modelling under climate change. <i>Progress in Physical Geography</i> , 2006, 30, 751-777.	1.4	787
299	INTERACTIONS BETWEEN ENVIRONMENT, SPECIES TRAITS, AND HUMAN USES DESCRIBE PATTERNS OF PLANT INVASIONS. <i>Ecology</i> , 2006, 87, 1755-1769.	1.5	272
300	Predicting patterns of plant species richness in megadiverse South Africa. <i>Ecography</i> , 2006, 29, 733-744.	2.1	96
301	Model-based uncertainty in species range prediction. <i>Journal of Biogeography</i> , 2006, 33, 1704-1711.	1.4	804
302	Using niche-based modelling to assess the impact of climate change on tree functional diversity in Europe. <i>Diversity and Distributions</i> , 2006, 12, 49-60.	1.9	248
303	Accuracy of resource selection functions across spatial scales. <i>Diversity and Distributions</i> , 2006, 12, 288-297.	1.9	130
304	Vulnerability of African mammals to anthropogenic climate change under conservative land transformation assumptions. <i>Global Change Biology</i> , 2006, 12, 424-440.	4.2	254
305	Endemic species and ecosystem sensitivity to climate change in Namibia. <i>Global Change Biology</i> , 2006, 12, 759-776.	4.2	108
306	Do geographic distribution, niche property and life form explain plants' vulnerability to global change?. <i>Global Change Biology</i> , 2006, 12, 1079-1093.	4.2	229

#	ARTICLE	IF	CITATIONS
307	Predicting species distribution: offering more than simple habitat models. <i>Ecology Letters</i> , 2005, 8, 993-1009.	3.0	4,859
308	Downscaling European species atlas distributions to a finer resolution: implications for conservation planning. <i>Global Ecology and Biogeography</i> , 2005, 14, 17-30.	2.7	218
309	Niche properties and geographical extent as predictors of species sensitivity to climate change. <i>Global Ecology and Biogeography</i> , 2005, 14, 347-357.	2.7	448
310	Environmental and human factors influencing rare plant local occurrence, extinction and persistence: a 115-year study in the Mediterranean region. <i>Journal of Biogeography</i> , 2005, 32, 799-811.	1.4	133
311	Niche-based modelling as a tool for predicting the risk of alien plant invasions at a global scale. <i>Global Change Biology</i> , 2005, 11, 2234-2250.	4.2	742
312	Potential impacts of future land use and climate change on the Red List status of the Proteaceae in the Cape Floristic Region, South Africa. <i>Global Change Biology</i> , 2005, 11, 1452-1468.	4.2	113
313	Validation of species-climate impact models under climate change. <i>Global Change Biology</i> , 2005, 11, 1504-1513.	4.2	1,209
314	Climate change threats to plant diversity in Europe. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 8245-8250.	3.3	1,913
315	Ecosystem Service Supply and Vulnerability to Global Change in Europe. <i>Science</i> , 2005, 310, 1333-1337.	6.0	1,355
316	Species richness of alien plants in South Africa: Environmental correlates and the relationship with indigenous plant species richness. <i>Ecoscience</i> , 2005, 12, 391-402.	0.6	72
317	Climate change and birds: perspectives and prospects from southern Africa. <i>Ostrich</i> , 2004, 75, 295-308.	0.4	70
318	Would climate change drive species out of reserves? An assessment of existing reserve-selection methods. <i>Global Change Biology</i> , 2004, 10, 1618-1626.	4.2	606
319	Patterns and uncertainties of species' range shifts under climate change. <i>Global Change Biology</i> , 2004, 10, 2020-2027.	4.2	704
320	Effects of restricting environmental range of data to project current and future species distributions. <i>Ecography</i> , 2004, 27, 165-172.	2.1	479
321	Presence-absence versus presence-only modelling methods for predicting bird habitat suitability. <i>Ecography</i> , 2004, 27, 437-448.	2.1	665
322	Uncertainty in predictions of extinction risk. <i>Nature</i> , 2004, 430, 34-34.	13.7	216
323	Do we need land cover data to model species distributions in Europe?. <i>Journal of Biogeography</i> , 2004, 31, 353-361.	1.4	353
324	RELATING PLANT TRAITS AND SPECIES DISTRIBUTIONS ALONG BIOCLIMATIC GRADIENTS FOR 88 LEUCADENDRON TAXA. <i>Ecology</i> , 2004, 85, 1688-1699.	1.5	242

#	ARTICLE	IF	CITATIONS
325	BIOMOD - optimizing predictions of species distributions and projecting potential future shifts under global change. <i>Global Change Biology</i> , 2003, 9, 1353-1362.	4.2	774
326	Large-scale environmental correlates of forest tree distributions in Catalonia (NE Spain). <i>Global Ecology and Biogeography</i> , 2003, 12, 313-325.	2.7	127
327	Generalized models vs. classification tree analysis: Predicting spatial distributions of plant species at different scales. <i>Journal of Vegetation Science</i> , 2003, 14, 669-680.	1.1	251
328	Potential distribution range of invasive plant species in Spain. <i>NeoBiota</i> , 0, 12, 25-40.	1.0	56
329	ENM2020: A Free Online Course and Set of Resources on Modeling Species' Niches and Distributions. <i>Biodiversity Informatics</i> , 0, 17, .	3.0	5