List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4982527/publications.pdf Version: 2024-02-01

281 papers	9,161 citations	47006 47 h-index	62596 80 g-index
312	312	312	10498
all docs	docs citations	times ranked	citing authors

Ιλιά Μλαι

#	Article	IF	CITATIONS
1	A Validity Study of a Psychiatric Screening Questionnaire (SRQ-20) in Primary Care in the city of Sao Paulo. British Journal of Psychiatry, 1986, 148, 23-26.	2.8	757
2	Innovations and changes in the ICDâ€11 classification of mental, behavioural and neurodevelopmental disorders. World Psychiatry, 2019, 18, 3-19.	10.4	505
3	Family intervention for schizophrenia. , 2006, , CD000088.		378
4	An overview of family interventions and relapse on schizophrenia: meta-analysis of research findings. Psychological Medicine, 1994, 24, 565-578.	4.5	266
5	A systematic review of research findings on the efficacy of interpersonal therapy for depressive disorders. European Archives of Psychiatry and Clinical Neuroscience, 2005, 255, 75-82.	3.2	265
6	Brazilian multicentric study of psychiatric morbidity. British Journal of Psychiatry, 1997, 171, 524-529.	2.8	236
7	WPA guidance on steps, obstacles and mistakes to avoid in the implementation of community mental health care. World Psychiatry, 2010, 9, 67-77.	10.4	224
8	A general psychopathology factor (P factor) in children: Structural model analysis and external validation through familial risk and child global executive function Journal of Abnormal Psychology, 2017, 126, 137-148.	1.9	189
9	Does Cognitive Behavioral Therapy Change the Brain? A Systematic Review of Neuroimaging in Anxiety Disorders. Journal of Neuropsychiatry and Clinical Neurosciences, 2009, 21, 114-125.	1.8	162
10	High risk cohort study for psychiatric disorders in childhood: rationale, design, methods and preliminary results. International Journal of Methods in Psychiatric Research, 2015, 24, 58-73.	2.1	148
11	Overview of the mental health system in Mozambique: addressing the treatment gap with a task-shifting strategy in primary care. International Journal of Mental Health Systems, 2016, 10, 1.	2.7	148
12	Ventral Striatum Functional Connectivity as a Predictor of Adolescent Depressive Disorder in a Longitudinal Community-Based Sample. American Journal of Psychiatry, 2017, 174, 1112-1119.	7.2	130
13	The Clinical Correlates of Reported Childhood Sexual Abuse: An Association Between Age at Trauma Onset and Severity of Depression and PTSD in Adults. Journal of Child Sexual Abuse, 2010, 19, 156-170.	1.3	121
14	The Impact of Epidemic Violence on the Prevalence of Psychiatric Disorders in Sao Paulo and Rio de Janeiro, Brazil. PLoS ONE, 2013, 8, e63545.	2.5	109
15	A Systematic Review on the Effectiveness of Cognitive Behavioral Therapy for Posttraumatic Stress Disorder. International Journal of Psychiatry in Medicine, 2008, 38, 241-259.	1.8	106
16	Stigmatizing attitudes of primary care professionals towards people with mental disorders: A systematic review. International Journal of Psychiatry in Medicine, 2018, 53, 317-338.	1.8	97
17	Partial and full PTSD in Brazilian ambulance workers: Prevalence and impact on health and on quality of life. Journal of Traumatic Stress, 2007, 20, 637-642.	1.8	96
18	Scarcity and inequity of mental health research resources in low-and-middle income countries: A global survey. Health Policy, 2010, 94, 211-220.	3.0	90

#	Article	IF	CITATIONS
19	Brazilian multicentre study of common mental disorders in primary care: rates and related social and demographic factors. Cadernos De Saude Publica, 2014, 30, 623-632.	1.0	90
20	The ICDâ€11 developmental field study of reliability of diagnoses of highâ€burden mental disorders: results among adult patients in mental health settings of 13 countries. World Psychiatry, 2018, 17, 174-186.	10.4	89
21	Misclassification by psychiatric screening questionnaires. Journal of Chronic Diseases, 1986, 39, 371-378.	1.2	86
22	Validity study of the Brazilian version of the Calgary Depression Scale for Schizophrenia. Schizophrenia Research, 1998, 32, 31-39.	2.0	85
23	Towards a post-traumatic subtype of obsessive–compulsive disorder. Journal of Anxiety Disorders, 2012, 26, 377-383.	3.2	83
24	Mental Health Professionals' Natural Taxonomies of Mental Disorders: Implications for the Clinical Utility of the ICDâ€11 and the DSMâ€5. Journal of Clinical Psychology, 2013, 69, 1191-1212.	1.9	77
25	Schizophrenia and COVID-19: risks and recommendations. Revista Brasileira De Psiquiatria, 2020, 42, 236-238.	1.7	77
26	The Lancet's Series on Global Mental Health: 1 year on. Lancet, The, 2008, 372, 1354-1357.	13.7	75
27	Dance for neuroplasticity: A descriptive systematic review. Neuroscience and Biobehavioral Reviews, 2019, 96, 232-240.	6.1	72
28	Peritraumatic tonic immobility predicts a poor response to pharmacological treatment in victims of urban violence with PTSD. Journal of Affective Disorders, 2008, 107, 193-197.	4.1	70
29	Reduced cerebellar left hemisphere and vermal volume in adults with PTSD from a community sample. Journal of Psychiatric Research, 2011, 45, 1627-1633.	3.1	70
30	ls tonic immobility the core sign among conventional peritraumatic signs and symptoms listed for PTSD?. Journal of Affective Disorders, 2009, 115, 269-273.	4.1	68
31	Prevalence of Mental Disorders among Prisoners in the State of Sao Paulo, Brazil. PLoS ONE, 2014, 9, e88836.	2.5	67
32	Packages of Care for Schizophrenia in Low- and Middle-Income Countries. PLoS Medicine, 2009, 6, e1000165.	8.4	65
33	Higher striatal dopamine transporter density in PTSD: an in vivo SPECT study with [99mTc]TRODAT-1. Psychopharmacology, 2012, 224, 337-345.	3.1	63
34	A cross-sectional study to assess the prevalence of DSM-5 specific learning disorders in representative school samples from the second to sixth grade in Brazil. European Child and Adolescent Psychiatry, 2016, 25, 195-207.	4.7	63
35	Psychiatric morbidity in three primary medical care clinics in the city of Sao Paulo. Social Psychiatry Sozialpsychiatrie Psychiatrie Sociale, 1987, 22, 129-138.	1.1	62
36	The impact of tonic immobility reaction on the prognosis of posttraumatic stress disorder. Journal of Psychiatric Research, 2010, 44, 224-228.	3.1	62

#	Article	IF	CITATIONS
37	Clinical utility of ICDâ€11 diagnostic guidelines for highâ€burden mental disorders: results from mental health settings in 13 countries. World Psychiatry, 2018, 17, 306-315.	10.4	62
38	Stressful Life Events and Minor Psychiatric Disorders: An Estimate of the Population Attributable Fraction in a Brazilian Community-Based Study. International Journal of Psychiatry in Medicine, 1996, 26, 211-222.	1.8	61
39	ls psychiatric reform a strategy for reducing the mental health budget? The case of Brazil. Revista Brasileira De Psiquiatria, 2007, 29, 43-46.	1.7	60
40	Neurostructural imaging findings in children with postâ€ŧraumatic stress disorder: Brief review. Psychiatry and Clinical Neurosciences, 2009, 63, 1-8.	1.8	58
41	WHO's Global Clinical Practice Network for mental health. Lancet Psychiatry,the, 2015, 2, 379-380.	7.4	58
42	Depressive episodes in stable schizophrenia: critical evaluation of the DSM-IV and ICD-10 diagnostic criteria. Psychiatry Research, 2003, 117, 47-56.	3.3	56
43	Reduced dorso-lateral prefrontal cortex in treatment resistant schizophrenia. Schizophrenia Research, 2013, 148, 81-86.	2.0	55
44	Screening for anxiety, depression, and anxious depression in primary care: A field study for ICD-11 PHC. Journal of Affective Disorders, 2017, 213, 199-206.	4.1	53
45	A global clinicians' map of mental disorders to improve ICD-11: Analysing meta-structure to enhance clinical utility. International Review of Psychiatry, 2012, 24, 578-590.	2.8	52
46	A 6-month randomized controlled trial to test the efficacy of a lifestyle intervention for weight gain management in schizophrenia. BMC Psychiatry, 2013, 13, 60.	2.6	52
47	Attentional and executive functions are differentially affected by post-traumatic stress disorder and trauma. Journal of Psychiatric Research, 2014, 48, 32-39.	3.1	51
48	A prion-linked psychiatric disorder. Nature, 1997, 390, 241-241.	27.8	50
49	A naturalistic, 9-month follow-up, comparing olanzapine and conventional antipsychotics on sexual function and hormonal profile for males with schizophrenia. Journal of Psychopharmacology, 2007, 21, 165-170.	4.0	50
50	Decreased Premotor Cortex Volume in Victims of Urban Violence with Posttraumatic Stress Disorder. PLoS ONE, 2012, 7, e42560.	2.5	46
51	Schizophrenia and chromosome 6p. American Journal of Medical Genetics Part A, 1997, 74, 195-198.	2.4	45
52	The accuracy of the Clinician-Administered PTSD Scale (CAPS) to identify PTSD cases in victims of urban violence. Psychiatry Research, 2011, 185, 157-160.	3.3	45
53	Strategies for the Treatment of Antipsychotic-Induced Sexual Dysfunction and/or Hyperprolactinemia Among Patients of the Schizophrenia Spectrum: A Review. Journal of Sex and Marital Therapy, 2012, 38, 281-301.	1.5	44
54	Evaluation of a mental health training intervention for multidisciplinary teams in primary care in Brazil: a pre- and posttest study. General Hospital Psychiatry, 2013, 35, 304-308.	2.4	43

#	Article	IF	CITATIONS
55	Conditional risk for posttraumatic stress disorder in an epidemiological study of a Brazilian urban population. Journal of Psychiatric Research, 2016, 72, 51-57.	3.1	43
56	The role of early parental bonding in the development of psychiatric symptoms in adulthood. Current Opinion in Psychiatry, 2010, 23, 383-387.	6.3	41
57	Mental Health of the Mothers of Malnourished Children. International Journal of Epidemiology, 1996, 25, 128-133.	1.9	40
58	The impact of trauma and post-traumatic stress disorder on the treatment response of patients with obsessive-compulsive disorder. European Archives of Psychiatry and Clinical Neuroscience, 2010, 260, 91-99.	3.2	39
59	Uma revisão dos estudos latino-americanos sobre o transtorno da compulsão alimentar periódica. Revista Brasileira De Psiquiatria, 2011, 33, s81-s94.	1.7	39
60	Violence and post-traumatic stress disorder in Sao Paulo and Rio de Janeiro, Brazil: the protocol for an epidemiological and genetic survey. BMC Psychiatry, 2009, 9, 34.	2.6	38
61	Association of biomarkers and depressive symptoms in schizophrenia. Neuroscience Letters, 2011, 505, 282-285.	2.1	38
62	Barriers to early identification of autism in Brazil. Revista Brasileira De Psiquiatria, 2017, 39, 352-354.	1.7	38
63	Sexual trauma is more strongly associated with tonic immobility than other types of trauma – A population based study. Journal of Affective Disorders, 2017, 215, 71-76.	4.1	36
64	The association between adolescent suicide rates and socioeconomic indicators in Brazil: a 10-year retrospective ecological study. Revista Brasileira De Psiquiatria, 2019, 41, 389-395.	1.7	36
65	Music education for improving reading skills in children and adolescents with dyslexia. The Cochrane Library, 2012, , CD009133.	2.8	35
66	DRD1 rs4532 polymorphism: A potential pharmacogenomic marker for treatment response to antipsychotic drugs. Schizophrenia Research, 2012, 142, 206-208.	2.0	34
67	Effectiveness of Music Education for the Improvement of Reading Skills and Academic Achievement in Young Poor Readers: A Pragmatic Cluster-Randomized, Controlled Clinical Trial. PLoS ONE, 2013, 8, e59984.	2.5	33
68	Multiple somatic symptoms in primary care: A field study for ICD-11 PHC, WHO's revised classification of mental disorders in primary care settings. Journal of Psychosomatic Research, 2016, 91, 48-54.	2.6	33
69	Circulating levels of sTNFR1 as a marker of severe clinical course in schizophrenia. Journal of Psychiatric Research, 2013, 47, 467-471.	3.1	32
70	Common mental disorders in Petrópolis-RJ: a challenge to integrate mental health into primary care strategies. Revista Brasileira De Psiquiatria, 2011, 33, 150-156.	1.7	31
71	Lack of association between bipolar disorder and tyrosine hydroxylase. , 1997, 74, 348-352.		30
72	A Systematic Review of Studies of the Cost-Effectiveness of Mental Health Consultation-Liaison Interventions in General Hospitals. Psychosomatics, 2003, 44, 499-507.	2.5	30

#	Article	IF	CITATIONS
73	Epidemiology of Psychotropic Drug Use in Rio de Janeiro, Brazil: Gaps in Mental Illness Treatments. PLoS ONE, 2013, 8, e62270.	2.5	30
74	Quality of Life in Schizophrenia. Journal of Clinical Psychiatry, 2005, 66, 831-838.	2.2	29
75	Lessons learned in developing community mental health care in Latin American and Caribbean countries. World Psychiatry, 2012, 11, 191-195.	10.4	28
76	Psychiatric research instruments in the transcultural setting: Experiences in India and Brazil. Social Science and Medicine, 1986, 23, 277-281.	3.8	27
77	Schizophrenia: impact of positive symptoms on gender social role. Schizophrenia Research, 1993, 11, 41-45.	2.0	27
78	A Cohort Study to Assess the Impact of Depression on Patients with Kidney Disease. International Journal of Psychiatry in Medicine, 2006, 36, 457-468.	1.8	27
79	Culture-bound syndromes in Spanish speaking Latin America: the case of Nervios, Susto and Ataques de Nervios. Revista De Psiquiatria Clinica, 2015, 42, 171-178.	0.6	25
80	The posttraumatic stress disorder project in Brazil: neuropsychological, structural and molecular neuroimaging studies in victims of urban violence. BMC Psychiatry, 2009, 9, 30.	2.6	24
81	Reduction of anterior cingulate in adults with urban violence- related PTSD. Journal of Affective Disorders, 2014, 168, 13-20.	4.1	24
82	Bipolar disorder following a left basal-ganglia stroke. British Journal of Psychiatry, 1993, 163, 690-690.	2.8	23
83	Peritraumatic tonic immobility in a large representative sample of the general population: association with posttraumatic stress disorder and female gender. Comprehensive Psychiatry, 2015, 60, 68-72.	3.1	23
84	Accessing Gene Expression in Treatment-Resistant Schizophrenia. Molecular Neurobiology, 2018, 55, 7000-7008.	4.0	23
85	Dance promotes positive benefits for negative symptoms in autism spectrum disorder (ASD): A systematic review. Complementary Therapies in Medicine, 2020, 49, 102299.	2.7	23
86	Comorbidity in post-traumatic stress disorder: A population-based study from the two largest cities in Brazil. Journal of Affective Disorders, 2020, 263, 715-721.	4.1	23
87	Prevalence of psychiatric disorders among children and adolescents from four Brazilian regions. Revista Brasileira De Psiquiatria, 2015, 37, 178-179.	1.7	23
88	Co-occurrence patterns of anxiety, depression and alcohol use disorders. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 423-431.	3.2	22
89	Setting Priorities for Mental Health Research in Brazil. Revista Brasileira De Psiquiatria, 2012, 34, 434-439.	1.7	22
90	Measuring child maltreatment using multi-informant survey data: a higher-order confirmatory factor analysis. Trends in Psychiatry and Psychotherapy, 2016, 38, 23-32.	0.8	22

#	Article	IF	CITATIONS
91	The economic impact of subthreshold and clinical childhood mental disorders. Journal of Mental Health, 2018, 27, 588-594.	1.9	22
92	Mental health consequences of COVID-19: the next global pandemic. Trends in Psychiatry and Psychotherapy, 2020, 42, 219-220.	0.8	22
93	Cost of schizophrenia: direct costs and use of resources in the State of São Paulo. Revista De Saude Publica, 2006, 40, 304-309.	1.7	21
94	Leading countries in mental health research in Latin America and the Caribbean. Revista Brasileira De Psiquiatria, 2007, 29, 118-122.	1.7	21
95	Clinical decisions and stigmatizing attitudes towards mental health problems in primary care physicians from Latin American countries. PLoS ONE, 2018, 13, e0206440.	2.5	21
96	Psychotropic Drug Use in São Paulo, Brazil – An Epidemiological Survey. PLoS ONE, 2015, 10, e0135059.	2.5	21
97	A Two-Year Cross-Sectional Study on the Information About Schizophrenia Divulged by a Prestigious Daily Newspaper. Journal of Nervous and Mental Disease, 2011, 199, 659-665.	1.0	20
98	Accuracy of the Composite International Diagnostic Interview (CIDI 2.1) for diagnosis of post-traumatic stress disorder according to DSM-IV criteria. Cadernos De Saude Publica, 2012, 28, 1312-1318.	1.0	20
99	A cluster randomized controlled trial evaluating the effectiveness of the schoolâ€based drug prevention program #Tamojunto2.0. Addiction, 2021, 116, 1580-1592.	3.3	20
100	Erasing the global divide in health research. BMJ: British Medical Journal, 1997, 314, 390-390.	2.3	20
101	The impact of urban violence on mental health. Revista Brasileira De Psiquiatria, 2008, 30, 183-184.	1.7	20
102	Mental health research in Brazil: policies, infrastructure, financing and human resources. Revista De Saude Publica, 2006, 40, 161-169.	1.7	19
103	Children working on the streets in Brazil: predictors of mental health problems. European Child and Adolescent Psychiatry, 2013, 22, 165-175.	4.7	19
104	The prevalence of tardive dyskinesia after a nine month naturalistic randomized trial comparing olanzapine with conventional treatment for schizophrenia and related disorders. European Archives of Psychiatry and Clinical Neuroscience, 2004, 254, 356-361.	3.2	18
105	Negative Affect Predicts Posttraumatic Stress Symptoms in Brazilian Volunteer United Nations Peacekeepers in Haiti. Journal of Nervous and Mental Disease, 2008, 196, 852-855.	1.0	18
106	ZDHHC8 gene may play a role in cortical volumes of patients with schizophrenia. Schizophrenia Research, 2013, 145, 33-35.	2.0	18
107	An integrative approach to investigate the respective roles of single-nucleotide variants and copy-number variants in Attention-Deficit/Hyperactivity Disorder. Scientific Reports, 2016, 6, 22851.	3.3	18
108	Prevalence and Correlates of Elder Abuse in São Paulo and Rio de Janeiro. Journal of the American Geriatrics Society, 2017, 65, 2634-2638.	2.6	18

#	Article	IF	CITATIONS
109	Differences Between Self-Reported Psychotic Experiences, Clinically Relevant Psychotic Experiences, and Attenuated Psychotic Symptoms in the General Population. Frontiers in Psychiatry, 2019, 10, 782.	2.6	18
110	The importance of the concepts of disaster, catastrophe, violence, trauma and barbarism in defining posttraumatic stress disorder in clinical practice. BMC Psychiatry, 2008, 8, 68.	2.6	17
111	Is there an association between cortical thickness, age of onset, and duration of illness in schizophrenia?. CNS Spectrums, 2013, 18, 315-321.	1.2	17
112	Categories That Should Be Removed From Mental Disorders Classifications: Perspectives and Rationales of Clinicians From Eight Countries. Journal of Clinical Psychology, 2015, 71, 267-281.	1.9	17
113	Social stigma, legal and public health barriers faced by the third gender phenomena in Brazil, India and Mexico: <i>Travestis, hijras</i> and <i>muxes</i> . International Journal of Social Psychiatry, 2017, 63, 389-399.	3.1	17
114	The Impact of Antipsychotic Polytherapy Costs in the Public Health Care in Sao Paulo, Brazil. PLoS ONE, 2015, 10, e0124791.	2.5	17
115	A acurácia da Escala de Experiência Sexual do Arizona (ASEX) para identificar disfunção sexual em pacientes do espectro da esquizofrenia. Revista De Psiquiatria Clinica, 2009, 36, 182-189.	0.6	16
116	Structural Validity of the Tonic Immobility Scale in a Population Exposed to Trauma: Evidence from Two Large Brazilian Samples. PLoS ONE, 2014, 9, e94367.	2.5	16
117	Use of Amphetamine-like Appetite Suppressants: A Cross-sectional Survey in Southern Brazil. Substance Use and Misuse, 1998, 33, 1711-1719.	1.4	15
118	Mental health and psychiatry research in Brazil: scientific production from 1999 to 2003. Revista De Saude Publica, 2006, 40, 93-100.	1.7	15
119	Ten-year evolution of suicide rates and economic indicators in large Brazilian urban centers. Current Opinion in Psychiatry, 2018, 31, 265-271.	6.3	15
120	Sociodemographic Characteristics, Patterns of Crack Use, Concomitant Substance Use Disorders, and Psychiatric Symptomatology in Treatment-Seeking Crack-Dependent Individuals in Brazil. Journal of Psychoactive Drugs, 2018, 50, 367-372.	1.7	15
121	Prevalence, clinical correlates and maternal psychopathology of deliberate self-harm in children and early adolescents: results from a large community study. Revista Brasileira De Psiquiatria, 2018, 40, 48-55.	1.7	15
122	Validity and item response theory properties of the Patient Health Questionnaire-9 for primary care depression screening in Mozambique (PHQ-9-MZ). BMC Psychiatry, 2020, 20, 382.	2.6	15
123	PRODH Polymorphisms, Cortical Volumes and Thickness in Schizophrenia. PLoS ONE, 2014, 9, e87686.	2.5	14
124	Psychometric properties of the self-reporting questionnaire (SRQ-20): Measurement invariance across women from Brazilian community settings. Comprehensive Psychiatry, 2015, 58, 213-220.	3.1	14
125	Effectiveness evaluation of the school-based drug prevention program #Tamojunto2.0: protocol of a cluster randomized controlled trial. BMC Public Health, 2019, 19, 750.	2.9	14
126	Short and long-term improvements in psychiatric symptomatology to validate clinically meaningful treatment outcomes for cocaine use disorders. Drug and Alcohol Dependence, 2019, 198, 126-132.	3.2	14

#	Article	IF	CITATIONS
127	Technology and implementation science to forge the future of evidence-based psychotherapies: the PRIDE scale-up study. Evidence-Based Mental Health, 2021, 24, 19-24.	4.5	14
128	Socioeconomic Disadvantage Moderates the Association between Peripheral Biomarkers and Childhood Psychopathology. PLoS ONE, 2016, 11, e0160455.	2.5	14
129	A global perspective on the dissemination of mental health research. Lancet, The, 2009, 374, 1500.	13.7	13
130	Pharmacological and Psychosocial Management of Mental, Neurological and Substance Use Disorders in Low- and Middle-Income Countries: Issues and Current Strategies. Drugs, 2013, 73, 1549-1568.	10.9	13
131	The Impact of Healthy Parenting As a Protective Factor for Posttraumatic Stress Disorder in Adulthood: A Case-Control Study. PLoS ONE, 2014, 9, e87117.	2.5	13
132	The joint structure of major depression, anxiety disorders, and trait negative affect. Revista Brasileira De Psiquiatria, 2014, 36, 285-292.	1.7	13
133	Lean economies and innovation in mental health systems. Lancet, The, 2016, 387, 1356-1358.	13.7	13
134	Family reintegration of homeless in Maputo and Matola: a descriptive study. International Journal of Mental Health Systems, 2017, 11, 25.	2.7	13
135	The association between psychotic experiences and traumatic life events: the role of the intention to harm. Psychological Medicine, 2018, 48, 2235-2246.	4.5	13
136	Dimensional analysis of depressive, anxious and somatic symptoms presented by primary care patients and their relationship with ICD-11 PHC proposed diagnoses. Psychological Medicine, 2019, 49, 764-771.	4.5	13
137	Detecting multiple differentially methylated CpG sites and regions related to dimensional psychopathology in youths. Clinical Epigenetics, 2019, 11, 146.	4.1	13
138	Effects of subcutaneous esketamine on blood pressure and heart rate in treatment-resistant depression. Journal of Psychopharmacology, 2020, 34, 1155-1162.	4.0	13
139	An epidemiological study of childhood development in an urban setting in Brazil. Revista Brasileira De Psiquiatria, 2021, 43, 43-54.	1.7	13
140	O uso do "Face-Hand Test" como instrumento para rastrear as sÃndromes psicorgânicas: estudo piloto. Revista De Saude Publica, 1989, 23, 395-400.	1.7	12
141	Fertility and fecundity of an outpatient sample with schizophrenia. Revista Brasileira De Psiquiatria, 2006, 28, 305-307.	1.7	12
142	What challenges does mental and neurological health research face in Latin American countries?. Revista Brasileira De Psiquiatria, 2008, 30, 328-336.	1.7	12
143	Improving mental and neurological health research in Latin America: a qualitative study. BMC Public Health, 2009, 9, 334.	2.9	12
144	Assessment of 22q11.2 copy number variations in a sample of Brazilian schizophrenia patients. Schizophrenia Research, 2011, 132, 99-100.	2.0	12

#	Article	IF	CITATIONS
145	Determinants of Common Mental Disorders Detection by General Practitioners in the Primary Health Care in Brazil. International Journal of Psychiatry in Medicine, 2011, 41, 3-13.	1.8	12
146	Serum copeptin in children exposed to maltreatment. Psychiatry and Clinical Neurosciences, 2016, 70, 434-441.	1.8	12
147	12-month prevalence and concomitants of DSM-IV depression and anxiety disorders in two violence-prone cities in Brazil. Journal of Affective Disorders, 2018, 232, 204-211.	4.1	12
148	ACE activity in blood and brain axis in an animal model for schizophrenia: Effects of dopaminergic manipulation with antipsychotics and psychostimulants. World Journal of Biological Psychiatry, 2020, 21, 53-63.	2.6	12
149	Translating science into policy: mental health challenges during the COVID-19 pandemic. Revista Brasileira De Psiquiatria, 2021, 43, 638-649.	1.7	12
150	Validation of a Tool to Evaluate Drug Prevention Programs Among Students. Frontiers in Psychology, 2021, 12, 678091.	2.1	12
151	A joint international collaboration to address the inevitable mental health crisis in Ukraine. Nature Medicine, 2022, 28, 1103-1104.	30.7	12
152	Family expectation, social adjustment and gender differences in a sample of schizophrenic patients. Revista De Saude Publica, 1996, 30, 205-212.	1.7	11
153	Cognitive Dysfunction in Post-Traumatic Obsessive–Compulsive Disorder. Australian and New Zealand Journal of Psychiatry, 2011, 45, 76-85.	2.3	11
154	Resilience to trauma in the two largest cities of Brazil: a cross-sectional study. BMC Psychiatry, 2014, 14, 257.	2.6	11
155	Mental health and psychiatric care in Bolivia: what do we know?. International Journal of Mental Health Systems, 2014, 8, 18.	2.7	11
156	A cross-sectional study to compare levels of psychiatric morbidity between young people and adults exposed to violence in a large urban center. BMC Psychiatry, 2016, 16, 134.	2.6	11
157	Effect of male-specific childhood trauma on telomere length. Journal of Psychiatric Research, 2018, 107, 104-109.	3.1	11
158	Crack cocaine users views regarding treatment with contingency management in Brazil. Substance Abuse Treatment, Prevention, and Policy, 2018, 13, 7.	2.2	11
159	Sociodemographic and clinical outcome differences among individuals seeking treatment for cocaine use disorders. The intersection of gender and race. Journal of Substance Abuse Treatment, 2019, 106, 65-72.	2.8	11
160	Working with the World Psychiatric Association to promote dissemination of mental health research worldwide. Revista Brasileira De Psiquiatria, 2010, 32, 4-5.	1.7	11
161	A cross-sectional study to investigate current social adjustment of offspring of patients with schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 230-236.	3.2	10
162	Prevalence of Mental Disorder and Associated Factors in Civilian Guatemalans With Disabilities Caused By the Internal Armed Conflict. International Journal of Social Psychiatry, 2008, 54, 414-424.	3.1	10

#	Article	IF	CITATIONS
163	The UFD1L rs5992403 polymorphism is associated with age at onset of schizophrenia. Journal of Psychiatric Research, 2010, 44, 1113-1115.	3.1	10
164	Pharmacological treatment of schizophrenia. International Review of Psychiatry, 2012, 24, 489-498.	2.8	10
165	EACOL (Scale of Evaluation of Reading Competence by the Teacher): evidence of concurrent and discriminant validity. Neuropsychiatric Disease and Treatment, 2012, 8, 443.	2.2	10
166	Adjunctive Treatment with Lodenafil Carbonate for Erectile Dysfunction in Outpatients with Schizophrenia and Spectrum: A Randomized, Doubleâ€Blind, Crossover, Placeboâ€Controlled Trial. Journal of Sexual Medicine, 2013, 10, 1136-1145.	0.6	10
167	Drug-Related Disorders and the Criminal and Clinical Background of the Prison Population of São Paulo State, Brazil. PLoS ONE, 2014, 9, e113066.	2.5	10
168	Perinatal complications, lipid peroxidation, and mental health problems in a large community pediatric sample. European Child and Adolescent Psychiatry, 2017, 26, 521-529.	4.7	10
169	Identifying Autism with a Brief and Low-Cost Screening Instrument—OERA: Construct Validity, Invariance Testing, and Agreement Between Judges. Journal of Autism and Developmental Disorders, 2018, 48, 1780-1791.	2.7	10
170	Psychotic-like Experiences and Common Mental Disorders in Childhood and Adolescence: Bidirectional and Transdiagnostic Associations in a Longitudinal Community-based Study. Schizophrenia Bulletin Open, 2021, 2, .	1.7	10
171	A contribuição dos estudos transculturais dos paÃses latino-americanos e caribenhos para a revisão da CID-10: resultados preliminares. Revista Brasileira De Psiquiatria, 2011, 33, s5-s12.	1.7	10
172	Gender and Minor Psychiatric Morbidity: Results of a Case-Control Study in a Developing Country. International Journal of Psychiatry in Medicine, 1999, 29, 197-208.	1.8	9
173	Information Needs of Recently Diagnosed Cancer Patients in Brazil. International Journal of Psychiatry in Medicine, 2004, 34, 319-329.	1.8	9
174	The evaluation of scientific productivity in Brazil: An assessment of the mental health field. Scientometrics, 2009, 80, 529-537.	3.0	9
175	Ten-year growth in the scientific production of Brazilian Psychiatry: the impact of the new evaluation policies. Revista Brasileira De Psiquiatria, 2010, 32, 6-10.	1.7	9
176	Revisão sistemática para estudar a eficácia de terapia cognitivo-comportamental para crianças e adolescentes abusadas sexualmente com transtorno de estresse pós-traumático. Revista De Psiquiatria Clinica, 2010, 37, 60-65.	0.6	9
177	Psychiatry career in Brazil: Regional disparities, differences and similarities in an international context. International Review of Psychiatry, 2013, 25, 486-492.	2.8	9
178	Latent class analysis of reading, decoding, and writing performance using the Academic Performance Test: concurrent and discriminating validity. Neuropsychiatric Disease and Treatment, 2013, 9, 1175.	2.2	9
179	Exposure to maltreatment and urban violence in children working on the streets in São Paulo, Brazil: factors associated with street work. Revista Brasileira De Psiquiatria, 2014, 36, 191-198.	1.7	9
180	Specific traumatic events during childhood as risk factors for posttraumatic stress disorder development in adults. Journal of Health Psychology, 2014, 19, 847-857.	2.3	9

#	Article	IF	CITATIONS
181	A global field study of the international classification of diseases (ICD-11) mood disorders clinical descriptions and diagnostic guidelines. Journal of Affective Disorders, 2021, 295, 1138-1150.	4.1	9
182	Abnormal eating behaviors in adolescent and young adult women from southern Brazil: Reassessment after four years. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 951-956.	3.1	8
183	Psychiatric morbidity and quality of life of primary care attenders in two cities in Brazil. Jornal Brasileiro De Psiquiatria, 2014, 63, 23-32.	0.7	8
184	Subjective distress in a representative sample of outpatients with psychotic disorders. Journal of Affective Disorders, 2016, 189, 220-223.	4.1	8
185	Paraphilic Thoughts, Behaviors and Sex Addiction in a Sample of Persons Who Use Drugs: A Cross-Sectional Study. Journal of Addiction Medicine, 2017, 11, 377-385.	2.6	8
186	Building capacity for global mental health research: challenges to balancing clinical and research training. Lancet Psychiatry,the, 2018, 5, 612-613.	7.4	8
187	PrincÃpios que deveriam nortear as polÃŧicas de saúde mental em paÃses de baixa e média rendas. Revista Brasileira De Psiquiatria, 2010, 32, 212-213.	1.7	8
188	Os pacientes invisÃveis: transtorno de estresse pós-traumático em pais de pacientes com fibrose cÃstica. Revista De Psiquiatria Clinica, 2010, 37, 6-11.	0.6	8
189	Effectiveness of incorporating contingency management into a public treatment program for people who use crack cocaine in Brazil. A single-blind randomized controlled trial. International Journal of Drug Policy, 2022, 99, 103464.	3.3	8
190	The impact of child psychiatric conditions on future educational outcomes among a community cohort in Brazil. Epidemiology and Psychiatric Sciences, 2021, 30, .	3.9	8
191	Association of serum interleukin-6 with mental health problems in children exposed to perinatal complications and social disadvantage. Psychoneuroendocrinology, 2016, 71, 94-101.	2.7	7
192	Primary care physicians' use of the proposed classification of common mental disorders for ICD-11. Family Practice, 2017, 34, 574-580.	1.9	7
193	The Social Aptitudes Scale: looking at both "ends―of the social functioning dimension. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1031-1040.	3.1	7
194	Burnout syndrome and coping strategies in Portuguese oncology health care providers. Revista De Psiquiatria Clinica, 2017, 44, 122-126.	0.6	7
195	Adaptation of the Barriers to Access to Care Evaluation (BACE) scale to the Brazilian social and cultural context. Trends in Psychiatry and Psychotherapy, 2013, 35, 287-291.	0.8	6
196	Social support network, mental health and quality of life: a cross-sectional study in primary care. Cadernos De Saude Publica, 2016, 32, e00165115.	1.0	6
197	Children with Poor Reading Skills at the Word Level Show Reduced Fractional Anisotropy in White Matter Tracts of Both Hemispheres. Brain Connectivity, 2016, 6, 519-523.	1.7	6
198	Testing Measurement Invariance across Groups of Children with and without Attention-Deficit/ Hyperactivity Disorder: Applications for Word Recognition and Spelling Tasks. Frontiers in Psychology, 2017, 8, 1891.	2.1	6

#	Article	IF	CITATIONS
199	Implications of an admixed Brazilian population in schizophrenia polygenic risk score. Schizophrenia Research, 2019, 204, 404-406.	2.0	6
200	Studying ICD-11 Primary Health Care bodily stress syndrome in Brazil: do many functional disorders represent just one syndrome?. Revista Brasileira De Psiquiatria, 2019, 41, 15-21.	1.7	6
201	A Study in First-Episode Psychosis Patients: Does Angiotensin I-Converting Enzyme Activity Associated With Genotype Predict Symptom Severity Reductions After Treatment With Atypical Antipsychotic Risperidone?. International Journal of Neuropsychopharmacology, 2020, 23, 721-730.	2.1	6
202	Evaluation of NDEL1 oligopeptidase activity in blood and brain in an animal model of schizophrenia: effects of psychostimulants and antipsychotics. Scientific Reports, 2020, 10, 18513.	3.3	6
203	It is time to prepare mental health services to attend to migrants and refugees. Revista Brasileira De Psiquiatria, 2016, 38, 263-264.	1.7	6
204	Chegamos ao ISI!. Revista Brasileira De Psiquiatria, 2005, 27, 170-171.	1.7	6
205	Cultural adaptation of psychological interventions for people with mental disorders delivered by lay health workers in Africa: scoping review and expert consultation. International Journal of Mental Health Systems, 2022, 16, 14.	2.7	6
206	Polymorphisms in schizophrenia candidate gene UFD1L may contribute to cognitive deficits. Psychiatry Research, 2013, 209, 110-113.	3.3	5
207	Change in employment status and cocaine use treatment outcomes: A secondary analysis across six clinical trials. Journal of Substance Abuse Treatment, 2019, 106, 89-96.	2.8	5
208	Use of mental health services by community-resident adults with DSM-IV anxiety and mood disorders in a violence-prone area: São Paulo, Brazil. Journal of Affective Disorders, 2019, 250, 145-152.	4.1	5
209	Linkage Replication for Chromosomal Region 13q32 in Schizophrenia: Evidence from a Brazilian Pilot Study on Early Onset Schizophrenia Families. PLoS ONE, 2012, 7, e52262.	2.5	5
210	Population neuroscience: challenges and opportunities for psychiatric research in low- and middle-income countries. Revista Brasileira De Psiquiatria, 2020, 42, 442-448.	1.7	5
211	How do experts recognize schizophrenia: the role of the disorganization symptom. Revista Brasileira De Psiquiatria, 2006, 28, 5-9.	1.7	5
212	Neurovegetative dystonia—Psychiatric evaluation of 40 patients diagnosed by general physicians in Brazil. Journal of Psychosomatic Research, 1997, 43, 489-495.	2.6	4
213	Violent death in young people in the city of São Paulo, 1991–1993. Health and Place, 1998, 4, 195-198.	3.3	4
214	Hormone profile in acute psychotic disorders: A cross-sectional comparison of serum hormone concentrations in treated and untreated male patients with schizophrenia. Current Therapeutic Research, 2006, 67, 350-363.	1.2	4
215	Estudo de caso controle para avaliar o impacto do abuso sexual infantil nos transtornos alimentares. Revista De Psiquiatria Clinica, 2011, 38, 222-226.	0.6	4
216	Factors related to the cortisol awakening response of children working on the streets and siblings, before and after 2 years of a psychosocial intervention. Psychiatry Research, 2015, 225, 625-630.	3.3	4

#	Article	lF	CITATIONS
217	Conceptualizations of illness among relatives of patients diagnosed with schizophrenia. International Review of Psychiatry, 2017, 29, 230-240.	2.8	4
218	Forensic Implications of the New Classification of ICD-11 Paraphilic Disorders in Brazil. Journal of Sexual Medicine, 2019, 16, 1814-1819.	0.6	4
219	Contingency management is effective in promoting abstinence and retention in treatment among crack cocaine users with a previous history of poor treatment response: a crossover trial. Psicologia: Reflexao E Critica, 2019, 32, 14.	0.9	4
220	Association between psychosocial stressors with emotional and behavioral problems among children of low-income addicted families living in Brazil. Child Abuse and Neglect, 2019, 92, 12-21.	2.6	4
221	Latin American and Spanish-speaking perspectives on the challenges of global psychiatry. Revista Brasileira De Psiquiatria, 2020, 42, 77-86.	1.7	4
222	Patterns of alcohol consumption in Brazilian adults. Scientific Reports, 2022, 12, .	3.3	4
223	Validity of a brazilian version of the mental status questionnaire as a screening test for dementia among elderly urban subjects. A pilot study. International Journal of Geriatric Psychiatry, 1991, 6, 779-785.	2.7	3
224	Lithium mutagenicity. British Journal of Psychiatry, 1994, 165, 552-553.	2.8	3
225	Knowledge acquisition in schizophrenia: clinical reasoning patterns among three experts. Schizophrenia Research, 2003, 63, 295-296.	2.0	3
226	Portrayal of Schizophrenia in a Prestigious Newspaper in Brazil. Psychiatric Services, 2011, 62, 565-565.	2.0	3
227	Pathway Evidence of How Musical Perception Predicts Word-Level Reading Ability in Children with Reading Difficulties. PLoS ONE, 2013, 8, e84375.	2.5	3
228	Lack of association between the 5-HTTLPR and positive screening for mental disorders among children exposed to urban violence and maltreatment. Revista Brasileira De Psiquiatria, 2014, 36, 277-284.	1.7	3
229	Erectile Dysfunction Symptoms in Polydrug Dependents Seeking Treatment. Substance Use and Misuse, 2017, 52, 1565-1574.	1.4	3
230	Early vulnerabilities for psychiatric disorders in elementary schoolchildren from four Brazilian regions. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 477-486.	3.1	3
231	Independent and interactive associations of temperament dimensions with educational outcomes in young adolescents. Learning and Individual Differences, 2020, 78, 101817.	2.7	3
232	Acceptability and feasibility of incorporating contingency management into a public treatment program for homeless crack cocaine users in Brazil: A pilot study Experimental and Clinical Psychopharmacology, 2022, 30, 507-513.	1.8	3
233	Environmental Influences Measured by Epigenetic Clock and Vulnerability Components at Birth Impact Clinical ASD Heterogeneity. Genes, 2021, 12, 1433.	2.4	3
234	The role of the World Psychiatric Association in facilitating development of psychiatric publications from low- and middle-income countries. Revista Brasileira De Psiquiatria, 2012, 34, 12-15.	1.7	3

#	Article	IF	CITATIONS
235	Popular conceptions of schizophrenia in Cape Verde, Africa. Revista Brasileira De Psiquiatria, 2005, 27, 101-107.	1.7	3
236	A RBP é a revista médica de maior Fator de Impacto na América Latina. Revista Brasileira De Psiquiatria, 2008, 30, 179-182.	1.7	3
237	The role of research in the prevention of mental disorders. Trends in Psychiatry and Psychotherapy, 2014, 36, 1-2.	0.8	3
238	Testing the Stability and Validity of an Executive Dysfunction Classification Using Task-Based Assessment in Children and Adolescents. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 1501-1512.	0.5	3
239	Nationwide use of psychotropic drugs for treatment of self-reported depression in the Brazilian urban adult population. Revista Brasileira De Epidemiologia, 2020, 23, e200059.	0.8	3
240	In vivo study of the mutagenicity of biperidine, pipotiazine, chlorpromazine, and haloperidol. American Journal of Medical Genetics Part A, 1996, 67, 238-238.	2.4	2
241	Prison is not the right place for people with mental disorders: the Brazilian case. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2014, 11, 59-61.	0.1	2
242	Primary familial basal ganglia calcification presented with depression and obsessive–compulsive symptoms: A case report. Psychiatry and Clinical Neurosciences, 2020, 74, 444-446.	1.8	2
243	Effectiveness of the Elos 2.0 prevention programme for the reduction of problem behaviours and promotion of social skills in schoolchildren: study protocol for a cluster-randomized controlled trial. Trials, 2021, 22, 468.	1.6	2
244	Developmental disability in schoolchildren from four Brazilian regions. Revista Brasileira De Psiquiatria, 2014, 36, 273-273.	1.7	2
245	Pursuing efficiency: international visibility of the scientific production of Brazilian graduate programs in child and adolescent health from 1998 through 2003. Jornal De Pediatria, 2007, 83, 436-40.	2.0	2
246	Revision of the ICD-10 mental disorders chapter: an opportunity to make suggestions. Revista Brasileira De Psiquiatria, 2008, 30, 306-308.	1.7	2
247	The COVID-19 pandemic: Challenges to prevent suicide in megacities. Indian Journal of Medical Research, 2020, 152, 325.	1.0	2
248	Revictimization of Violence Suffered by Those Diagnosed with Alcohol Dependence in the General Population. BioMed Research International, 2015, 2015, 1-12.	1.9	1
249	Psychopathology and friendship in children and adolescents: disentangling the role of co-occurring symptom domains with serial mediation models. European Child and Adolescent Psychiatry, 2017, 26, 1377-1386.	4.7	1
250	Omega-3 consumption and sudden unexpected death in schizophrenia: a "fish―a day keeps heart disease away. Psychopharmacology, 2019, 236, 2285-2286.	3.1	1
251	Maternal Awareness of Adolescent Bullying Victimization in a Low-Income Context. Adolescent Psychiatry (Hilversum, Netherlands), 2020, 10, 29-40.	0.2	1
252	Editorial. Current Opinion in Psychiatry, 2020, 33, 231-232.	6.3	1

#	Article	IF	CITATIONS
253	Being bullied and using drugs are associate with eating disorder symptoms in Brazilian students. International Journal of Eating Disorders, 2021, 54, 445-450.	4.0	1
254	Do adolescents exposed to peer aggression at school consider themselves to be victims of bullying? The influence of sex and age. Trends in Psychiatry and Psychotherapy, 2021, , .	0.8	1
255	Disability in children and adolescents: the extent of the impact on psychiatric disorders and educational deficits. Trends in Psychiatry and Psychotherapy, 2021, 43, 235-239.	0.8	1
256	Editorial: Cities and population mental health: present and future. Current Opinion in Psychiatry, 2021, 34, 275-276.	6.3	1
257	Polyenvironmental and polygenic risk scores and the emergence of psychotic experiences in adolescents. Journal of Psychiatric Research, 2021, 142, 384-388.	3.1	1
258	A 10-year ecological study of the methods of suicide used by Brazilian adolescents. Cadernos De Saude Publica, 2020, 36, e00104619.	1.0	1
259	Bibliometria e visibilidade da psiquiatria brasileira. Revista Brasileira De Psiquiatria, 2007, 29, 99-99.	1.7	1
260	RBP inicia o gerenciamento on-line de artigos. Revista Brasileira De Psiquiatria, 2007, 29, 202-202.	1.7	1
261	Domestic violence and risk of internalizing and externalizing problems in adolescents living with relatives displaying substance use disorders. Jornal Brasileiro De Psiquiatria, 2020, 69, 93-102.	0.7	1
262	Bullying as a Risk Factor for Eating Disorder Behaviors Among Students: Secondary Analysis for a Cluster Randomized Controlled Trial. Child Psychiatry and Human Development, 2022, , 1.	1.9	1
263	Management of common mental disorders should take place in primary health or specialized care? Clinical decisions of psychiatrists from Latin American countries. PLoS ONE, 2022, 17, e0265308.	2.5	1
264	Perceptions of Community Health Workers (CHW) on barriers and enablers to care for people with psychosis in rural Mozambique: findings of a focus group discussion study using the Capability, Opportunity, Motivation and Behaviour framework (COM-B framework). Human Resources for Health, 2022, 20, 44.	3.1	1
265	Reply to Bellivier et al American Journal of Medical Genetics Part A, 1998, 81, 351-352.	2.4	0
266	Can Quality of Life be Improved in Schizophrenia? Results From A Pragmatic, Randomized, Controlled Trial Comparing Olanzapine with First Generation Antipsychotics. Progress in Neurotherapeutics and Neuropsychopharmacology, 2007, 2, 239-250.	0.0	0
267	Indexation of psychiatric journals from low―and middleâ€income countries: a survey and a case study. World Psychiatry, 2009, 8, 37-39.	10.4	0
268	Poster #12 EXPRESSION OF NEUROTRANSMITTER RECEPTOR AND REGULATOR GENES IN TWO BRAIN REGIONS AND PERIPHERAL BLOOD IN A NEW ANIMAL MODEL OF SCHIZOPHRENIA: THE SPONTANEOUSLY HYPERTENSIVE RATS (SHR). Schizophrenia Research, 2012, 136, S284-S285.	2.0	0
269	5.50 DOES DANCE PROMOTE COMMUNICATION AND SOCIAL RECIPROCITY IN ASD? A BLINDED RCT. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, S261-S262.	0.5	0
270	Adaptation and psychometric properties of the Mental Illness Clinicians' Attitudes Scale (MICA v4) to Brazilian Portuguese and Latin-American Spanish. Trends in Psychiatry and Psychotherapy, 2021, , .	0.8	0

#	Article	IF	CITATIONS
271	Latent structure and factor reliability of the National Health Service Community Mental Health Service User Questionnaire. Journal of Mental Health, 2021, , 1-7.	1.9	0
272	Longitudinal associations between positive attributes and psychopathology and their interactive effects on educational outcomes. European Child and Adolescent Psychiatry, 2021, , 1.	4.7	0
273	A Revista Brasileira de Psiquiatria agora tem o seu próprio site!. Revista Brasileira De Psiquiatria, 2006, 28, 88-88.	1.7	0
274	Supplements and conflicts of interest. Revista Brasileira De Psiquiatria, 2007, 29, 300-300.	1.7	0
275	Policies, Plans, and Programs. , 0, , 90-96.		0
276	Crack-cocaine addiction in an indigenous Brazilian: a case report. Revista Brasileira De Psiquiatria, 2015, 37, 265-265.	1.7	0
277	The neurobiological basis of psycho-oncology. Revista Brasileira De Psiquiatria, 2016, 38, 181-182.	1.7	0
278	Benefits of using the Psychiatric Risk Assessment Checklist (PRE-CL) to assess risk in general hospital inpatients. Revista Brasileira De Psiquiatria, 2019, 41, 90-91.	1.7	0
279	Prison is not the right place for people with mental disorders: the Brazilian case. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2014, 11, 59-61.	0.1	0
280	Sociodemographic and clinical profile of crack cocaine treatment-seeking individuals living in "Cracklandâ€; Brazil. Jornal Brasileiro De Psiquiatria, 2022, 71, 50-55.	0.7	0
281	Emotional contagion behavior in a group of young girls in a secondary school in Maputo, Mozambique. International Journal of Social Psychiatry, 2023, 69, 447-453.	3.1	Ο