

# James A Ibers

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4989849/publications.pdf>

Version: 2024-02-01

254  
papers

7,028  
citations

71102

41  
h-index

98798

67  
g-index

286  
all docs

286  
docs citations

286  
times ranked

3718  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ternary Chalcogenides BaM <sub>x</sub> Te <sub>2</sub> (M = Cu, Ag): Syntheses, Modulated Crystal Structures, Optical Properties, and Electronic Calculations. <i>Inorganic Chemistry</i> , 2020, 59, 12276-12285.	4.0	12
2	Modulated Linear Tellurium Chains in Ba <sub>3</sub> ScTe <sub>5</sub> : Synthesis, Crystal Structure, Optical and Resistivity Studies, and Electronic Structure. <i>Inorganic Chemistry</i> , 2020, 59, 2434-2442.	4.0	18
3	NpSe <sub>2</sub> : a Binary Chalcogenide Containing Modulated Selenide Chains and Ambiguous Valent Metal. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 16130-16133.	13.8	4
4	NpSe <sub>2</sub> : a Binary Chalcogenide Containing Modulated Selenide Chains and Ambiguous Valent Metal. <i>Angewandte Chemie</i> , 2019, 131, 16276-16279.	2.0	2
5	Synthesis, crystal structure, and electronic structure of Ba <sub>2</sub> GeTe <sub>3</sub> (Te <sub>2</sub> ). <i>Solid State Sciences</i> , 2019, 97, 105974.	3.2	12
6	Synthesis and Characterization of Ba <sub>2</sub> Ag <sub>2</sub> Se <sub>2</sub> (Se <sub>2</sub> ). <i>Inorganic Chemistry</i> , 2019, 58, 7837-7844.	4.0	17
7	Syntheses and crystal structures of the Ba <sub>7</sub> UM <sub>2</sub> S <sub>12</sub> O <sub>0.5</sub> (M = Ti, Si/Fe) compounds. <i>Materials Letters</i> , 2019, 252, 293-295.	2.6	1
8	Ag <sub>5</sub> U(PS <sub>4</sub> ) <sub>3</sub> : A Transition-Metal Actinide Phosphochalcogenide. <i>Inorganic Chemistry</i> , 2019, 58, 535-539.	4.0	2
9	Synthesis and Crystal Structure of Cs <sub>2</sub> U <sub>2</sub> (P <sub>2</sub> Se <sub>9</sub> )(Se <sub>2</sub> ) <sub>2</sub> . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2018, 644, 1480-1484.	1.2	3
10	Syntheses, modulated crystal structures of Ba <sub>6-2x</sub> U <sub>2+x</sub> Ag <sub>4</sub> Se <sub>12</sub> (x = 0 and 0.5), and crystal structure and spectroscopy of Sr <sub>4</sub> Th <sub>2.78</sub> Cu <sub>4</sub> S <sub>12</sub> . <i>Journal of Solid State Chemistry</i> , 2018, 268, 30-35.	2.9	2
11	K(Th <sub>0.75</sub> Sr <sub>0.25</sub> ) <sub>2</sub> Se <sub>6</sub> : Structural Change Resulting from the Disorder of Differently Charged Cations. <i>Inorganic Chemistry</i> , 2018, 57, 7877-7880.	4.0	1
12	Syntheses, crystal structures, and optical properties of CsBa <sub>5</sub> Ti <sub>2</sub> Se <sub>9</sub> Cl and CsBa <sub>2</sub> Cl <sub>5</sub> . <i>Journal of Solid State Chemistry</i> , 2017, 253, 258-262.	2.9	2
13	Synthesis, Crystal Structure, Theoretical, and Resistivity Study of BaUSe <sub>3</sub> . <i>Inorganic Chemistry</i> , 2016, 55, 7734-7738.	4.0	11
14	Two new ternary chalcogenides Ba <sub>2</sub> Zn <sub>3</sub> (Q = Se, Te) with chains of Zn <sub>4</sub> tetrahedra: syntheses, crystal structure, and optical and electronic properties. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2016, 71, 425-429.	0.7	15
15	Overview of the crystal chemistry of the actinide chalcogenides: incorporation of the alkaline-earth elements. <i>Dalton Transactions</i> , 2016, 45, 16067-16080.	3.3	19
16	Cu <sub>3</sub> Ru <sub>6</sub> Sb <sub>8</sub> a new ternary antimonide with a new structure type. <i>Inorganic Chemistry Frontiers</i> , 2016, 3, 1616-1623.	6.0	1
17	Synthesis, structure, and magnetic characterization of Cr <sub>4</sub> US <sub>8</sub> . <i>Journal of Solid State Chemistry</i> , 2016, 233, 67-74.	2.9	1
18	Syntheses, crystal structures, and resistivities of the two new ternary uranium selenides, Er <sub>3</sub> USe <sub>8</sub> and Yb <sub>3</sub> USe <sub>8</sub> . <i>Journal of Solid State Chemistry</i> , 2016, 233, 90-94.	2.9	7

#	ARTICLE	IF	CITATIONS
19	Syntheses, crystal structure, and electronic properties of the five ABaMQ4 compounds RbBaPS4, CsBaPS4, CsBaVS4, RbBaVSe4, and CsBaVSe4. Journal of Solid State Chemistry, 2016, 233, 217-220.	2.9	5
20	Syntheses, crystal structures, and electronic properties of Ba <sub>8</sub> Si <sub>2</sub> US <sub>14</sub> and Ba <sub>8</sub> SiFeUS <sub>14</sub> . Solid State Sciences, 2015, 48, 120-124.	3.2	6
21	Syntheses and Crystal Structures of BaAgTbS <sub>3</sub> , BaCuGdTe <sub>3</sub> , BaCuTbTe <sub>3</sub> , BaAgTbTe <sub>3</sub> , and CsAgUTe <sub>3</sub> . Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2015, 641, 1253-1257.	1.2	24
22	Synthesis, Crystal Structure, Resistivity, Magnetic, and Theoretical Study of ScUS <sub>3</sub> . Inorganic Chemistry, 2015, 54, 1684-1689.	4.0	6
23	The U <sup>5+</sup> compound Ba <sub>9</sub> Ag <sub>10</sub> U <sub>4</sub> S <sub>24</sub> : Synthesis, structure, and electronic properties. Journal of Solid State Chemistry, 2015, 221, 398-404.	2.9	11
24	Synthesis, crystal structure, resistivity, and electronic structure of the U(V) quaternary polyselenide Ba <sub>8</sub> PdU <sub>2</sub> Se <sub>12</sub> (Se <sub>2</sub> ) <sub>2</sub> . Journal of Solid State Chemistry, 2015, 230, 70-74.	2.9	10
25	Syntheses and characterization of the cubic uranium chalcogenides Rh <sub>2</sub> U <sub>6</sub> S <sub>15</sub> , Cs <sub>2</sub> Ti <sub>2</sub> U <sub>6</sub> Se <sub>15</sub> , Cs <sub>2</sub> Cr <sub>2</sub> U <sub>6</sub> Se <sub>15</sub> , and Cs <sub>2</sub> Ti <sub>2</sub> U <sub>6</sub> Te <sub>15</sub> . Journal of Solid State Chemistry, 2015, 228, 14-19.	2.9	7
26	Synthesis and characterization of the quaternary scandium uranium selenide CsScUSe <sub>3</sub> (Se <sub>2</sub> ). Journal of Solid State Chemistry, 2015, 226, 307-311.	2.9	4
27	Syntheses, Crystal Structures, Optical and Theoretical Studies of the Actinide Thiophosphates SrU(PS <sub>4</sub> ) <sub>2</sub> , BaU(PS <sub>4</sub> ) <sub>2</sub> , and SrTh(PS <sub>4</sub> ) <sub>2</sub> . Inorganic Chemistry, 2015, 54, 2970-2975.	4.0	12
28	Positional Flexibility: Syntheses and Characterization of Six Uranium Chalcogenides Related to the 2H Hexagonal Perovskite Family. Inorganic Chemistry, 2015, 54, 2851-2857.	4.0	20
29	Three New Quaternary Actinide Chalcogenides Ba <sub>2</sub> TiU <sub>7</sub> , Ba <sub>2</sub> CrU <sub>7</sub> , and Ba <sub>2</sub> CrThU <sub>7</sub> : Syntheses, Crystal Structures, Transport Properties, and Theoretical Studies. Inorganic Chemistry, 2015, 54, 3688-3694.	4.0	11
30	The [U <sub>2</sub> ( <sup>1</sup> / <sub>4</sub> -S <sub>2</sub> ) <sub>2</sub> Cl <sub>8</sub> ] <sup>4-</sup> Anion: Synthesis and Characterization of the Uranium Double Salt Cs <sub>5</sub> [U <sub>2</sub> ( <sup>1</sup> / <sub>4</sub> -S <sub>2</sub> ) <sub>2</sub> Cl <sub>8</sub> ]. Inorganic Chemistry, 2015, 54, 3055-3060.	4.0	4
31	Synthesis, crystal structure, optical, and electronic study of the new ternary thorium selenide Ba <sub>3</sub> ThSe <sub>3</sub> (Se <sub>2</sub> ) <sub>2</sub> . Journal of Solid State Chemistry, 2015, 231, 163-168.	2.9	15
32	Four New Actinide Chalcogenides Ba <sub>2</sub> Cu <sub>4</sub> USe <sub>6</sub> , Ba <sub>2</sub> Cu <sub>2</sub> ThSe <sub>5</sub> , Ba <sub>2</sub> Cu <sub>2</sub> USe <sub>5</sub> , and Sr <sub>2</sub> Cu <sub>2</sub> US <sub>5</sub> : Crystal Structures and Physical Properties. Inorganic Chemistry, 2015, 54, 9138-9145.	4.0	11
33	Synthesis and Crystal Structure of $\text{ThTe}_3$ . Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2014, 640, 1943-1945.	1.2	7
34	Syntheses, Crystal Structures, Transport Properties, and Theoretical Studies of Five Members of the MAn <sub>2</sub> Q <sub>5</sub> Family: SrU <sub>2</sub> S <sub>5</sub> , BaU <sub>2</sub> Se <sub>5</sub> , PbU <sub>2</sub> S <sub>5</sub> , BaTh <sub>2</sub> S <sub>5</sub> , and BaU <sub>2</sub> Te <sub>5</sub> . Inorganic Chemistry, 2014, 53, 11626-11632.	4.0	17
35	The Synthesis and Crystal Structure of U <sub>7</sub> O <sub>2</sub> Se <sub>12</sub> . Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2014, 640, 1585-1588.	1.2	10
36	Syntheses, Crystal Structures, Resistivity Studies, and Electronic Properties of Three New Barium Actinide Tellurides: BaThTe <sub>4</sub> , BaUTe <sub>4</sub> , and BaUTe <sub>6</sub> . Inorganic Chemistry, 2014, 53, 12610-12616.	4.0	11

#	ARTICLE	IF	CITATIONS
37	Nickel(II) uranium(IV) trisulfide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, i4-i4.	0.2	6
38	Synthesis and Characterization of Two Quaternary Uranium Tellurides, RbTiU <sub>3</sub> Te <sub>9</sub> and CsTiU <sub>3</sub> Te <sub>9</sub> . <i>Inorganic Chemistry</i> , 2014, 53, 7909-7915.	4.0	14
39	The Synthesis and Characterization of Four New Uranium(IV) Chlorophosphates: UCl <sub>4</sub> (POCl <sub>3</sub> ), [U <sub>2</sub> Cl <sub>9</sub> ][PCl <sub>4</sub> ], UCl <sub>3</sub> (PO <sub>2</sub> Cl <sub>2</sub> ), and U <sub>2</sub> Cl <sub>8</sub> (POCl <sub>3</sub> ). <i>Inorganic Chemistry</i> , 2014, 53, 9969-9975.	4.0	1
40	The Phosphides U <sub>6</sub> Fe <sub>30</sub> P <sub>19</sub> and U <sub>6</sub> Co <sub>30</sub> P <sub>19</sub> with the Yb <sub>6</sub> Co <sub>30</sub> P <sub>19</sub> Structure Type. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014, 640, 1342-1346.	1.2	3
41	Synthesis and Characterization of Eight Compounds of the MU <sub>8</sub> Q <sub>17</sub> Family: ScU <sub>8</sub> S <sub>17</sub> , CoU <sub>8</sub> S <sub>17</sub> , NiU <sub>8</sub> S <sub>17</sub> , TiU <sub>8</sub> Se <sub>17</sub> , VU <sub>8</sub> Se <sub>17</sub> , CrU <sub>8</sub> Se <sub>17</sub> , CoU <sub>8</sub> Se <sub>17</sub> , and NiU <sub>8</sub> Se <sub>17</sub> . <i>Inorganic Chemistry</i> , 2014, 53, 6920-6927.	4.0	12
42	Cs <sub>3</sub> ScCl <sub>6</sub> . <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, i25-i25.	0.2	4
43	Syntheses, structures, and optical properties of the indium/germanium selenides Cs <sub>4</sub> In <sub>8</sub> GeSe <sub>16</sub> , CsInSe <sub>2</sub> , and CsInGeSe <sub>4</sub> . <i>Journal of Solid State Chemistry</i> , 2014, 212, 191-196.	2.9	25
44	Syntheses, Structures, and Electronic Properties of Ba <sub>3</sub> FeUS <sub>6</sub> and Ba <sub>3</sub> AgUS <sub>6</sub> . <i>Inorganic Chemistry</i> , 2014, 53, 2899-2903.	4.0	19
45	Synthesis and crystal structure of Cs <sub>2</sub> U <sub>3</sub> Se <sub>7</sub> . <i>Solid State Sciences</i> , 2013, 18, 110-113.	3.2	6
46	Reinvestigation of Np <sub>2</sub> Se <sub>5</sub> : A Clear Divergence from Th <sub>2</sub> S <sub>5</sub> and Th <sub>2</sub> Se <sub>5</sub> in Chalcogenâ€“Chalcogen and Metalâ€“Chalcogen Interactions. <i>Inorganic Chemistry</i> , 2013, 52, 9111-9118.	4.0	13
47	Synthesis, crystal structure, and optical properties of Ba <sub>2</sub> Cu <sub>2</sub> Th <sub>5</sub> , and electronic structures of Ba <sub>2</sub> Cu <sub>2</sub> Th <sub>5</sub> and Ba <sub>2</sub> Cu <sub>2</sub> US <sub>5</sub> . <i>Journal of Solid State Chemistry</i> , 2013, 200, 349-353.	2.9	28
48	Synthesis, single-crystal structure, and optical absorption of Rb <sub>2</sub> Th <sub>7</sub> Se <sub>15</sub> . <i>Journal of Solid State Chemistry</i> , 2013, 205, 1-4.	2.9	8
49	The synthesis, single-crystal structure, optical absorption, and resistivity of Th <sub>2</sub> GeSe <sub>5</sub> . <i>Journal of Solid State Chemistry</i> , 2013, 205, 35-38.	2.9	3
50	Syntheses and crystal structures of three barium uranium sulfides. <i>Journal of Solid State Chemistry</i> , 2013, 199, 253-257.	2.9	22
51	The Flexible Ba <sub>7</sub> UM <sub>2</sub> S <sub>12.5</sub> O <sub>0.5</sub> (M = V, Fe) Compounds: Syntheses, Structures and Spectroscopic, Resistivity, and Electronic Properties. <i>Inorganic Chemistry</i> , 2013, 52, 12057-12063.	4.0	9
52	Synthesis and Structure of the [(UO <sub>2</sub> ) <sub>4</sub> S <sub>4</sub> ] <sup>6+</sup> Anion: A Cation-Stabilized Uranyl Sulfide. <i>Inorganic Chemistry</i> , 2013, 52, 10220-10222.	4.0	11
53	Synthesis, Properties, and Complex Crystal Structure of Th <sub>2</sub> Se <sub>5</sub> . <i>Inorganic Chemistry</i> , 2013, 52, 944-949.	4.0	8
54	Thallium(I) copper(I) thorium(IV) triselenide, TlCuThSe <sub>3</sub> . <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, i52-i53.	0.2	9

#	ARTICLE	IF	CITATIONS
55	Caesium diuranium hexatelluride. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, i76-i76.	0.2	8
56	Synthesis and Structure of the Rubidium Uranium Selenophosphate $Rb_4U_2P_5Se_{17}$ . Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2012, 638, 2473-2476.	1.2	5
57	$Ba_8Hg_3U_3S_{18}$ : A Complex Uranium(+4)/Uranium(+5) Sulfide. Inorganic Chemistry, 2012, 51, 661-666.	4.0	24
58	Oxidation State of Uranium in $A_6Cu_{12}U_2S_{15}$ (A = K, Rb,) Tj ETQg 0 0 0 rgBT /Overlo	4.0	28
59	Syntheses and Characterization of Nine Quaternary Uranium Chalcogenides Among the Compounds $A_2M_3UQ_6$ (A = K, Rb, Cs; M = Pd, Pt; Q = S, Se). Inorganic Chemistry, 2012, 51, 4224-4230.	4.0	21
60	Syntheses and Characterization of Six Quaternary Uranium Chalcogenides $A_2M_4U_6Q_{17}$ (A = Rb or Cs; M = Pd or Pt; Q = S or Se). Inorganic Chemistry, 2012, 51, 8873-8881.	4.0	15
61	Synthesis, structure, and electrical resistivity of $Cs_3U_{18}Se_{38}$ . Journal of Solid State Chemistry, 2012, 192, 81-86.	2.9	4
62	The Synthesis and Crystal Structure of $NpSe_3$ . Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2012, 638, 1777-1779.	1.2	5
63	The Structural Chemistry of Quaternary Chalcogenides of the Type $AMM'Q_3$ . Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2012, 638, 2585-2593.	1.2	61
64	$Ba_2An(S_2)_2S_2$ (An = U, Th): Syntheses, Structures, Optical, and Electronic Properties. Inorganic Chemistry, 2012, 51, 13390-13395.	4.0	26
65	Single-Crystal Structures, Optical Absorptions, and Electronic Distributions of Thorium Oxychalcogenides $ThOQ$ (Q = S, Se, Te). Inorganic Chemistry, 2012, 51, 8112-8118.	4.0	20
66	Synthesis, structure, and optical properties of $CsU_2(PO_4)_3$ . Journal of Solid State Chemistry, 2012, 185, 124-129.	2.9	7
67	Syntheses and crystal structures of the quaternary uranium lanthanide oxyselenides $UYb_2O_2Se_3$ and $U_2Ln_2O_4Se_3$ (Ln=Pr, Sm, Gd). Journal of Solid State Chemistry, 2012, 186, 177-181.	2.9	4
68	Synthesis and structural characterization of the new compound $UEr_2O_2S_3$ and the evidence for the old compound $U_2ErO_2S_3$ . Journal of Solid State Chemistry, 2012, 187, 282-285.	2.9	4
69	Pentavalent and Tetravalent Uranium Selenides, $Tl_3Cu_4USe_6$ and $Tl_2Ag_2USe_4$ : Syntheses, Characterization, and Structural Comparison to Other Layered Actinide Chalcogenide Compounds. Inorganic Chemistry, 2011, 50, 6656-6666.	4.0	25
70	Syntheses, Structures, and Magnetic Properties of $Np_3S_5$ and $Np_3Se_5$ . Inorganic Chemistry, 2011, 50, 1084-1088.	4.0	14
71	The $\hat{\Gamma}_2$ -polymorph of uranium phosphide selenide. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, i75-i75.	0.2	2
72	Matrix Infrared Spectroscopy and a Theoretical Investigation of $SUO$ and $US_2$ . European Journal of Inorganic Chemistry, 2011, 2011, 4457-4463.	2.0	11

#	ARTICLE	IF	CITATIONS
73	Manganese(II) octauranium(IV) heptadecasulfide. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, i46-i46.	0.2	4
74	UTa <sub>2</sub> O(S <sub>2</sub> ) <sub>3</sub> Cl <sub>6</sub> : A ribbon structure containing a heterobimetallic 5d <sup>4</sup> f <sup>5</sup> M <sub>3</sub> cluster. Journal of Solid State Chemistry, 2010, 183, 285-290.	2.9	11
75	Single-crystal structures of uranium and neptunium oxychalcogenides AnOQ (An=U, Np; Q=S, Se). Journal of Solid State Chemistry, 2010, 183, 547-550.	2.9	20
76	Syntheses and characterization of some solid-state actinide (Th, U, Np) compounds. Dalton Transactions, 2010, 39, 5949.	3.3	67
77	Actinide Chalcogenide Compounds. , 2010, , 4005-4077.		15
78	Dichalcogenide Bonding in Seven Alkali-Metal Actinide Chalcogenides of the KTh <sub>2</sub> Se <sub>6</sub> Structure Type. Inorganic Chemistry, 2010, 49, 8381-8388.	4.0	23
79	La <sub>2</sub> U <sub>2</sub> Se <sub>9</sub> : An Ordered Lanthanide/Actinide Chalcogenide with a Novel Structure Type. Inorganic Chemistry, 2010, 49, 2568-2575.	4.0	27
80	Structural, Electronic, and Magnetic Properties of UFeS <sub>3</sub> and UFeSe <sub>3</sub> . Inorganic Chemistry, 2010, 49, 10455-10467.	4.0	21
81	Reinvestigation of the Uranium(3.5+) Rare-Earth Oxysulfides $\epsilon$ -(UO) <sub>2</sub> LnS <sub>3</sub> (Ln = Yb, Y). Inorganic Chemistry, 2009, 48, 8227-8232.	4.0	10
82	Synthesis and characterization of the new uranium yttrium oxysulfide UY <sub>4</sub> O <sub>3</sub> S <sub>5</sub> . Journal of Solid State Chemistry, 2009, 182, 1861-1866.	2.9	8
83	Synthesis, structure, and magnetic and electronic properties of Cs <sub>2</sub> Hg <sub>2</sub> USe <sub>5</sub> . Journal of Solid State Chemistry, 2009, 182, 1017-1020.	2.9	11
84	Syntheses and structures of three f-element selenite/hydroselenite compounds. Journal of Solid State Chemistry, 2009, 182, 1457-1461.	2.9	11
85	RbAuUSe <sub>3</sub> , CsAuUSe <sub>3</sub> , RbAuUTe <sub>3</sub> , and CsAuUTe <sub>3</sub> : Syntheses and structure; magnetic properties of RbAuUSe <sub>3</sub> . Journal of Solid State Chemistry, 2009, 182, 2587-2590.	2.9	17
86	Quaternary Neptunium Compounds: Syntheses and Characterization of KCuNpS <sub>3</sub> , RbCuNpS <sub>3</sub> , CsCuNpS <sub>3</sub> , KAgNpS <sub>3</sub> , and CsAgNpS <sub>3</sub> . Inorganic Chemistry, 2009, 48, 11513-11517.	4.0	22
87	Neptunium(III) copper(I) diselenide. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, i14-i14.	0.2	8
88	Syntheses, structures, and magnetic and optical properties of the compounds [Hg <sub>3</sub> Te <sub>2</sub> ][UCl <sub>6</sub> ] and [Hg <sub>4</sub> As <sub>2</sub> ][UCl <sub>6</sub> ]. Journal of Solid State Chemistry, 2008, 181, 3189-3193.	2.9	59
89	Ba <sub>4</sub> Cr <sub>2</sub> US <sub>9</sub> : The First Chalcogenide Analogue of the Perovskite-related (A <sub>3</sub> A <sup>2+</sup> BO <sub>6</sub> ) <sub>m</sub> (A <sub>3</sub> B <sub>3</sub> O <sub>9</sub> ) <sub>n</sub> Family. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2008, 634, 1645-1647.	1.2	27
90	Alkylation of [N(SPPH <sub>2</sub> )(SPPH <sub>2</sub> )] <sup>+</sup> , [N(SePPh <sub>2</sub> )(SePPh <sub>2</sub> )] <sup>+</sup> , and [N(SPPH <sub>2</sub> )(SePPh <sub>2</sub> )] <sup>+</sup> . Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2008, 634, 2181-2184.	1.2	0

#	ARTICLE	IF	CITATIONS
91	Synthesis, structure, and magnetic properties of Ba <sub>2</sub> Cu <sub>2</sub> U <sub>5</sub> . Journal of Solid State Chemistry, 2008, 181, 552-555.	2.9	26
92	Synthesis, structure, and ionic conductivity of Na <sub>5</sub> Li <sub>3</sub> Ti <sub>2</sub> S <sub>8</sub> . Journal of Solid State Chemistry, 2008, 181, 837-841.	2.9	4
93	Syntheses, Structures, Physical Properties, and Electronic Properties of Some AMUQ <sub>3</sub> Compounds (A = Alkali Metal, M = Cu or Ag, Q = S or Se). Inorganic Chemistry, 2008, 47, 6873-6879.	4.0	30
94	Syntheses, Crystal Structures, and Physical Properties of La <sub>5</sub> Cu <sub>6</sub> O <sub>4</sub> S <sub>7</sub> and La <sub>5</sub> Cu <sub>6.33</sub> O <sub>4</sub> S <sub>7</sub> . Inorganic Chemistry, 2008, 47, 4368-4374.	4.0	17
95	On the Anisotropy of the Magnetic Properties of CsYbZnSe <sub>3</sub> . Inorganic Chemistry, 2008, 47, 1687-1692.	4.0	11
96	Experimental and Theoretical Comparison of Actinide and Lanthanide Bonding in M[N(EPR) <sub>2</sub> ] <sub>2</sub> Complexes (M = U, Pu, La, Ce; E = S, Se, Te; R = Ph, Tj) <del>ETQq0.00 rgBT1/0verlock</del>	0.0	0
97	Synthesis of K <sub>4</sub> M <sub>3</sub> Te <sub>17</sub> (M = Zr, Hf) <sub>1</sub> and K <sub>3</sub> Cu <sub>n</sub> 2Se <sub>12</sub> . Inorganic Syntheses, 2007, , 86-88.	0.3	1
98	Synthesis and structure of CsTi <sub>5</sub> Te <sub>8</sub> : Relation to the TiV <sub>5</sub> S <sub>8</sub> , TiCr <sub>3</sub> S <sub>5</sub> , and similar channel structures. Journal of Alloys and Compounds, 2007, 440, 74-77.	5.5	11
99	Syntheses and characterization of Ln <sub>4</sub> Yb <sub>11</sub> Se <sub>22</sub> (Ln=Ce, Sm, Gd). Journal of Alloys and Compounds, 2007, 441, 57-61.	5.5	3
100	A U(V) Chalcogenide: Synthesis, Structure, and Characterization of K <sub>2</sub> Cu <sub>3</sub> U <sub>5</sub> . Inorganic Chemistry, 2007, 46, 6992-6996.	4.0	36
101	Synthesis of La <sub>2</sub> Ta <sub>3</sub> Se <sub>2</sub> O <sub>8</sub> Single Crystals. Inorganic Syntheses, 2007, , 146-148.	0.3	0
102	Synthesis and characterization of Er <sub>3</sub> SmQ <sub>6</sub> (Q=S, Se) and Er <sub>1.12</sub> Sm <sub>0.88</sub> Se <sub>3</sub> . Journal of Solid State Chemistry, 2007, 180, 1527-1532.	2.9	7
103	Syntheses, Crystal Structures, and Optical and Magnetic Properties of Some CsLnCoQ <sub>3</sub> Compounds (Ln = Tm and Yb, Q = S; Ln = Ho and Yb, Q = Se). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2007, 633, 1343-1348.	1.2	21
104	Synthesis, structure, optical properties, and electronic structure of NaLiCdS <sub>2</sub> . Journal of Solid State Chemistry, 2007, 180, 759-764.	2.9	17
105	Syntheses, Structures, Physical Properties, and Theoretical Studies of CeM <sub>x</sub> OS (M = Cu, Ag; x ≈ 0.8) and CeAgOS. Inorganic Chemistry, 2006, 45, 8264-8272.	4.0	44
106	Structures and Bonding in K <sub>0.91</sub> U <sub>1.79</sub> S <sub>6</sub> and KU <sub>2</sub> Se <sub>6</sub> . Inorganic Chemistry, 2006, 45, 3307-3311.	4.0	24
107	Uranium trisulfide, U <sub>3</sub> S <sub>3</sub> . Acta Crystallographica Section E: Structure Reports Online, 2006, 62, i86-i87.	0.2	18
108	Caesium zirconium uranium pentatelluride, CsZrUTe <sub>5</sub> . Acta Crystallographica Section E: Structure Reports Online, 2006, 62, i124-i125.	0.2	14



#	ARTICLE	IF	CITATIONS
109	Synthesis, structure, band gap, and electronic structure of CsAgSb <sub>4</sub> S <sub>7</sub> . Journal of Solid State Chemistry, 2005, 178, 212-217.	2.9	29
110	Syntheses and structures of six compounds in the A <sub>2</sub> LiMS <sub>4</sub> (A=K, Rb, Cs; M=V, Nb, Ta) family. Journal of Solid State Chemistry, 2005, 178, 194-199.	2.9	8
111	Seven new rare-earth transition-metal oxychalcogenides: Syntheses and characterization of Ln <sub>4</sub> MnOSe <sub>6</sub> (Ln=La, Ce, Nd), Ln <sub>4</sub> FeOSe <sub>6</sub> (Ln=La, Ce, Sm), and La <sub>4</sub> MnOS <sub>6</sub> . Journal of Solid State Chemistry, 2005, 178, 1503-1507.	2.9	18
112	Synthesis, structure, and electronic structure of K <sub>2</sub> CuSb <sub>3</sub> S <sub>3</sub> . Journal of Solid State Chemistry, 2005, 178, 3169-3175.	2.9	27
113	Syntheses and structures of CsHo <sub>3</sub> Te <sub>5</sub> and Cs <sub>3</sub> Tm <sub>11</sub> Te <sub>18</sub> and the electronic structure of CsHo <sub>3</sub> Te <sub>5</sub> . Journal of Solid State Chemistry, 2005, 178, 41-46.	2.9	8
114	Synthesis, crystal structure, and electronic structure of RbVSe <sub>2</sub> . Journal of Solid State Chemistry, 2005, 178, 3251-3255.	2.9	2
115	[TeSe <sub>3</sub> ] <sup>2-</sup> as a tridentate ligand: syntheses and crystal structures of [PPh <sub>4</sub> ][(CpM(1/2Se <sub>2</sub> )) <sub>3</sub> (1/4O)(1/3TeSe <sub>3</sub> )] (M=Zr, Hf). Comptes Rendus Chimie, 2005, 8, 993-997.	0.5	6
116	Preparation and structure of the light rare-earth copper selenides LnCuSe <sub>2</sub> (Ln=La, Ce, Pr, Nd, Sm). Journal of Solid State Chemistry, 2004, 177, 760-764.	2.9	32
117	RbGd <sub>2</sub> CuS <sub>4</sub> . Acta Crystallographica Section E: Structure Reports Online, 2004, 60, i95-i96.	0.2	3
118	RbHo <sub>2</sub> Cu <sub>3</sub> S <sub>5</sub> . Acta Crystallographica Section E: Structure Reports Online, 2004, 60, i118-i119.	0.2	2
119	Synthesis and Characterization of Two Vanadium Chalcogenides, [NH <sub>4</sub> ][H(VO)(SeO <sub>3</sub> ) <sub>2</sub> ] and Cs <sub>4</sub> [(VOS <sub>2</sub> ) <sub>2</sub> (1/4O)], Prepared Solvothermally.. ChemInform, 2004, 35, no.	0.0	0
120	Syntheses and characterization of the actinide manganese selenides ThMnSe <sub>3</sub> and UMnSe <sub>3</sub> . Journal of Solid State Chemistry, 2004, 177, 257-261.	2.9	34
121	Syntheses, structure, and magnetic properties of several LnYbQ <sub>3</sub> chalcogenides, Q=S, Se. Journal of Solid State Chemistry, 2004, 177, 709-713.	2.9	28
122	Syntheses, Structure, Some Band Gaps, and Electronic Structures of CsLnZnTe <sub>3</sub> (Ln = La, Pr, Nd, Sm, Gd,) Tj ETQq0 0 0 rgBT /Overlock 10	4.0	63
123	Syntheses and Characterization of Some Mixed Te/Se Polychalcogenide Anions [TemSen] <sup>2-</sup> . Inorganic Chemistry, 2004, 43, 5436-5441.	4.0	16
124	Syntheses, Structure, and Selected Physical Properties of CsLnMnSe <sub>3</sub> (Ln = Sm, Gd, Tb, Dy, Ho, Er, Tm, Yb,) Tj ETQq0 0 0 rgBT /Overlock 10	4.0	45
125	Synthesis and Characterization of the Wide Band-Bap Compound Pr <sub>2</sub> Te <sub>4</sub> O <sub>11</sub> .. ChemInform, 2003, 34, no.	0.0	1
126	Synthesis, structure, and optical properties of the new lanthanum copper oxysulfide La <sub>3</sub> CuO <sub>2</sub> S <sub>3</sub> . Journal of Solid State Chemistry, 2003, 172, 257-260.	2.9	17



#	ARTICLE	IF	CITATIONS
127	Syntheses, structures, physical properties, and electronic structures of $\text{KLn}_2\text{CuS}_4$ ( $\text{Ln}=\text{Y}, \text{Nd}, \text{Sm}, \text{Tb}$ ). <i>Tj ETQq1</i> 1 0.784314 rgBT /Ove	2.9	20
128	Synthesis, crystal structure, and optical properties of $\text{CeMn}_0.5\text{OSe}$ . <i>Journal of Solid State Chemistry</i> , 2003, 176, 170-174.	2.9	28
129	Synthesis and Characterization of $\text{HN}(\text{SPiPr}_2)(\text{SePPh}_2)$ and $[\text{Te}\{\text{N}(\text{SPiPr}_2)(\text{SePPh}_2)\}_2]$ . <i>Inorganic Chemistry</i> , 2003, 42, 6294-6299.	4.0	16
130	Synthesis and characterization of the wide band-gap compound $\text{Pr}_2\text{Te}_4\text{O}_{11}$ . <i>Journal of Alloys and Compounds</i> , 2003, 354, 115-119.	5.5	21
131	Synthesis and characterization of two vanadium chalcogenides, $[\text{NH}_4][\text{H}(\text{VO})(\text{SeO}_3)_2]$ and $\text{Cs}_4[(\text{VOS}_2)_2(\text{O})]$ , prepared solvothermally. <i>Journal of Alloys and Compounds</i> , 2003, 361, 66-70.	5.5	5
132	The $\text{CsLnMSe}_3$ Semiconductors ( $\text{Ln}$ = Rare-Earth Element, $\text{Y}$ ; $\text{M}$ = $\text{Zn}, \text{Cd}, \text{Hg}$ ). <i>Inorganic Chemistry</i> , 2003, 42, 4109-4116.	4.0	61
133	$[\text{TeSe}_3]^{2-}$ and $[\text{TeSe}_2]^{2-}$ as synthons. <i>Chemical Communications</i> , 2003, , 2158.	4.1	7
134	New Layered Rubidium Rare-Earth Selenides: Syntheses, Structures, Physical Properties, and Electronic Structures for $\text{RbLnSe}_2$ . <i>Inorganic Chemistry</i> , 2002, 41, 5716-5720.	4.0	35
135	Tuning of Optical Band Gaps: Syntheses, Structures, Magnetic Properties, and Optical Properties of $\text{CsLnZnSe}_3$ ( $\text{Ln}$ = $\text{Sm}, \text{Tb}, \text{Dy}, \text{Ho}, \text{Er}, \text{Tm}, \text{Yb}$ , and $\text{Y}$ ). <i>Inorganic Chemistry</i> , 2002, 41, 1199-1204.	4.0	66
136	Rare-Earth Transition-Metal Chalcogenides. <i>Chemical Reviews</i> , 2002, 102, 1929-1952.	47.7	174
137	Preparation and Structure of $(\text{Cu}(\text{pc}))_3(\text{ReO}_4)_2$ and Theoretical Investigation of $(\text{Cu}(\text{pc}))_3(\text{ReO}_4)_2$ , $(\text{Cu}(\text{pc}))_3(\text{ReO}_4)_2$ , and $(\text{Cu}(\text{pc}))_3(\text{ReO}_4)_2$ . <i>Journal of the American Chemical Society</i> , 2002, 124, 5476-5480.	13.7	13
138	Synthesis and Structural Characterization of Integrally Oxidized, Metal-Free Phthalocyanine Compounds: $[\text{H}_2(\text{pc})][\text{IBr}_2]$ and $[\text{H}_2(\text{pc})]_2[\text{IBr}_2]\text{Br}\cdot\text{C}_{10}\text{H}_7\text{Br}$ . <i>Inorganic Chemistry</i> , 2002, 41, 1778-1781.	4.0	34
139	Crystal structure of diterbium orthosilicate selenide, $\text{Tb}_2(\text{SiO}_4)\text{Se}$ . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2002, 217, .	0.3	0
140	New Layered Materials: Syntheses, Structures, and Optical and Magnetic Properties of $\text{CsGdZnSe}_3$ , $\text{CsZrCuSe}_3$ , $\text{CsUCuSe}_3$ , and $\text{BaGdCuSe}_3$ . <i>Inorganic Chemistry</i> , 2001, 40, 5123-5126.	4.0	137
141	Syntheses and Structures of the Infinite Chain Compounds $\text{Cs}_4\text{Ti}_3\text{Se}_{13}$ , $\text{Rb}_4\text{Ti}_3\text{S}_{14}$ , $\text{Cs}_4\text{Ti}_3\text{S}_{14}$ , $\text{Rb}_4\text{Hf}_3\text{S}_{14}$ , $\text{Rb}_4\text{Zr}_3\text{Se}_{14}$ , $\text{Cs}_4\text{Zr}_3\text{Se}_{14}$ , and $\text{Cs}_4\text{Hf}_3\text{Se}_{14}$ . <i>Inorganic Chemistry</i> , 2001, 40, 2346-2351.	4.0	8
142	Polar Titanium Polychalcogenides: Syntheses and Characterization of $\text{Cs}_6\text{Ti}_6\text{S}_{27}$ , $\text{Cs}_4\text{BaTi}_6\text{Se}_{27}$ , $\text{Rb}_5\text{AgTi}_6\text{Se}_{27}$ , and $\text{Cs}_5\text{AgTi}_6\text{Se}_{27}$ . <i>Inorganic Chemistry</i> , 2001, 40, 865-869.	4.0	15
143	Synthesis and Characterization of New Oxidopolysulfidovanadates. <i>Inorganic Chemistry</i> , 2001, 40, 6910-6912.	4.0	9
144	New Layered Materials: Syntheses, Structures, and Optical Properties of $\text{K}_2\text{TiCu}_2\text{S}_4$ , $\text{Rb}_2\text{TiCu}_2\text{S}_4$ , $\text{Rb}_2\text{TiAg}_2\text{S}_4$ , $\text{Cs}_2\text{TiAg}_2\text{S}_4$ , and $\text{Cs}_2\text{TiCu}_2\text{Se}_4$ . <i>Inorganic Chemistry</i> , 2001, 40, 2602-2607.	4.0	27

#	ARTICLE	IF	CITATIONS
145	The Mixed Polychalcogenorhenate(IV) Anions $[\text{Re}_4\text{Q}_4(\text{S}_3)_4(\text{S}_4)_2]_4$ (Q = Se, Te): Syntheses and Crystal Structures of $[\text{NMe}_4]_5[\text{Me}_2\text{NH}_2]_3[\text{Re}_4\text{Se}_4(\text{S}_3)_4(\text{S}_4)_2]_2 \cdot 2.25\text{H}_2\text{O}$ and $[\text{NH}_4]_4[\text{Re}_4\text{Te}_4(\text{S}_3)_4(\text{S}_4)_2] \cdot 8\text{H}_2\text{O}$ . <i>Inorganic Chemistry</i> , 2001, 40, 5472-5474.	4.0	9
146	Synthesis and Characterization of the Silver Maleonitrilediselenolates and Silver Maleonitriledithiolates $[\text{K}([2.2.2]\text{-cryptand})]_4[\text{Ag}_4(\text{Se}_2\text{C}_2(\text{CN})_2)_4]$ , $[\text{Na}([2.2.2]\text{-cryptand})]_4[\text{Ag}_4(\text{S}_2\text{C}_2(\text{CN})_2)_4] \cdot 0.33\text{MeCN}$ , $[\text{NBu}_4]_4[\text{Ag}_4(\text{S}_2\text{C}_2(\text{CN})_2)_4]$ , $[\text{K}([2.2.2]\text{-cryptand})]_3[\text{Ag}(\text{Se}_2\text{C}_2(\text{CN})_2)_2] \cdot 2\text{MeCN}$ , and $[\text{Na}([2.2.2]\text{-cryptand})]_3[\text{Ag}(\text{S}_2\text{C}_2(\text{CN})_2)_2]$ . <i>Inorganic Chemistry</i> , 2001, 40, 1809-1815.	4.0	18
147	Syntheses and Structures of $\text{LiAuS}$ and $\text{Li}_3\text{AuS}_2$ . <i>Inorganic Chemistry</i> , 2001, 40, 1397-1398.	4.0	18
148	Syntheses and Characterization of the Metal Maleonitrilediselenolates $[\text{K}([2.2.2]\text{-cryptand})]_2[\text{M}(\text{Se}_2\text{C}_2(\text{CN})_2)_2]$ (M = Ni, Pd, Pt) and $[\text{Ni}(\text{dmf})_5\text{Cl}]_2[\text{Ni}(\text{Se}_2\text{C}_2(\text{CN})_2)_2]$ . <i>Inorganic Chemistry</i> , 2001, 40, 1372-1375.	4.0	13
149	Gabapentin and gabapentin monohydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 641-643.	0.4	37
150	X-ray structure determination of $\text{Ru}(\text{TPP})(\text{CO})(\text{MeIm}) \cdot 2\text{CHCl}_3$ . <i>Journal of Porphyrins and Phthalocyanines</i> , 2001, 05, 419-422.	0.8	1
151	Syntheses and Crystal Structures of the Lanthanum Titanium Oxyselenides $\text{La}_4\text{Ti}_2\text{O}_4\text{Se}_5$ and $\text{La}_6\text{Ti}_3\text{O}_5\text{Se}_9$ . <i>Journal of Solid State Chemistry</i> , 2001, 157, 289-295.	2.9	16
152	Syntheses, Structures, and Physical Properties of the New Quaternary Rare-Earth Chalcogenides $\text{RbNd}_2\text{Cu}_4\text{S}_4$ , $\text{RbSm}_2\text{Cu}_4\text{S}_4$ , $\text{CsLa}_2\text{CuSe}_4$ , $\text{CsSm}_2\text{CuSe}_4$ , $\text{RbEr}_2\text{Cu}_3\text{S}_5$ , $\text{CsGd}_2\text{Ag}_3\text{Se}_5$ , $\text{CsTb}_2\text{Ag}_3\text{Se}_5$ , and $\text{Rb}_2\text{Gd}_4\text{Cu}_4\text{S}_9$ . <i>Journal of Solid State Chemistry</i> , 2001, 158, 299-306.	2.9	33
153	$\text{Gd}_3\text{Cu}_2\text{Te}_7$ and $\text{U}_2\text{Cu}_0.78\text{Te}_6$ : Two Examples of Linear Te Chains. <i>Journal of Solid State Chemistry</i> , 2001, 159, 186-190.	2.9	36
154	Singly and Doubly Oxidized Phthalocyanine (pc) Rings: $[\text{Cu}(\text{pc})(\text{ReO}_4)]$ and $[\text{Cu}(\text{pc})(\text{ReO}_4)_2]$ . <i>Angewandte Chemie - International Edition</i> , 2001, 40, 244-246.	13.8	24
155	Oxide Addition to a Reactive Polysulfide Flux: Synthesis of $\text{K}_4\text{Ba}[\text{Ti}_6\text{OS}_{20}]$ Containing Isolated $[\text{Ti}_6\text{OS}_8(\text{S}_2)_6]^{6-}$ Clusters. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 2515-2516.	13.8	8
156	Improved synthesis of $\text{HN}(\text{SPPH}_2)(\text{SePPH}_2)$ and some coordination chemistry of $[\text{N}(\text{SPPH}_2)(\text{SePPH}_2)]^{\text{a}\cdot}$ . <i>Inorganica Chimica Acta</i> , 2001, 319, 117-122.	2.4	22
157	Serendipitous syntheses of the series $\text{Cs}_3\text{Ln}_7\text{Te}_{12}$ (Ln = Sm, Gd, Tb): Compounds with large tunnels. <i>Solid State Sciences</i> , 2001, 3, 513-518.	3.2	14
158	Porphyrinic molecular conductors and magnets. <i>Journal of Porphyrins and Phthalocyanines</i> , 2000, 04, 425-425.	0.8	1
159	Syntheses and Structures of the New Quaternary Compounds $\text{Ba}_4\text{Nd}_2\text{Cd}_3\text{Se}_{10}$ and $\text{Ba}_4\text{Ln}_2\text{Cd}_3\text{S}_{10}$ (Ln=Sm, Gd, Tb). <i>Journal of Solid State Chemistry</i> , 2000, 149, 384-390.	2.9	19
160	Syntheses and Structures of the New Quaternary Rubidium Selenides $\text{RbLn}_2\text{CuSe}_4$ (Ln=Sm, Gd, Dy), $\text{Rb}_{1.5}\text{Ln}_2\text{Cu}_2.5\text{Se}_5$ (Ln=Gd, Dy), and $\text{RbSm}_2\text{Ag}_3\text{Se}_5$ . <i>Journal of Solid State Chemistry</i> , 2000, 151, 317-322.	2.9	26
161	Synthesis and Characterization of the Rare-Earth Vanadium Oxyselenides $\text{Ln}_7\text{VO}_4\text{Se}_8$ (Ln=Nd, Sm, Gd). <i>Journal of Solid State Chemistry</i> , 2000, 154, 564-568.	2.9	4
162	Synthesis, Structure, Electrical Conductivity, and Band Structure of the Rare-Earth Copper Oxychalcogenide $\text{La}_5\text{Cu}_6\text{O}_4\text{S}_7$ . <i>Journal of Solid State Chemistry</i> , 2000, 155, 366-371.	2.9	26

#	ARTICLE	IF	CITATIONS
163	Structures and Conductivities of the Quaternary A/Bi/Cu/S Phases $\text{KBi}_2\text{Cu}_4\text{S}_4$ and $\text{A}_3\text{Bi}_5\text{Cu}_2\text{S}_{10}$ (A=Rb, Tl) <i>J. Solid State Chem.</i> 1999, 149, 1-13.	2.9	13
164	An investigation of the rare-earth telluride system $\text{BaLn}_2\text{Te}_4$ (Ln=Sm–Tm, Y): syntheses, crystal structures, and magnetic properties. <i>Journal of Alloys and Compounds</i> , 2000, 303-304, 432-439.	5.5	19
165	Reactivity of the $[\text{Mo}_3(\mu_3\text{-S})(\mu_3\text{-S}_2)_3\text{Br}_6]^{2-}$ Anion toward the Imidodiphosphinochalcogenido Ligands $[\text{N}(\text{QPh}_2)_2]_3$ (Q= S, Se): Synthesis and Characterization of $[\text{Mo}_3(\mu_3\text{-S})(\mu_3\text{-S}_2)_3\{\text{N}(\text{QPh}_2)_2\}_3]\text{Br}$ . <i>Inorganic Chemistry</i> , 2000, 39, 854-856.	4.0	19
166	Ternary Rare-Earth Selenides with the $\text{U}_3\text{Sc}_6$ Structure Type: Synthesis, Characterization, and Some Magnetic Properties of $\text{Ln}_3\text{TSe}_6$ (Ln = Sm, Gd; T = In, Cr) and $\text{Tb}_3\text{CrSe}_6$ . <i>Inorganic Chemistry</i> , 2000, 39, 1790-1794.	4.0	20
167	Syntheses, Structures, and Properties of the Bis(cyclopentadienyl) Rare-Earth Imidodiphosphinochalcogenido Compounds $\text{Cp}_2\text{Ln}[\text{N}(\text{QPh}_2)_2]$ (Ln = La, Gd, Er, or Yb for Q = Se; Ln = Yb) <i>J. Solid State Chem.</i> 2000, 177, 1-13.	4.0	13
168	New Series $\text{CrLn}_8\text{Te}_{13}\text{Cl}$ (Ln = Sm, Gd, Tb): Pseudo-Misfit-Layer Compounds. <i>Inorganic Chemistry</i> , 2000, 39, 6136-6138.	4.0	4
169	Facile Syntheses and Structures of New Metal Maleonitrilediselenolates $[\text{K}(\text{[2.2.2]-cryptand})_3[\text{Ag}(\text{Se}_2\text{C}_2(\text{CN})_2)(\text{Se}_6)]$ , $[\text{K}(\text{[2.2.2]-cryptand})_2[\text{Ni}(\text{Se}_2\text{C}_2(\text{CN})_2)_2]$ , and $[\text{Ni}(\text{dppp})(\text{Se}_2\text{C}_2(\text{CN})_2)]$ . <i>Inorganic Chemistry</i> , 2000, 39, 1046-1048.	4.0	10
170	Synthesis and Characterization of Three New Rare-Earth Titanium Oxyselenides: $\text{Ln}_3\text{Ti}_2\text{O}_3\text{Se}_6$ (Ln = Y, Sm, Gd) <i>J. Solid State Chem.</i> 2000, 177, 1-13.	4.0	13
171	Structural Characterization of the Picket Fence (TpivPP) Porphyrins $\text{Co}(\text{TpivPP})$ , $\text{Co}(\text{TpivPP})(\text{NO}_2)(1\text{-Melm})$ , and $\text{Co}(\text{TpivPP})(\text{NO}_2)(1,2\text{-Me}_2\text{Im})$ . <i>Inorganic Chemistry</i> , 2000, 39, 3823-3827.	4.0	18
172	Syntheses, Structures, Physical Properties, and Theoretical Study of $\text{LaCu}_0.40\text{Te}_2$ , $\text{NdCu}_0.37\text{Te}_2$ , $\text{SmCu}_0.34\text{Te}_2$ , $\text{GdCu}_0.33\text{Te}_2$ , and $\text{DyCu}_0.32\text{Te}_2$ . <i>Journal of the American Chemical Society</i> , 2000, 122, 80-86.	13.7	42
173	Soluble Yttrium Chalcogenides: Syntheses, Structures, and NMR Properties of $\text{Y}[\mu_3\text{-N}(\text{SPh}_2)_2]_3$ and $\text{Y}[\mu_2\text{-N}(\text{SePh}_2)_2]_2[\mu_3\text{-N}(\text{SePh}_2)_2]$ . <i>Inorganic Chemistry</i> , 2000, 39, 1222-1226.	4.0	40
174	Syntheses and Structural Characterization of the (OCnOPor) Capped Porphyrins: $\text{Co}(\text{OC}_2\text{OPor})\text{CH}_2\text{Cl}_2$ , $\text{Co}(\text{OC}_2\text{OPor})(\text{NO})\text{CH}_2\text{Cl}_2$ , $\text{Co}(\text{OC}_3\text{OPor})\text{CHCl}_3$ , and $\text{Co}(\text{OC}_3\text{OPor})(\text{Melm})\text{CHCl}_3$ . <i>Inorganic Chemistry</i> , 2000, 39, 5796-5802.	4.0	14
175	The Related Compounds $\text{MThTe}_3$ (M = Mn, Mg) and $\text{ACuThSe}_3$ (A = K, Cs): Syntheses and Characterization. <i>Inorganic Chemistry</i> , 2000, 39, 688-691.	4.0	35
176	Octanuclear Rare-Earth Clusters. <i>Journal of Cluster Science</i> , 1999, 10, 71-90.	3.3	19
177	Synthesis and Characterization of a Series of Quaternary Chalcogenides $\text{BaLnMQ}_3$ (Ln=Rare Earth, Q=S, Se) <i>J. Solid State Chem.</i> 1999, 149, 1-13.	2.9	13
178	Syntheses, Structures, and Theoretical Study of $\text{LaCuSTe}$ and $\text{SmCuSTe}$ . <i>Inorganic Chemistry</i> , 1999, 38, 5978-5983.	4.0	22
179	Ternary and Quaternary Uranium and Thorium Chalcogenides. <i>Chemistry of Materials</i> , 1998, 10, 2811-2823.	6.7	50
180	$\text{Se}_2^{2-}$ , $\text{Se}_5^{2-}$ , and $\text{Se}_7^{2-}$ Ligands in $[\text{NEt}_4]_2[\text{As}_2\text{Se}_6]$ , $[\text{enH}][\text{AsSe}_6] \cdot 2.2.2\text{-cryptand}$ , $[\text{NEt}_4][\text{AsSe}_8]$ , and $[(\text{en})_2\text{In}(\text{SeAs}(\text{Se})\text{Se}_2)] \cdot \text{en}$ . <i>Inorganic Chemistry</i> , 1998, 37, 2340-2343.	4.0	43

#	ARTICLE	IF	CITATIONS
181	Syntheses, Crystal Structures, and Physical Properties of the New Thorium Chalcogenides $\text{CuTh}_2\text{Te}_6$ and $\text{SrTh}_2\text{Se}_5$ . <i>Inorganic Chemistry</i> , 1998, 37, 3798-3801.	4.0	42
182	Different Products from the Chemical and Electrochemical Reduction of $\text{K}(\text{2.2.2-cryptand})_2[\text{HgSe}_2]$ and $[\text{PPH}_4]_2[\text{Hg}(\text{Se}_4)_2]$ . <i>Inorganic Chemistry</i> , 1997, 36, 942-943.	4.0	13
183	Cocrystallized Mixtures and Multiple Geometries: Syntheses, Structures, and NMR Spectroscopy of the $\text{Re}_6$ Clusters $[\text{NMe}_4]_4[\text{Re}_6(\text{Te}_8\text{-nSe}_n)(\text{CN})_6]$ ( $n = 0\text{--}8$ ). <i>Journal of the American Chemical Society</i> , 1997, 119, 493-498.	13.7	133
184	Syntheses and Characterizations of the New Tetranuclear Rhenium Cluster Compounds $\text{Re}_4(\text{1/4-3-Q})_4(\text{TeCl}_2)_4\text{Cl}_8$ ( $\text{Q} = \text{S, Se, Te}$ ). <i>Inorganic Chemistry</i> , 1997, 36, 944-946.	4.0	55
185	Ta <sup>5+</sup> -Displacements in $\text{CsTaQ}_3$ ( $\text{Q} = \text{S, Se, and Te}$ ): A New One-Dimensional Materials with the $\text{BaVS}_3$ Structure. <i>Journal of the American Chemical Society</i> , 1997, 119, 5186-5192.	13.7	23
186	The New Octanuclear Europium Cluster $\text{Eu}_8(\text{DMF})_{13}(\text{1/4-O})(\text{1/4-OH})_{12}(\text{Se}_3)(\text{Se}_4)_2(\text{Se}_5)_2$ Comprising Oxo, Hydroxo, and Polyselenido Ligands. <i>Inorganic Chemistry</i> , 1997, 36, 3802-3803.	4.0	38
187	Synthesis and characterization of $\text{KTh}_2\text{Se}_6$ , $\text{KTh}_2\text{Te}_6$ and $\text{CsTh}_2\text{Se}_6$ . <i>Journal of Alloys and Compounds</i> , 1997, 255, 106-109.	5.5	31
188	Layered Ternary and Quaternary Metal Chalcogenides. <i>Chemische Berichte</i> , 1997, 130, 1-8.	0.2	62
189	Synthesis and Characterization of a New [4.0.4.0] Porphyrin-like Antiaromatic Macrocyclic. <i>Journal of Porphyrins and Phthalocyanines</i> , 1997, 01, 87-92.	0.8	13
190	Crystal structure of rubidium silver hafnium tritelluride, $\text{RbAgHfTe}_3$ . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 1997, 212, 92.	0.3	2
191	New Ternary Group-IV Tellurides with Extensive $\text{Te}^{\delta-}\text{Te}^{\delta+}$ Bonding: The Low-Dimensional Compounds $\text{Cs}_3\text{Ti}_3\text{Te}_{11}$ and $\text{Cs}_5\text{Hf}_5\text{Te}_{26}$ . <i>Chemistry of Materials</i> , 1996, 8, 1386-1390.	6.7	20
192	Structural Characterization of OC <sub>3</sub> OPor Capped Porphyrins: $\text{H}_2(\text{OC}_3\text{OPor})$ , $\text{Fe}(\text{OC}_3\text{OPor})(\text{Cl})$ , $\text{Fe}(\text{OC}_3\text{OPor})(\text{CO})(1\text{-Melm})$ , and $\text{Fe}(\text{OC}_3\text{OPor})(\text{CO})(1,2\text{-Me}_2\text{Im})$ . <i>Inorganic Chemistry</i> , 1996, 35, 3607-3613.	4.0	29
193	Synthesis and Characterization of Two Group 15 Selenometalates: $[\text{NEt}_4][\text{BiSe}_2]$ and $[\text{Ge}(\text{en})_3][\text{enH}][\text{SbSe}_4]$ . <i>Inorganic Chemistry</i> , 1996, 35, 4559-4562.	4.0	21
194	The New Inorganic Ligands $\text{TeCl}_2$ and $\text{TeBr}_2$ : Syntheses and Crystal Structures of $\text{Re}_6\text{Te}_6\text{Cl}_6(\text{TeCl}_2)_2$ and $[\text{Re}_6\text{Te}_8(\text{TeBr}_2)_6]\text{Br}_2$ . <i>Inorganic Chemistry</i> , 1996, 35, 2709-2710.	4.0	59
195	Four-Atom-Linked Capped Porphyrins: Synthesis and Characterization. <i>Journal of Organic Chemistry</i> , 1996, 61, 3298-3303.	3.2	29
196	Electrochemical Synthesis of $[\text{NEt}_4]_2[\text{enH}]_2[\text{Ge}_2\text{Se}_6]$ and $[\text{NEt}_4]_4[\text{Sn}_4\text{Se}_{10}]$ . <i>Inorganic Chemistry</i> , 1996, 35, 4555-4558.	4.0	46
197	Synthesis and Structure of the Layered Thorium Telluride $\text{CsTh}_2\text{Te}_6$ . <i>Inorganic Chemistry</i> , 1996, 35, 3836-3838.	4.0	48
198	Synthesis and structure of $\text{TiCuTiTe}_3$ . <i>Journal of Alloys and Compounds</i> , 1996, 240, 37-41.	5.5	22

#	ARTICLE	IF	CITATIONS
199	Syntheses, Structures, and Characterization of the Two-Dimensional Tellurides CsCu <sub>2</sub> MTe <sub>4</sub> (M = Nb, Tj) <i>ETQq1</i> 1 0.784314 <i>rgBT</i> / <i>Over</i>	2.9	4
200	Neue Tellurometallate von Gallium und Indium: K <sub>2</sub> [K([18]kroneâ€6)] <sub>2</sub> [GaTe <sub>3</sub> ] <sub>3</sub> $\hat{A}$ 2CH <sub>3</sub> CN und [(NEt <sub>4</sub> ) <sub>5</sub> ][In <sub>3</sub> Te <sub>7</sub> ] <sub>0.5</sub> Et <sub>2</sub> O. <i>Angewandte Chemie</i> , 1995, 107, 2044-2045.	2.0	4
201	Synthesis and Characterization of the New Rare-Earth/Transition-Metal Oxysulfides La <sub>6</sub> Ti <sub>2</sub> S <sub>8</sub> O <sub>5</sub> and La <sub>4</sub> Ti <sub>3</sub> S <sub>4</sub> O <sub>8</sub> . <i>Journal of Solid State Chemistry</i> , 1995, 114, 406-412.	2.9	32
202	Synthesis and Structure of Na <sub>2</sub> Cu <sub>2</sub> ZrS <sub>4</sub> . <i>Journal of Solid State Chemistry</i> , 1995, 117, 30-33.	2.9	15
203	Cs <sub>2</sub> Ag <sub>2</sub> ZrTe <sub>4</sub> : A New Layered Telluride Containing Tetrahedrally Coordinated Zirconium. <i>Journal of the American Chemical Society</i> , 1995, 117, 6284-6286.	13.7	19
204	Syntheses and Structures of the New Quaternary Group IV Tellurides Cs <sub>0.68</sub> CuTiTe <sub>4</sub> and Cs <sub>3</sub> CuHf <sub>2</sub> Te <sub>10</sub> . <i>Chemistry of Materials</i> , 1995, 7, 894-898.	6.7	9
205	New one-dimensional ternary and quaternary cesium-metal-tellurium compounds. <i>Journal of Alloys and Compounds</i> , 1995, 219, 59-62.	5.5	23
206	Reactions of [M(Se <sub>4</sub> ) <sub>2</sub> ] <sup>2-</sup> Anions with TePEt <sub>3</sub> : <sup>77</sup> Se and <sup>125</sup> Te Spectra of [MTenSe <sub>8-n</sub> ] <sup>2-</sup> (M = Zn, Cd, Hg; n) <i>ETQq0</i> 0 0 <i>rgBT</i> / <i>Over</i>	4.0	19
207	Uranium Tellurides: New One- and Two-Dimensional Compounds CsUTe <sub>6</sub> , CsTiUTe <sub>5</sub> , Cs <sub>8</sub> Hf <sub>5</sub> UTe <sub>30.6</sub> , and CsCuUTe <sub>3</sub> . <i>Inorganic Chemistry</i> , 1995, 34, 3165-3172.	4.0	88
208	Synthesis of the New Quaternary Sulfides K <sub>2</sub> Y <sub>4</sub> Sn <sub>2</sub> S <sub>11</sub> and BaLnAgS <sub>3</sub> (Ln = Er, Y, Gd) and the Structures of K <sub>2</sub> Y <sub>4</sub> Sn <sub>2</sub> S <sub>11</sub> and BaErAgS <sub>3</sub> . <i>Journal of Solid State Chemistry</i> , 1994, 110, 156-161.	2.9	30
209	New Quaternary Chalcogenides BaLnMQ <sub>3</sub> (Ln - Rare Earth; M = Cu, Ag; Q = S, Se). <i>Journal of Solid State Chemistry</i> , 1994, 110, 330-336.	2.9	87
210	New Quaternary Chalcogenides BaLnMQ <sub>3</sub> (Ln = Rare Earth or Sc; M = Cu, Ag; Q = S, Se). <i>Journal of Solid State Chemistry</i> , 1994, 110, 337-344.	2.9	80
211	Synthesis and Structure of the One-Dimensional Telluride Cs <sub>4</sub> Zr <sub>3</sub> Te <sub>16</sub> . <i>Inorganic Chemistry</i> , 1994, 33, 2713-2715.	4.0	20
212	Synthesis and Structures of the New Group IV Chalcogenides NaCuTiS <sub>3</sub> and NaCuZrQ <sub>3</sub> (Q = S, Se, Te). <i>Journal of Solid State Chemistry</i> , 1993, 105, 580-587.	2.9	48
213	Synthesis and Structures of the Quaternary Chalcogenides of the Type KLnMQ <sub>4</sub> (Ln = La, Nd, Gd, Y; M =) <i>ETQq1</i> 1 0.784314 <i>rgBT</i> / <i>Over</i>	2.9	60
214	Synthesis and characterization of the new 22â€ aromatic furanâ€containing macrocycle, â€œzaphyrinâ€; <i>Journal of Heterocyclic Chemistry</i> , 1993, 30, 1485-1490.	2.6	37
215	Synthesis of high-purity phthalocyanines (pc): high intrinsic conductivities in the molecular conductors H <sub>2</sub> (pc)I and Ni(pc)I. <i>Inorganic Chemistry</i> , 1993, 32, 3546-3553.	4.0	64
216	Alkali-Metal Substitution into Solid-State Chalcogenides: Effects on Dimensionality. <i>Comments on Inorganic Chemistry</i> , 1993, 14, 229-243.	5.2	35

#	ARTICLE	IF	CITATIONS
217	Metal-metal vs tellurium-tellurium bonding in WTe <sub>2</sub> and its ternary variants TaIrTe <sub>4</sub> and NbIrTe <sub>4</sub> . Journal of the American Chemical Society, 1992, 114, 8963-8971.	13.7	148
218	LaPbCuS <sub>3</sub> : Cu(I) insertion into the $\bar{1}\bar{1}$ -La <sub>2</sub> S <sub>3</sub> framework. Journal of Solid State Chemistry, 1992, 97, 377-382.	2.9	29
219	Synthesis, structure, and conductivity of the new group IV chalcogenides, KCuZrQ <sub>3</sub> (Q = S, Se, Te). Journal of Solid State Chemistry, 1992, 101, 257-264.	2.9	94
220	The Structure of C60: Orientational Disorder in the Low-Temperature Modification of C60. Angewandte Chemie International Edition in English, 1992, 31, 640-643.	4.4	216
221	The $[(\frac{1}{4}\text{WSe}_4)_3(\frac{1}{4}\text{Se})_2(\text{Cu}_3)_2]^{4-}$ Anion, an Inorganic Cluster with a Pin wheel Shape. Angewandte Chemie International Edition in English, 1992, 31, 1477-1478.	4.4	25
222	Das Anion $[(\frac{1}{4}\text{Cu}_3)_2(\frac{1}{4}\text{WSe}_4)_3(\frac{1}{4}\text{Se})_2]^{4-}$ , ein anorganischer Cluster mit Windradstruktur. Angewandte Chemie, 1992, 104, 1519-1520.	2.0	1
223	Synthesis of K <sub>4</sub> M <sub>3</sub> Te <sub>17</sub> (M = zirconium, hafnium) and the structure of potassium hafnium telluride, K <sub>4</sub> Hf <sub>3</sub> Te <sub>17</sub> , a new one-dimensional solid-state ternary polytelluride. Inorganic Chemistry, 1991, 30, 1327-1329.	4.0	40
224	Synthesis and characterization of the new quaternary one-dimensional chain materials, potassium copper niobium selenides, K <sub>2</sub> CuNbSe <sub>4</sub> and K <sub>3</sub> CuNb <sub>2</sub> Se <sub>12</sub> . Inorganic Chemistry, 1991, 30, 3317-3320.	4.0	49
225	Synthesis and characterization of the new quaternary two-dimensional materials KCu <sub>2</sub> NbQ <sub>4</sub> (Q = Se, Te). Journal of Solid State Chemistry, 1991, 97, 107-111.	2.9	9
226	Metal Carbonyl Complexes of Sapphyrins. Angewandte Chemie International Edition in English, 1991, 30, 91-93.	4.4	51
227	Syntheses and structures of K <sub>3</sub> MO <sub>4</sub> (M = niobium, tantalum; Q = sulfur, selenium). Inorganic Chemistry, 1990, 29, 1503-1505.	4.0	35
228	Synthesis and structure of Pr <sub>3</sub> InSe <sub>6</sub> . Journal of Solid State Chemistry, 1989, 79, 107-111.	2.9	9
229	Synthesis and characterization of sodium titanium selenide, Na <sub>2</sub> Ti <sub>2</sub> Se <sub>8</sub> , a new one-dimensional solid-state polyselenide. Inorganic Chemistry, 1988, 27, 549-551.	4.0	35
230	Synthesis of New Chalcogenide Materials. The Novel One-Dimensional Semiconductor K <sub>4</sub> Ti <sub>3</sub> S <sub>14</sub> . Materials Research Society Symposia Proceedings, 1987, 97, 391.	0.1	8
231	A new low-temperature route to metal polychalcogenides: solid-state synthesis of potassium titanium sulfide (K <sub>4</sub> Ti <sub>3</sub> S <sub>14</sub> ), a novel one-dimensional compound. Journal of the American Chemical Society, 1987, 109, 6202-6204.	13.7	213
232	Coordination chemistry and the solid state. Accounts of Chemical Research, 1987, 20, 395-400.	15.6	42
233	Synthesis and powder diffraction study of a pyrite-like phase in the Ir-Se system. Materials Research Bulletin, 1987, 22, 75-82.	5.2	11
234	Porphyritic Molecular Metals. Molecular Crystals and Liquid Crystals, 1985, 125, 1-11.	0.8	28



#	ARTICLE	IF	CITATIONS
235	Preparation, structures, and physical properties of two products from the iodination of (phthalocyaninato)iron(II). <i>Inorganic Chemistry</i> , 1985, 24, 2040-2046.	4.0	68
236	On Carbon Monoxide and Dioxygen Binding by Iron(II) Porphyrinato Systems. <i>Comments on Inorganic Chemistry</i> , 1983, 2, 97-126.	5.2	33
237	Stacked metal complexes: Structures and properties. <i>Structure and Bonding</i> , 1982, , 1-55.	1.0	55
238	Carrier Properties of Porphyrinic Molecular Metals. <i>Molecular Crystals and Liquid Crystals</i> , 1982, 81, 231-242.	0.8	15
239	Preparation, Structure, and Reactions of $Rh_2H_4(P(isopropyl)_3)_4$ . <i>Advances in Chemistry Series</i> , 1982, , 117-133.	0.6	17
240	Synthesis of some 5,10,15,20-tetraalkylchlorin and tetraalkylporphyrin complexes of transition metals. <i>Journal of Heterocyclic Chemistry</i> , 1982, 19, 409-413.	2.6	18
241	Effects on Cyclopropane Geometry of Aromatic Substituents in the Bisected Conformation. The Structures of Spiro[cyclopropane-1,9-difluorene] and 2,2-dichlorospiro[cyclopropane-1,9-difluorene]. <i>Israel Journal of Chemistry</i> , 1981, 21, 95-104.	2.3	8
242	Structure of Nitrosyltris(triphenylphosphine)rhodium, $Rh(NO)(P(C_6H_5)_3)_3$ . <i>Israel Journal of Chemistry</i> , 1976, 15, 143-148.	2.3	15
243	The synthesis of some substituted tetraarylporphyrins. <i>Journal of Heterocyclic Chemistry</i> , 1975, 12, 343-349.	2.6	278
244	Weak exchange in the Heisenberg linear chain: Structure and EPR of $[N(n-Bu)_4]_2[Cu(mnt)_2]$ . <i>Journal of Chemical Physics</i> , 1975, 63, 1926-1942.	3.0	76
245	Triplet Exciton EPR and Crystal Structure of $[TMPD^+]_2[Ni(mnt)_2]^{2-}$ . <i>Journal of Chemical Physics</i> , 1972, 56, 3490-3502.	3.0	59
246	Crystal Structure of $O_2PtF_6$ : A Neutron-Diffraction Study. <i>Journal of Chemical Physics</i> , 1966, 44, 1748-1752.	3.0	35
247	Direct Determination of the Effect of Isotopic Substitution on Bond Lengths in Solid Oxalic Acid Dihydrate. <i>Journal of Chemical Physics</i> , 1966, 45, 3451-3452.	3.0	7
248	Potential Function for the Stretching Region in Potassium Acid Fluoride. <i>Journal of Chemical Physics</i> , 1964, 41, 25-28.	3.0	72
249	Refinement of Peterson and Levy's Neutron Diffraction Data on $KHF_2$ . <i>Journal of Chemical Physics</i> , 1964, 40, 402-404.	3.0	96
250	Structure of Dibenzene Chromium. <i>Journal of Chemical Physics</i> , 1964, 40, 3129-3130.	3.0	25
251	Crystal and Molecular Structure of Titanium (IV) Ethoxide. <i>Nature</i> , 1963, 197, 686-687.	27.8	127
252	Xenon Tetrafluoride: Crystal Structure. <i>Science</i> , 1963, 139, 106-107.	12.6	40



#	ARTICLE	IF	CITATIONS
253	Nature of the Hydrogen Bond in Sodium Acid Fluoride. Journal of Chemical Physics, 1963, 39, 2677-2684.	3.0	86
254	A One-Dimensional Polychalcogenide, K <sub>4</sub> Ti <sub>3</sub> S <sub>14</sub> . Inorganic Syntheses, 0, , 84-85.	0.3	0