

Lung-Ming Fu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4991784/publications.pdf>

Version: 2024-02-01

148
papers

6,456
citations

71102

41
h-index

74163

75
g-index

151
all docs

151
docs citations

151
times ranked

5774
citing authors

#	ARTICLE	IF	CITATIONS
1	Rapid microfluidic analysis detection system for sodium dehydroacetate in foods. <i>Chemical Engineering Journal</i> , 2022, 427, 131530.	12.7	13
2	Microfluidic aptasensor POC device for determination of whole blood potassium. <i>Analytica Chimica Acta</i> , 2022, 1203, 339722.	5.4	13
3	Association between Enzyme-Linked Immunosorbent Assay-Measured Kidney Injury Markers and Urinary Cadmium Levels in Chronic Kidney Disease. <i>Journal of Clinical Medicine</i> , 2022, 11, 156.	2.4	13
4	Microfluidic Sliding Paper-Based Device for Point-of-Care Determination of Albumin-to-Creatine Ratio in Human Urine. <i>Biosensors</i> , 2022, 12, 496.	4.7	6
5	Microfluidic colorimetric analysis system for sodium benzoate detection in foods. <i>Food Chemistry</i> , 2021, 345, 128773.	8.2	26
6	Recent advances in lab-on-paper diagnostic devices using blood samples. <i>Lab on A Chip</i> , 2021, 21, 1433-1453.	6.0	28
7	Rapid electrochemical-biosensor microchip platform for determination of microalbuminuria in CKD patients. <i>Analytica Chimica Acta</i> , 2021, 1146, 70-76.	5.4	14
8	Design and Application of MEMS-Based Hall Sensor Array for Magnetic Field Mapping. <i>Micromachines</i> , 2021, 12, 299.	2.9	1
9	Recent Advances in Microfluidic Devices for Contamination Detection and Quality Inspection of Milk. <i>Micromachines</i> , 2021, 12, 558.	2.9	12
10	Lab-on-Paper Devices for Diagnosis of Human Diseases Using Urine Samples—A Review. <i>Biosensors</i> , 2021, 11, 260.	4.7	24
11	Microfluidic colorimetric detection platform with sliding hybrid PMMA/paper microchip for human urine and blood sample analysis. <i>Talanta</i> , 2021, 231, 122362.	5.5	20
12	Novel sliding hybrid microchip detection system for determination of whole blood phosphorus concentration. <i>Chemical Engineering Journal</i> , 2021, 419, 129592.	12.7	12
13	Recent advances in microfluidic paper-based assay devices for diagnosis of human diseases using saliva, tears and sweat samples. <i>Sensors and Actuators B: Chemical</i> , 2021, 342, 130078.	7.8	59
14	Process Optimization of Silver Nanoparticle Synthesis and Its Application in Mercury Detection. <i>Micromachines</i> , 2021, 12, 1123.	2.9	20
15	Effect of Substrate-Thickness on Voltage Responsivity of MEMS-Based ZnO Pyroelectric Infrared Sensors. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 9074.	2.5	3
16	Rapid detection of artificial sweeteners in food using microfluidic chromatography detection system. <i>Chemical Engineering Journal</i> , 2021, 425, 131528.	12.7	11
17	Levels of Phthalates, Bisphenol-A, Nonylphenol, and Microplastics in Fish in the Estuaries of Northern Taiwan and the Impact on Human Health. <i>Toxics</i> , 2021, 9, 246.	3.7	24
18	Design of an Integrated Microfluidic Paper-Based Chip and Inspection Machine for the Detection of Mercury in Food with Silver Nanoparticles. <i>Biosensors</i> , 2021, 11, 491.	4.7	6

#	ARTICLE	IF	CITATIONS
19	Microfluidic synthesis control technology and its application in drug delivery, bioimaging, biosensing, environmental analysis and cell analysis. <i>Chemical Engineering Journal</i> , 2020, 399, 125748.	12.7	73
20	Microfluidic detection platform with integrated micro-spectrometer system. <i>Chemical Engineering Journal</i> , 2020, 393, 124700.	12.7	25
21	Microfluidic colorimetric system for nitrite detection in foods. <i>Chemical Engineering Journal</i> , 2020, 398, 125573.	12.7	51
22	Microfluidic paper-based analytical devices for environmental analysis of soil, air, ecology and river water. <i>Sensors and Actuators B: Chemical</i> , 2019, 301, 126855.	7.8	125
23	Experimental study of particle electrophoresis in shear-thinning fluids. <i>Physics of Fluids</i> , 2019, 31, .	4.0	15
24	Multifunctional microchip-based distillation apparatus II - Aerated distillation for sulfur dioxide detection. <i>Analytica Chimica Acta</i> , 2019, 1071, 44-52.	5.4	18
25	Multifunctional microchip-based distillation apparatus I - Steam distillation for formaldehyde detection. <i>Analytica Chimica Acta</i> , 2019, 1062, 94-101.	5.4	20
26	A PET/paper chip platform for high resolution sulphur dioxide detection in foods. <i>Food Chemistry</i> , 2019, 286, 316-321.	8.2	40
27	Electroosmotic flow of non-Newtonian fluids in a constriction microchannel. <i>Electrophoresis</i> , 2019, 40, 1387-1394.	2.4	40
28	Micropumps and biomedical applications – A review. <i>Microelectronic Engineering</i> , 2018, 195, 121-138.	2.4	178
29	Recent advances and applications of micromixers. <i>Sensors and Actuators B: Chemical</i> , 2018, 259, 677-702.	7.8	190
30	Microfluidic paper-based chip platform for benzoic acid detection in food. <i>Food Chemistry</i> , 2018, 249, 162-167.	8.2	75
31	Microfluidic paper-based platform for whole blood creatinine detection. <i>Chemical Engineering Journal</i> , 2018, 348, 117-124.	12.7	81
32	Review and perspectives on microfluidic flow cytometers. <i>Sensors and Actuators B: Chemical</i> , 2018, 266, 26-45.	7.8	104
33	Sample preconcentration from dilute solutions on micro/nanofluidic platforms: A review. <i>Electrophoresis</i> , 2018, 39, 289-310.	2.4	50
34	Microfluidic paper-based chip platform for formaldehyde concentration detection. <i>Chemical Engineering Journal</i> , 2018, 332, 695-701.	12.7	48
35	Rapid microfluidic paper-based platform for low concentration formaldehyde detection. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 3623-3629.	7.8	69
36	An integrated microfluidic loop-mediated isothermal amplification platform for koi herpesvirus detection. <i>Chemical Engineering Journal</i> , 2018, 334, 1828-1834.	12.7	20

#	ARTICLE	IF	CITATIONS
37	Detection methods and applications of microfluidic paper-based analytical devices. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 107, 196-211.	11.4	194
38	A rapid paper-based detection system for determination of human serum albumin concentration. <i>Chemical Engineering Journal</i> , 2018, 352, 241-246.	12.7	48
39	Rapid Paper-Based System for Human Serum Creatinine Detection. <i>Inventions</i> , 2018, 3, 34.	2.5	19
40	Integrated microfluidic paper-based system for determination of whole blood albumin. <i>Sensors and Actuators B: Chemical</i> , 2018, 273, 1091-1097.	7.8	39
41	Rapid integrated microfluidic paper-based system for sulfur dioxide detection. <i>Chemical Engineering Journal</i> , 2017, 316, 790-796.	12.7	48
42	A comprehensive review of micro-distillation methods. <i>Chemical Engineering Journal</i> , 2017, 313, 1509-1520.	12.7	53
43	Micro-distillation system for formaldehyde concentration detection. <i>Chemical Engineering Journal</i> , 2016, 304, 419-425.	12.7	28
44	Passive mixers in microfluidic systems: A review. <i>Chemical Engineering Journal</i> , 2016, 288, 146-160.	12.7	399
45	Microfluidic distillation chip for methanol concentration detection. <i>Analytica Chimica Acta</i> , 2016, 912, 97-104.	5.4	13
46	Micro-magnetofluidics in microfluidic systems: A review. <i>Sensors and Actuators B: Chemical</i> , 2016, 224, 1-15.	7.8	158
47	Particles small angle forward-scattered light measurement based on photovoltaic cell microflow cytometer. <i>Electrophoresis</i> , 2014, 35, 337-344.	2.4	4
48	Integrated microfluidic array chip and LED photometer system for sulfur dioxide and methanol concentration detection. <i>Chemical Engineering Journal</i> , 2014, 243, 421-427.	12.7	22
49	Rapid vortex microfluidic mixer utilizing double-heart chamber. <i>Chemical Engineering Journal</i> , 2014, 249, 246-251.	12.7	26
50	MEMS-based humidity sensor based on thiol-coated gold nanoparticles. , 2014, , .		0
51	An integrated microfluidic chip for formaldehyde analysis in Chinese herbs. <i>Chemical Engineering Journal</i> , 2014, 244, 422-428.	12.7	30
52	Electrokinetic Sample Injection. , 2014, , 1-10.		2
53	Chaotic vortex micromixer utilizing gas pressure driving force. <i>Chemical Engineering Journal</i> , 2013, 214, 1-7.	12.7	28
54	Electrophoresis separation and electrochemical detection on a novel thread-based microfluidic device. <i>Microfluidics and Nanofluidics</i> , 2013, 14, 583-590.	2.2	39

#	ARTICLE	IF	CITATIONS
55	Rapid prototyping of glass-based microfluidic chips utilizing two-pass defocused CO2 laser beam method. <i>Microfluidics and Nanofluidics</i> , 2013, 14, 479-487.	2.2	47
56	Microfluidic rectifier based on poly(dimethylsiloxane) membrane and its application to a micropump. <i>Biomicrofluidics</i> , 2013, 7, 044118.	2.4	7
57	A Ferrofluidic Magnetic Micropump for Variable-Flow-Rate Applications. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 047201.	1.5	6
58	A hydrodynamic focusing microchannel based on micro-weir shear lift force. <i>Biomicrofluidics</i> , 2012, 6, 34110.	2.4	19
59	Convenient quantification of methanol concentration detection utilizing an integrated microfluidic chip. <i>Biomicrofluidics</i> , 2012, 6, 034111.	2.4	16
60	High-performance microfluidic rectifier based on sudden expansion channel with embedded block structure. <i>Biomicrofluidics</i> , 2012, 6, 024108.	2.4	25
61	Integrated microfluidic chip for rapid DNA digestion and time-resolved capillary electrophoresis analysis. <i>Biomicrofluidics</i> , 2012, 6, 12818-128111.	2.4	31
62	Optical microflow cytometer based on external total reflection. <i>Electrophoresis</i> , 2012, 33, 3229-3235.	2.4	11
63	Particle analysis and differentiation using a photovoltaic cell. <i>Journal of Micromechanics and Microengineering</i> , 2012, 22, 105023.	2.6	5
64	Capillary electrophoresis electrochemical (CE-EC) detection on a novel thread-based microfluidic device with 3D sensing electrodes. , 2012, , .		4
65	Distillation and detection of SO ₂ using a microfluidic chip. <i>Lab on A Chip</i> , 2012, 12, 622-626.	6.0	40
66	Formation of recirculation zones in a sudden expansion microchannel with a rectangular block structure over a wide Reynolds number range. <i>Microfluidics and Nanofluidics</i> , 2012, 12, 213-220.	2.2	18
67	Rapid Fabrication of Glass-Based Microfluidic Chips Utilizing a Femtosecond Laser. <i>Advanced Science Letters</i> , 2012, 8, 416-420.	0.2	4
68	Electromagnetic Actuator Utilizing Magnetic Film of Electroplated Alloy and Its Application to Valveless Pumps. <i>Advanced Science Letters</i> , 2012, 14, 244-248.	0.2	1
69	An Integrated Microfluidic Chip for Rapid Methanol Detection. <i>International Journal of Automation and Smart Technology</i> , 2012, 2, 21-27.	0.4	3
70	A Ferrofluidic Magnetic Micropump for Variable-Flow-Rate Applications. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 047201.	1.5	4
71	Rapid Detection of Methanol in an Integration Microfluidic Chip. <i>Key Engineering Materials</i> , 2011, 483, 364-369.	0.4	0
72	A micro gas sensor based on a WO ₃ thin film for aromatic hydrocarbon detection. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
73	Three-dimensional focusing for microflow cytometer with sequence micro-weir structures. , 2011, , .		0
74	Electrical current measurement based on Joule heating of micro-resistors. , 2011, , .		0
75	Microfluidic Mixing: A Review. International Journal of Molecular Sciences, 2011, 12, 3263-3287.	4.1	831
76	Microflow cytometer incorporating sequential micro-weir structure for three-dimensional focusing. Microfluidics and Nanofluidics, 2011, 11, 469-478.	2.2	36
77	Rapid glucose concentration detection utilizing disposable integrated microfluidic chip. Microfluidics and Nanofluidics, 2011, 11, 479-487.	2.2	40
78	Numerical analysis of a rapid magnetic microfluidic mixer. Electrophoresis, 2011, 32, 3268-3276.	2.4	60
79	Microfluidic flow meter and viscometer utilizing flow-induced vibration on an optic fiber cantilever. , 2011, , .		12
80	Magnetic Microfluidic Mixer. Key Engineering Materials, 2011, 483, 354-358.	0.4	1
81	Rapid Microfluidic Biochips Fabrication by Femtosecond Laser on Glass Substrate. Key Engineering Materials, 2011, 483, 359-363.	0.4	0
82	Experimental and Numerical Analysis of High-Resolution Injection Technique for Capillary Electrophoresis Microchip. International Journal of Molecular Sciences, 2011, 12, 3594-3605.	4.1	4
83	Rapid prototyping of PMMA microfluidic chips utilizing a CO2 laser. Microfluidics and Nanofluidics, 2010, 9, 1125-1133.	2.2	210
84	Novel flow cytometer utilizing wavelength-resolved detection under a diascopic illumination configuration. , 2010, , .		0
85	Design and Analysis of Impedance Pumps Utilizing Electromagnetic Actuation. Sensors, 2010, 10, 4040-4052.	3.8	23
86	High performance microfluidic rectifier utilizing self-induced virtual valves in a sudden expansion channel with a block structure. , 2010, , .		0
87	A MEMS-based Benzene Gas Sensor with a Self-heating WO3 Sensing Layer. Sensors, 2009, 9, 2895-2906.	3.8	73
88	Experimental and numerical investigation into micro-flow cytometer with 3D hydrodynamic focusing effect and micro-weir structure. Electrophoresis, 2009, 30, 2507-2515.	2.4	28
89	Rapid magnetic microfluidic mixer utilizing AC electromagnetic field. Electrophoresis, 2009, 30, 4179-4186.	2.4	98
90	A microcantilever-based gas flow sensor for flow rate and direction detection. Microsystem Technologies, 2009, 15, 1201-1205.	2.0	24

#	ARTICLE	IF	CITATIONS
91	Experimental and numerical investigation into the joule heating effect for electrokinetically driven microfluidic chips utilizing total internal reflection fluorescence microscopy. <i>Microfluidics and Nanofluidics</i> , 2009, 6, 499-507.	2.2	24
92	Design and characterization of MEMS-based flow-rate and flow-direction microsensors. <i>Microfluidics and Nanofluidics</i> , 2009, 6, 363-371.	2.2	32
93	MEMS-based gas flow sensors. <i>Microfluidics and Nanofluidics</i> , 2009, 6, 333-346.	2.2	138
94	Novel continuous particle sorting in microfluidic chip utilizing cascaded squeeze effect. <i>Microfluidics and Nanofluidics</i> , 2009, 7, 499-508.	2.2	27
95	Computational aero-acoustic analysis of a passenger car with a rear spoiler. <i>Applied Mathematical Modelling</i> , 2009, 33, 3661-3673.	4.2	43
96	Experimental and numerical investigations into high-voltage pulsed DC electric fields for enhancing CE chip performance. , 2009, , .		0
97	Fabrication and testing of high-performance detection sensor for capillary electrophoresis microchips. <i>Biomedical Microdevices</i> , 2008, 10, 73-80.	2.8	14
98	Improving the separation efficiency of DNA biosamples in capillary electrophoresis microchips using high-voltage pulsed DC electric fields. <i>Microfluidics and Nanofluidics</i> , 2008, 5, 403-410.	2.2	30
99	Enhanced sensing characteristics in MEMS-based formaldehyde gas sensors. <i>Microsystem Technologies</i> , 2008, 14, 995-1000.	2.0	25
100	A high-resolution microflow cytometer with microweir structure. <i>Electrophoresis</i> , 2008, 29, 1874-1880.	2.4	41
101	A low-leakage sample plug injection scheme for crossform microfluidic capillary electrophoresis devices incorporating a restricted cross-channel intersection. <i>Electrophoresis</i> , 2008, 29, 3135-3144.	2.4	2
102	Electrokinetic instability effects in microchannels with and without nanofilm coatings. <i>Electrophoresis</i> , 2008, 29, 4871-4879.	2.4	12
103	An optimal three-dimensional focusing technique for micro-flow cytometers. <i>Microfluidics and Nanofluidics</i> , 2008, 5, 827-836.	2.2	74
104	A microcantilever-based gas flow sensor for flow rate and direction detection. , 2008, , .		4
105	Design of Interactively Time-Pulsed Microfluidic Mixers in Microchips using Numerical Simulation. <i>Japanese Journal of Applied Physics</i> , 2007, 46, 420-429.	1.5	27
106	Design of High-resolution Analysis Technique for Capillary Electrophoresis Microchip. <i>Japanese Journal of Applied Physics</i> , 2007, 46, 6865-6870.	1.5	6
107	Rapid Microfluidic Mixers Utilizing Dispersion Effect and Interactively Time-Pulsed Injection. <i>Japanese Journal of Applied Physics</i> , 2007, 46, 5345.	1.5	17
108	Rapid circular microfluidic mixer utilizing unbalanced driving force. <i>Biomedical Microdevices</i> , 2007, 9, 43-50.	2.8	33

#	ARTICLE	IF	CITATIONS
109	A rapid DNA digestion system. <i>Biomedical Microdevices</i> , 2007, 9, 277-286.	2.8	45
110	High performance microfluidic capillary electrophoresis devices. <i>Biomedical Microdevices</i> , 2007, 9, 405-412.	2.8	19
111	Optimal configuration of capillary electrophoresis microchip with expansion chamber in separation channel. <i>Journal of Chromatography A</i> , 2006, 1121, 120-128.	3.7	11
112	Application of electrokinetic instability flow for enhanced micromixing in cross-shaped microchannel. <i>Biomedical Microdevices</i> , 2006, 8, 309-315.	2.8	62
113	Elastic-plastic modeling of heat-treated bimorph micro-cantilevers. <i>Microsystem Technologies</i> , 2006, 12, 979-986.	2.0	13
114	MEMS-based formaldehyde gas sensor integrated with a micro-hotplate. <i>Microsystem Technologies</i> , 2006, 12, 893-898.	2.0	32
115	Capabilities and limitations of 2-dimensional and 3-dimensional numerical methods in modeling the fluid flow in sudden expansion microchannels. <i>Microfluidics and Nanofluidics</i> , 2006, 3, 13-18.	2.2	55
116	Micromixer utilizing electrokinetic instability-induced shedding effect. <i>Electrophoresis</i> , 2006, 27, 4982-4990.	2.4	37
117	Experimental and numerical investigation into leakage effect in injectors of microfluidic devices. <i>Electrophoresis</i> , 2006, 27, 4991-4998.	2.4	16
118	Fabrication and characterization of semicircular detection electrodes for contactless conductivity detector μ CE microchips. <i>Electrophoresis</i> , 2006, 27, 5043-5050.	2.4	48
119	Numerical simulation of electrokinetic injection techniques in capillary electrophoresis microchips. <i>Electrophoresis</i> , 2005, 26, 674-686.	2.4	64
120	A novel microfluidic mixer utilizing electrokinetic driving forces under low switching frequency. <i>Electrophoresis</i> , 2005, 26, 1814-1824.	2.4	90
121	Experimental and numerical analysis of the geometry effects of low-dispersion turns in microfluidic systems. <i>Journal of Micromechanics and Microengineering</i> , 2005, 15, 377-385.	2.6	20
122	A Novel Microfabricated Formaldehyde Gas Sensor with NiO Thin Film. , 2005, , .		1
123	A rapid three-dimensional vortex micromixer utilizing self-rotation effects under low Reynolds number conditions. <i>Journal of Micromechanics and Microengineering</i> , 2005, 15, 935-943.	2.6	110
124	Electrokinetically driven active micro-mixers utilizing zeta potential variation induced by field effect. <i>Journal of Micromechanics and Microengineering</i> , 2004, 14, 1390-1398.	2.6	94
125	Dispersion control in microfluidic chips by localized zeta potential variation using the field effect. <i>Electrophoresis</i> , 2004, 25, 1879-1887.	2.4	29
126	High-resolution DNA separation in microcapillary electrophoresis chips utilizing double-L injection techniques. <i>Electrophoresis</i> , 2004, 25, 3652-3659.	2.4	33

#	ARTICLE	IF	CITATIONS
127	Electrokinetically driven micro flow cytometers with integrated fiber optics for on-line cell/particle detection. <i>Analytica Chimica Acta</i> , 2004, 507, 163-169.	5.4	188
128	Integrated optical-fiber capillary electrophoresis microchips with novel spin-on-glass surface modification. <i>Biosensors and Bioelectronics</i> , 2004, 20, 83-90.	10.1	43
129	Band spreading control in electrophoresis microchips by localized zeta-potential variation using field-effect. <i>Analyst, The</i> , 2004, 129, 931.	3.5	12
130	Vertical Focusing Device Utilizing Dielectrophoretic Force and Its Application on Microflow Cytometer. <i>Journal of Microelectromechanical Systems</i> , 2004, 13, 923-932.	2.5	84
131	Microfluidic T-Form Mixer Utilizing Switching Electroosmotic Flow. <i>Analytical Chemistry</i> , 2004, 76, 5265-5272.	6.5	85
132	Double-L injection technique for high performance capillary electrophoresis detection in microfluidic chips. <i>Journal of Micromechanics and Microengineering</i> , 2004, 14, 639-646.	2.6	29
133	Manipulation of Microparticles Using New Modes of Traveling-Wave-Dielectrophoretic Forces: Numerical Simulation and Experiments. <i>IEEE/ASME Transactions on Mechatronics</i> , 2004, 9, 377-383.	5.8	26
134	Multiple injection techniques for microfluidic sample handling. <i>Electrophoresis</i> , 2003, 24, 3026-3032.	2.4	41
135	Low-voltage driven control in electrophoresis microchips by traveling electric field. <i>Electrophoresis</i> , 2003, 24, 1253-1260.	2.4	30
136	Electrokinetic Focusing Injection Methods on Microfluidic Devices. <i>Analytical Chemistry</i> , 2003, 75, 1905-1910.	6.5	84
137	Numerical Analysis and Experimental Estimation of a Low-Leakage Injection Technique for Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2003, 75, 5790-5796.	6.5	50
138	Analysis of geometry effects on band spreading of microchip electrophoresis. <i>Electrophoresis</i> , 2002, 23, 602-612.	2.4	44
139	Variable-volume-injection methods using electrokinetic focusing on microfluidic chips. <i>Journal of Separation Science</i> , 2002, 25, 996-1010.	2.5	43
140	MÑ—N micro flow switches using electrokinetic forces. , 0, , .		2
141	Low azeotropic solvent sealing of PMMA microfluidic devices. , 0, , .		1
142	A novel dispersion control in CE chips by /spl seta/-potential variation using field-effect. , 0, , .		0
143	A novel pinched-switching T-form mixer for fast DNA digestion. , 0, , .		0
144	Continuous Particle Sorting Utilizing Cascade Squeeze-Jumping Effect Under Microfluidic Configuration. , 0, , .		0

#	ARTICLE	IF	CITATIONS
145	Design and Fabrication of Micro Oxygen Sensor. Key Engineering Materials, 0, 483, 237-242.	0.4	0
146	Numerical Simulation of Electromagnetic Actuator for Impedance Pumping. Key Engineering Materials, 0, 483, 305-310.	0.4	2
147	Design and Fabrication of PDMS/PMMA-Based Rotary Micropump. Applied Mechanics and Materials, 0, 829, 29-34.	0.2	2
148	Experimental and Numerical Investigation into Mixing Efficiency of Micromixers with Different Geometric Barriers. Materials Science Forum, 0, , 391-396.	0.3	1