

L Stefan Lohmander

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4993029/publications.pdf>

Version: 2024-02-01

434
papers

48,623
citations

2975

93
h-index

1755

212
g-index

448
all docs

448
docs citations

448
times ranked

22838
citing authors

#	ARTICLE	IF	CITATIONS
1	Safety, Pharmacokinetics, and Pharmacodynamics of the ADAMTSâ€™ Inhibitor GLPG1972/S201086 in Healthy Volunteers and Participants With Osteoarthritis of the Knee or Hip. <i>Clinical Pharmacology in Drug Development</i> , 2022, 11, 112-122.	1.6	10
2	Digitally Delivered Exercise and Education Treatment Program for Low Back Pain: Longitudinal Observational Cohort Study. <i>JMIR Rehabilitation and Assistive Technologies</i> , 2022, 9, e38084.	2.2	5
3	Benefits and Harms of Interventions With Surgery Compared to Interventions Without Surgery for Musculoskeletal Conditions: A Systematic Review With Meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022, 52, 312-344.	3.5	5
4	Technical performance of a proximity extension assay inflammation biomarker panel with synovial fluid. <i>Osteoarthritis and Cartilage Open</i> , 2022, 4, 100293.	2.0	6
5	Is There Any Role for Opioids in the Management of Knee and Hip Osteoarthritis? A Systematic Review and Meta-analysis. <i>Arthritis Care and Research</i> , 2021, 73, 1413-1424.	3.4	21
6	Towards classification criteria for early-stage knee osteoarthritis: A population-based study to enrich for progressors. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 285-291.	3.4	23
7	Is there a reason to challenge our current practice in childrenâ€™s forearm fractures?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 127-128.	3.3	1
8	Less improvement following meniscal repair compared with arthroscopic partial meniscectomy: a prospective cohort study of patient-reported outcomes in 150 young adults at 1- and 5-yearsâ€™ follow-up. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 589-596.	3.3	6
9	Early anterior cruciate ligament reconstruction does not affect 5 year change in knee cartilage thickness: secondary analysis of a randomized clinical trial. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 518-526.	1.3	8
10	Development of MRI-defined Structural Tissue Damage after Anterior Cruciate Ligament Injury over 5 Years: The KANON Study. <i>Radiology</i> , 2021, 299, 383-393.	7.3	11
11	Exploring translational gaps between basic scientists, clinical researchers, clinicians, and consumers: Proceedings and recommendations arising from the 2020 mine the gap online workshop. <i>Osteoarthritis and Cartilage Open</i> , 2021, 3, 100163.	2.0	1
12	Osteoarthritis Research Society International (OARSI): Past, present and future. <i>Osteoarthritis and Cartilage Open</i> , 2021, 3, 100146.	2.0	1
13	Is meniscal status in the anterior cruciate ligament injured knee associated with change in bone surface area? An exploratory analysis of the KANON trial. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 841-848.	1.3	3
14	Early-stage symptomatic osteoarthritis of the knee â€” time for action. <i>Nature Reviews Rheumatology</i> , 2021, 17, 621-632.	8.0	131
15	What an earlier recognition of osteoarthritis can do for OA prevention. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 1632-1634.	1.3	9
16	Importance of patellofemoral and tibiofemoral cartilage lesions on trajectory of self-reported outcomes in patients at high risk of knee OA: 4â€™6 years follow-up of patients undergoing meniscal surgery. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 1291-1295.	1.3	1
17	Understanding when and how joint injury leads to osteoarthritis. <i>Lancet Rheumatology</i> , The, 2021, 3, e611-e612.	3.9	1
18	Placebo comparator group selection and use in surgical trials: the ASPIRE project including expert workshop. <i>Health Technology Assessment</i> , 2021, 25, 1-52.	2.8	6

#	ARTICLE	IF	CITATIONS
19	Placebo Surgery Controlled Trials. <i>Annals of Surgery</i> , 2021, 273, 1102-1107.	4.2	5
20	Factors Underlying Patient and Surgeon Willingness to Participate in a Placebo Surgery Controlled trial. <i>Annals of Surgery Open</i> , 2021, 2, e104.	1.4	1
21	Efficacy and cost-effectiveness of Stem Cell injections for symptomatic relief and structural improvement in people with Tibiofemoral knee Osteoarthritis: protocol for a randomised placebo-controlled trial (the SCULPTOR trial). <i>BMJ Open</i> , 2021, 11, e056382.	1.9	10
22	Wild goose chase – no predictable patient subgroups benefit from meniscal surgery: patient-reported outcomes of 641 patients 1 year after surgery. <i>British Journal of Sports Medicine</i> , 2020, 54, 13-22.	6.7	20
23	Three steps to changing the narrative about knee osteoarthritis care: a call to action. <i>British Journal of Sports Medicine</i> , 2020, 54, 256-258.	6.7	37
24	Costing analysis of a digital first-line treatment platform for patients with knee and hip osteoarthritis in Sweden. <i>PLoS ONE</i> , 2020, 15, e0236342.	2.5	20
25	Surgical or non-surgical treatment of traumatic skeletal fractures in adults: systematic review and meta-analysis of benefits and harms. <i>Systematic Reviews</i> , 2020, 9, 179.	5.3	12
26	Higher aggrecan 1-F21 epitope concentration in synovial fluid early after anterior cruciate ligament injury is associated with worse knee cartilage quality assessed by gadolinium enhanced magnetic resonance imaging 20% years later. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 798.	1.9	1
27	Improving osteoarthritis care by digital means - Effects of a digital self-management program after 24- or 48-weeks of treatment. <i>PLoS ONE</i> , 2020, 15, e0229783.	2.5	48
28	Fracture risk after three bariatric surgery procedures in Swedish obese subjects: up to 26 years follow-up of a controlled intervention study. <i>Journal of Internal Medicine</i> , 2020, 287, 546-557.	6.0	50
29	The Surgeon's Role in the Opioid Crisis: A Narrative Review and Call to Action. <i>Frontiers in Surgery</i> , 2020, 7, 4.	1.4	23
30	Considerations and methods for placebo controls in surgical trials (ASPIRE guidelines). <i>Lancet</i> , The, 2020, 395, 828-838.	13.7	54
31	Sharing data – taming the beast: barriers to meta-analyses of individual patient data (IPD) and solutions. <i>British Journal of Sports Medicine</i> , 2020, 54, 822-824.	6.7	4
32	Molecular and imaging biomarkers of local inflammation at 2 years after anterior cruciate ligament injury do not associate with patient reported outcomes at 5 years. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 356-362.	1.3	7
33	Does early anterior cruciate ligament reconstruction prevent development of meniscal damage? Results from a secondary analysis of a randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2020, 54, 612-617.	6.7	12
34	Title is missing!. , 2020, 15, e0229783.		0
35	Title is missing!. , 2020, 15, e0229783.		0
36	Title is missing!. , 2020, 15, e0229783.		0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0229783.		0
38	Title is missing!. , 2020, 15, e0236342.		0
39	Title is missing!. , 2020, 15, e0236342.		0
40	Title is missing!. , 2020, 15, e0236342.		0
41	Title is missing!. , 2020, 15, e0236342.		0
42	Molecular and Structural Biomarkers of Inflammation at Two Years After Acute Anterior Cruciate Ligament Injury Do Not Predict Structural Knee Osteoarthritis at Five Years. Arthritis and Rheumatology, 2019, 71, 238-243.	5.6	23
43	Towards prevention of post-traumatic osteoarthritis: report from an international expert working group on considerations for the design and conduct of interventional studies following acute knee injury. Osteoarthritis and Cartilage, 2019, 27, 23-33.	1.3	39
44	Association of specific meniscal pathologies and other structural pathologies with self-reported mechanical symptoms: A cross-sectional study of 566 patients undergoing meniscal surgery. Journal of Science and Medicine in Sport, 2019, 22, 151-157.	1.3	4
45	The importance of getting it right the first time. Osteoarthritis and Cartilage, 2019, 27, 1405-1407.	1.3	2
46	OARSI guidelines for the non-surgical management of knee, hip, and polyarticular osteoarthritis. Osteoarthritis and Cartilage, 2019, 27, 1578-1589.	1.3	1,746
47	Reply. Arthritis and Rheumatology, 2019, 71, 1588-1588.	5.6	0
48	Establishing outcome measures in early knee osteoarthritis. Nature Reviews Rheumatology, 2019, 15, 438-448.	8.0	88
49	Does early reconstruction of the anterior cruciate ligament prevent further meniscal damage? Secondary analysis of randomized controlled trial. Osteoarthritis and Cartilage, 2019, 27, S86-S87.	1.3	1
50	No association between local levels of molecular biomarkers and knee cartilage volumes early after anterior cruciate ligament injury. Osteoarthritis and Cartilage, 2019, 27, S70-S71.	1.3	0
51	It is good to feel better, but better to feel good: whether a patient finds treatment "successful" or not depends on the questions researchers ask. British Journal of Sports Medicine, 2019, 53, 1474-1478.	6.7	42
52	Spatial distribution of longitudinal cartilage thickness change in anterior and posterior cruciate ligament injury compared to healthy athletic controls. Osteoarthritis and Cartilage, 2019, 27, S55-S56.	1.3	1
53	CWAS of bone size yields twelve loci that also affect height, BMD, osteoarthritis or fractures. Nature Communications, 2019, 10, 2054.	12.8	74
54	Prevalence of self-reported knee instability in patients with meniscal tears with and without concomitant knee osteoarthritis. Osteoarthritis and Cartilage, 2019, 27, S469-S470.	1.3	0

#	ARTICLE	IF	CITATIONS
55	Disease modification in OA " will we ever get there?. <i>Nature Reviews Rheumatology</i> , 2019, 15, 133-135.	8.0	11
56	Loss of patellofemoral cartilage thickness over 5 years following ACL injury depends on the initial treatment strategy: results from the KANON trial. <i>British Journal of Sports Medicine</i> , 2019, 53, 1168-1173.	6.7	30
57	Understanding the role of diabetes in the osteoarthritis disease and treatment process: a study protocol for the Swedish Osteoarthritis and Diabetes (SOAD) cohort. <i>BMJ Open</i> , 2019, 9, e032923.	1.9	1
58	9"Change in patient-reported outcomes following meniscal repair compared with resection in young adults: secondary analyses from a prospective cohort study. , 2019, , .		0
59	Conundrum of mechanical knee symptoms: signifying feature of a meniscal tear?. <i>British Journal of Sports Medicine</i> , 2019, 53, 299-303.	6.7	12
60	Marked and rapid change of bone shape in acutely ACL injured knees " an exploratory analysis of the Kanon trial. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 638-645.	1.3	31
61	Temporal trend and regional disparity in osteoarthritis hospitalisations in Sweden 1998"2015. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 53-60.	2.3	8
62	Better outcome from arthroscopic partial meniscectomy than skin incisions only? A sham-controlled randomised trial in patients aged 35"55 years with knee pain and an MRI-verified meniscal tear. <i>BMJ Open</i> , 2018, 8, e019461.	1.9	35
63	Harmonising measures of knee and hip osteoarthritis in population-based cohort studies: an international study. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 872-879.	1.3	20
64	Low risk for hip fracture and high risk for hip arthroplasty due to osteoarthritis among Swedish farmers. <i>Osteoporosis International</i> , 2018, 29, 741-749.	3.1	11
65	Response to: "Different glucosamine sulfate products generate different outcomes on osteoarthritis symptoms"™ by Reginster <i>et al</i>. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, e40-e40.	0.9	0
66	High and rising burden of hip and knee osteoarthritis in the Nordic region, 1990"2015. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 177-183.	3.3	66
67	Toward classification criteria for early osteoarthritis of the knee. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 47, 457-463.	3.4	124
68	Î±1-Microglobulin Protects Against Bleeding-Induced Oxidative Damage in Knee Arthropathies. <i>Frontiers in Physiology</i> , 2018, 9, 1596.	2.8	2
69	4"Change in patient-reported outcomes in patients with and without mechanical symptoms undergoing arthroscopic meniscal surgery: a prospective cohort study. , 2018, , .		0
70	Hip complaints differ across age and sex: a population-based reference data for the Hip disability and Osteoarthritis Outcome Score (HOOS). <i>Health and Quality of Life Outcomes</i> , 2018, 16, 200.	2.4	8
71	Change in patient-reported outcomes in patients with and without mechanical symptoms undergoing arthroscopic meniscal surgery: A prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1008-1016.	1.3	12
72	Molecular and structural biomarkers of local inflammation at 2 years after anterior cruciate ligament injury do not associate with patient reported outcomes at 5 years. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S51-S52.	1.3	0

#	ARTICLE	IF	CITATIONS
73	ADAMTS-5 inhibitor GLPG1972, a potential new treatment in osteoarthritis, shows favorable safety, pharmacokinetics and pharmacodynamics in healthy subjects. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S310.	1.3	11
74	Development and internal validation of a prognostic model to predict change in patient-reported outcomes 1 year following arthroscopic meniscal surgery. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S402-S403.	1.3	0
75	Factors associated with the orthopaedic surgeon's decision to recommend total joint replacement in hip and knee osteoarthritis: an international cross-sectional study of 1905 patients. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1311-1318.	1.3	23
76	SP0060â€¦Eular recommendations for the use of imaging in mechanical low back pain. , 2018, , .		0
77	Structural pathology is not related to patient-reported pain and function in patients undergoing meniscal surgery. <i>British Journal of Sports Medicine</i> , 2017, 51, 525-530.	6.7	39
78	Surgical reconstruction of ruptured anterior cruciate ligament prolongs trauma-induced increase of inflammatory cytokines in synovial fluid: an exploratory analysis in the KANON trial. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1443-1451.	1.3	68
79	Delaying ACL reconstruction and treating with exercise therapy alone may alter prognostic factors for 5-year outcome: an exploratory analysis of the KANON trial. <i>British Journal of Sports Medicine</i> , 2017, 51, 1622-1629.	6.7	64
80	Whole-genome sequencing identifies rare genotypes in COMP and CHADL associated with high risk of hip osteoarthritis. <i>Nature Genetics</i> , 2017, 49, 801-805.	21.4	75
81	Variations in pain and function before and after total knee arthroplasty: a comparison between Swedish and Australian cohorts. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 885-891.	1.3	17
82	Whole genome sequencing finds rare high-risk genotypes for hip osteoarthritis in the COMP and CHADL genes. <i>Osteoarthritis and Cartilage</i> , 2017, 25, S37-S38.	1.3	1
83	3D Knee Bone Shape Predisposes to ACL Rupture: Data from the Osteoarthritis Initiative and the Kanon Study. <i>Osteoarthritis and Cartilage</i> , 2017, 25, S237-S238.	1.3	0
84	Diagnostic Value of Self-Reported Mechanical Symptoms for Diagnosing Large Meniscal Tears in Patients Aged 40 Years or Older With Meniscal Tears. <i>Osteoarthritis and Cartilage</i> , 2017, 25, S281-S282.	1.3	0
85	Changes in synovial fluid and serum concentrations of cartilage oligomeric matrix protein over five years after anterior cruciate ligament rupture. <i>Osteoarthritis and Cartilage</i> , 2017, 25, S55-S56.	1.3	0
86	Subgroup analyses of the effectiveness of oral glucosamine for knee and hip osteoarthritis: a systematic review and individual patient data meta-analysis from the OA trial bank. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1862-1869.	0.9	82
87	Middle-aged patients with an MRI-verified medial meniscal tear report symptoms commonly associated with knee osteoarthritis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 664-669.	3.3	23
88	Association between statin use and consultation or surgery for osteoarthritis of the hip or knee: a pooled analysis of four cohort studies. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1804-1813.	1.3	25
89	Posttraumatic Bone Marrow Lesion Volume and Knee Pain Within 4 Weeks After Anterior Cruciate Ligament Injury. <i>Journal of Athletic Training</i> , 2017, 52, 575-580.	1.8	9
90	Signs of knee osteoarthritis common in 620 patients undergoing arthroscopic surgery for meniscal tear. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 90-95.	3.3	33

#	ARTICLE	IF	CITATIONS
91	Socioeconomic inequalities in knee pain, knee osteoarthritis, and health-related quality of life: a population-based cohort study in southern Sweden. <i>Scandinavian Journal of Rheumatology</i> , 2017, 46, 143-151.	1.1	34
92	Coculture of bovine cartilage with synovium and fibrous joint capsule increases aggrecanase and matrix metalloproteinase activity. <i>Arthritis Research and Therapy</i> , 2017, 19, 157.	3.5	17
93	Patient reported outcomes in patients undergoing arthroscopic partial meniscectomy for traumatic or degenerative meniscal tears: comparative prospective cohort study. <i>BMJ: British Medical Journal</i> , 2017, 356, j356.	2.3	65
94	The evidence base for orthopaedics and sports medicine: scandalously poor in parts. <i>British Journal of Sports Medicine</i> , 2016, 50, 564-565.	6.7	10
95	No economic benefit of early knee reconstruction over optional delayed reconstruction for ACL tears: registry enriched randomised controlled trial data. <i>British Journal of Sports Medicine</i> , 2016, 50, 558-563.	6.7	29
96	The complement system is activated in synovial fluid from subjects with knee injury and from patients with osteoarthritis. <i>Arthritis Research and Therapy</i> , 2016, 18, 223.	3.5	69
97	Acknowledgement to Reviewers 2015. <i>Osteoarthritis and Cartilage</i> , 2016, 24, iv-ix.	1.3	0
98	Measuring the variation between self-reported osteoarthritis pain assessments. <i>Osteoarthritis and Cartilage</i> , 2016, 24, S8.	1.3	4
99	Clinical algorithms to aid osteoarthritis guideline dissemination. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1487-1499.	1.3	47
100	Prolonged trauma-induced increase of inflammatory cytokines in synovial fluid after surgical reconstruction of anterior cruciate ligament ruptures compared to rehabilitation alone: an exploratory analysis in the kanon trial. <i>Osteoarthritis and Cartilage</i> , 2016, 24, S330-S331.	1.3	1
101	Cross-cultural validation of the ICOAP and physical function short forms of the HOOS and KOOS in a multi-country study of patients with hip and knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 2077-2081.	1.3	17
102	Association of knee pain and different definitions of knee osteoarthritis with health-related quality of life: a population-based cohort study in southern Sweden. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 121.	2.4	45
103	Structural effects of sprifermin in knee osteoarthritis: a post-hoc analysis on cartilage and non-cartilaginous tissue alterations in a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 267.	1.9	38
104	Routine knee arthroscopic surgery for the painful knee in middle-aged and old patientsâ€”time to abandon ship. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 2-4.	3.3	20
105	The effect of anterior cruciate ligament reconstruction on the area of subchondral bone covered by cartilage. <i>Osteoarthritis and Cartilage</i> , 2016, 24, S271.	1.3	0
106	Osteoarthritis of the knee after meniscal resection: long term radiographic evaluation of disease progression. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 794-800.	1.3	43
107	Changes in knee joint load indices from before to 12 months after arthroscopic partial meniscectomy: a prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1153-1159.	1.3	49
108	The OA Trial Bank: meta-analysis of individual patient data from knee and hip osteoarthritis trials show that patients with severe pain exhibit greater benefit from intra-articular glucocorticoids. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1143-1152.	1.3	84

#	ARTICLE	IF	CITATIONS
109	Interleukin-6 and tumor necrosis factor alpha in synovial fluid are associated with progression of radiographic knee osteoarthritis in subjects with previous meniscectomy. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1906-1914.	1.3	115
110	Authors' reply to Chitnavis. <i>BMJ, The</i> , 2015, 350, h431-h431.	6.0	0
111	Type II collagen C2C epitope in human synovial fluid and serum after knee injury – associations with molecular and structural markers of injury. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1506-1512.	1.3	40
112	Large regional differences in incidence of arthroscopic meniscal procedures in the public and private sector in Denmark. <i>BMJ Open</i> , 2015, 5, e006659-e006659.	1.9	20
113	Effect of Weight Maintenance on Symptoms of Knee Osteoarthritis in Obese Patients: A Twelve-Month Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2015, 67, 640-650.	3.4	79
114	Acknowledgement to Reviewers 2014. <i>Osteoarthritis and Cartilage</i> , 2015, 23, iii-viii.	1.3	0
115	The evidence base for orthopaedics and sports medicine. <i>BMJ, The</i> , 2015, 350, g7835-g7835.	6.0	32
116	Changes in ARGS-aggrecan, C-terminal type II and N-terminal type I collagen telopeptides, and cytokine concentrations over five years after anterior cruciate ligament injury. <i>Osteoarthritis and Cartilage</i> , 2015, 23, A52.	1.3	1
117	Treatment for acute anterior cruciate ligament tear: five year outcome of randomised trial. <i>British Journal of Sports Medicine</i> , 2015, 49, 700-700.	6.7	51
118	Surgery, cartilage injury and patient-reported measures within 4 weeks of ACL rupture are associated with 5 year outcome: Exploratory analysis of the KANON trial. <i>Osteoarthritis and Cartilage</i> , 2015, 23, A274-A275.	1.3	0
119	Changes in knee joint loading indices from before to 12 month after arthroscopic partial medial meniscectomy. <i>Osteoarthritis and Cartilage</i> , 2015, 23, A96.	1.3	0
120	Interleukin-6 and tumor necrosis factor alpha in synovial fluid are associated with progression of radiographic osteoarthritis in subjects with previous meniscectomy. <i>Osteoarthritis and Cartilage</i> , 2015, 23, A50-A51.	1.3	2
121	Greater quality of exercise therapy interventions in arthroscopic surgery trials for degenerative knee disease increases the pain relief. <i>Osteoarthritis and Cartilage</i> , 2015, 23, A36.	1.3	0
122	Call for standardized definitions of osteoarthritis and risk stratification for clinical trials and clinical use. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1233-1241.	1.3	416
123	Changes in Cytokines and Aggrecan ARGS Neoepitope in Synovial Fluid and Serum and in C-terminal Crosslinking Telopeptide of Type II Collagen and N-terminal Crosslinking Telopeptide of Type I Collagen in Urine Over Five Years After Anterior Cruciate Ligament Rupture: An Exploratory Analysis in the Knee Anterior Cruciate Ligament, Nonsurgical Versus Surgical Treatment Trial. <i>Arthritis and Rheumatology</i> , 2015, 67, 1816-1825.	5.6	85
124	OARSI Clinical Trials Recommendations: Soluble biomarker assessments in clinical trials in osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 686-697.	1.3	67
125	OARSI Clinical Trials Recommendations: Design and conduct of clinical trials of surgical interventions for osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 798-802.	1.3	5
126	OARSI Clinical Trials Recommendations: Design and conduct of clinical trials for primary prevention of osteoarthritis by joint injury prevention in sport and recreation. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 815-825.	1.3	22

#	ARTICLE	IF	CITATIONS
127	Prevalence of knee pain and knee OA in southern Sweden and the proportion that seeks medical care. <i>Rheumatology</i> , 2015, 54, 827-835.	1.9	105
128	Arthroscopic surgery for degenerative knee: systematic review and meta-analysis of benefits and harms. <i>British Journal of Sports Medicine</i> , 2015, 49, 1229-1235.	6.7	188
129	Arthroscopic surgery for degenerative knee: systematic review and meta-analysis of benefits and harms. <i>BMJ, The</i> , 2015, 350, h2747-h2747.	6.0	260
130	A more correct interpretation. <i>Cmaj</i> , 2015, 187, 358.1-358.	2.0	0
131	Motives for sports participation as predictors of self-reported outcomes after anterior cruciate ligament injury of the knee. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015, 25, 435-440.	2.9	17
132	Five-Year Followup of Knee Joint Cartilage Thickness Changes After Acute Rupture of the Anterior Cruciate Ligament. <i>Arthritis and Rheumatology</i> , 2015, 67, 152-161.	5.6	68
133	Large increase in arthroscopic meniscus surgery in the middle-aged and older population in Denmark from 2000 to 2011. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 287-292.	3.3	137
134	A meta-analysis of genome-wide association studies identifies novel variants associated with osteoarthritis of the hip. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 2130-2136.	0.9	108
135	The association between muscle perfusion assessed by dynamic contrast enhanced magnetic resonance imaging and knee related pain and function in patients with knee osteoarthritis: an exploratory cross sectional study. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S326-S327.	1.3	0
136	The relation between serum comp and cilp concentrations and mri subregional cartilage thickness change over the first five years after acute acl injury – data from the kanon-trial. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S354-S355.	1.3	0
137	Acknowledgement to Reviewers 2013. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1-6.	1.3	6
138	Does joint capsule and synovial fluid contain proteases capable of degrading aggrecan?. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S136-S137.	1.3	1
139	Response to Letter to the Editor entitled “Comments on OARSI guidelines for the non-surgical management of knee osteoarthritis”. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 890-891.	1.3	15
140	Knee pain and inflammation in the infrapatellar fat pad estimated by conventional and dynamic contrast-enhanced magnetic resonance imaging in obese patients with osteoarthritis: A cross-sectional study. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 933-940.	1.3	86
141	An ARGS-aggrecan assay for analysis in blood and synovial fluid. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 242-249.	1.3	31
142	Psychometric Properties of the Foot and Ankle Outcome Score in a Community-Based Study of Adults With and Without Osteoarthritis. <i>Arthritis Care and Research</i> , 2014, 66, 395-403.	3.4	41
143	Intraarticular Sprifermin (Recombinant Human Fibroblast Growth Factor 18) in Knee Osteoarthritis: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Arthritis and Rheumatology</i> , 2014, 66, 1820-1831.	5.6	220
144	OARSI guidelines for the non-surgical management of knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 363-388.	1.3	2,298

#	ARTICLE	IF	CITATIONS
145	Does post-injury ACL reconstruction prevent future OA?. <i>Nature Reviews Rheumatology</i> , 2014, 10, 577-578.	8.0	21
146	Current and future impact of osteoarthritis on health care: a population-based study with projections to year 2032. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1826-1832.	1.3	322
147	Severe osteoarthritis of the hand associates with common variants within the ALDH1A2 gene and with rare variants at 1p31. <i>Nature Genetics</i> , 2014, 46, 498-502.	21.4	136
148	The challenge of recruiting patients into a placebo-controlled surgical trial. <i>Trials</i> , 2014, 15, 167.	1.6	25
149	The OA trial bank: meta-analysis of individual patient data show that patients with severe pain or with inflammatory signs detected by ultrasound especially benefit from intra-articular glucocorticoids for knee or hip OA. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S474-S475.	1.3	1
150	Subregional but not total plate cartilage change differ between early and late follow-up after anterior cruciate ligament rupture. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S266-S267.	1.3	1
151	Structural changes in the knee during weight loss maintenance after a significant weight loss in obese patients with osteoarthritis: a report of secondary outcome analyses from a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 639-646.	1.3	24
152	Knee joint loading indices before and 3 months after arthroscopic partial medial meniscectomy. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S114-S115.	1.3	2
153	Large post-traumatic bone marrow lesions after ACL injury are not associated with knee pain and symptoms within 4 weeks of injury. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S178.	1.3	1
154	ARGS-aggrecan quantification in synovial fluid, serum, plasma and urine - an assay validation. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S48.	1.3	0
155	Anterior Cruciate Ligament OsteoArthritis Score (ACLOAS): Longitudinal MRI-based whole joint assessment of anterior cruciate ligament injury. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 668-682.	1.3	76
156	Time dependent difference in synovial fluid and serum type II collagen biomarker C2C after knee injury – a cross-sectional study. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S32.	1.3	1
157	The effect of anterior cruciate ligament injury on bone curvature: exploratory analysis in the KANON trial. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 959-968.	1.3	31
158	Does the meniscal symptom index include the symptoms most important for middle-aged patients with degenerative meniscal tears eligible for surgery?. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S469.	1.3	1
159	Individual patient data meta-analysis of trials investigating the effectiveness of intra-articular glucocorticoid injections in patients with knee or hip osteoarthritis: an OA Trial Bank protocol for a systematic review. <i>Systematic Reviews</i> , 2013, 2, 54.	5.3	25
160	Arthroscopic partial meniscectomy in middle-aged patients with mild or no knee osteoarthritis: a protocol for a double-blind, randomized sham-controlled multi-centre trial. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 71.	1.9	42
161	Correlations between radiographic assessments and MRI features of knee osteoarthritis – a cross-sectional study. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 535-543.	1.3	28
162	TNF- α is elevated in synovial fluid of patients with an anterior cruciate ligament rupture 5 years after the injury. Pro-inflammatory cytokines in synovial fluid and serum – a prospective longitudinal study. <i>Osteoarthritis and Cartilage</i> , 2013, 21, S72-S73.	1.3	0

#	ARTICLE	IF	CITATIONS
163	The effect of anterior cruciate ligament injury on bone curvature over 5 years: the Kanon trial. <i>Osteoarthritis and Cartilage</i> , 2013, 21, S138-S139.	1.3	1
164	Memoriam: Dick Heinegård 1942-2013. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 889-891.	1.3	0
165	Republished research: Treatment for acute anterior cruciate ligament tear: five year outcome of randomised trial. <i>British Journal of Sports Medicine</i> , 2013, 47, 373-373.	6.7	17
166	Is increased joint loading detrimental to obese patients with knee osteoarthritis? A secondary data analysis from a randomized trial. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1865-1875.	1.3	18
167	EULAR recommendations for the non-pharmacological core management of hip and knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1125-1135.	0.9	1,033
168	Does cartilage thickness change differ between ACL deficient knees with and without reconstruction surgery. <i>Osteoarthritis and Cartilage</i> , 2013, 21, S33-S34.	1.3	2
169	Tenascin-C levels in synovial fluid are elevated after injury to the human and canine joint and correlate with markers of inflammation and matrix degradation. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 339-345.	1.3	39
170	Characterization of nitrotyrosine as a biomarker for arthritis and joint injury. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 151-156.	1.3	39
171	The association between metacarpal ratio, radiographic hand and knee osteoarthritis and its progression after meniscectomy. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1053-1057.	1.3	1
172	Expert Panels: Can They Be Trusted?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 1127-1128.	2.7	0
173	Acknowledgement to Reviewers 2012. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1-6.	1.3	4
174	Treatment for acute anterior cruciate ligament tear: five year outcome of randomised trial. <i>BMJ</i> , The, 2013, 346, f232-f232.	6.0	369
175	Knee Arthroscopy Cohort Southern Denmark (KACS): protocol for a prospective cohort study. <i>BMJ Open</i> , 2013, 3, e003399.	1.9	29
176	Authors' response to editorial by Levy and colleagues on treating ACL injuries in young moderately active adults. <i>BMJ</i> , The, 2013, 346, f2082-f2082.	6.0	2
177	Clinical Trials in Orthopaedics and the Future Direction of Clinical Investigations for Femoroacetabular Impingement. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2013, 21, S47-S52.	2.5	4
178	Clinical Trials in Orthopaedics and the Future Direction of Clinical Investigations for Femoroacetabular Impingement. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2013, 21, S47-S52.	2.5	4
179	More on Treatment for Acute Anterior Cruciate Ligament Tears. <i>New England Journal of Medicine</i> , 2012, 367, 279-279.	27.0	2
180	Aggrecanase cleavage in juvenile idiopathic arthritis patients is minimally detected in the aggrecan interglobular domain but robust at the aggrecan C-terminus. <i>Arthritis and Rheumatism</i> , 2012, 64, 4151-4161.	6.7	12

#	ARTICLE	IF	CITATIONS
181	High tibial osteotomy in Sweden, 1998–2007. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 244-248.	3.3	86
182	Effect of leisure time physical activity on severe knee or hip osteoarthritis leading to total joint replacement: a population-based prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 73.	1.9	43
183	Osteoarthritis year 2012 in review. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1439.	1.3	4
184	The association between radiographic severity and pre-operative function in patients undergoing primary knee replacement for osteoarthritis. <i>Knee</i> , 2012, 19, 860-865.	1.6	37
185	Osteoarthritis year 2011 in review. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 191.	1.3	0
186	The association between changes in synovial fluid levels of ARGS-aggrecan fragments, progression of radiographic osteoarthritis and self-reported outcomes: a cohort study. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 388-395.	1.3	29
187	Minimally clinically important improvement: all non-responders are not really non-responders an illustration from total knee replacement. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 364-367.	1.3	21
188	Is increased joint loading detrimental to knee osteoarthritis in obese patients? a secondary data analysis from a randomized trial. <i>Osteoarthritis and Cartilage</i> , 2012, 20, S105-S106.	1.3	0
189	Co-incubation of bovine cartilage explants with joint capsule increases aggrecan proteolysis, while mechanical injury alone does not affect the degradation. <i>Osteoarthritis and Cartilage</i> , 2012, 20, S123-S124.	1.3	0
190	The challenges of recruiting patients into a sham surgery trial. <i>Osteoarthritis and Cartilage</i> , 2012, 20, S173-S174.	1.3	1
191	Cartilage loss during symptomatic maintenance after a clinically significant weight loss in obese osteoarthritis patients: a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2012, 20, S29-S30.	1.3	0
192	Weight loss is effective for symptomatic relief in obese subjects with knee osteoarthritis independently of joint damage severity assessed by high-field MRI and radiography. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 495-502.	1.3	93
193	Responsiveness of the OARSI–OMERACT osteoarthritis pain and function measures. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 541-547.	1.3	36
194	Prediction of progression of radiographic knee osteoarthritis using tibial trabecular bone texture. <i>Arthritis and Rheumatism</i> , 2012, 64, 688-695.	6.7	55
195	Overtreatment of cruciate ligament injuries. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 122-123.	3.3	1
196	Who should have knee joint replacement surgery for osteoarthritis?. <i>International Journal of Rheumatic Diseases</i> , 2011, 14, 175-180.	1.9	87
197	Meta-analysis of genome-wide association studies confirms a susceptibility locus for knee osteoarthritis on chromosome 7q22. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 349-355.	0.9	126
198	Application of biomarkers in the development of drugs intended for the treatment of osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 515-542.	1.3	267

#	ARTICLE	IF	CITATIONS
199	The role of pain and functional impairment in the decision to recommend total joint replacement in hip and knee osteoarthritis: an international cross-sectional study of 1909 patients. Report of the OARSI-OMERACT Task Force on total joint replacement. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 147-154.	1.3	162
200	Recommendations for standardization and phenotype definitions in genetic studies of osteoarthritis: the TREAT-OA consortium. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 254-264.	1.3	82
201	Elevated aggrecanase activity in a rat model of joint injury is attenuated by an aggrecanase specific inhibitor. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 315-323.	1.3	75
202	Osteoarthritis year 2010 in review. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 337.	1.3	1
203	Human aggrecanase generated synovial fluid fragment levels are elevated directly after knee injuries due to proteolysis both in the inter globular and chondroitin sulfate domains. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 1047-1057.	1.3	36
204	Ten recommendations for <i>Osteoarthritis and Cartilage</i> (OAC) manuscript preparation, common for all types of studies. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 1079-1080.	1.3	3
205	217 COMPARISON OF SYNOVIAL FLUID ARGS CONCENTRATIONS AT BASELINE AND ONE-YEAR POST-ACL RECONSTRUCTION COMPARED TO HEALTHY, MATCHED CONTROLS. <i>Osteoarthritis and Cartilage</i> , 2011, 19, S106-S107.	1.3	0
206	Natural history of radiographic hip osteoarthritis: A retrospective cohort study with 11â€“28 years of followup. <i>Arthritis Care and Research</i> , 2011, 63, 689-695.	3.4	17
207	The appropriate use of non-steroidal anti-inflammatory drugs in rheumatic disease: opinions of a multidisciplinary European expert panel. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 818-822.	0.9	72
208	A Missense Mutation in the Aggrecan C-type Lectin Domain Disrupts Extracellular Matrix Interactions and Causes Dominant Familial Osteochondritis Dissecans. <i>American Journal of Human Genetics</i> , 2010, 86, 126-137.	6.2	140
209	371 GENERIC AND DISEASE-SPECIFIC HEALTH-RELATED QUALITY OF LIFE -A SWEDISH POPULATION-BASED STUDY ON CHRONIC KNEE PAIN AND KNEE OSTEOARTHRITIS. <i>Osteoarthritis and Cartilage</i> , 2010, 18, S163-S164.	1.3	2
210	Differences in trabecular bone texture between knees with and without radiographic osteoarthritis detected by directional fractal signature method. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 684-690.	1.3	46
211	OARSI recommendations for the management of hip and knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 476-499.	1.3	1,330
212	Comparing two low-energy diets for the treatment of knee osteoarthritis symptoms in obese patients: a pragmatic randomized clinical trial. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 746-754.	1.3	107
213	Natural history of radiographic features of hand osteoarthritis over 10 years. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 917-922.	1.3	21
214	Evaluating the responsiveness of the ICOAP following hip or knee replacement. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 1043-1045.	1.3	38
215	Whatâ€™s in a number or in a picture?. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 1003-1005.	1.3	1
216	Acknowledgement to Reviewers 2010. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 1547-1551.	1.3	1

#	ARTICLE	IF	CITATIONS
217	The association between hip fracture and hip osteoarthritis: A case-control study. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 274.	1.9	33
218	EULAR evidence-based recommendations for the diagnosis of knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 483-489.	0.9	499
219	Association between synovial fluid levels of aggrecan ARGS fragments and radiographic progression in knee osteoarthritis. <i>Arthritis Research and Therapy</i> , 2010, 12, R230.	3.5	39
220	Association between occupation and knee and hip replacement due to osteoarthritis: a case-control study. <i>Arthritis Research and Therapy</i> , 2010, 12, R102.	3.5	42
221	A Randomized Trial of Treatment for Acute Anterior Cruciate Ligament Tears. <i>New England Journal of Medicine</i> , 2010, 363, 331-342.	27.0	686
222	Incidence of severe knee and hip osteoarthritis in relation to different measures of body mass: a population-based prospective cohort study. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 490-496.	0.9	304
223	EULAR evidence-based recommendations for the diagnosis of hand osteoarthritis: report of a task force of ESCISIT. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 8-17.	0.9	324
224	Sex differences in the association between body mass index and total hip or knee joint replacement resulting from osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 536-540.	0.9	49
225	The acutely ACL injured knee assessed by MRI: changes in joint fluid, bone marrow lesions, and cartilage during the first year. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 161-167.	1.3	133
226	C-reactive protein, metabolic syndrome and incidence of severe hip and knee osteoarthritis. A population-based cohort study. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 168-173.	1.3	154
227	Resistin is elevated following traumatic joint injury and causes matrix degradation and release of inflammatory cytokines from articular cartilage in vitro. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 613-620.	1.3	107
228	Western blot quantification of aggrecan fragments in human synovial fluid indicates differences in fragment patterns between joint diseases. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 497-506.	1.3	34
229	Comparative, validity and responsiveness of the HOOS-PS and KOOS-PS to the WOMAC physical function subscale in total joint replacement for Osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 843-847.	1.3	135
230	Whither osteoarthritis biomarkers?. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 419-422.	1.3	33
231	Multi-language translation and cross-cultural adaptation of the OARSI/OMERACT measure of intermittent and constant osteoarthritis pain (ICOAP). <i>Osteoarthritis and Cartilage</i> , 2009, 17, 1293-1296.	1.3	38
232	Psychometric properties of the French translation of the reduced KOOS and HOOS (KOOS-PS and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.3	32
233	Acknowledgement to Reviewers 2009. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 1529-1533.	1.3	2
234	Choosing surgery: patients' preferences within a trial of treatments for anterior cruciate ligament injury. A qualitative study. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 100.	1.9	45

#	ARTICLE	IF	CITATIONS
235	Variations in the pre-operative status of patients coming to primary hip replacement for osteoarthritis in European orthopaedic centres. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 19.	1.9	98
236	Synovial fluid level of aggrecan ARGS fragments is a more sensitive marker of joint disease than glycosaminoglycan or aggrecan levels: a cross-sectional study. <i>Arthritis Research and Therapy</i> , 2009, 11, R92.	3.5	82
237	The Meniscus in Knee Osteoarthritis. <i>Rheumatic Disease Clinics of North America</i> , 2009, 35, 579-590.	1.9	121
238	The Role of the Meniscus in Knee Osteoarthritis: a Cause or Consequence?. <i>Radiologic Clinics of North America</i> , 2009, 47, 703-712.	1.8	188
239	OARSI/OMERACT Criteria of Being Considered a Candidate for Total Joint Replacement in Knee/Hip Osteoarthritis as an Endpoint in Clinical Trials Evaluating Potential Disease Modifying Osteoarthritic Drugs. <i>Journal of Rheumatology</i> , 2009, 36, 2097-2099.	2.0	32
240	What are the Outcomes after Joint Replacement?. , 2009, , 87-90.		0
241	Posttraumatic OA Yields Best Chance for Prevention. <i>Family Practice News</i> , 2009, 39, 37.	0.0	0
242	Differences in trabecular bone texture between knees with and without radiographic osteoarthritis detected by fractal methods. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 323-329.	1.3	59
243	The acutely ACL injured knee assessed by MRI: are large volume traumatic bone marrow lesions a sign of severe compression injury?. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 829-836.	1.3	98
244	OARSI recommendations for the management of hip and knee osteoarthritis, Part II: OARSI evidence-based, expert consensus guidelines. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 137-162.	1.3	2,316
245	The development of a short measure of physical function for knee OA KOOS-Physical Function Shortform (KOOS-PS) – an OARSI/OMERACT initiative. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 542-550.	1.3	219
246	The development of a short measure of physical function for hip OA HOOS-Physical Function Shortform (HOOS-PS): an OARSI/OMERACT initiative. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 551-559.	1.3	156
247	Change and continuity. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 741.	1.3	0
248	Change in self-reported outcomes and objective physical function over 7 years in middle-aged subjects with or at high risk of knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 505-510.	0.9	50
249	Biochemical Markers as Surrogate End Points of Joint Disease. , 2008, , 249-274.		5
250	EULAR evidence based recommendations for the management of hand osteoarthritis: Report of a Task Force of the EULAR Standing Committee for International Clinical Studies Including Therapeutics (ESCSIT). <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 377-388.	0.9	738
251	Can treatment with risedronate benefit patients with knee osteoarthritis?. <i>Nature Clinical Practice Rheumatology</i> , 2007, 3, 198-199.	3.2	6
252	The challenge of recruiting patients with anterior cruciate ligament injury of the knee into a randomized clinical trial comparing surgical and non-surgical treatment. <i>Contemporary Clinical Trials</i> , 2007, 28, 295-302.	1.8	58

#	ARTICLE	IF	CITATIONS
253	Clinical update: treating osteoarthritis. <i>Lancet, The</i> , 2007, 370, 2082-2084.	13.7	113
254	The Long-term Consequence of Anterior Cruciate Ligament and Meniscus Injuries. <i>American Journal of Sports Medicine</i> , 2007, 35, 1756-1769.	4.2	1,871
255	OARSI recommendations for the management of hip and knee osteoarthritis, Part I: Critical appraisal of existing treatment guidelines and systematic review of current research evidence. <i>Osteoarthritis and Cartilage</i> , 2007, 15, 981-1000.	1.3	685
256	Development of draft validation criteria for a soluble biomarker to be regarded as a valid biomarker reflecting structural damage endpoints in rheumatoid arthritis and spondyloarthritis clinical trials. <i>Journal of Rheumatology</i> , 2007, 34, 634-40.	2.0	12
257	OMERACT/OARSI initiative to define states of severity and indication for joint replacement in hip and knee osteoarthritis. <i>Journal of Rheumatology</i> , 2007, 34, 1432-5.	2.0	74
258	Standardized incidence rates of total hip replacement for primary hip osteoarthritis in the 5 Nordic countries: similarities and differences. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2006, 77, 733-740.	3.3	62
259	Meniscectomy and osteoarthritis: what is the cause and what is the effect?. <i>Future Rheumatology</i> , 2006, 1, 207-215.	0.2	12
260	Acute rotational trauma to the knee: poor agreement between clinical assessment and magnetic resonance imaging findings. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2006, 17, 061120070736044-???	2.9	129
261	Human osteoarthritis synovial fluid and joint cartilage contain both aggrecanase- and matrix metalloproteinase-generated aggrecan fragments. <i>Osteoarthritis and Cartilage</i> , 2006, 14, 101-113.	1.3	177
262	Development and characterization of a highly specific and sensitive sandwich ELISA for detection of aggrecanase-generated aggrecan fragments. <i>Osteoarthritis and Cartilage</i> , 2006, 14, 702-713.	1.3	62
263	An integrated analysis of five double-blind, randomized controlled trials evaluating the safety and efficacy of a hyaluronan product for intra-articular injection in osteoarthritis of the knee. <i>Osteoarthritis and Cartilage</i> , 2006, 14, 859-866.	1.3	63
264	Estimation of the identity of proteolytic aggrecan fragments using PAGE migration and Western immunoblot. <i>Osteoarthritis and Cartilage</i> , 2006, 14, 898-905.	1.3	16
265	MRI and non-cartilaginous structures in knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2006, 14, 87-94.	1.3	109
266	Knee complaints vary with age and gender in the adult population. Population-based reference data for the Knee injury and Osteoarthritis Outcome Score (KOOS). <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 38.	1.9	262
267	Is the lateral-view radiograph the optimal tool for assessing tibiofemoral joint space in knee osteoarthritis?. <i>Nature Clinical Practice Rheumatology</i> , 2006, 2, 248-249.	3.2	0
268	Non-steroidal anti-inflammatory drugs after hip replacement. <i>BMJ: British Medical Journal</i> , 2006, 333, 507-508.	2.3	9
269	Greater reduction of knee than hip pain in osteoarthritis treated with naproxen, as evaluated by WOMAC and SF-36. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 781-784.	0.9	39
270	Erratum. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 448.	3.0	0

#	ARTICLE	IF	CITATIONS
271	Use of the plasma stromelysin (matrix metalloproteinase 3) concentration to predict joint space narrowing in knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2005, 52, 3160-3167.	6.7	69
272	EULAR evidence based recommendations for the management of hip osteoarthritis: report of a task force of the EULAR Standing Committee for International Clinical Studies Including Therapeutics (ESCSIT). <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 669-681.	0.9	704
273	Patellofemoral osteoarthritis coexistent with tibiofemoral osteoarthritis in a meniscectomy population. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1721-1726.	0.9	98
274	MMP protein and activity levels in synovial fluid from patients with joint injury, inflammatory arthritis, and osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 694-698.	0.9	181
275	Pathogenesis and management of pain in osteoarthritis. <i>Lancet, The</i> , 2005, 365, 965-973.	13.7	934
276	Prevalence of self-reported hip disorders, relations to age, gender, pain, stiffness, weakness and other joint disorders. <i>Advances in Physiotherapy</i> , 2005, 7, 108-113.	0.2	7
277	The effect of patient characteristics on variability in pain and function over two years in early knee osteoarthritis. <i>Health and Quality of Life Outcomes</i> , 2005, 3, 59.	2.4	56
278	Concomitant therapy: an outcome variable for musculoskeletal disorders? Part 2: total joint replacement in osteoarthritis trials. <i>Journal of Rheumatology</i> , 2005, 32, 2449-51.	2.0	21
279	A randomised, placebo controlled, comparative trial of the gastrointestinal safety and efficacy of AZD3582 versus naproxen in osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2004, 64, 449-456.	0.9	85
280	Can we identify a "high risk" patient profile to determine who will experience rapid progression of osteoarthritis? Supported by the Swedish Research Council (Medicine) and NIH AR47785.. <i>Osteoarthritis and Cartilage</i> , 2004, 12, 49-52.	1.3	73
281	Measurement of structural progression in osteoarthritis of the hip: the Barcelona consensus group Supported by an unrestricted grant from NEGMA-LERADS Laboratories.. <i>Osteoarthritis and Cartilage</i> , 2004, 12, 515-524.	1.3	88
282	Association of radiographic hand osteoarthritis with radiographic knee osteoarthritis after meniscectomy. <i>Arthritis and Rheumatism</i> , 2004, 50, 469-475.	6.7	97
283	Risk factors for symptomatic knee osteoarthritis fifteen to twenty-two years after meniscectomy. <i>Arthritis and Rheumatism</i> , 2004, 50, 2811-2819.	6.7	468
284	High prevalence of knee osteoarthritis, pain, and functional limitations in female soccer players twelve years after anterior cruciate ligament injury. <i>Arthritis and Rheumatism</i> , 2004, 50, 3145-3152.	6.7	1,210
285	Similar group mean scores, but large individual variations, in patient-relevant outcomes over 2 years in meniscectomized subjects with and without radiographic knee osteoarthritis. <i>Health and Quality of Life Outcomes</i> , 2004, 2, 38.	2.4	25
286	Markers of altered metabolism in osteoarthritis. <i>Journal of rheumatology Supplement, The</i> , 2004, 70, 28-35.	2.2	25
287	No bias of ignored bilaterality when analysing the revision risk of knee prostheses: Analysis of a population based sample of 44,590 patients with 55,298 knee prostheses from the national Swedish Knee Arthroplasty Register. <i>BMC Musculoskeletal Disorders</i> , 2003, 4, 1.	1.9	144
288	Hip disability and osteoarthritis outcome score (HOOS) " validity and responsiveness in total hip replacement. <i>BMC Musculoskeletal Disorders</i> , 2003, 4, 10.	1.9	772

#	ARTICLE	IF	CITATIONS
289	Revision and complication rates in 654 Exeter total hip replacements, with a maximum follow-up of 20 years. <i>BMC Musculoskeletal Disorders</i> , 2003, 4, 6.	1.9	30
290	Impact of type of meniscal tear on radiographic and symptomatic knee osteoarthritis: A sixteen-year followup of meniscectomy with matched controls. <i>Arthritis and Rheumatism</i> , 2003, 48, 2178-2187.	6.7	510
291	The release of crosslinked peptides from type II collagen into human synovial fluid is increased soon after joint injury and in osteoarthritis. <i>Arthritis and Rheumatism</i> , 2003, 48, 3130-3139.	6.7	230
292	Patient relevant outcomes after total hip replacement. A comparison between different surgical techniques. <i>Health and Quality of Life Outcomes</i> , 2003, 1, 21.	2.4	19
293	The Knee injury and Osteoarthritis Outcome Score (KOOS): from joint injury to osteoarthritis. <i>Health and Quality of Life Outcomes</i> , 2003, 1, 64.	2.4	1,594
294	Predictors of patient relevant outcome after total hip replacement for osteoarthritis: a prospective study. <i>Annals of the Rheumatic Diseases</i> , 2003, 62, 923-930.	0.9	225
295	EULAR Recommendations 2003: an evidence based approach to the management of knee osteoarthritis: Report of a Task Force of the Standing Committee for International Clinical Studies Including Therapeutic Trials (ESCISIT). <i>Annals of the Rheumatic Diseases</i> , 2003, 62, 1145-1155.	0.9	1,661
296	Pathology and Animal Models of Osteoarthritis. , 2003, , 104-112.		0
297	Age and waiting time as predictors of outcome after total hip replacement for osteoarthritis. <i>British Journal of Rheumatology</i> , 2002, 41, 1261-1267.	2.3	141
298	Comparison of two hyaluronan drugs and placebo in patients with knee osteoarthritis. A controlled, randomized, double-blind, parallel-design multicentre study. <i>British Journal of Rheumatology</i> , 2002, 41, 1240-1248.	2.3	186
299	Comparative responsiveness of measures of pain and function after total hip replacement. <i>Arthritis and Rheumatism</i> , 2001, 45, 258-262.	6.7	76
300	A large Icelandic family with early osteoarthritis of the hip associated with a susceptibility locus on chromosome 16p. <i>Arthritis and Rheumatism</i> , 2001, 44, 2548-2555.	6.7	72
301	Long-term outcome of meniscectomy: symptoms, function, and performance tests in patients with or without radiographic osteoarthritis compared to matched controls. <i>Osteoarthritis and Cartilage</i> , 2001, 9, 316-324.	1.3	192
302	Patient-relevant outcomes fourteen years after meniscectomy: influence of type of meniscal tear and size of resection. <i>Rheumatology</i> , 2001, 40, 631-639.	1.9	235
303	Radiographic stage of osteoarthritis or sex of the patient does not predict one year outcome after total hip arthroplasty. <i>Annals of the Rheumatic Diseases</i> , 2001, 60, 228-232.	0.9	67
304	Decline after immobilisation and recovery after remobilisation of synovial fluid IL1, TIMP, and chondroitin sulphate levels in young beagle dogs. <i>Annals of the Rheumatic Diseases</i> , 2001, 60, 55-60.	0.9	86
305	Comparative responsiveness of measures of pain and function after total hip replacement. <i>Arthritis and Rheumatism</i> , 2001, 45, 258-262.	6.7	1
306	EULAR recommendations for the management of knee osteoarthritis: report of a task force of the Standing Committee for International Clinical Studies Including Therapeutic Trials (ESCISIT). <i>Annals of the Rheumatic Diseases</i> , 2000, 59, 936-944.	0.9	458

#	ARTICLE	IF	CITATIONS
307	The inheritance of hip osteoarthritis in Iceland. <i>Arthritis and Rheumatism</i> , 2000, 43, 2785-2792.	6.7	60
308	Markers of joint tissue turnover in joint fluids from hips with osteonecrosis of the femoral head. <i>Journal of Orthopaedic Research</i> , 2000, 18, 728-733.	2.3	20
309	Assessment of primary hip osteoarthritis: comparison of radiographic methods using colon radiographs. <i>Annals of the Rheumatic Diseases</i> , 2000, 59, 650-653.	0.9	37
310	What can we do about osteoarthritis?. <i>Arthritis Research</i> , 2000, 2, 95.	2.0	41
311	Substantial disability 3 months after arthroscopic partial meniscectomy: A prospective study of patient-relevant outcomes. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2000, 16, 619-626.	2.7	90
312	Total meniscectomy in adolescence. A thirty-year follow-up. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2000, 82, 217-21.	3.4	158
313	Prevalence of hip osteoarthritis in Iceland. <i>Annals of the Rheumatic Diseases</i> , 1999, 58, 201-207.	0.9	60
314	Knee replacement surgery for osteoarthritis: effectiveness, practice variations, indications and possible determinants of utilization. <i>Rheumatology</i> , 1999, 38, 73-83.	1.9	187
315	WOMAC Osteoarthritis Index – additional dimensions for use in subjects with post-traumatic osteoarthritis of the knee. <i>Osteoarthritis and Cartilage</i> , 1999, 7, 216-221.	1.3	137
316	New perspectives in diagnosis and therapy of osteoarthritis – papers presented at the International Workshop of the Department of Orthopaedic Surgery at the University of Ulm, Germany, 11 – 12 November 1996. <i>Osteoarthritis and Cartilage</i> , 1999, 7, 214-215.	1.3	0
317	Changes in joint cartilage aggrecan after knee injury and in osteoarthritis. <i>Arthritis and Rheumatism</i> , 1999, 42, 534-544.	6.7	239
318	Incidence of total hip replacement for primary osteoarthrosis in Iceland 1982 – 1996. <i>Acta Orthopaedica</i> , 1999, 70, 229-233.	1.4	42
319	WOMAC Osteoarthritis Index: Reliability, validity, and responsiveness in patients with arthroscopically assessed osteoarthritis. <i>Scandinavian Journal of Rheumatology</i> , 1999, 28, 210-215.	1.1	316
320	Role of stromelysin-1 in cartilage metabolism. , 1999, , 59-83.		0
321	The Role of Molecular Markers to Monitor Breakdown and Repair. , 1999, , 296-311.		1
322	Esculetin (dihydroxycoumarin) inhibits the production of matrix metalloproteinases in cartilage explants, and oral administration of its prodrug, CPA-926, suppresses cartilage destruction in rabbit experimental osteoarthritis. <i>Journal of Rheumatology</i> , 1999, 26, 654-62.	2.0	13
323	Markers of cartilage and synovial metabolism in joint fluid and serum of patients with chondromalacia of the patella. <i>Osteoarthritis and Cartilage</i> , 1998, 6, 115-124.	1.3	42
324	Longitudinal and cross-sectional variability in markers of joint metabolism in patients with knee pain and articular cartilage abnormalities. <i>Osteoarthritis and Cartilage</i> , 1998, 6, 351-361.	1.3	42

#	ARTICLE	IF	CITATIONS
325	Knee osteoarthritis after meniscectomy: Prevalence of radiographic changes after twenty-one years, compared with matched controls. <i>Arthritis and Rheumatism</i> , 1998, 41, 687-693.	6.7	631
326	Elevated levels of synovial fluid PLA ₂ , stromelysin (MMP-3) and TIMP in early osteoarthritis after tibial valgus osteotomy in young beagle dogs. <i>Acta Orthopaedica</i> , 1998, 69, 152-158.	1.4	26
327	Knee Injury and Osteoarthritis Outcome Score (KOOS) – Development of a Self-Administered Outcome Measure. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1998, 28, 88-96.	3.5	2,936
328	Cell-based cartilage repair. <i>Current Opinion in Orthopaedics</i> , 1998, 9, 38-42.	0.3	6
329	Knee injury and Osteoarthritis Outcome Score (KOOS) – validation of a Swedish version. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 1998, 8, 439-448.	2.9	485
330	Magnetic Resonance Imaging, Scintigraphy, and Arthroscopic Evaluation of Traumatic Hemarthrosis of the Knee. <i>American Journal of Sports Medicine</i> , 1997, 25, 231-237.	4.2	48
331	Synovial fluid concentrations of the C-propeptide of type II collagen correlate with body mass index in primary knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 1997, 56, 500-503.	0.9	39
332	Aggrecan degradation in human cartilage. Evidence for both matrix metalloproteinase and aggrecanase activity in normal, osteoarthritic, and rheumatoid joints. <i>Journal of Clinical Investigation</i> , 1997, 100, 93-106.	8.2	423
333	5 What is the current status of biochemical markers in the diagnosis, prognosis and monitoring of osteoarthritis?. <i>Bailliere's Clinical Rheumatology</i> , 1997, 11, 711-726.	1.0	20
334	Increased Levels of Proteoglycan Fragments and Stromelysin in Hip Joint Fluid in Legg-Calvé-Perthes Disease. <i>Journal of Pediatric Orthopaedics</i> , 1997, 17, 266-269.	1.2	9
335	Increased Levels of Proteoglycan Fragments and Stromelysin in Hip Joint Fluid in Legg-Calvé-Perthes Disease. <i>Journal of Pediatric Orthopaedics</i> , 1997, 17, 266-269.	1.2	9
336	Defining the role of molecular markers to monitor disease, intervention, and cartilage breakdown in osteoarthritis. <i>Journal of Rheumatology</i> , 1997, 24, 782-5.	2.0	21
337	Division of flexor tendons causes progressive degradation of tendon matrix in rabbits. <i>Acta Orthopaedica</i> , 1996, 67, 491-497.	1.4	4
338	Design and conduct of clinical trials in patients with osteoarthritis: Recommendations from a task force of the Osteoarthritis Research Society. <i>Osteoarthritis and Cartilage</i> , 1996, 4, 217-243.	1.3	512
339	Differential effects of insulin-like growth factor on matrix and DNA synthesis in various regions and types of rabbit tendons. <i>Journal of Orthopaedic Research</i> , 1996, 14, 370-376.	2.3	98
340	A randomized controlled double-blind multicentre trial of intra-articular hyaluronan treatment in osteoarthritis of the knee. <i>Immunology and Cell Biology</i> , 1996, 74, a15-a15.	2.3	0
341	Increased concentrations of bone sialoprotein in joint fluid after knee injury. <i>Annals of the Rheumatic Diseases</i> , 1996, 55, 622-626.	0.9	30
342	Intra-articular hyaluronan injections in the treatment of osteoarthritis of the knee: a randomised, double blind, placebo controlled multicentre trial. Hyaluronan Multicentre Trial Group. <i>Annals of the Rheumatic Diseases</i> , 1996, 55, 424-431.	0.9	259

#	ARTICLE	IF	CITATIONS
343	Procollagen II C-propeptide in joint fluid: changes in concentration with age, time after knee injury, and osteoarthritis. <i>Journal of Rheumatology</i> , 1996, 23, 1765-9.	2.0	70
344	Aggrecan degradation in osteoarthritis and rheumatoid arthritis. <i>Acta Orthopaedica</i> , 1995, 66, 92-97.	1.4	41
345	Osteoarthritis of the knee after injury to the anterior cruciate ligament or meniscus: the influence of time and age. <i>Osteoarthritis and Cartilage</i> , 1995, 3, 261-267.	1.3	467
346	Markers of cartilage matrix metabolism in human joint fluid and serum: the effect of exercise. <i>Osteoarthritis and Cartilage</i> , 1995, 3, 7-14.	1.3	78
347	MOLECULAR MARKERS TO MONITOR OUTCOME AND INTERVENTION IN OSTEOARTHRITIS (PROMISES,) Tj ETQq1 1,0.784314 rgBT /Ov	1.9	10
348	Soccer after anterior cruciate ligament injury – an incompatible combination? A national survey of incidence and risk factors and a 7-year follow-up of 310 players. <i>Acta Orthopaedica</i> , 1995, 66, 107-112.	1.4	184
349	The release of aggrecan fragments into synovial fluid after joint injury and in osteoarthritis. <i>Journal of rheumatology Supplement, The</i> , 1995, 43, 75-7.	2.2	12
350	The role of molecular markers to monitor disease, intervention and cartilage breakdown in osteoarthritis. <i>Acta Orthopaedica Scandinavica, Supplement</i> , 1995, 266, 84-7.	0.5	1
351	Knee ligament injury, surgery and osteoarthrosis: Truth or consequences?. <i>Acta Orthopaedica</i> , 1994, 65, 605-609.	1.4	140
352	The Prevalence of Gonarthrosis and Its Relation to Meniscectomy in Former Soccer Players. <i>American Journal of Sports Medicine</i> , 1994, 22, 219-222.	4.2	167
353	Release of cartilage oligomeric matrix protein (COMP) into joint fluid after knee injury and in osteoarthritis.. <i>Annals of the Rheumatic Diseases</i> , 1994, 53, 8-13.	0.9	195
354	A LONGITUDINAL STUDY OF CARTILAGE MATRIX METABOLISM IN PATIENTS WITH CRUCIATE LIGAMENT RUPTURE – SYNOVIAL FLUID CONCENTRATIONS OF AGGREGAN FRAGMENTS, STROMELYSIN-1 AND TISSUE INHIBITOR OF METALLOPROTEINASE-1. <i>Rheumatology</i> , 1994, 33, 1107-1111.	1.9	75
355	Cartilage metabolism in the injured and uninjured knee of the same patient.. <i>Annals of the Rheumatic Diseases</i> , 1994, 53, 823-827.	0.9	80
356	Temporal patterns of stromelysin-1, tissue inhibitor, and proteoglycan fragments in human knee joint fluid after injury to the cruciate ligament or meniscus. <i>Journal of Orthopaedic Research</i> , 1994, 12, 21-28.	2.3	135
357	Intraarticular injections of hyaluronan in patients with cartilage abnormalities and knee pain. <i>Arthritis and Rheumatism</i> , 1994, 37, 521-528.	6.7	112
358	Variations in cellular proliferation and matrix synthesis in intrasynovial and extrasynovial tendons: An in vitro study in dogs. <i>Journal of Hand Surgery</i> , 1994, 19, 259-265.	1.6	43
359	Articular cartilage and osteoarthrosis. The role of molecular markers to monitor breakdown, repair and disease. <i>Journal of Anatomy</i> , 1994, 184 (Pt 3), 477-92.	1.5	30
360	The structure of aggrecan fragments in human synovial fluid. evidence that aggrecanase mediates cartilage degradation in inflammatory joint disease, joint injury, and osteoarthritis. <i>Arthritis and Rheumatism</i> , 1993, 36, 1214-1222.	6.7	401

#	ARTICLE	IF	CITATIONS
361	Neocartilage after artificial cartilage repair in the rabbit: Histology and proteoglycan fragments in joint fluid. <i>Journal of Biomedical Materials Research Part B</i> , 1993, 27, 949-954.	3.1	16
362	Cartilage mechanics and morphology, synovitis and proteoglycan fragments in rabbit joint fluid after prosthetic meniscal substitution. <i>Biomaterials</i> , 1993, 14, 163-168.	11.4	32
363	Metalloproteinases, tissue inhibitor, and proteoglycan fragments in knee synovial fluid in human osteoarthritis. <i>Arthritis and Rheumatism</i> , 1993, 36, 181-189.	6.7	285
364	<i>Candida albicans</i> arthritis in a nonimmuno-compromised patient: Complication of placebo intraarticular injections. <i>Acta Orthopaedica</i> , 1993, 64, 695-698.	1.4	23
365	Proteoglycan fragments in rabbit joint fluid correlated to arthrosis stage. <i>Acta Orthopaedica</i> , 1993, 64, 312-316.	1.4	25
366	Proteoglycan fragments in knee joint fluid after exercise. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 1993, 3, 127-130.	2.9	10
367	BODY FLUID MARKERS OF CARTILAGE CHANGES IN OSTEOARTHRITIS. <i>Rheumatic Disease Clinics of North America</i> , 1993, 19, 635-657.	1.9	40
368	Body fluid markers of cartilage changes in osteoarthritis. <i>Rheumatic Disease Clinics of North America</i> , 1993, 19, 635-57.	1.9	14
369	Stromelysin, tissue inhibitor of metalloproteinases and proteoglycan fragments in human knee joint fluid after injury. <i>Journal of Rheumatology</i> , 1993, 20, 1362-8.	2.0	72
370	Cartilage Regeneration After Proximal Tibial Osteotomy for Medial Gonarthrosis. <i>Clinical Orthopaedics and Related Research</i> , 1992, &NA;, 210??216.	1.5	87
371	Proteoglycan fragments in joint fluid. <i>Acta Orthopaedica</i> , 1992, 63, 417-423.	1.4	82
372	The articular cartilage after osteotomy for medial gonarthrosis. <i>Acta Orthopaedica</i> , 1992, 63, 413-416.	1.4	52
373	Restoration of the Injured Flexor Tendon Surface: A Possible Role for Endotenon Cells. <i>Journal of Hand Surgery</i> , 1992, 17, 553-560.	0.8	13
374	Cartilage matrix metabolism in osteoarthritis: markers in synovial fluid, serum, and urine. <i>Clinical Biochemistry</i> , 1992, 25, 167-174.	1.9	54
375	The structure of aggrecan fragments in human synovial fluid. Evidence for the involvement in osteoarthritis of a novel proteinase which cleaves the Glu 373-Ala 374 bond of the interglobular domain.. <i>Journal of Clinical Investigation</i> , 1992, 89, 1512-1516.	8.2	392
376	Dehydration inhibits matrix synthesis and cell proliferation: An in vitro study of rabbit flexor tendons. <i>Acta Orthopaedica</i> , 1991, 62, 159-162.	1.4	4
377	Markers of cartilage metabolism in arthrosis. <i>Acta Orthopaedica</i> , 1991, 62, 623-632.	1.4	70
378	Proteoglycan epitope in synovial fluid in gonarthrosis: 28 cases of tibial osteotomy studied prospectively for 2 years. <i>Acta Orthopaedica</i> , 1991, 62, 169-173.	1.4	9

#	ARTICLE	IF	CITATIONS
379	Monkey bone matrix induces bone formation in the athymic rat, but not in adult monkeys. <i>Journal of Orthopaedic Research</i> , 1991, 9, 20-25.	2.3	17
380	Recombinant human insulin-like growth factor-1 stimulates in vitro matrix synthesis and cell proliferation in rabbit flexor tendon. <i>Journal of Orthopaedic Research</i> , 1991, 9, 495-502.	2.3	115
381	Long-term explant culture of rabbit flexor tendon: Effects of recombinant human insulin-like growth factor-I and serum on matrix metabolism. <i>Journal of Orthopaedic Research</i> , 1991, 9, 503-515.	2.3	59
382	Dose-dependent stimulation of bone induction by basic fibroblast growth factor in rats. <i>Acta Orthopaedica</i> , 1991, 62, 481-484.	1.4	60
383	Structure and synthesis of intracellular proteoglycan in HL-60 human leukemic promyelocytes. <i>Journal of Biological Chemistry</i> , 1990, 265, 5802-5808.	3.4	20
384	Structure and synthesis of intracellular proteoglycan in HL-60 human leukemic promyelocytes. <i>Journal of Biological Chemistry</i> , 1990, 265, 5802-8.	3.4	13
385	Increased levels of proteoglycan fragments in knee joint fluid after injury. <i>Arthritis and Rheumatism</i> , 1989, 32, 1434-1442.	6.7	189
386	Fibroblast growth factor stimulates bone formation Bone induction studied in rats. <i>Acta Orthopaedica</i> , 1989, 60, 473-476.	1.4	86
387	Segmental variation in microstructure, matrix synthesis and cell proliferation in rabbit flexor tendon. <i>Scandinavian Journal of Plastic and Reconstructive Surgery</i> , 1989, 23, 191-198.	0.3	29
388	Tendon healing in vivo: An Experimental Model. <i>Scandinavian Journal of Plastic and Reconstructive Surgery</i> , 1989, 23, 199-205.	0.3	26
389	Xylosyl transfer to the core protein precursor of the rat chondrosarcoma proteoglycan. <i>Journal of Biological Chemistry</i> , 1989, 264, 18775-18780.	3.4	28
390	Xylosyl transfer to the core protein precursor of the rat chondrosarcoma proteoglycan. <i>Journal of Biological Chemistry</i> , 1989, 264, 18775-80.	3.4	22
391	Proteoglycans of joint cartilage. <i>Bailliere's Clinical Rheumatology</i> , 1988, 2, 37-62.	1.0	68
392	Transient synovitis of the hip in the child: Increased levels of proteoglycan fragments in joint fluid. <i>Journal of Orthopaedic Research</i> , 1988, 6, 420-424.	2.3	31
393	Drug test chamber: a titanium implant for administration of biochemical agents to a standardized bone callus in situ. <i>Journal of Biomedical Engineering</i> , 1988, 10, 70-73.	0.7	14
394	Rabbit bone matrix induces bone formation in the athymic rat. <i>Acta Orthopaedica</i> , 1988, 59, 276-278.	1.4	32
395	Failure of bone induction by bone matrix in adult monkeys. <i>Journal of Bone and Joint Surgery: British Volume</i> , 1988, 70-B, 625-627.	3.4	61
396	Structural relationship between alpha1-microglobulin from man, guinea-pig, rat and rabbit. <i>FEBS Journal</i> , 1987, 170, 143-148.	0.2	29

#	ARTICLE	IF	CITATIONS
397	Post-translational events in proteoglycan synthesis: Kinetics of synthesis of chondroitin sulfate and oligosaccharides on the core protein. Archives of Biochemistry and Biophysics, 1986, 250, 211-227.	3.0	45
398	Analysis by high-performance liquid chromatography of radioactively labeled carbohydrate components of proteoglycans. Analytical Biochemistry, 1986, 154, 75-84.	2.4	49
399	Studies on the biosynthesis of cartilage proteoglycan in a model system of cultured chondrocytes from the Swarm rat chondrosarcoma. Journal of Cellular Biochemistry, 1984, 26, 261-278.	2.6	86
400	Defective processing of keratan sulfate in macular corneal dystrophy.. Journal of Biological Chemistry, 1984, 259, 13751-13757.	3.4	80
401	Defective processing of keratan sulfate in macular corneal dystrophy. Journal of Biological Chemistry, 1984, 259, 13751-7.	3.4	67
402	Formation of proteoglycan aggregates in rat chondrosarcoma chondrocyte cultures treated with tunicamycin.. Journal of Biological Chemistry, 1983, 258, 12280-12286.	3.4	26
403	Biosynthesis of O-linked oligosaccharides on proteoglycans by chondrocytes from the swarm rat chondrosarcoma.. Journal of Biological Chemistry, 1983, 258, 11564-11570.	3.4	59
404	Biosynthesis of O-linked oligosaccharides on proteoglycans by chondrocytes from the swarm rat chondrosarcoma. Journal of Biological Chemistry, 1983, 258, 11564-70.	3.4	38
405	Formation of proteoglycan aggregates in rat chondrosarcoma chondrocyte cultures treated with tunicamycin. Journal of Biological Chemistry, 1983, 258, 12280-6.	3.4	20
406	Effect of tunicamycin on insulin binding and on proteoglycan synthesis and distribution in Swarm rat chondrosarcoma cell cultures. Journal of Biological Chemistry, 1982, 257, 5745-50.	3.4	15
407	Structures of N- and O-linked oligosaccharides from chondrosarcoma proteoglycan. Seminars in Arthritis and Rheumatism, 1981, 11, 12-13.	3.4	9
408	Proteoglycans from chick limb bud chondrocyte cultures. Keratan sulfate and oligosaccharides which contain mannose and sialic acid. Journal of Biological Chemistry, 1980, 255, 6077-83.	3.4	92
409	Oligosaccharides on proteoglycans from the swarm rat chondrosarcoma. Journal of Biological Chemistry, 1980, 255, 6084-91.	3.4	187
410	Secretion of proteoglycans by chondrocytes. Archives of Biochemistry and Biophysics, 1979, 192, 148-157.	3.0	67
411	Production of cartilage-typic proteoglycans in cultures of chondrocytes from elastic cartilage. Archives of Biochemistry and Biophysics, 1979, 196, 192-198.	3.0	22
412	Secretion of Proteoglycans by Chondrocytes. Influence of Colchicine, Cytochalasin B, and 1 ² -D-Xyloside. , 1979, , 725-728.		0
413	Effects of 4-methyl umbelliferyl-beta-D-xylopyranoside on chondrogenesis and proteoglycan synthesis in chick limb bud mesenchymal cell cultures. Journal of Biological Chemistry, 1979, 254, 10551-61.	3.4	98
414	Proteoglycans Synthesized by Fetal Guinea Pig Chondrocytes in Culture. Connective Tissue Research, 1978, 5, 205-210.	2.3	8

#	ARTICLE	IF	CITATIONS
415	Cartilage proteoglycan aggregates. Electronmicroscopic studies of native and fragmented molecules. <i>Biochemical Journal</i> , 1978, 175, 913-919.	3.7	45
416	Electron Microscopy of Isolated Proteoglycans. <i>Uppsala Journal of Medical Sciences</i> , 1977, 82, 71-72.	0.9	3
417	Turnover of proteoglycans in guinea pig costal cartilage. <i>Archives of Biochemistry and Biophysics</i> , 1977, 180, 93-101.	3.0	43
418	Influence of colchicine on the synthesis and secretion of proteoglycans and collagen by fetal guinea pig chondrocytes. <i>Experimental Cell Research</i> , 1976, 99, 333-345.	2.6	84
419	Proteoglycans of Guinea-Pig Costal Cartilage. Fractionation and Characterization. <i>FEBS Journal</i> , 1975, 57, 549-559.	0.2	31
420	Influence of colchicine and vinblastine on the Golgi complex and matrix deposition in chondrocyte aggregates. <i>Experimental Cell Research</i> , 1975, 95, 440-454.	2.6	117
421	Proteoglycans of mineralizing rib and epiphyseal cartilage. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1975, 404, 93-109.	2.4	110
422	Chemical and Electron Microscopic Studies on Proteoglycans of Guinea Pig Costal Cartilage. , 1975, , 193-199.		3
423	6-Hydroxydopamine induced degeneration of noradrenaline neurons in the scorbutic guinea-pig. <i>Biochemical Pharmacology</i> , 1974, 23, 2585-2593.	4.4	5
424	Cell proliferation in the cranial base of A/J mice with 6-AN-induced cleft palate. <i>Teratology</i> , 1973, 8, 127-138.	1.6	25
425	Electron microscopic demonstration of proteoglycans in guinea pig epiphyseal cartilage. <i>Journal of Ultrastructure Research</i> , 1973, 45, 407-427.	1.1	186
426	Chemical and metabolic heterogeneity of chondroitin sulfate and keratan sulfate in guinea pig cartilage and nucleus pulposus. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1973, 304, 430-448.	2.4	59
427	<i>In Vitro</i> Studies on the Effect of <i>In Vivo</i> Zinc Deficiency on the Formation of Glycos-Aminoglycans in Rat Costal Cartilage. <i>Acta Odontologica Scandinavica</i> , 1972, 30, 89-96.	1.6	4
428	The importance of zinc to cell proliferation in endochondral growth sites in the white rat. <i>European Journal of Oral Sciences</i> , 1972, 80, 486-492.	1.5	7
429	Ion exchange chromatography of glucosamine and galactosamine in microgram amounts with quantitative determination and specific radioactivity assay. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1972, 264, 411-417.	2.4	21
430	Biochemical and Autoradiographic Studies in a Case of Fulminant, Metastatic Chondrosarcoma Unsuccessfully Treated with ³⁵ S-Sulfate. <i>Acta Orthopaedica</i> , 1970, 41, 57-73.	1.4	0
431	Isolation and Characterization of the Glycosaminoglycans of Guinea Pig Rib Cartilage.. <i>Acta Chemica Scandinavica</i> , 1970, 24, 3134-3140.	0.7	7
432	Collagen Formation and Growth in the Mandibular Joint of the Guinea Pig as Revealed by Autoradiography with 3h-Pr ³⁵ S-line. <i>Acta Odontologica Scandinavica</i> , 1969, 27, 425-442.	1.6	19

#	ARTICLE	IF	CITATIONS
433	Adaptation of the 2,4-Dinitrophenylhydrazine Method for Determination of Ascorbic Acid after Separation by Column Chromatography.. Acta Chemica Scandinavica, 1968, 22, 3037-3039.	0.7	4
434	Weight loss for overweight patients with knee or hip osteoarthritis. The Cochrane Library, 0, , .	2.8	0