

Andres Tiko

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4994858/publications.pdf>

Version: 2024-02-01

369
papers

19,664
citations

10389
72
h-index

19749
117
g-index

387
all docs

387
docs citations

387
times ranked

9532
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Search for dark matter produced in association with a leptonically decaying Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 13. | 3.9 | 33 |
| 2 | Search for top squark pair production using dilepton final states in collision data collected at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 3. | 3.9 | 33 |
| 3 | Measurements of p_T distributions and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 200. | 3.9 | 24 |
| 4 | Development and validation of HERWIG $\hat{\gamma}$ 7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312. | 3.9 | 12 |
| 5 | MUSiC: a model-unspecific search for new physics in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 629. | 3.9 | 18 |
| 6 | Measurements of angular distance and momentum ratio distributions in three-jet and two-jet final states in \sqrt{s} collisions. European Physical Journal C, 2021, 81, 852. | 3.9 | 2 |
| 7 | A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10. | 2.9 | 21 |
| 8 | Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of Instrumentation, 2020, 15, P02027-P02027. | 1.2 | 27 |
| 9 | Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 21 |
| 10 | Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 20 |
| 11 | Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in PbPb collisions at $\sqrt{s_{\mathrm{NN}}} = 2.76 \text{ TeV}$ and 5.02 TeV . European Physical Journal C, 2020, 80, 534. | 3.9 | 14 |
| 12 | Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4. | 3.9 | 198 |
| 13 | Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 14 |
| 14 | Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164. | 3.9 | 5 |
| 15 | Search for the pair production of light top squarks in the $e\bar{e}/\gamma^*\gamma$ final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 5 |
| 16 | Measurements of the pp $\rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 14 |
| 17 | Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 280. | 3.9 | 29 |
| 18 | Measurements of differential Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Inclusive Search for a Highly Boosted Higgs Boson Decaying to a Bottom Quark-Antiquark Pair. Physical Review Letters, 2018, 120, 071802. | 7.8 | 40 |
| 20 | Observation of Electroweak Production of Same-Sign τ Lepton Final State in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review Letters, 2018, 120, 091802. | 7.8 | 86 |
| 21 | Measurement of the Splitting Function in $\tau\tau$ and $\tau\eta$ Production in Pb-Pb Collisions at $\sqrt{s_{NN}} = 5.02 \text{ GeV}$. Physical Review Letters, 2018, 120, 092301. | 7.8 | 39 |
| 22 | Pseudorapidity distributions of charged hadrons in proton-lead collisions at $\sqrt{s_{NN}} = 5.02 \text{ GeV}$ and 8.16 TeV . Journal of High Energy Physics, 2018, 2018, 1. | 7.8 | 70 |
| 23 | Observation of the Higgs boson decay to a pair of τ leptons with the CMS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 283-316. | 4.1 | 125 |
| 24 | Suppression of Excited States Relative to the Ground State in Pb-Pb Collisions at $\sqrt{s_{NN}} = 5.02 \text{ GeV}$. Physical Review Letters, 2018, 120, 142301. | 7.8 | 38 |
| 25 | Search for resonant and nonresonant Higgs boson pair production in the $b\bar{b} \rightarrow \tau^+\tau^-$ final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 36 |
| 26 | Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 291. | 3.9 | 27 |
| 27 | Measurements of the Z production cross section and the Z branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 165. | 4.7 | 52 |
| 28 | Measurement of the inclusive t-tbar cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 5 |
| 29 | Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 0 |
| 30 | Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 5 |
| 31 | Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 6 |
| 32 | Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 57 |
| 33 | Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 63 |
| 34 | Measurement of differential cross sections in the kinematic angular variable $\hat{\tau}^*$ for inclusive Z boson production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 4 |
| 35 | Measurement of normalized differential cross sections in the dilepton channel from pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 17 |
| 38 | Search for ZZ resonances in the $2\hat{1}/2$ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 4 |
| 39 | Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 11 |
| 40 | Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 19 |
| 41 | Search for Z^3 resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 17 |
| 42 | Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 14 |
| 43 | Measurement of differential cross sections for Z boson production in association with jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 965. | 3.9 | 39 |
| 44 | Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 697. | 3.9 | 17 |
| 45 | Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 1. | 3.9 | 9 |
| 46 | Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 25 |
| 47 | Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 13 |
| 48 | Search for dark matter produced in association with a Higgs boson decaying to $\tilde{l}^3\tilde{l}^3$ or $\tilde{l}, +\tilde{l}, \tilde{\chi}$ at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 12 |
| 49 | Search for a heavy resonance decaying into a Z boson and a vector boson in the $u\bar{u}q\bar{q}$ final state. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 10 |
| 50 | Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV. Journal of Instrumentation, 2018, 13, P05011-P05011. | 1.2 | 241 |
| 51 | Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 35 |
| 52 | Search for lepton flavour violating decays of the Higgs boson to $\tilde{l}\tilde{l}$, and $e\tilde{e}$, in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 29 |
| 53 | Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 20 |
| 54 | Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 62 |
| 56 | Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 86 |
| 57 | Measurement of Prompt η_c Diquark χ_{c1} Production in $\sqrt{s} = 13 \text{ TeV}$ Proton-Proton Collisions. Physical Review Letters, 2018, 120, 202301. | 7.8 | 70 |
| 58 | Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 42 |
| 59 | Search for new physics in di-lepton final states with an energy scale or a kinematically decaying χ_{c1} . Physical Review Letters, 2018, 120, 202302. | 4.7 | 78 |
| 60 | Search for top squarks and dark matter particles in opposite-charge dilepton final states at $\sqrt{s} = 13 \text{ TeV}$. Physical Review D, 2018, 97, 113006. | 4.7 | 36 |
| 61 | Measurements of the $t\bar{t}$ production cross section and the $t\bar{t}\rightarrow b\bar{b}$ branching fraction, and constraints on anomalous triple gauge couplings at $(\sqrt{s} = 13, \text{TeV})$. European Physical Journal C, 2018, 78, 1. | 7.8 | 47 |
| 63 | Measurement of b hadron lifetimes in pp collisions at $(\sqrt{s} = 8 \text{ TeV})$. European Physical Journal C, 2018, 78, 1. | 1 | |
| 64 | Search for Dark Matter and Supersymmetry with a Compressed Mass Spectrum in the Vector Boson Fusion Topology in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review Letters, 2017, 118, 021802. | 7.8 | 24 |
| 65 | Measurements of the $t\bar{t}$ production cross section in lepton+jets final states in pp collisions at 8 TeV and ratio of 8 to 7 TeV cross sections. European Physical Journal C, 2017, 77, 15. | 3.9 | 34 |
| 66 | Measurement of the $t\bar{t}$ production cross section using events in the $e\mu$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 172. | 3.9 | 40 |
| 67 | Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 54 |
| 68 | Search for electroweak production of charginos in final states with two $\tilde{\ell}$, leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 11 |
| 69 | Measurement of the production cross section of a $W\bar{b}$ boson in association with two b jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 92. | 3.9 | 16 |
| 70 | Measurement of the WZ production cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV and search for anomalous triple gauge couplings at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 236. | 3.9 | 37 |
| 71 | Measurement of prompt and nonprompt $\psi J/\psi$ production in $p\bar{p}$ and $p\text{Pb}$ collisions at $\sqrt{s} = 5.02 \text{ TeV}$. European Physical Journal C, 2017, 77, 269. | 3.9 | 53 |
| 72 | Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV. Journal of Instrumentation, 2017, 12, P02014-P02014. | 1.2 | 216 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | A search for new phenomena in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ in final states with missing transverse momentum and at least one jet using the $\alpha_{\mathrm{T}} \pm T$ variable. European Physical Journal C, 2017, 77, 294. | 3.9 | 29 |
| 74 | The CMS trigger system. Journal of Instrumentation, 2017, 12, P01020-P01020. | 1.2 | 307 |
| 75 | Observation of Charge-Dependent Azimuthal Correlations in $\langle \cos(\Delta\phi) \rangle$ and its Implication for the Search for the Chiral Magnetic Effect. Physical Review Letters, 2017, 118, 182301. | 4.7 | 15 |
| 76 | Search for Supersymmetry in $\langle \cos(\Delta\phi) \rangle$ and its Implication for the Search for the Chiral Magnetic Effect. Physical Review Letters, 2017, 118, 182301. | 7.8 | 15 |
| 77 | Meson Nuclear Modification Factor in Pb-Pb Collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Physical Review Letters, 2017, 118, 182302. | 7.8 | 62 |
| 78 | Measurement of the differential cross sections for the associated production of a Z boson and jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review D, 2017, 96, 032002. | 4.7 | 19 |
| 79 | Search for new physics in the monophoton final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 17 |
| 80 | Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459. | 3.9 | 52 |
| 81 | Measurement of the jet mass in highly boosted $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 467. | 3.9 | 23 |
| 82 | Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review Letters, 2017, 119, 141802. | 7.8 | 54 |
| 83 | Correlations in Pb-Pb and $\langle \cos(\Delta\phi) \rangle$ and its Implication for the Search for the Chiral Magnetic Effect. Physical Review Letters, 2017, 119, 141802. | 7.8 | 32 |
| 84 | Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review Letters, 2017, 119, 111802. | 7.8 | 35 |
| 85 | Charged-particle nuclear modification factors in PbPb and pPb collisions at $\sqrt{s} = 5.02 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 103 |
| 86 | Search for $t\bar{t}$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 22 |
| 87 | Search for associated production of dark matter with a Higgs boson decaying to $b\bar{b}$ or $\tilde{\chi}_1^0$ at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 14 |
| 88 | Observation of Top Quark Production in Proton-Nucleus Collisions. Physical Review Letters, 2017, 119, 242001. | 7.8 | 23 |
| 89 | Observation of Y(1S) pair production in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 48 |
| 90 | Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 13 |
| 92 | Measurement of the semileptonic $t\bar{t} \rightarrow t\bar{t} \rightarrow W\ell^+\ell^- + \bar{b}b$ production cross section in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 11 |
| 93 | Measurements of the $pp \rightarrow W\ell^+\ell^- + \bar{b}b$ and $pp \rightarrow Z\ell^+\ell^- + \bar{b}b$ cross sections and limits on anomalous quartic gauge couplings at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 10 |
| 94 | Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 14 |
| 95 | Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 23 |
| 96 | Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 14 |
| 97 | Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 23 |
| 98 | Suppression and azimuthal anisotropy of prompt and nonprompt J/ψ production in PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 252. | 3.9 | 82 |
| 99 | Searches for pair production of third-generation squarks in pp collisions. <i>European Physical Journal C</i> , 2017, 77, 327. | 3.9 | 32 |
| 100 | Measurement of the top quark mass using single top quark events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 354. | 3.9 | 23 |
| 101 | Searches for invisible decays of the Higgs boson in pp collisions at $\sqrt{s} = 7, 8,$ and 13 TeV . <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 95 |
| 102 | Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 22 |
| 104 | Search for Evidence of the Type-III Seesaw Mechanism in Multilepton Final States in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review Letters</i> , 2017, 119, 221802. | 4.7 | 40 |
| 105 | Measurement of electroweak-induced production of $W\ell^3$ with two jets in pp collisions at $s = 8 \text{ TeV}$ and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 17 |
| 106 | Searches for $W\ell^2$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV . <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 8 |
| 107 | Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 10 |
| 108 | Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 15 |
| 110 | Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 27 |
| 111 | Search for top squark pair production in pp collisions at $s = 13 \text{ TeV}$ using single lepton events. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 31 |
| 112 | Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 15 |
| 113 | Measurement of the $t\bar{t}\bar{\chi}^0$ production cross section using events with one lepton and at least one jet in pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 15 |
| 114 | Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 5 |
| 115 | Search for top quark partners with charge 5/3 in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 3 |
| 116 | Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 29 |
| 117 | Measurements of jet charge with dijet events in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 17 |
| 118 | Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 21 |
| 119 | Search for new physics with dijet angular distributions in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 15 |
| 120 | Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 62 |
| 121 | Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 41 |
| 122 | Search for new phenomena with multiple charged leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 1. | 3.9 | 2 |
| 123 | Search for high-mass $Z\tilde{\chi}^0$ resonances in $e+e\rightarrow\tilde{\chi}^0$ and $\tilde{\chi}^0\rightarrow\tilde{\chi}^0\tilde{\chi}^0$ final states in proton-proton collisions at $s = 8 \text{ TeV}$ and 13 TeV . Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 7 |
| 124 | Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying $\tilde{\chi}_1^0$ leptons and two jets in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 22 |
| 125 | Search for CP violation in $t\bar{t}\bar{\chi}^0$ production and decay in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 4 |
| 126 | Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 14 |
| 128 | Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 101 |
| 129 | Particle-flow reconstruction and global event description with the CMS detector. Journal of Instrumentation, 2017, 12, P10003-P10003. | 1.2 | 348 |
| 130 | Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $s = 8 \text{ TeV}$ using $H \rightarrow WW$ decays. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 11 |
| 131 | Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 23 |
| 132 | Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $s N = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 18 |
| 133 | Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 451. | 3.9 | 55 |
| 134 | Measurement of the $W + W$ - cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401. | 3.9 | 74 |
| 135 | Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371. | 3.9 | 33 |
| 136 | Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 17 |
| 137 | Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $e \mu$ pair in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 317. | 3.9 | 16 |
| 138 | Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 5 |
| 139 | Measurement of the ZZ production cross section and Z branching fraction in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 280-303. | 4.1 | 16 |
| 140 | Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at $s N = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 31 |
| 141 | Search for anomalous single top quark production in association with a photon in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 27 |
| 142 | Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 7 |
| 143 | Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 13 |
| 144 | Search for Narrow Resonances in Dijet Final States at the Novel CMS Technique of Data Scouting. Physical Review Letters, 2016, 117, 031802. | 7.8 | 74 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Forwardâ€“backward asymmetry of Drellâ€“Yan lepton pairs in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 325. | 3.9 | 25 |
| 146 | Search for new physics in same-sign dilepton events in protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 439. | 3.9 | 64 |
| 147 | Search for Resonant Production of High-Mass Photon Pairs in Proton-Proton Collisions at $\sqrt{s} = 8 \text{ TeV}$. Measurement of Long-Range Near Side Two-Particle Angular Correlations in $\sqrt{s} = 7.8 \text{ TeV}$ and 13 TeV . Physical Review Letters, 2016, 117, 151602. | 7.8 | 73 |
| 148 | Collisions at $\sqrt{s} = 8 \text{ TeV}$. Measurement of the Top Quark Pair Production Cross Section in Proton-Proton Collisions at $\sqrt{s} = 8 \text{ TeV}$. Physical Review Letters, 2016, 116, 052002. | 7.8 | 139 |
| 149 | Measurement of dijet azimuthal decorrelation in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 536. | 3.9 | 16 |
| 150 | Search for dark matter particles in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the razor variables. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 4 |
| 151 | Search for s channel single top quark production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 14 |
| 152 | Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. European Physical Journal C, 2016, 76, 372. | 3.9 | 29 |
| 153 | Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 19 |
| 154 | Measurement of the $t\bar{t}\gamma$ production cross section in the $e^{\pm}e^{\mp}$ channel in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 41 |
| 155 | Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 17 |
| 156 | Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 13 |
| 157 | Evidence for exclusive $t\bar{t}W + W\gamma$ production and constraints on anomalous quartic gauge couplings in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 42 |
| 158 | Search for supersymmetry in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 14 |
| 159 | Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 460. | 3.9 | 18 |
| 160 | Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 20 |
| 161 | Phenomenological MSSM interpretation of CMS searches in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 6 |
| 164 | Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 2.76$ TeV. <i>European Physical Journal C</i> , 2016, 76, 1. | 3.9 | 26 |
| 165 | Measurement of $t\bar{t}$ production with additional jet activity, including b quark jets, in the dilepton decay channel using pp collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 379. | 3.9 | 34 |
| 166 | Measurement of the differential cross section and charge asymmetry for inclusive $t\bar{t} \rightarrow W^+ p^- + W^- p^+$ production at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 469. | 3.9 | 83 |
| 167 | Observation of top quark pairs produced in association with a vector boson in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 23 |
| 168 | Search for $t\bar{t} \rightarrow tb$ in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 3 |
| 169 | Correlations between jets and charged particles in PbPb and pp collisions at $s_NN = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 29 |
| 170 | Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 5 |
| 171 | Search for excited leptons in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 16 |
| 172 | Measurement of the $t\bar{t}$ production cross section in the all-jets final state in pp collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 128. | 3.9 | 41 |
| 173 | Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016, 76, 155. | 3.9 | 499 |
| 174 | Search for massive WH resonances decaying into the $ell u b \bar{b}$ final state at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 237. | 3.9 | 30 |
| 175 | Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 16 |
| 176 | Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 15 |
| 177 | Search for heavy Majorana neutrinos in $e^\pm e^\pm$ jets and $e^\pm \mu^\pm$ jets events in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 35 |
| 178 | Search for Narrow Resonances Decaying to Dijets in Proton-Proton Collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , 2016, 116, 071801. | 4.7 | 114 |
| 179 | Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into l_ν leptons in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 19 |
| 180 | Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 13. | 3.9 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 8 |
| 182 | Measurement of diffractive dissociation cross sections in $\text{pp} \rightarrow \text{jet} + \text{jet} + \text{jet}$ at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 46 |
| 183 | Evidence for Collective Multiparticle Correlations in $\text{pp} \rightarrow \text{jet} + \text{jet} + \text{jet}$. Physical Review Letters, 2015, 115, 012301. | 7.8 | 177 |
| 184 | Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 24 |
| 185 | Search for third-generation scalar leptoquarks in the $t\bar{t}$, channel in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 24 |
| 186 | Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV . Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 34 |
| 187 | Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 37 |
| 188 | Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 20 |
| 189 | Search for a charged Higgs boson in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 81 |
| 190 | Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 12 |
| 191 | Search for a light charged Higgs boson decaying to $c\bar{s}$ in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1-37. | 4.7 | 44 |
| 192 | Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 24 |
| 193 | Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 1 |
| 194 | Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 92 |
| 195 | Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. European Physical Journal C, 2015, 75, 212. | 3.9 | 541 |
| 196 | Measurement of the $Z\bar{Z}$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 11 |
| 197 | Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. European Physical Journal C, 2015, 75, 186. | 3.9 | 68 |
| 198 | Measurement of the differential cross section for top quark pair production in pp collisions at $s = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 542. | 3.9 | 191 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Measurements of the $Z\bar{Z}$ production cross sections in the $2\mu \rightarrow 2\ell^+ 2\ell^-$ channel in proton-proton collisions at $\sqrt{s} = 7$ TeV and $s = 8$ TeV. European Physical Journal C, 2015, 75, 511. | 3.9 | 32 |
| 200 | Comparison of the $Z\bar{Z} \rightarrow \ell^+ \ell^- + \text{jets}$ and $Z\bar{Z} \rightarrow \nu\bar{\nu} + \text{jets}$ cross sections in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 6 |
| 201 | Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 30 |
| 202 | Search for Monotop Signatures in Proton-Proton Collisions at $s = 8$ TeV. Physical Review Letters, 2015, 114, 101801. | 7.8 | 36 |
| 203 | Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251. | 3.9 | 73 |
| 204 | Search for Displaced Supersymmetry in Events with an Electron and a Muon with Large Impact Parameters. Physical Review Letters, 2015, 114, 061801. | 7.8 | 44 |
| 205 | Measurement of the ratio of the production cross sections times branching fractions of $B_c \rightarrow \Lambda_c^+ \pi^0$, $\Lambda_c^0 \pi^+$, $J/\psi \rightarrow \Lambda_c^+ \pi^-$ and $B_s \rightarrow \Lambda_b^+ \pi^-$, $\Lambda_b^0 \pi^+$ and $\bar{B}_c \rightarrow \Lambda_c^+ \pi^-$, $\bar{B}_s \rightarrow \Lambda_b^+ \pi^-$. European Physical Journal C, 2015, 75, 147. | 4.7 | 60 |
| 206 | Study of Vector Boson Scattering and Search for New Physics in Events with Two Same-Sign Leptons and Two Jets. Physical Review Letters, 2015, 114, 051801. | 7.8 | 80 |
| 207 | Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 66. | 3.9 | 31 |
| 208 | Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 147. | 3.9 | 88 |
| 209 | Search for decays of stopped long-lived particles produced in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 151. | 3.9 | 44 |
| 210 | Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 26 |
| 211 | Measurement of the ratio of the production cross sections times branching fractions of $B_c \rightarrow \Lambda_c^+ \pi^0$, $\Lambda_c^0 \pi^+$, $J/\psi \rightarrow \Lambda_c^+ \pi^-$ and $B_s \rightarrow \Lambda_b^+ \pi^-$, $\Lambda_b^0 \pi^+$ and $\bar{B}_c \rightarrow \Lambda_c^+ \pi^-$, $\bar{B}_s \rightarrow \Lambda_b^+ \pi^-$. European Physical Journal C, 2015, 75, 147. | 4.7 | 17 |
| 212 | Search for disappearing tracks in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 46 |
| 213 | Study of Z production in PbPb and pp collisions at $s_{NN} = 2.76$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 27 |
| 214 | Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 78 |
| 215 | Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s = 2.76$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 10 |
| 216 | Pseudorapidity distribution of charged hadrons in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 751, 143-163. | 4.1 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Search for dark matter, extra dimensions, and unparticles in monojet events in protonâ€“proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 235. | 3.9 | 320 |
| 218 | Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2015, 75, 288. | 3.9 | 54 |
| 219 | Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV. European Physical Journal C, 2015, 75, 237. | 3.9 | 58 |
| 220 | Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2015, 75, 302. | 3.9 | 6 |
| 221 | Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in protonâ€“proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 238. | 3.9 | 43 |
| 222 | Measurement of Prompt J/ψ Yield Ratios in Pb-Pb and $\sqrt{s_{NN}} = 5.02$ TeV. European Physical Journal C, 2015, 75, 239. | 7.8 | 47 |
| 223 | Search for heavy neutrinos and W bosons with right-handed couplings in protonâ€“proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2014, 74, 3149. | 3.9 | 179 |
| 224 | Measurement of top quarkâ€“antiquark pair production in association with a W or Z boson in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2014, 74, 3060. | 3.9 | 43 |
| 225 | Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2014, 74, 3129. | 3.9 | 65 |
| 226 | Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 81 |
| 227 | Measurement of pseudorapidity distributions of charged particles in protonâ€“proton collisions at $\sqrt{s} = 8$ TeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1. | 3.9 | 49 |
| 228 | Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W , Z , and Higgs bosons in pp collisions at 8 TeV. European Physical Journal C, 2014, 74, 3036. | 3.9 | 241 |
| 229 | Measurement of prompt J/ψ pair production in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 61 |
| 230 | Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. Physical Review C, 2014, 89, 133. | 3.9 | 133 |
| 231 | Search for Top Squark and Higgsino Production Using Diphoton Higgs Boson Decays. Physical Review Letters, 2014, 112, 161802. | 7.8 | 45 |
| 232 | Measurement of Inclusive W and Z Boson Production Cross Sections in $\sqrt{s_{NN}} = 2.76$ TeV. Physical Review Letters, 2014, 112, 161803. | 7.8 | 94 |
| 233 | Collisions at $\sqrt{s_{NN}} = 2.76$ TeV. Spin Correlations and Top-Quark Polarization Using Dilepton Final States. Physical Review Letters, 2014, 112, 161804. | 7.8 | 63 |
| 234 | Search for Top-Quark Partners with Charge in the Same-Sign Dilepton Final State. Physical Review Letters, 2014, 112, 171801. | 7.8 | 76 |

| # | ARTICLE or Flavor-Changing Neutral Currents in Top-Quark Decays$\mathrm{t} \rightarrow \mathrm{W}^{\pm} \mathrm{b} \bar{b}$ | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | $\mathrm{t} \rightarrow \mathrm{W}^{\pm} \mathrm{b} \bar{b}$ (arXiv:1307.7235) [hep-ph] | 7.8 | 64 |
| 236 | Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076. | 3.9 | 342 |
| 237 | Evidence for the diphoton decay of the Higgs boson and measurement of its properties. Physical Review Letters, 2014, 113, 132301. | 7.8 | 85 |
| 238 | Measurement of the properties of a Higgs boson in the four-lepton final state. Physical Review D, 2014, 89, . | 4.7 | 299 |
| 239 | Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 51 |
| 240 | Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 3 |
| 241 | Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 17 |
| 242 | Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 43 |
| 243 | Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 169 |
| 244 | Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 52 |
| 245 | Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 77 |
| 246 | Measurement of associated W + charm production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 55 |
| 247 | Search for new physics in events with same-sign dileptons and jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 48 |
| 248 | Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. European Physical Journal C, 2014, 74, 1. | 3.9 | 75 |
| 249 | Measurement of WZ and ZZ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973. | 3.9 | 23 |
| 250 | Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. European Physical Journal C, 2014, 74, 2980. | 3.9 | 171 |
| 251 | Measurement of jet multiplicity distributions in $t\bar{t}$ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2014, 74, 3014. | 3.9 | 16 |
| 252 | Study of double parton scattering using W + 2-jet events in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 85 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Event activity dependence of Υ (nS) production in $\sqrt{s_{NN}} = 5.02$ TeV pPb and $\sqrt{s} = 2.76$ TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 56 |
| 254 | Measurements of the $t\bar{t}$ charge asymmetry using the dilepton decay channel in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 20 |
| 255 | Evidence for the 125 GeV Higgs boson decaying to a pair of \tilde{l} , leptons. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 123 |
| 256 | Search for $W^2 \rightarrow tb$ decays in the lepton + jets final state in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 26 |
| 257 | Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 31 |
| 258 | Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 100 |
| 259 | Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 70 |
| 260 | Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 39 |
| 261 | Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 4 |
| 262 | Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 85 |
| 263 | Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 69 |
| 264 | Measurement of the top-quark mass in all-jets $t\bar{t}$ events in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2014, 74, 2758. | 3.9 | 35 |
| 265 | Study of the production of charged pions, kaons, and protons in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV. <i>European Physical Journal C</i> , 2014, 74, 2847. | 3.9 | 85 |
| 266 | Probing color coherence effects in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2014, 74, 2901. <i>Observation of the Associated Production of a Single Top Quark and a</i> $t\bar{t}$ <i>event</i> . <i>Observation of the Associated Production of a Single Top Quark and a</i> $t\bar{t}$ <i>event</i> . <i>Observation of the Associated Production of a Single Top Quark and a</i> $t\bar{t}$ <i>event</i> . | 3.9 | 17 |
| 267 | $\chi_{\text{mml}} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{inline}" > \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{Boson in} \langle \text{mml:math}$ $\chi_{\text{mml}} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{inline}" > \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{Collisions at} \langle \text{mml:math}$ $\chi_{\text{mml}} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{block}" > \langle \text{mml:math} \rangle \text{Measurement of the } (t\bar{t}) \text{ production cross section in the dilepton channel in pp}$ $\text{collisions at } (\sqrt{s}) = 8 \text{ TeV. , 2014, 2014, 1.}$ | 7.8 | 108 |
| 268 | $\chi_{\text{mml}} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{block}" > \langle \text{mml:math} \rangle \text{Measurement of the } (t\bar{t}) \text{ production cross section in the dilepton channel in pp}$ $\text{collisions at } (\sqrt{s}) = 8 \text{ TeV. , 2014, 2014, 1.}$ | 3 | |
| 269 | Search for the associated production of the Higgs boson with a top-quark pair. . 2014, 2014, 1. | 6 | |
| 270 | Search for microscopic black holes in pp collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Measurement of the Λ_b^0 lifetime in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 17 |
| 272 | Searches for long-lived charged particles in pp collisions at $\sqrt{s}=7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 118 |
| 273 | Study of exclusive two-photon production of $W+W\gamma$ in pp collisions at $\sqrt{s}=7$ TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 75 |
| 274 | Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s}=7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 320 |
| 275 | Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 39 |
| 276 | Studies of jet mass in dijet and $W/Z + \text{jet}$ events. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 58 |
| 277 | Measurement of the $t\bar{t}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 16 |
| 278 | Measurement of the $X(3872)$ production cross section via decays to $J/\psi + \pi^\pm$ in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 73 |
| 279 | Study of the underlying event at forward rapidity in pp collisions at $\sqrt{s}=0.9, 2.76, 7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 50 |
| 280 | Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 15 |
| 281 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 33 |
| 282 | Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 32 |
| 283 | Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 20 |
| 284 | Search for supersymmetry in pp collisions at $\sqrt{s}=7$ TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013, 73, 2404. | 3.9 | 20 |
| 285 | Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2469. | 3.9 | 68 |
| 286 | Observation of a diffractive contribution to dijet production in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013, 87, 092005. | 4.7 | 24 |
| 287 | Measurement of the production cross section for $Z\gamma\rightarrow\text{hadrons}$ in pp collisions at $\sqrt{s}=7$ TeV and limits on $Z\gamma\gamma$ and $Z\gamma\gamma\gamma$ triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 14 |
| 288 | Measurement of the W-boson helicity in top-quark decays from $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Search for supersymmetry in hadronic final states with missing transverse energy using the variables \hat{T} and b-quark multiplicity in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2013, 73, 2568. | 3.9 | 147 |
| 290 | Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 16 |
| 291 | Measurement of masses in the $t\bar{t}$ system by kinematic endpoints in pp collisions at $\sqrt{s}=7 \text{ TeV}$. European Physical Journal C, 2013, 73, 2494. | 3.9 | 55 |
| 292 | Search for physics beyond the standard model in events with \tilde{l} , leptons, jets, and large transverse momentum imbalance in pp collisions at $\sqrt{s}=7 \text{ TeV}$. European Physical Journal C, 2013, 73, 2493. | 3.9 | 22 |
| 293 | Measurement of the $t\bar{t}$ production cross section in the $\tilde{l}, +\text{jets}$ channel in pp collisions at $\sqrt{s}=7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1. | 3.9 | 24 |
| 294 | Jet and underlying event properties as a function of charged-particle multiplicity in protonâ“proton collisions at $\sqrt{s}=7 \text{ TeV}$. European Physical Journal C, 2013, 73, 2674. | 3.9 | 32 |
| 295 | | | |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Measurement of the Δm^2_{31} element of the ν_3 mass matrix. Physical Review Letters, 2013, 110, 041801. | 7.8 | 282 |
| 308 | Interpretation of searches for supersymmetry with simplified models. Physical Review D, 2013, 88, . | 4.7 | 58 |
| 309 | Search for Top Squarks in $\nu_t \bar{\nu}_t$ production. Physical Review Letters, 2013, 111, 221801. | 7.8 | 47 |
| 310 | Measurement of the Azimuthal Anisotropy of Neutral Pions in Pb-Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV. Physical Review Letters, 2013, 110, 042301. | 7.8 | 108 |
| 311 | Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. Physical Review Letters, 2013, 110, 042302. | 7.8 | 43 |
| 312 | Inclusive b-jet production in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 185 |
| 313 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at $(\sqrt{s}) = 8$ TeV. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 2 |
| 314 | Inclusive b-jet production in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 39 |
| 315 | Search for quark compositeness in dijet angular distributions from pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 18 |
| 316 | Suppression of non-prompt J/ψ , prompt J/ψ , and $\Upsilon(1S)$ in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 200 |
| 317 | Search for heavy bottom-like quarks in 4.9 fb^{-1} of pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 45 |
| 318 | Measurement of the cross section for production of $b\bar{b}$ decaying to muons in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 6 |
| 319 | Measurement of the Z/γ^* b-jet cross section in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 39 |
| 320 | Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 31 |
| 321 | Search for anomalous production of multilepton events in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 68 |
| 322 | Search for a light charged Higgs boson in top quark decays in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 117 |
| 323 | Search for leptonic decays of W^{\pm} bosons in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 49 |
| 324 | Search for stopped long-lived particles produced in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 30 |
| 326 | Measurement of the underlying event activity in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 13 |
| 327 | Search for anomalous $t\bar{t}$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 58 |
| 328 | Search for dark matter and large extra dimensions in monojet events in pp collisions at $\sqrt{s} = [7] \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 168 |
| 329 | Search for a fermiophobic Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 15 |
| 330 | Search for supersymmetry in hadronic final states using M T2 in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 95 |
| 331 | Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\sqrt{\{s_{\text{NN}}\}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 85 |
| 332 | Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 69 |
| 333 | Search for exclusive or semi-exclusive $\tilde{b}\tilde{b}$ production and observation of exclusive and semi-exclusive $e+e^-$ production in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 51 |
| 334 | Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 7 |
| 335 | Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 41 |
| 336 | Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 11 |
| 337 | Search for resonant $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 26 |
| 338 | Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 34 |
| 339 | Measurement of the single-top-quark t-channel cross section in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 83 |
| 340 | Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 14 |
| 341 | Measurement of the top-quark mass in $t\bar{t}$ events with lepton+jets final states in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 38 |
| 342 | Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $\sqrt{s} = 0.9, 2.76,$ and 7 TeV . European Physical Journal C, 2012, 72, 1. | 3.9 | 154 |
| 344 | A search for a doubly-charged Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 129 |
| 345 | Measurement of the top-quark mass in $\mathrm{t}\overline{\mathrm{t}}$ events with dilepton final states in pp collisions at $\sqrt{s}=7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 42 |
| 346 | Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 26 |
| 347 | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Measurement of the production cross section for pairs of isolated photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 26 |
| 362 | Search for same-sign top-quark pair production at $\sqrt{s} = 7 \text{ TeV}$ and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 40 |
| 363 | Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 99 |
| 364 | Search for new physics with jets and missing transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 49 |
| 365 | Search for supersymmetry in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 32 |
| 366 | Measurement of the Drell-Yan cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 36 |
| 367 | Measurement of the inclusive W and Z production cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 158 |
| 368 | Measurement of energy flow at large pseudorapidities in pp collisions at $\sqrt{s} = 0.9 \text{ TeV}$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 25 |
| 369 | Measurement of energy flow at large pseudorapidities in pp collisions at $(\sqrt{s} = 0.9)$ and 7 TeV. , 2011, 2011, 1. | 5 | |