

Hiroshi Shamoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4996391/publications.pdf>

Version: 2024-02-01

23
papers

234
citations

1040056

9
h-index

996975

15
g-index

23
all docs

23
docs citations

23
times ranked

267
citing authors

#	ARTICLE	IF	CITATIONS
1	Rehabilitation and nutritional support for sarcopenic dysphagia and tongue atrophy after glossectomy: A case report. <i>Nutrition</i> , 2017, 35, 128-131.	2.4	42
2	Early Commencement of Oral Intake and Physical Function are Associated with Early Hospital Discharge with Oral Intake in Hospitalized Elderly Individuals with Pneumonia. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2183-2185.	2.6	38
3	Sarcopenia Is Highly Prevalent in Older Medical Patients With Mobility Limitation. <i>Nutrition in Clinical Practice</i> , 2017, 32, 110-115.	2.4	25
4	Reliability and Validity of a Simplified Comprehensive Assessment Tool for Feeding Support: Kuchi-kara Taberu Index. <i>Journal of the American Geriatrics Society</i> , 2016, 64, e248-e252.	2.6	24
5	Body mass index and recovery of activities of daily living in older patients with femoral fracture: An analysis of a national inpatient database in Japan. <i>Archives of Gerontology and Geriatrics</i> , 2020, 87, 104009.	3.0	21
6	Impact of malnutrition on post-stroke cognitive impairment in convalescent rehabilitation ward inpatients. <i>European Geriatric Medicine</i> , 2021, 12, 167-174.	2.8	15
7	Cognitive impairment has no impact on hospital-associated dysphagia in aspiration pneumonia patients. <i>Geriatrics and Gerontology International</i> , 2018, 18, 233-239.	1.5	13
8	Feeding Support Team for Frail, Disabled, or Elderly People during the Early Phase of a Disaster. <i>Tohoku Journal of Experimental Medicine</i> , 2017, 242, 259-261.	1.2	10
9	Association between Food Store Availability and the Incidence of Functional Disability among Community-Dwelling Older Adults: Results from the Japanese Gerontological Evaluation Cohort Study. <i>Nutrients</i> , 2019, 11, 2369.	4.1	10
10	Multidisciplinary Comprehensive Care for Early Resumption of Oral Intake in Older Adults With Severe Pneumonia. <i>Journal of Gerontological Nursing</i> , 2016, 42, 21-29.	0.6	9
11	Impact of Nutrition Therapy and Rehabilitation on Acute and Critical Illness: A Systematic Review. <i>Journal of UOEH</i> , 2019, 41, 303-315.	0.6	8
12	Home-based Combined Therapy with Rehabilitation and Aggressive Nutrition Management for a Parkinson's Disease Patient with Sarcopenic Dysphagia: A Case Report. <i>Progress in Rehabilitation Medicine</i> , 2018, 3, n/a.	0.9	6
13	The effects of promoting oral intake using the Kuchi-kara Taberu index, a comprehensive feeding assistant tool, in older pneumonia patients: a cluster randomized controlled trial. <i>BMC Geriatrics</i> , 2020, 20, 36.	2.7	4
14	Angiotensin-Converting Enzyme Inhibitor in Tube-Fed Patients With Stroke History. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 896-897.	2.5	2
15	Swallowing function, skeletal muscle mass and sarcopenia in older adults requiring long-term care. <i>Geriatrics and Gerontology International</i> , 2016, 16, 1175-1176.	1.5	2
16	Effects of aging and sarcopenia on strength of swallowing muscles in older adults. <i>Geriatrics and Gerontology International</i> , 2017, 17, 360-361.	1.5	2
17	Changes in body composition in heart failure patients after a resistance exercise program and branched chain amino acid supplementation – Letter to Editor. <i>Clinical Nutrition</i> , 2015, 34, 779-780.	5.0	1
18	Associations between tongue strength and swallowing difficulty in the older adults receiving long-term care. <i>Clinical Nutrition</i> , 2016, 35, 772-773.	5.0	1

#	ARTICLE	IF	CITATIONS
19	Correlation between nutritional status and frailty regarding saliva secretion and occlusal force in community-dwelling older people. <i>Geriatrics and Gerontology International</i> , 2017, 17, 177-179.	1.5	1
20	Combined intervention of protein supplementation and resistance training in medical patients. <i>Clinical Nutrition</i> , 2015, 34, 1033-1034.	5.0	0
21	Combined intervention of whey protein intake and rehabilitation in female patients with hip fracture in the early postoperative period. <i>Clinical Nutrition</i> , 2015, 34, 1278-1279.	5.0	0
22	Sarcopenia Is a Possible Independent Risk Factor of Cognitive Decline in Community-Dwelling Older People. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 559-560.	2.5	0
23	Relationship between body mass index and functional recovery in stroke rehabilitation setting. <i>Disability and Rehabilitation</i> , 2017, 39, 1146-1147.	1.8	0