

# Hiroshi Shamoto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4996391/publications.pdf>

Version: 2024-02-01

23  
papers

234  
citations

1040056

9  
h-index

996975

15  
g-index

23  
all docs

23  
docs citations

23  
times ranked

267  
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of malnutrition on post-stroke cognitive impairment in convalescent rehabilitation ward inpatients. <i>European Geriatric Medicine</i> , 2021, 12, 167-174.	2.8	15
2	Body mass index and recovery of activities of daily living in older patients with femoral fracture: An analysis of a national inpatient database in Japan. <i>Archives of Gerontology and Geriatrics</i> , 2020, 87, 104009.	3.0	21
3	The effects of promoting oral intake using the Kuchi-kara Taberu index, a comprehensive feeding assistant tool, in older pneumonia patients: a cluster randomized controlled trial. <i>BMC Geriatrics</i> , 2020, 20, 36.	2.7	4
4	Association between Food Store Availability and the Incidence of Functional Disability among Community-Dwelling Older Adults: Results from the Japanese Gerontological Evaluation Cohort Study. <i>Nutrients</i> , 2019, 11, 2369.	4.1	10
5	Impact of Nutrition Therapy and Rehabilitation on Acute and Critical Illness: A Systematic Review. <i>Journal of UOEH</i> , 2019, 41, 303-315.	0.6	8
6	Cognitive impairment has no impact on hospital-associated dysphagia in aspiration pneumonia patients. <i>Geriatrics and Gerontology International</i> , 2018, 18, 233-239.	1.5	13
7	Home-based Combined Therapy with Rehabilitation and Aggressive Nutrition Management for a Parkinson's Disease Patient with Sarcopenic Dysphagia: A Case Report. <i>Progress in Rehabilitation Medicine</i> , 2018, 3, n/a.	0.9	6
8	Relationship between body mass index and functional recovery in stroke rehabilitation setting. <i>Disability and Rehabilitation</i> , 2017, 39, 1146-1147.	1.8	0
9	Effects of aging and sarcopenia on strength of swallowing muscles in older adults. <i>Geriatrics and Gerontology International</i> , 2017, 17, 360-361.	1.5	2
10	Correlation between nutritional status and frailty regarding saliva secretion and occlusal force in community-dwelling older people. <i>Geriatrics and Gerontology International</i> , 2017, 17, 177-179.	1.5	1
11	Rehabilitation and nutritional support for sarcopenic dysphagia and tongue atrophy after glossectomy: A case report. <i>Nutrition</i> , 2017, 35, 128-131.	2.4	42
12	Sarcopenia Is Highly Prevalent in Older Medical Patients With Mobility Limitation. <i>Nutrition in Clinical Practice</i> , 2017, 32, 110-115.	2.4	25
13	Feeding Support Team for Frail, Disabled, or Elderly People during the Early Phase of a Disaster. <i>Tohoku Journal of Experimental Medicine</i> , 2017, 242, 259-261.	1.2	10
14	Multidisciplinary Comprehensive Care for Early Resumption of Oral Intake in Older Adults With Severe Pneumonia. <i>Journal of Gerontological Nursing</i> , 2016, 42, 21-29.	0.6	9
15	Reliability and Validity of a Simplified Comprehensive Assessment Tool for Feeding Support: Kuchi-kara Taberu Index. <i>Journal of the American Geriatrics Society</i> , 2016, 64, e248-e252.	2.6	24
16	Swallowing function, skeletal muscle mass and sarcopenia in older adults requiring long-term care. <i>Geriatrics and Gerontology International</i> , 2016, 16, 1175-1176.	1.5	2
17	Sarcopenia Is a Possible Independent Risk Factor of Cognitive Decline in Community-Dwelling Older People. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 559-560.	2.5	0
18	Associations between tongue strength and swallowing difficulty in the older adults receiving long-term care. <i>Clinical Nutrition</i> , 2016, 35, 772-773.	5.0	1

#	ARTICLE	IF	CITATIONS
19	Early Commencement of Oral Intake and Physical Function are Associated with Early Hospital Discharge with Oral Intake in Hospitalized Elderly Individuals with Pneumonia. Journal of the American Geriatrics Society, 2015, 63, 2183-2185.	2.6	38
20	Combined intervention of protein supplementation and resistance training in medical patients. Clinical Nutrition, 2015, 34, 1033-1034.	5.0	0
21	Combined intervention of whey protein intake and rehabilitation in female patients with hip fracture in the early postoperative period. Clinical Nutrition, 2015, 34, 1278-1279.	5.0	0
22	Changes in body composition in heart failure patients after a resistance exercise program and branched chain amino acid supplementation – Letter to Editor. Clinical Nutrition, 2015, 34, 779-780.	5.0	1
23	Angiotensin-Converting Enzyme Inhibitor in Tube-Fed Patients With Stroke History. Journal of the American Medical Directors Association, 2015, 16, 896-897.	2.5	2