

# Mansour Shayegan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4999390/publications.pdf>

Version: 2024-02-01

358  
papers

12,031  
citations

23567  
h-index

45317  
g-index

360  
all docs

360  
docs citations

360  
times ranked

4159  
citing authors

| #  | ARTICLE  |      | IF | CITATIONS |
|----|--|------|----|-----------|
| 1  | Correlated States of 2D Electrons near the Landau Level Filling $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle \frac{1}{2} \langle \text{mml:mi} \rangle \langle \text{mml:mo} = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 1 \langle \text{mml:mn} \rangle \langle \text{mml:mo stretchy="false"} \rangle \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle \text{mml:mn} \rangle \langle \text{mml:math} \rangle$ . Physical Review Letters, 2022, 128, 026802. | 7.8  | 8  |           |
| 2  | Record-quality GaAs two-dimensional hole systems. Physical Review Materials, 2022, 6, .  | 2.4  | 12 |           |
| 3  | Wigner crystals in flat band 2D electron systems. Nature Reviews Physics, 2022, 4, 212-213.  | 26.6 | 16 |           |
| 4  | Anisotropic Two-Dimensional Disordered Wigner Solid. Physical Review Letters, 2022, 129, .   | 7.8  | 12 |           |
| 5  | Composite fermion mass: Experimental measurements in ultrahigh quality two-dimensional electron systems. Physical Review B, 2022, 106, .   | 3.2  | 2  |           |
| 6  | Bloch ferromagnetism of composite fermions. Nature Physics, 2021, 17, 48-52.   | 16.7 | 16 |           |
| 7  | Competition between fractional quantum Hall liquid and Wigner solid at small fillings: Role of layer thickness and Landau level mixing. Physical Review Research, 2021, 3, .   | 3.6  | 5  |           |
| 8  | Ultra-high-quality two-dimensional electron systems. Nature Materials, 2021, 20, 632-637.  | 27.5 | 76 |           |
| 9  | Local signatures of electron-electron scattering in an electronic cavity. Physical Review Research, 2021, 3, .   | 3.6  | 0  |           |
| 10 | Fractional Quantum Hall Effect Energy Gaps: Role of Electron Layer Thickness. Physical Review Letters, 2021, 127, 056801.  | 7.8  | 12 |           |
| 11 | Spontaneous Valley Polarization of Itinerant Electrons. Physical Review Letters, 2021, 127, 116601.  | 7.8  | 14 |           |
| 12 | Melting phase diagram of bubble phases in high Landau levels. Physical Review B, 2021, 104, .  | 3.2  | 0  |           |
| 13 | Heterostructure design to achieve high quality, high density GaAs 2D electron system with g-factor tending to zero. Applied Physics Letters, 2020, 117, 022102.  | 3.3  | 0  |           |
| 14 | Precise Experimental Test of the Luttinger Theorem and Particle-Hole Symmetry for a Strongly Correlated Fermionic System. Physical Review Letters, 2020, 125, 046601.  | 7.8  | 9  |           |
| 15 | Thermal and Quantum Melting Phase Diagrams for a Magnetic-Field-Induced Wigner Solid. Physical Review Letters, 2020, 125, 036601.  | 7.8  | 23 |           |
| 16 | Observation of spontaneous ferromagnetism in a two-dimensional electron system. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 32244-32250.   | 7.1  | 28 |           |
| 17 | Spin Reversal of a Quantum Hall Ferromagnet at a Landau Level Crossing. Physical Review Letters, 2020, 125, 067404.  | 7.8  | 7  |           |
| 18 | Working principles of doping-well structures for high-mobility two-dimensional electron systems. Physical Review Materials, 2020, 4, .   | 2.4  | 18 |           |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Probing Composite Fermions Near Half-Filled Landau Levels. , 2020, , 133-181.   | 0    |           |
| 20 | Geometric resonance of four-flux composite fermions. Physical Review B, 2019, 100, .  | 3.2  | 9         |
| 21 | Negative longitudinal magnetoresistance in gallium arsenide quantum wells. Nature Communications, 2019, 10, 287.  | 12.8 | 18        |
| 22 | Wigner solid pinning modes tuned by fractional quantum Hall states of a nearby layer. Science Advances, 2019, 5, eaao2848.  | 10.3 | 2         |
| 23 | Probing the Melting of a Two-Dimensional Quantum Wigner Crystal via its Screening Efficiency. Physical Review Letters, 2019, 122, 116601.   | 7.8  | 20        |
| 24 | Spatial Mapping of Local Density Variations in Two-dimensional Electron Systems Using Scanning Photoluminescence. Nano Letters, 2019, 19, 1908-1913.  | 9.1  | 7         |
| 25 | Cyclotron Orbits of Composite Fermions in the Fractional Quantum Hall Regime. Physical Review Letters, 2018, 120, 016802.   | 7.8  | 6         |
| 26 | Unconventional Anisotropic Even-Denominator Fractional Quantum Hall State in a System with Mass Anisotropy. Physical Review Letters, 2018, 121, 256601.   | 7.8  | 13        |
| 27 | Wigner solids of wide quantum wells near Landau filling $\frac{1}{2}=1$ . Physical Review B, 2018, 98, .  | 3.2  | 1         |
| 28 | Realization of a Valley Superlattice. Physical Review Letters, 2018, 121, 036802.   | 7.8  | 11        |
| 29 | Anomalous coupling between magnetic and nematic orders in quantum Hall systems. Physical Review B, 2018, 98, .  | 3.2  | 5         |
| 30 | Critical filling factor for the formation of a quantum Wigner crystal screened by a nearby layer. Physical Review B, 2018, 98, .  | 3.2  | 2         |
| 31 | Direct Observation of Composite Fermions and Their Fully-Spin-Polarized Fermi Sea near $\frac{1}{2}$ . Physical Review Letters, 2018, 120, 256601.  | 7.8  | 21        |
| 32 | Surface segregation and the Al problem in GaAs quantum wells. Physical Review Materials, 2018, 2, . Multivalley two-dimensional electron system in an AlAs quantum well with mobility exceeding | 2.4  | 14        |
| 33 | $\frac{1}{2}$ . Physical Review Letters, 2018, 120, 256601.   | 2.4  | 16        |
| 34 | Tuning of Fermi contour anisotropy in GaAs (001) 2D holes via strain. Applied Physics Letters, 2017, 110, .   | 3.3  | 7         |
| 35 | Microwave spectroscopic observation of a Wigner solid within the fractional quantum Hall effect. Physical Review B, 2017, 95, .   | 3.2  | 3         |
| 36 | Search for composite fermions at filling factor 5/2: Role of Landau level and subband index. Physical Review B, 2017, 95, .   | 3.2  | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Signatures of an annular Fermi sea. Physical Review B, 2017, 95, .   | 3.2 | 9         |
| 38 | Interaction-induced interlayer charge transfer in the extreme quantum limit. Physical Review B, 2017, 96, .  | 3.2 | 7         |
| 39 | Observation of fractional quantum Hall effect in an InAs quantum well. Physical Review B, 2017, 96, .  | 3.2 | 14        |
| 40 | Transference of Fermi Contour Anisotropy to Composite Fermions. Physical Review Letters, 2017, 119, 016402.  | 7.8 | 27        |
| 41 | Design rules for modulation-doped AlAs quantum wells. Physical Review Materials, 2017, 1, .  | 2.4 | 16        |
| 42 | Geometric Resonance of Composite Fermions near Bilayer Quantum Hall States. Physical Review Letters, 2016, 117, 246801.  | 7.8 | 15        |
| 43 | Interplay between quantum well width and interface roughness for electron transport mobility in GaAs quantum wells. Applied Physics Letters, 2016, 109, .      | 3.3 | 12        |
| 44 | Observation of an Anisotropic Wigner Crystal. Physical Review Letters, 2016, 117, 106802.  | 7.8 | 10        |
| 45 | Commensurability Oscillations of Composite Fermions Induced by the Periodic Potential of a Wigner Crystal. Physical Review Letters, 2016, 117, 096601.         | 7.8 | 41        |
| 46 | Reorientation of the Stripe Phase of 2D Electrons by a Minute Density Modulation. Physical Review Letters, 2016, 117, 076803.                                  | 7.8 | 13        |
| 47 | Anisotropic composite fermions and fractional quantum Hall effect. Physical Review B, 2016, 93, .  | 3.2 | 11        |
| 48 | Morphing of two-dimensional hole systems at parallel magnetic fields: Compressible, stripe, and fractional quantum Hall phases. Physical Review B, 2016, 94, . | 3.2 | 12        |
| 49 | Unusual Landau level pinning and correlated Hall effect in hole systems confined to wide GaAs quantum wells. Physical Review B, 2015, 92, .                    | 3.2 | 17        |
| 50 | Multicomponent fractional quantum Hall states with subband and spin degrees of freedom. Physical Review B, 2015, 92, .   | 3.2 | 10        |
| 51 | Splitting of the Fermi Contour of Quasi-2D Electrons in Parallel Magnetic Fields. Physical Review Letters, 2015, 114, 236404.                                  | 7.8 | 18        |
| 52 | Geometric Resonance of Composite Fermions Near the Quantum Hall State. Physical Review Letters, 2015, 114, 236406.   | 7.8 | 19        |
| 53 | Composite Fermions with a Warped Fermi Contour. Physical Review Letters, 2015, 114, 176805.  | 7.8 | 22        |
| 54 | quantum Hall effect in tilted magnetic fields. Physical Review B, 2015, 91, .  | 3.2 | 11        |

| #  | ARTICLE  |  | IF   | CITATIONS |
|----|--|--|------|-----------|
| 55 | Microwave spectroscopy of the low-filling-factor bilayer electron solid in a wide quantum well. Nature Communications, 2015, 6, 7071.                                |  | 12.8 | 11        |
| 56 | Fractional Quantum Hall Effect and Wigner Crystal of Interacting Composite Fermions. Physical Review Letters, 2014, 113, 246803.                                     |  | 7.8  | 26        |
| 57 | Determination of Fermi contour and spin polarization of composite fermions via ballistic commensurability measurements. Physical Review B, 2014, 90, .               |  |      |           |
| 58 | Microwave spectroscopic observation of distinct electron solid phases in wide quantum wells. Nature Communications, 2014, 5, 4154.                                   |  | 12.8 | 18        |
| 59 | Spin polarization of composite fermions and particle-hole symmetry breaking. Physical Review B, 2014, 90, .  |  | 3.2  | 31        |
| 60 | Fermi contour anisotropy of GaAs electron-flux composite fermions in parallel magnetic fields. Physical Review B, 2014, 89, .  |  | 3.2  | 34        |
| 61 | What Determines the Fermi Wave Vector of Composite Fermions?. Physical Review Letters, 2014, 113, 196801.  |  | 7.8  | 59        |
| 62 | Fractional Quantum Hall Effect at $\frac{1}{2}$ Hole Systems Confined to GaAs Quantum Wells. Physical Review Letters, 2014, 112, 046804.                             |  |      |           |
| 63 | Even-denominator fractional quantum Hall effect at a Landau level crossing. Physical Review B, 2014, 89, .   |  | 3.2  | 26        |
| 64 | Anisotropic Fermi contour of (001) GaAs electrons in parallel magnetic fields. Physical Review B, 2013, 88, .  |  | 3.2  | 14        |
| 65 | Phase diagrams for the stability of the quantum Hall effect in electron systems confined to symmetric, wide GaAs quantum wells. Physical Review B, 2013, 88, .       |  | 3.2  | 35        |
| 66 | Evidence for a quantum Hall nematic state in parallel magnetic fields. Physical Review B, 2013, 88, .  |  |      |           |
| 67 | Spin and charge distribution symmetry dependence of stripe phases in two-dimensional electron systems confined to wide quantum wells. Physical Review B, 2013, 87, . |  | 3.2  | 13        |
| 68 | Composite Fermions with Tunable Fermi Contour Anisotropy. Physical Review Letters, 2013, 110, 206801.  |  | 7.8  | 47        |
| 69 | Ballistic transport of (001) GaAs two-dimensional holes through a strain-induced lateral superlattice. Physical Review B, 2012, 85, .                                |  | 3.2  | 23        |
| 70 | Commensurability Oscillations of Hole-Flux Composite Fermions. Physical Review Letters, 2012, 109, 236401.   |  | 7.8  | 29        |
| 71 | Unequal layer densities in bilayer Wigner crystal at high magnetic fields. Physical Review B, 2012, 85, .  |  | 3.2  | 9         |
| 72 | Anisotropic Fermi contour of (001) GaAs holes in parallel magnetic fields. Physical Review B, 2012, 86, .  |  | 3.2  | 19        |

| #  | ARTICLE   |  | IF   | CITATIONS |
|----|---|--|------|-----------|
| 73 | Observation of Reentrant Integer Quantum Hall States in the Lowest Landau Level. Physical Review Letters, 2012, 109, 036801.                                |  | 7.8  | 18        |
| 74 | Anomalous Robustness of the $\nu = \frac{1}{2}$ Fractional Quantum Hall State near a Sharp Phase Boundary. Physical Review Letters, 2011, 107, 176805.      |  |      |           |
| 75 | Evolution of the $\nu = \frac{7}{2}$ Fractional Quantum Hall State in Two-Subband Systems. Physical Review Letters, 2011, 107, 266802.                      |  | 7.8  | 19        |
| 76 | Imaging of Coulomb-Driven Quantum Hall Edge States. Physical Review Letters, 2011, 107, 176809.   |  | 7.8  | 70        |
| 77 | Effective mass and spin susceptibility of dilute two-dimensional holes in GaAs. Physical Review B, 2011, 84, .  |  | 3.2  | 15        |
| 78 | Stability of the $\nu = \frac{1}{2}$ fractional quantum Hall states. Physical Review B, 2011, 84, .   |  |      |           |
| 79 | Reentrant $\nu = \frac{1}{2}$ Quantum Hall State in a Two-Dimensional Hole System. Physical Review Letters, 2011, 107, 176810.                              |  | 7.8  | 8         |
| 80 | Temperature dependence of piezoresistance of composite Fermions with a valley degree of freedom. Solid State Communications, 2010, 150, 1165-1168.          |  | 1.9  | 2         |
| 81 | Transference of transport anisotropy to composite fermions. Nature Physics, 2010, 6, 621-624.   |  | 16.7 | 53        |
| 82 | Ferromagnetic Fractional Quantum Hall States in a Valley-Degenerate Two-Dimensional Electron System. Physical Review Letters, 2010, 104, 016805.            |  | 7.8  | 31        |
| 83 | Density and strain dependence of $\nu = \frac{1}{2}$ energy gap in a valley-degenerate AlAs quantum well. Physical Review B, 2010, 81, .                    |  | 3.2  | 9         |
| 84 | Contrast between spin and valley degrees of freedom. Physical Review B, 2010, 81, .   |  | 3.2  | 23        |
| 85 | Fractional Quantum Hall Effect at High Fillings in a Two-Subband Electron System. Physical Review Letters, 2010, 105, 246805.                               |  | 7.8  | 23        |
| 86 | Composite fermion valley polarization energies: Evidence for particle-hole asymmetry. Physical Review B, 2010, 81, .  |  | 3.2  | 26        |
| 87 | Density dependence of valley polarization energy for composite fermions. Physical Review B, 2009, 80, .   |  | 3.2  | 34        |
| 88 | Correlated States of Electrons in Wide Quantum Wells at Low Fillings: The Role of Charge Distribution Symmetry. Physical Review Letters, 2009, 103, 046805. |  | 7.8  | 31        |
| 89 | Giant frictional drag in strongly interacting bilayers near filling factor one. Physical Review B, 2009, 79, .  |  | 3.2  | 10        |
| 90 | Effective mass suppression in a ferromagnetic two-dimensional electron liquid. Physical Review B, 2009, 79, .   |  | 3.2  | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Article for Developing Fractional Quantum Hall States at Even Denominator<br>xmlns:mml="http://www.w3.org/1998/Math/MathML"<br>display="inline"><math>\langle mml:mn>1</mml:mn><mml:mo>/</mml:mo><mml:mn>2</mml:mn></mml:math> and <math>\langle mml:mn>1</mml:mn><mml:mo>/</mml:mo><mml:mn>4</mml:mn></mml:math> Fillings<br>in Asymmetric Wide Quantum Wells. Physical Review Letters, 2009, 103, 256802. | 7.8 | 38        |
| 92  | Spin-orbit interaction and transport in GaAs two-dimensional holes. Semiconductor Science and Technology, 2009, 24, 064002.   | 2.0 | 23        |
| 93  | Valley susceptibility of interacting electrons and composite fermions. Physica E: Low-Dimensional Systems and Nanostructures, 2008, 40, 986-989.  | 2.7 | 3         |
| 94  | Spin susceptibility and effective mass of two-dimensional electrons in<math>\langle mml:math> Spin susceptibility and effective mass of two-dimensional electrons in<math>\langle mml:math> Physical Review B, 2008, 78, .  | 3.2 | 56        |
| 95  | Spin orientation of holes in quantum wells. Semiconductor Science and Technology, 2008, 23, 114017.   | 2.0 | 63        |
| 96  | High-quality quantum point contact in two-dimensional GaAs (311)A hole system. Applied Physics Letters, 2008, 93, .   | 3.3 | 5         |
| 97  | Parallel magnetic-field tuning of valley splitting in AlAs two-dimensional electrons. Physical Review B, 2008, 78, .  | 3.2 | 11        |
| 98  | Enhancement of valley susceptibility upon complete spin polarization. Physical Review B, 2008, 78, .  | 3.2 | 6         |
| 99  | Dependence of Effective Mass on Spin and Valley Degrees of Freedom. Physical Review Letters, 2008, 101, 146405.   | 7.8 | 10        |
| 100 | Strain-Induced Fermi Contour Anisotropy of GaAs 2D holes. Physical Review Letters, 2008, 100, 096803.   | 7.8 | 11        |
| 101 | In-plane magnetic-field-induced metal-insulator transition in(311)AGaAstwo-dimensional hole systems probed by thermopower. Physical Review B, 2007, 76, .   | 3.2 | 9         |
| 102 | Strong Aharonov-Bohm oscillations in GaAs two-dimensional holes. Applied Physics Letters, 2007, 90, 152104.   | 3.3 | 19        |
| 103 | Dephasing time of two-dimensional holes in GaAs open quantum dots: Magnetotransport measurements. Physical Review B, 2007, 75, .  | 3.2 | 6         |
| 104 | Valley Polarization and Susceptibility of Composite Fermions around a Filling Factor $\frac{1}{2}=32$ . Physical Review Letters, 2007, 98, 266404.  | 7.8 | 67        |
| 105 | Tuning of the spin-orbit interaction in two-dimensional GaAs holes via strain. Physical Review B, 2007, 75, .   | 3.2 | 21        |
| 106 | Pinning Modes and Interlayer Correlation in High-Magnetic-Field Bilayer Wigner Solids. Physical Review Letters, 2007, 99, 136804.   | 7.8 | 14        |
| 107 | Spin susceptibility of interacting two-dimensional electrons with anisotropic effective mass. Physical Review B, 2007, 76, .  | 3.2 | 26        |
| 108 | QUANTUM HALL EFFECT IN A MULTI-VALLEY TWO-DIMENSIONAL ELECTRON SYSTEM. International Journal of Modern Physics B, 2007, 21, 1388-1397.  | 2.0 | 8         |

| #   | ARTICLE   |  | IF   | CITATIONS |
|-----|---|--|------|-----------|
| 109 | NMR study of large skyrmions in Al <sub>0.13</sub> Ga <sub>0.87</sub> As quantum wells. Physical Review B, 2007, 76, .  |  | 3.2  | 10        |
| 110 | Charge neutral counterflow transport at filling factor 1 in GaAs hole bilayers. Solid State Communications, 2007, 144, 405-408.   |  | 1.9  | 5         |
| 111 | Spin-“valley phase diagram of the two-dimensional metal–insulator transition. Nature Physics, 2007, 3, 388-391.   |  | 16.7 | 39        |
| 112 | Zeeman splitting of interacting two-dimensional electrons with two effective masses. Solid State Communications, 2006, 140, 285-288.  |  | 1.9  | 2         |
| 113 | Valley Susceptibility of an Interacting Two-Dimensional Electron System. Physical Review Letters, 2006, 97, 186404.   |  | 7.8  | 261       |
| 114 | FLATLAND ELECTRONS IN HIGH MAGNETIC FIELDS. , 2006, , 31-60.  |  |      | 11        |
| 115 | Bilayer counterflow transport at filling factor 1 in the strong interacting regime. Physica E: Low-Dimensional Systems and Nanostructures, 2006, 34, 11-15.                                     |  | 2.7  | 2         |
| 116 | Coulomb drag experiments in low density 2D hole bilayers. Physica E: Low-Dimensional Systems and Nanostructures, 2006, 34, 63-68.   |  | 2.7  | 0         |
| 117 | Spin-dependent resistivity and quantum Hall ferromagnetism in two-dimensional electrons confined to AlAs quantum wells. Physica E: Low-Dimensional Systems and Nanostructures, 2006, 34, 89-92. |  | 2.7  | 3         |
| 118 | Thermopower evidence for Wigner crystallization in the insulating phase of two-dimensional GaAs bilayer hole systems. Physica E: Low-Dimensional Systems and Nanostructures, 2006, 34, 120-123. |  | 2.7  | 1         |
| 119 | Stability of charged impurities in a coupled single electron transistor and antidot system. Physica E: Low-Dimensional Systems and Nanostructures, 2006, 34, 187-190.                           |  | 2.7  | 0         |
| 120 | Two-dimensional electrons occupying multiple valleys in AlAs. Physica Status Solidi (B): Basic Research, 2006, 243, 3629-3642.  |  | 1.5  | 109       |
| 121 | Dependence of Persistent Gaps at Landau Level Crossings on Relative Spin. Physical Review Letters, 2006, 97, 116803.  |  | 7.8  | 8         |
| 122 | High-mobility AlAs quantum wells with out-of-plane valley occupation. Applied Physics Letters, 2006, 89, 172118.  |  | 3.3  | 11        |
| 123 | Quantized conductance in an AlAs two-dimensional electron system quantum point contact. Physical Review B, 2006, 74, .  |  | 3.2  | 60        |
| 124 | Interaction and disorder in bilayer counterflow transport at filling-factor one. Physical Review B, 2005, 72, .   |  | 3.2  | 13        |
| 125 | Observation of Quantum Hall “Valley Skyrmiions”. Physical Review Letters, 2005, 95, 066809.   |  | 7.8  | 65        |
| 126 | Orbital effect, subband depopulation, and conductance fluctuations in ballistic quantum dots under a tilted magnetic field. Physical Review B, 2005, 71, .                                      |  | 3.2  | 4         |

| #   | ARTICLE   |     | IF  | CITATIONS |
|-----|---|-----|-----|-----------|
| 127 | Coulomb drag near the metal-insulator transition in two dimensions. Physical Review B, 2005, 71, .  | 3.2 | 21  |           |
| 128 | Spin-Dependent Resistivity at Transitions between Integer Quantum Hall States. Physical Review Letters, 2005, 94, 176402.                                     | 7.8 | 17  |           |
| 129 | Anomalous spin polarization of GaAs two-dimensional hole systems. Physical Review B, 2005, 72, .  | 3.2 | 40  |           |
| 130 | COUNTERFLOW MEASUREMENTS IN <i>GaAs</i> HOLE BILAYERS: POSSIBLE EVIDENCE FOR EXCITONIC CONDENSATION. , 2005, , .  |     | 0   |           |
| 131 | Realization of an Interacting Two-Valley AlAs Bilayer System. Physical Review Letters, 2004, 92, 186404.  | 7.8 | 12  |           |
| 132 | Dependence of Spin Susceptibility of a Two-Dimensional Electron System on the Valley Degree of Freedom. Physical Review Letters, 2004, 92, 246804.            | 7.8 | 45  |           |
| 133 | A hybrid Al <sub>0.10</sub> Ga <sub>0.90</sub> As/AlAs bilayer electron system with tunable g-factor. Applied Physics Letters, 2004, 84, 3837-3839.           | 3.3 | 7   |           |
| 134 | Negative differential Rashba effect in two-dimensional hole systems. Applied Physics Letters, 2004, 85, 3151-3153.  | 3.3 | 29  |           |
| 135 | Spin Susceptibility of Two-Dimensional Electrons in Narrow AlAs Quantum Wells. Physical Review Letters, 2004, 92, 226401.                                     | 7.8 | 93  |           |
| 136 | Laterally Modulated 2D Electron System in the Extreme Quantum Limit. Physical Review Letters, 2004, 92, 036802.   | 7.8 | 47  |           |
| 137 | Insulating behavior of dilute two-dimensional holes in GaAs under an in-plane magnetic field. Physical Review B, 2004, 70, .                                  | 3.2 | 1   |           |
| 138 | COUNTERFLOW MEASUREMENTS IN GaAs HOLE BILAYERS: POSSIBLE EVIDENCE FOR EXCITONIC CONDENSATION. International Journal of Modern Physics B, 2004, 18, 3685-3692. | 2.0 | 2   |           |
| 139 | Interacting GaAs bilayer hole systems with layer density imbalance. Physica E: Low-Dimensional Systems and Nanostructures, 2004, 22, 32-35.                   | 2.7 | 0   |           |
| 140 | Frictional drag between dilute two-dimensional hole systems. Physica E: Low-Dimensional Systems and Nanostructures, 2004, 22, 300-303.                        | 2.7 | 4   |           |
| 141 | Giant low-temperature piezoresistance effect in AlAs two-dimensional electrons. Applied Physics Letters, 2004, 85, 3766-3768.                                 | 3.3 | 27  |           |
| 142 | Ballistic Electron Transport in AlAs Quantum Wells. Physical Review Letters, 2004, 93, 246603.  | 7.8 | 35  |           |
| 143 | Counterflow Measurements in Strongly Correlated GaAs Hole Bilayers: Evidence for Electron-Hole Pairing. Physical Review Letters, 2004, 93, 036802.            | 7.8 | 273 |           |
| 144 | Magnetism and pseudo-magnetism in quantum Hall systems. Physica E: Low-Dimensional Systems and Nanostructures, 2003, 20, 123-132.                             | 2.7 | 4   |           |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Evidence for universal conductance fluctuations in an open quantum dot under a strictly parallel magnetic field. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2003, 17, 154-155. | 2.7 | 1         |
| 146 | Low-temperature, in situ tunable, uniaxial stress measurements in semiconductors using a piezoelectric actuator. <i>Applied Physics Letters</i> , 2003, 83, 5235-5237.                             | 3.3 | 81        |
| 147 | Parallel magnetic-field-induced conductance fluctuations in one- and two-subband ballistic quantum dots. <i>Physical Review B</i> , 2003, 68, .  | 3.2 | 3         |
| 148 | Critical Resistance in the AlAs Quantum Hall Ferromagnet. <i>Physical Review Letters</i> , 2003, 91, 216802.   | 7.8 | 18        |
| 149 | In-Plane Magnetodrag between Dilute Two-Dimensional Systems. <i>Physical Review Letters</i> , 2003, 90, 226801.  | 7.8 | 19        |
| 150 | Multiple interacting bilayer electron system: Magnetotransport and heat capacity measurements. <i>Physical Review B</i> , 2003, 68, .  | 3.2 | 2         |
| 151 | Valley Splitting of AlAs Two-Dimensional Electrons in a Perpendicular Magnetic Field. <i>Physical Review Letters</i> , 2002, 89, 226805.   | 7.8 | 138       |
| 152 | Aharonov-Bohm Oscillations with Spin: Evidence for Berryâ€™s Phase. <i>Physical Review Letters</i> , 2002, 88, 146801.   | 7.8 | 136       |
| 153 | Enhanced electron mobility and high order fractional quantum Hall states in AlAs quantum wells. <i>Applied Physics Letters</i> , 2002, 80, 1583-1585.  | 3.3 | 60        |
| 154 | QUANTUM HALL EFFECT IN AlAs 2D ELECTRON SYSTEMS. <i>International Journal of Modern Physics B</i> , 2002, 16, 2917-2922.   | 2.0 | 0         |
| 155 | NMR Investigation of How Free Composite Fermions Are at $\tilde{\nu}=12$ . <i>Physical Review Letters</i> , 2002, 89, 246804.  | 7.8 | 32        |
| 156 | Hysteretic resistance spikes at transitions between quantum Hall ferromagnets in AlAs 2D electrons. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002, 12, 36-38.                | 2.7 | 3         |
| 157 | Measurements of the effective g-factor in dilute GaAs 2D electrons. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002, 12, 420-423.  | 2.7 | 0         |
| 158 | Anomalous giant Rashba spin splitting in two-dimensional hole systems. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002, 12, 428-431.   | 2.7 | 7         |
| 159 | Aharonovâ€“Bohm oscillations measured in GaAs two-dimensional holes: observation of Berry's phase. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002, 12, 758-761.               | 2.7 | 0         |
| 160 | Evidence for spinâ€“orbit effects in an open ballistic quantum dot. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002, 12, 833-836.  | 2.7 | 5         |
| 161 | High-mobility electrons in modulation-doped AlAs quantum wells. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002, 13, 646-648.  | 2.7 | 4         |
| 162 | Manifestation of Berryâ€™s phase in Aharonovâ€“Bohm oscillations in a 2D system with spinâ€“orbit interaction. <i>Microelectronic Engineering</i> , 2002, 63, 211-216.                             | 2.4 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | QUANTUM HALL EFFECT IN <font>AlAs</font> 2D ELECTRON SYSTEMS. , 2002, , .  | 0   |           |
| 164 | In-Plane Magnetic Field-Induced Spin Polarization and Transition to Insulating Behavior in Two-Dimensional Hole Systems. Physical Review Letters, 2001, 86, 2858-2861.                     | 7.8 | 99        |
| 165 | Anomalous Shubnikovâ€“de Haas oscillations in two-dimensional systems. Physica B: Condensed Matter, 2001, 298, 13-17.  | 2.7 | 2         |
| 166 | Spin-splitting in GaAs two-dimensional holes. Physica E: Low-Dimensional Systems and Nanostructures, 2001, 9, 31-39.   | 2.7 | 14        |
| 167 | Highly anisotropic Zeeman splitting of two-dimensional hole systems. Physica E: Low-Dimensional Systems and Nanostructures, 2001, 10, 62-66.   | 2.7 | 0         |
| 168 | Spin polarization of two-dimensional electrons in GaAs quantum wells around Landau level filling $\hat{l}_{1/2}=1$ from NMR measurements of gallium nuclei. Physical Review B, 2001, 64, . | 3.2 | 13        |
| 169 | New Phase Transition between Partially and Fully Polarized Quantum Hall States with Charge and Spin Gaps at $\hat{l}_{1/2}=23$ . Physical Review Letters, 2001, 87, 136801.                | 7.8 | 49        |
| 170 | The effect of Zeeman energy on heat capacity of GaAs/AlGaAs heterostructures near $\hat{l}_{1/2}=1$ . Physica E: Low-Dimensional Systems and Nanostructures, 2000, 6, 52-55.               | 2.7 | 0         |
| 171 | Anisotropic transport of two-dimensional holes in high Landau levels. Physica E: Low-Dimensional Systems and Nanostructures, 2000, 6, 40-42.   | 2.7 | 46        |
| 172 | Tunable $B=0$ spin-splitting and its effect on the metallic behavior of GaAs two-dimensional holes. Physica E: Low-Dimensional Systems and Nanostructures, 2000, 6, 284-287.               | 2.7 | 4         |
| 173 | Highly anisotropic commensurability oscillations in two-dimensional holes at the GaAs/AlGaAs A interface. Physica E: Low-Dimensional Systems and Nanostructures, 2000, 6, 453-456.         | 2.7 | 1         |
| 174 | Study of universality at integer quantum Hall transitions. Journal of Physics Condensed Matter, 2000, 12, 5343-5360.   | 1.8 | 8         |
| 175 | Parallel Magnetic Field Induced Transition in Transport in the Dilute Two-Dimensional Hole System in GaAs. Physical Review Letters, 2000, 84, 4421-4424.                                   | 7.8 | 117       |
| 176 | Microwave resonance and weak pinning in two-dimensional hole systems at high magnetic fields. Physical Review B, 2000, 61, 10905-10909.  | 3.2 | 49        |
| 177 | Confinement symmetry, mobility anisotropy, and metallic behavior in(311)AGaAs two-dimensional holes. Physical Review B, 2000, 62, 15375-15378.   | 3.2 | 6         |
| 178 | NMR Determination of 2D Electron Spin Polarization at $\hat{l}_{1/2}=1/2$ . Physical Review Letters, 2000, 84, 354-357.  | 7.8 | 84        |
| 179 | Anomalous Magneto-Oscillations in Two-Dimensional Systems. Physical Review Letters, 2000, 84, 713-716.   | 7.8 | 38        |
| 180 | Large skyrmions in anAl <sub>0.13</sub> Ga <sub>0.87</sub> As quantum well. Physical Review B, 2000, 61, 4469-4472.  | 3.2 | 29        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 181 | Resistance Spikes at Transitions Between Quantum Hall Ferromagnets. , 2000, 290, 1546-1549.  | 148  |           |
| 182 | Topographic Mapping of the Quantum Hall Liquid Using a Few-Electron Bubble. Science, 2000, 289, 90-94.   | 12.6 | 109       |
| 183 | Highly Anisotropicg-Factor of Two-Dimensional Hole Systems. Physical Review Letters, 2000, 85, 4574-4577.  | 7.8  | 100       |
| 184 | Anomalous Thermopower in the Metalliclike Phase of a 2D Hole System. Physical Review Letters, 2000, 85, 4369-4372.   | 7.8  | 16        |
| 185 | Anisotropic Magnetoresistance of Two-Dimensional Holes in GaAs. Physical Review Letters, 2000, 84, 5592-5595.  | 7.8  | 71        |
| 186 | Semicircle: An exact relation in the integer and fractional quantum Hall effect. Europhysics Letters, 1999, 46, 775-779.   | 2.0  | 34        |
| 187 | Heat Capacity Evidence for the Suppression of Skyrmions at Large Zeeman Energy. Physical Review Letters, 1999, 82, 2764-2767.  | 7.8  | 37        |
| 188 | Wigner Crystallization and Metal-Insulator Transition of Two-Dimensional Holes in GaAs atB=0. Physical Review Letters, 1999, 82, 1744-1747.                                | 7.8  | 156       |
| 189 | Shukla et al.Reply:. Physical Review Letters, 1999, 82, 3724-3724.   | 7.8  | 3         |
| 190 | Observation of Quantum Fluctuations of Charge on a Quantum Dot. Physical Review Letters, 1999, 82, 161-164.  | 7.8  | 87        |
| 191 | Anomalous spin splitting of two-dimensional electrons in an AlAs quantum well. Physical Review B, 1999, 59, R12743-R12746.   | 3.2  | 24        |
| 192 | Spin-resolved commensurability oscillations. Physical Review B, 1999, 60, 13776-13779.   | 3.2  | 11        |
| 193 | Spin-resolved ballistic transport of GaAs two-dimensional holes. Microelectronic Engineering, 1999, 47, 77-79.   | 2.4  | 0         |
| 194 | The Effect of Spin Splitting on the Metallic Behavior of a Two-Dimensional System. Science, 1999, 283, 2056-2058.  | 12.6 | 142       |
| 195 | The quantized Hall insulator. Annalen Der Physik, 1999, 511, 603-608.  | 2.4  | 1         |
| 196 | Effective mass measurement in two-dimensional hole gas in strained Si <sub>1-x</sub> yGeCy/ Si(100) modulation doped heterostructures. Thin Solid Films, 1998, 321, 51-54. | 1.8  | 1         |
| 197 | Apparent metallic behavior atB=0of a two-dimensional electron system in AlAs. Physical Review B, 1998, 57, R15068-R15071.  | 3.2  | 88        |
| 198 | Tunable Spin-Splitting and Spin-Resolved Ballistic Transport in GaAs/AlGaAs Two-Dimensional Holes. Physical Review Letters, 1998, 81, 1282-1285.                           | 7.8  | 146       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 199 | Magnetic-Field-Induced Triple-Layer to Bilayer Transition. Physical Review Letters, 1998, 81, 693-696.  | 7.8  | 10        |
| 200 | Ballistic transport in a two-subband two-dimensional electron system. Physical Review B, 1998, 58, 1138-1141.   | 3.2  | 13        |
| 201 | Magnetic Anisotropy in Quantum Hall Ferromagnets. Physical Review Letters, 1998, 81, 2328-2331.   | 7.8  | 80        |
| 202 | Microwave Conductivity Resonance of Two-Dimensional Hole System. Physical Review Letters, 1997, 79, 1353-1356.  | 7.8  | 62        |
| 203 | A Different View of the Quantum Hall Plateau-to-Plateau Transitions. Physical Review Letters, 1997, 79, 479-482.  | 7.8  | 87        |
| 204 | Critical Behavior of Nuclear-Spin Diffusion in GaAs/AlGaAs Heterostructures near Landau Level Filling $\frac{1}{2}=1$ . Physical Review Letters, 1997, 79, 1718-1721.                                     | 7.8  | 45        |
| 205 | Spontaneous Interlayer Charge Transfer near the Magnetic Quantum Limit. Physical Review Letters, 1997, 79, 2722-2725.   | 7.8  | 34        |
| 206 | Interlayer charge transfer in double-quantum-well systems. Physical Review B, 1997, 55, 9294-9297.  | 3.2  | 13        |
| 207 | One-component to two-component transition of the $\frac{1}{2}=2/3$ fractional quantum Hall effect in a wide quantum well induced by an in-plane magnetic field. Physical Review B, 1997, 56, R7092-R7095. | 3.2  | 43        |
| 208 | Resistance oscillation in wide single quantum wells subject to in-plane magnetic fields. Physical Review B, 1997, 56, 1029-1032.  | 3.2  | 35        |
| 209 | Giant heat capacity and nuclear-spin diffusion in GaAs/AlGaAs heterostructures near $\frac{1}{2}=1$ . Physica E: Low-Dimensional Systems and Nanostructures, 1997, 1, 36-41.                              | 2.7  | 1         |
| 210 | Interaction-induced interlayer charge transfer at high magnetic fields. Physica E: Low-Dimensional Systems and Nanostructures, 1997, 1, 172-175.  | 2.7  | 1         |
| 211 | Incompressible, metallic and insulating states of two-dimensional systems: Recent experiments. Solid State Communications, 1997, 102, 155-163.  | 1.9  | 4         |
| 212 | On the nature of the Hall insulator. Solid State Communications, 1997, 102, 817-821.  | 1.9  | 43        |
| 213 | Microwave resonances in low-filling insulating phase of two-dimensional electron system. Solid State Communications, 1997, 104, 167-171.  | 1.9  | 32        |
| 214 | Evidence for Charge-Flux Duality near the Quantum Hall Liquid-to-Insulator Transition. Science, 1996, 274, 589-592.   | 12.6 | 96        |
| 215 | Phonon Emission from a 2D Electron Gas: Evidence of Transition to the Hydrodynamic Regime. Physical Review Letters, 1996, 77, 1143-1146.  | 7.8  | 91        |
| 216 | Ballistic transport in the upper subband of a two-dimensional electron system. Physica B: Condensed Matter, 1996, 227, 69-73.   | 2.7  | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Inductive anomaly of two-dimensional electrons in the Wigner solid regime. Solid State Communications, 1996, 99, 255-259.  | 1.9 | 5         |
| 218 | Novel cleaved edge overgrowth structures for tunneling into one- and two-dimensional electron systems. Solid-State Electronics, 1996, 40, 233-236.                                     | 1.4 | 18        |
| 219 | Observation of ballistic transport in the upper subband of a two-dimensional electron system. Physical Review B, 1996, 53, R4217-R4220.  | 3.2 | 5         |
| 220 | Evidence for a Bilayer Quantum Wigner Solid. Physical Review Letters, 1996, 77, 1813-1816.   | 7.8 | 82        |
| 221 | Giant Low Temperature Heat Capacity of GaAs Quantum Wells near Landau Level Filling $\tilde{\nu}=1$ . Physical Review Letters, 1996, 76, 4584-4587.                                    | 7.8 | 118       |
| 222 | Correlated bilayer electron states. Semiconductor Science and Technology, 1996, 11, 1539-1545.   | 2.0 | 19        |
| 223 | Observation of a giant dielectric constant in the re-entrant insulating phase of two-dimensional electrons. Solid State Communications, 1995, 95, 619-623.                             | 1.9 | 16        |
| 224 | RF resonance in two-dimensional electron transport in the Wigner solid regime. Solid State Communications, 1995, 96, 379-382.  | 1.9 | 11        |
| 225 | Far-infrared emission from hot quasi-one-dimensional quantum wires in GaAs. Applied Physics Letters, 1995, 67, 1564-1566.  | 3.3 | 13        |
| 226 | High field transport in an edge overgrown lateral superlattice. Applied Physics Letters, 1995, 66, 323-325.  | 3.3 | 10        |
| 227 | Electron temperature in low-dimensional wires using thermal noise measurements. Applied Physics Letters, 1995, 67, 386-388.  | 3.3 | 7         |
| 228 | Grating-induced cyclotron-resonance anomaly in GaAs/Al <sub>x</sub> Ga <sub>1-x</sub> As heterostructures. Physical Review B, 1995, 51, 13174-13180.                                   | 3.2 | 8         |
| 229 | Time-resolved photoluminescence of a two-dimensional hole system in the extreme quantum limit. Physical Review B, 1995, 51, 13876-13879.   | 3.2 | 4         |
| 230 | Quantitative determination of many-body-induced interlayer charge transfer in bilayer electron systems via Shubnikov-de Haas measurements. Physical Review B, 1995, 52, R11611-R11614. | 3.2 | 38        |
| 231 | Layer-depopulation- and magnetic-field-induced resistance oscillations in a triple-layer electron system. Physical Review B, 1995, 52, R5511-R5514.                                    | 3.2 | 18        |
| 232 | Thermopower of composite fermions. Physical Review B, 1995, 52, R8621-R8624.   | 3.2 | 31        |
| 233 | Charge transfer at double-layer to single-layer transition in double-quantum-well systems. Physical Review B, 1995, 52, 14817-14824.   | 3.2 | 24        |
| 234 | Universal Conductivity at the Quantum Hall Liquid to Insulator Transition. Physical Review Letters, 1995, 74, 4511-4514.   | 7.8 | 137       |

| #   | ARTICLE   |  | IF  | CITATIONS |
|-----|---|--|-----|-----------|
| 235 | Thermopower in the Re-entrant Insulating Phase of a Two-Dimensional Hole System. <i>Europhysics Letters</i> , 1994, 25, 613-618.  |  | 2.0 | 24        |
| 236 | Electronic lifetimes in excited state Landau levels. <i>Semiconductor Science and Technology</i> , 1994, 9, 700-703.  |  | 2.0 | 18        |
| 237 | Experimental study of $f_{xx}(T)$ for quasiparticle charge determination in the fractional quantum Hall effect. <i>Physical Review B</i> , 1994, 49, 7400-7407.                   |  | 3.2 | 22        |
| 238 | Signatures of a Novel Fermi Liquid in a Two-Dimensional Composite Particle Metal. <i>Physical Review Letters</i> , 1994, 73, 3270-3273.   |  | 7.8 | 116       |
| 239 | Anomalous temperature dependence of the correlated $\frac{1}{2}=1$ quantum Hall effect in bilayer electron systems. <i>Physical Review B</i> , 1994, 50, 17725-17728.             |  | 3.2 | 49        |
| 240 | Optimally designed potentials for control of electron-wave scattering in semiconductor nanodevices. <i>Physical Review B</i> , 1994, 49, 11100-11110.                             |  | 3.2 | 30        |
| 241 | Surface resonant tunneling transistor: A new negative transconductance device. <i>Applied Physics Letters</i> , 1994, 64, 610-612.  |  | 3.3 | 16        |
| 242 | Wigner crystal versus Hall insulator. <i>Physical Review B</i> , 1994, 50, 17662-17665.   |  | 3.2 | 46        |
| 243 | Magnetic Field Symmetry Properties of the Capacitance Tensor of a Two-Dimensional Electron System. <i>Physical Review Letters</i> , 1994, 73, 146-149.                            |  | 7.8 | 57        |
| 244 | Origin of the $\frac{1}{2}=1/2$ fractional quantum Hall state in wide single quantum wells. <i>Physical Review Letters</i> , 1994, 72, 3405-3408.                                 |  | 7.8 | 115       |
| 245 | Novel surface gate structure to induce sharp potential barriers in two-dimensional electron systems. <i>Applied Physics Letters</i> , 1994, 65, 2320-2322.                        |  | 3.3 | 6         |
| 246 | Observation of composite-fermion thermopower at half-filled Landau levels. <i>Physical Review B</i> , 1994, 50, 4969-4972.  |  | 3.2 | 37        |
| 247 | Charge transport in a low-disorder, low-density one-dimensional electron system. <i>Physical Review B</i> , 1994, 49, 16441-16458.  |  | 3.2 | 17        |
| 248 | Quantum reflection and transmission of ballistic two-dimensional electrons by a potential barrier. <i>Applied Physics Letters</i> , 1994, 65, 1154-1156.                          |  | 3.3 | 8         |
| 249 | Magneto-optics of two-dimensional hole systems in the extreme quantum limit. <i>Physical Review B</i> , 1994, 49, 14054-14057.  |  | 3.2 | 17        |
| 250 | Mobility anisotropy of two-dimensional hole systems in (311)A GaAs/Al <sub>x</sub> Ga <sub>1-x</sub> As heterojunctions. <i>Journal of Applied Physics</i> , 1994, 76, 1980-1982. |  | 2.5 | 60        |
| 251 | One-component to two-component transitions of fractional quantum Hall states in a wide quantum well. <i>Surface Science</i> , 1994, 305, 13-17.                                   |  | 1.9 | 11        |
| 252 | Transverse magnetic focusing and the dispersion of GaAs 2D holes at (311)A heterojunctions. <i>Surface Science</i> , 1994, 305, 348-352.  |  | 1.9 | 18        |

| #   | ARTICLE  |  | IF  | CITATIONS |
|-----|--|--|-----|-----------|
| 253 | Observation of an abrupt double-to-single-layer transition in a double-quantum-well structure.<br>Surface Science, 1994, 305, 405-407.   |  | 1.9 | 18        |
| 254 | Gate tuned transition to the insulating phase of one-dimensional electrons in high magnetic fields.<br>Surface Science, 1994, 305, 629-632.  |  | 1.9 | 10        |
| 255 | Fractional quantum Hall effect in multilayer electron systems. Physica B: Condensed Matter, 1993, 184, 43-50.  |  | 2.7 | 0         |
| 256 | Collective excitations in a quasi-3-dimensional electron system. Physica B: Condensed Matter, 1993, 184, 100-105.  |  | 2.7 | 1         |
| 257 | Interband spectroscopy of a quasi-three-dimensional electron gas in wide parabolic (Al,Ga)As quantum wells. Physical Review B, 1993, 48, 15103-15111.                                  |  | 3.2 | 7         |
| 258 | Probing the subband structure of a wide electron system in a parabolic quantum well via capacitance-voltage measurements. Physical Review B, 1993, 47, 4056-4059.                      |  | 3.2 | 12        |
| 259 | Hall resistance of the reentrant insulating phase around the $\frac{1}{5}$ fractional quantum Hall liquid. Physical Review Letters, 1993, 70, 2321-2324.                               |  | 7.8 | 56        |
| 260 | Two-level random switching in the reentrant insulating phase around the $\frac{1}{2}=1/5$ fractional quantum Hall liquid. Physical Review B, 1993, 47, 9933-9936.                      |  | 3.2 | 10        |
| 261 | High-quality two-dimensional electron system confined in an AlAs quantum well. Applied Physics Letters, 1993, 62, 3120-3122.   |  | 3.3 | 50        |
| 262 | Universality of the Hall effect in a magnetic-field-localized two-dimensional electron system. Physical Review Letters, 1993, 70, 647-650.   |  | 7.8 | 62        |
| 263 | Anomalous cyclotron-resonance line splitting of two-dimensional holes in (311)Al <sub>x</sub> Ga <sub>1-x</sub> As/GaAs heterojunctions. Physical Review B, 1993, 47, 4076-4079.       |  | 3.2 | 30        |
| 264 | Mode softening in the far-infrared excitation of quantum-wire arrays. Physical Review B, 1993, 48, 5249-5255.  |  | 3.2 | 3         |
| 265 | Experimental evidence for finite-width edge channels in integer and fractional quantum Hall effects. Physical Review B, 1993, 48, 8161-8165.   |  | 3.2 | 47        |
| 266 | Interaction of electrons with interface phonons in GaAs/AlAs and GaAs/AlGaAs heterostructures. Semiconductor Science and Technology, 1992, 7, B116-B119.                               |  | 2.0 | 17        |
| 267 | Oscillations in the thermal conductivity of a GaAs/Al <sub>x</sub> Ga <sub>1-x</sub> As heterostructure in the fractional quantum Hall regime. Physical Review B, 1992, 46, 7240-7243. |  | 3.2 | 12        |
| 268 | Fractional quantum Hall effect at $\frac{1}{2}=2/3$ and $3/5$ in tilted magnetic fields. Physical Review B, 1992, 45, 3418-3425.   |  | 3.2 | 141       |
| 269 | Correlated states of an electron system in a wide quantum well. Physical Review Letters, 1992, 69, 3551-3554.  |  | 7.8 | 48        |
| 270 | Magneto-optical absorption in a two-dimensional electron grid. Applied Physics Letters, 1992, 60, 1510-1512.   |  | 3.3 | 35        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Quantum Hall effect in a triple-layer electron system. Physical Review B, 1992, 46, 9776-9779.  | 3.2 | 21        |
| 272 | Heat-capacity study of two-dimensional electrons in GaAs/Al <sub>x</sub> Ga <sub>1-x</sub> As multiple-quantum-well structures in high magnetic fields: Spin-split Landau levels. Physical Review B, 1992, 45, 4384-4389. | 3.2 | 46        |
| 273 | Formation of interfaces between In and Au and GaAs(100) studied with soft-x-ray photoemission spectroscopy. Physical Review B, 1992, 45, 1273-1283.   | 3.2 | 36        |
| 274 | Many-electron excitons and Fermi-edge singularities in wide, parabolic (Al,Ga)As quantum wells. Physical Review B, 1992, 45, 8408-8412.   | 3.2 | 23        |
| 275 | Observation of a reentrant insulating phase near the 1/3 fractional quantum Hall liquid in a two-dimensional hole system. Physical Review Letters, 1992, 68, 1188-1191.   | 7.8 | 156       |
| 276 | Observation of a $\frac{1}{2}$ =1/2 fractional quantum Hall state in a double-layer electron system. Physical Review Letters, 1992, 68, 1379-1382.  | 7.8 | 375       |
| 277 | Effect of Landau-level mixing on quantum-liquid and solid states of two-dimensional hole systems. Physical Review B, 1992, 46, 13639-13642.   | 3.2 | 57        |
| 278 | Collective cyclotron resonance of an inhomogeneous electron gas. Physical Review B, 1992, 46, 1823-1826.  | 3.2 | 9         |
| 279 | Observation of magnetic focusing in two-dimensional hole systems. Applied Physics Letters, 1992, 61, 1652-1654.   | 3.3 | 51        |
| 280 | Studies of the reentrant insulating phase around the FQH liquid: I-V curves, noise, RF bias. Surface Science, 1992, 263, 44-48.   | 1.9 | 9         |
| 281 | Quasiparticle charge of FQH liquid from resistance fluctuation measurements. Surface Science, 1992, 263, 72-75.   | 1.9 | 8         |
| 282 | Magnetotransport properties of double-layer systems in wide single quantum wells. Surface Science, 1992, 263, 152-156.  | 1.9 | 5         |
| 283 | Magneto-rotons in wide parabolic quantum wells. Surface Science, 1992, 263, 451-456.  | 1.9 | 0         |
| 284 | Quantum interference in two independently tunable parallel quantum point contacts. Superlattices and Microstructures, 1992, 11, 223-227.  | 3.1 | 3         |
| 285 | Initial stages of the reaction of oxygen with Si(1 0 0). Solid State Communications, 1991, 77, 735-738.   | 1.9 | 19        |
| 286 | Fabrication of quasi-three-dimensional electron systems and superlattices in wide parabolic wells. Journal of Crystal Growth, 1991, 111, 366-370.   | 1.5 | 4         |
| 287 | Resonant tunneling of two-dimensional electrons into one-dimensional subbands of a quantum wire. Applied Physics Letters, 1991, 58, 1440-1442.  | 3.3 | 26        |
| 288 | Quantum interference in two independently tunable parallel point contacts. Physical Review B, 1991, 44, 13497-13503.  | 3.2 | 26        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Resistance fluctuations in the integral- and fractional-quantum-Hall-effect regimes. <i>Physical Review B</i> , 1991, 44, 12933-12944.  | 3.2 | 72        |
| 290 | Low-frequency noise in the reentrant insulating phase around the 1/5 fractional quantum Hall liquid. <i>Physical Review Letters</i> , 1991, 67, 1630-1633.  | 7.8 | 120       |
| 291 | Magnetorotons in quasi-three-dimensional electron systems. <i>Physical Review Letters</i> , 1991, 67, 3428-3431.  | 7.8 | 27        |
| 292 | Resonant tunneling in submicron double-barrier heterostructures. <i>Applied Physics Letters</i> , 1991, 58, 747-749.  | 3.3 | 75        |
| 293 | Guiding-center drift resonance of two-dimensional electrons in a grid-gate superlattice potential. <i>Applied Physics Letters</i> , 1991, 58, 2945-2947.  | 3.3 | 10        |
| 294 | Missing integral quantum Hall effect in a wide single quantum well. <i>Physical Review B</i> , 1991, 44, 5947-5950.   | 3.2 | 99        |
| 295 | Elastic scattering of low-energy electrons from oxygen-covered Si surfaces. <i>Physical Review B</i> , 1991, 43, 9365-9368.   | 3.2 | 2         |
| 296 | TRANSITIONS BETWEEN FRACTIONAL QUANTUM HALL STATES. <i>Modern Physics Letters B</i> , 1991, 05, 479-490.  | 1.9 | 8         |
| 297 | Transport in transverse magnetic fields in resonant tunneling structures. <i>Physical Review B</i> , 1990, 42, 1374-1380.   | 3.2 | 40        |
| 298 | Oscillatory density-of-states of Landau bands in a two-dimensional lateral surface superlattice. <i>Solid State Communications</i> , 1990, 75, 395-399.   | 1.9 | 5         |
| 299 | Novel superlattice in a selectively doped wide parabolic quantum well with a modulated potential. <i>Applied Physics Letters</i> , 1990, 57, 2130-2132.   | 3.3 | 25        |
| 300 | Nature of the extended states in the fractional quantum Hall effect. <i>Physical Review Letters</i> , 1990, 65, 907-910.  | 7.8 | 25        |
| 301 | Silicon migration during the molecular beam epitaxy of delta-doped GaAs and Al <sub>0.25</sub> Ga <sub>0.75</sub> As. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1990, 8, 2009-2011. | 2.1 | 18        |
| 302 | Cyclotron effective mass in wide parabolic quantum wells. <i>Physical Review B</i> , 1990, 42, 9732-9735.   | 3.2 | 23        |
| 303 | Collapse of the fractional quantum Hall effect in an electron system with large layer thickness. <i>Physical Review Letters</i> , 1990, 65, 2916-2919.  | 7.8 | 57        |
| 304 | Evidence for two-dimensional quantum Wigner crystal. <i>Physical Review Letters</i> , 1990, 65, 2189-2192.  | 7.8 | 329       |
| 305 | Low-temperature adsorption of oxygen on Si(111). <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1990, 8, 2743-2746.  | 2.1 | 12        |
| 306 | Noise characteristics of double-barrier resonant-tunneling structures below 10 kHz. <i>Physical Review B</i> , 1990, 41, 8388-8391.   | 3.2 | 129       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Fractional quantum Hall effect in very-low-density GaAs/Al <sub>x</sub> Ga <sub>1-x</sub> As heterostructures. Physical Review B, 1990, 41, 8449-8460.                                    | 3.2 | 92        |
| 308 | Migration of Si IN $\tilde{\Gamma}$ -doped GaAs and Al Ga <sub>1-x</sub> As: Effect of substrate temperature. Surface Science, 1990, 228, 255-259.  | 1.9 | 20        |
| 309 | Fractional quantum Hall states at and. Surface Science, 1990, 229, 10-12.   | 1.9 | 21        |
| 310 | Critical exponent in the fractional quantum Hall effect. Surface Science, 1990, 229, 13-15.   | 1.9 | 74        |
| 311 | Magnetotransport in a wide parabolic quantum well. Surface Science, 1990, 229, 83-87.   | 1.9 | 7         |
| 312 | Magnetoplasma effects in a quasi-three-dimensional electron gas. Surface Science, 1990, 229, 515-518.   | 1.9 | 4         |
| 313 | Electron states of a wide quantum well in a tilted magnetic field. Physical Review B, 1989, 40, 3476-3479.  | 3.2 | 39        |
| 314 | Fractional quantum Hall effect in a high-mobility GaAs/Al <sub>x</sub> Ga <sub>1-x</sub> As multiple quantum well heterostructure. Applied Physics Letters, 1989, 54, 27-29.              | 3.3 | 18        |
| 315 | Current-voltage discontinuities in high-quality two-dimensional electron systems at low Landau-level filling factors. Physical Review B, 1989, 40, 6432-6435.                             | 3.2 | 39        |
| 316 | Secondary ion mass spectrometry study of the migration of Si in planar-doped GaAs and Al <sub>0.25</sub> Ga <sub>0.75</sub> As. Applied Physics Letters, 1989, 55, 1445-1447.             | 3.3 | 45        |
| 317 | Collective cyclotron resonance in a quasi-three-dimensional electron gas. Physical Review B, 1989, 40, 12020-12023.   | 3.2 | 49        |
| 318 | Magnetoplasma effects in a quasi-three-dimensional electron gas. Physical Review B, 1989, 39, 1426-1429.  | 3.2 | 91        |
| 319 | Voltage tunable quantum well infrared detector. Applied Physics Letters, 1989, 55, 2417-2419.   | 3.3 | 61        |
| 320 | Subband structure of a nearly free, uniform-density, dilute electron system in a wide quantum well. Physical Review B, 1989, 39, 10464-10466.   | 3.2 | 40        |
| 321 | Magnetotunneling in double-barrier heterostructures. Physical Review B, 1989, 40, 9829-9833.  | 3.2 | 36        |
| 322 | MBE growth of two-dimensional electron system with extremely low disorder. Journal of Crystal Growth, 1989, 95, 250-252.  | 1.5 | 5         |
| 323 | Resistance fluctuations in narrow AlGaAs/GaAs heterostructures: Direct evidence of fractional charge in the fractional quantum hall effect. Physical Review Letters, 1989, 63, 1731-1734. | 7.8 | 137       |
| 324 | Use of superlattices to realize inverted GaAs/AlGaAs heterojunctions with low-temperature mobility of 2 Å–106 cm <sup>2</sup> /V·s. Applied Physics Letters, 1989, 54, 840-842.           | 3.3 | 49        |

| #   | ARTICLE   |  | IF  | CITATIONS |
|-----|---|--|-----|-----------|
| 325 | High quality electron system with variable electron layer thickness in a parabolic quantum well. <i>Applied Physics Letters</i> , 1989, 55, 1430-1432.                                  |  | 3.3 | 37        |
| 326 | Optical evidence for the impurity band nature of the metal-insulator transition in GaAs. <i>Solid State Communications</i> , 1988, 66, 23-27.   |  | 1.9 | 26        |
| 327 | Two-dimensional electron system with extremely low disorder. <i>Applied Physics Letters</i> , 1988, 53, 2080-2082.  |  | 3.3 | 25        |
| 328 | Evidence for the Fractional Quantum Hall State at $\nu=1/2$ . <i>Physical Review Letters</i> , 1988, 61, 881-884.   |  | 7.8 | 126       |
| 329 | Summary Abstract: Precursor adsorption of oxygen on Si(111) at low temperatures. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1988, 6, 798-800.      |  | 2.1 | 2         |
| 330 | Realization of a quasi-three-dimensional modulation-doped semiconductor structure. <i>Applied Physics Letters</i> , 1988, 53, 791-793.  |  | 3.3 | 123       |
| 331 | Growth of low-density two-dimensional electron system with very high mobility by molecular beam epitaxy. <i>Applied Physics Letters</i> , 1988, 52, 1086-1088.                          |  | 3.3 | 65        |
| 332 | Effect of substrate temperature on migration of Si in planar-doped GaAs. <i>Applied Physics Letters</i> , 1988, 53, 2504-2506.  |  | 3.3 | 71        |
| 333 | Observation of a metastable precursor for adsorption of oxygen on Si(111) and the activation energy for chemisorption. <i>Physical Review B</i> , 1988, 37, 10432-10435.                |  | 3.2 | 51        |
| 334 | Magnetic-field-induced localization in narrow-gap semiconductors $Hg_{1-x}Cd_xTe$ and InSb. <i>Physical Review B</i> , 1988, 38, 5585-5602.   |  | 3.2 | 46        |
| 335 | Comment on "Heat capacity of a condensed electron system in the dilute metal-Hg <sub>0.8</sub> Cd <sub>0.2</sub> Te". <i>Physical Review Letters</i> , 1987, 58, 428-428.               |  | 7.8 | 1         |
| 336 | On the hall resistivity of $n-HgCdTe$ . <i>Solid State Communications</i> , 1987, 63, 575-576.  |  | 1.9 | 3         |
| 337 | Galvanomagnetic properties of lead-telluride quantum wells. <i>Applied Physics Letters</i> , 1986, 48, 928-930.   |  | 3.3 | 15        |
| 338 | Magnetic-field induced metal-insulator transition in InSb and Hg <sub>0.79</sub> Cd <sub>0.21</sub> Te at very low temperatures. <i>Solid State Communications</i> , 1986, 60, 817-820. |  | 1.9 | 13        |
| 339 | Observation of Impurity Cyclotron Resonance in $Hg_{1-x}Cd_xTe$ . <i>Physical Review Letters</i> , 1986, 56, 968-971.   |  | 7.8 | 43        |
| 340 | Anomalous Hall Effect below the Magnetic-Field-Induced Metal-Insulator Transition in Narrow-Gap Semiconductors. <i>Physical Review Letters</i> , 1986, 57, 1056-1059.                   |  | 7.8 | 31        |
| 341 | Ultrahigh-vacuum cryostat and sample manipulator for operation between 5 and 800 K. <i>Review of Scientific Instruments</i> , 1985, 56, 1799-1803.                                      |  | 1.3 | 6         |
| 342 | Magnetic-field-induced localization in InSb and Hg <sub>0.79</sub> Cd <sub>0.21</sub> Te. <i>Physical Review B</i> , 1985, 32, 6952-6955.   |  | 3.2 | 29        |

| #   | ARTICLE  |  | IF   | CITATIONS |
|-----|--|--|------|-----------|
| 343 | Electron correlation effects on the magnetic-field-induced metal-insulator transition in $\text{Hg}_0.79\text{Cd}_0.21\text{Te}$ . <i>Physical Review B</i> , 1985, 31, 6123-6126. |  | 3.2  | 33        |
| 344 | Precursor adsorption of CO on Ni(111) near 5 K and the activation energy for chemisorption. <i>Surface Science</i> , 1985, 154, L239-L246.   |  | 1.9  | 26        |
| 345 | Precursor Adsorption of Oxygen on Ni(111) and the Activation Energy for Chemisorption. <i>Physical Review Letters</i> , 1984, 53, 1578-1581.                                       |  | 7.8  | 39        |
| 346 | Magnetic properties of $\text{CoCl}_2$ -intercalated graphite. <i>Synthetic Metals</i> , 1983, 8, 35-42.   |  | 3.9  | 22        |
| 347 | Anomalies in the thermal conductivity and thermopower in $\text{CoCl}_2$ -intercalated graphite at the magnetic phase transition. <i>Physical Review B</i> , 1983, 27, 2558-2561.  |  | 3.2  | 11        |
| 348 | Low-temperature heat capacity of magnetic graphite intercalation compounds. <i>Physical Review B</i> , 1983, 28, 4799-4809.  |  | 3.2  | 20        |
| 349 | Magnetostriction of bismuth in quantizing magnetic fields. <i>Physical Review B</i> , 1982, 26, 2552-2559.   |  | 3.2  | 45        |
| 350 | High-magnetic-field thermal-conductivity measurements in graphite intercalation compounds. <i>Physical Review B</i> , 1982, 26, 3338-3346.   |  | 3.2  | 16        |
| 351 | High-magnetic-field electronic phase transition in graphite observed by magnetoresistance anomaly. <i>Physical Review B</i> , 1982, 25, 5478-5485.                                 |  | 3.2  | 97        |
| 352 | Shubnikovâ€œde Haas measurements in alkali-metalâ€œgraphite intercalation compounds. <i>Physical Review B</i> , 1982, 25, 4157-4166.   |  | 3.2  | 6         |
| 353 | Structural characterization of ion-implanted graphite. <i>Physical Review B</i> , 1982, 25, 4142-4156.   |  | 3.2  | 182       |
| 354 | 19. Raman scattering from HOPG implanted with various ions. <i>Carbon</i> , 1982, 20, 126-127.   |  | 10.3 | 0         |
| 355 | Thermoelectric properties of a dilute graphite donor intercalation compound. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 1981, 84, 387-389.       |  | 2.1  | 25        |
| 356 | Magnetostriction and deformation potentials in graphite. <i>Journal of Physics C: Solid State Physics</i> , 1981, 14, 3541-3546.   |  | 1.5  | 12        |
| 357 | Electronic structure of graphite-alkali metal compounds. <i>Synthetic Metals</i> , 1980, 2, 321-329.   |  | 3.9  | 19        |
| 358 | Case for the Magnetic-Field-Induced Two-Dimensional Wigner Crystal. , 0, , 343-384.  |  |      | 7         |