

Dea Siggaard Stenbæk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4999978/publications.pdf>

Version: 2024-02-01

41
papers

1,118
citations

567281

15
h-index

454955

30
g-index

45
all docs

45
docs citations

45
times ranked

970
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychedelic effects of psilocybin correlate with serotonin 2A receptor occupancy and plasma psilocin levels. <i>Neuropsychopharmacology</i> , 2019, 44, 1328-1334.	5.4	259
2	Role of Serotonin Transporter Changes in Depressive Responses to Sex-Steroid Hormone Manipulation: A Positron Emission Tomography Study. <i>Biological Psychiatry</i> , 2015, 78, 534-543.	1.3	108
3	The Center for Integrated Molecular Brain Imaging (Cimbi) database. <i>NeuroImage</i> , 2016, 124, 1213-1219.	4.2	95
4	A single psilocybin dose is associated with long-term increased mindfulness, preceded by a proportional change in neocortical 5-HT _{2A} receptor binding. <i>European Neuropsychopharmacology</i> , 2020, 33, 71-80.	0.7	88
5	Psilocybin-induced changes in brain network integrity and segregation correlate with plasma psilocin level and psychedelic experience. <i>European Neuropsychopharmacology</i> , 2021, 50, 121-132.	0.7	57
6	Molecular imaging of neuroinflammation in patients after mild traumatic brain injury: a longitudinal ¹²³ I-CLINDE single photon emission computed tomography study. <i>European Journal of Neurology</i> , 2019, 26, 1426-1432.	3.3	41
7	Brain serotonin 2A receptor binding predicts subjective temporal and mystical effects of psilocybin in healthy humans. <i>Journal of Psychopharmacology</i> , 2021, 35, 459-468.	4.0	40
8	Central 5-HT Neurotransmission Modulates Weight Loss following Gastric Bypass Surgery in Obese Individuals. <i>Journal of Neuroscience</i> , 2015, 35, 5884-5889.	3.6	36
9	Trait aggression and trait impulsivity are not related to frontal cortex 5-HT _{2A} receptor binding in healthy individuals. <i>Psychiatry Research - Neuroimaging</i> , 2013, 212, 125-131.	1.8	33
10	Predicting Treatment Outcome in Major Depressive Disorder Using Serotonin 4 Receptor PET Brain Imaging, Functional MRI, Cognitive-, EEG-Based, and Peripheral Biomarkers: A NeuroPharm Open Label Clinical Trial Protocol. <i>Frontiers in Psychiatry</i> , 2020, 11, 641.	2.6	30
11	Lasting effects of a single psilocybin dose on resting-state functional connectivity in healthy individuals. <i>Journal of Psychopharmacology</i> , 2022, 36, 74-84.	4.0	29
12	Psilocybin-Induced Mystical-Type Experiences are Related to Persisting Positive Effects: A Quantitative and Qualitative Report. <i>Frontiers in Pharmacology</i> , 2022, 13, 841648.	3.5	29
13	Development and psychometric validation of the verbal affective memory test. <i>Memory</i> , 2016, 24, 1208-1223.	1.7	26
14	Understanding the lived experiences of short- and long-term consequences on daily life after out-of-hospital cardiac arrest. A focus group study. <i>Journal of Advanced Nursing</i> , 2021, 77, 1442-1452.	3.3	18
15	Mental distress and personality in women undergoing GnRH agonist versus GnRH antagonist protocols for assisted reproductive technology. <i>Human Reproduction</i> , 2015, 30, 103-110.	0.9	16
16	Parkinson patients have a presynaptic serotonergic deficit: A dynamic deep brain stimulation PET study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 0271678X2098238.	4.3	16
17	Serotonin transporter gene (<i>SLC6A4</i>) variation and sensory processing sensitivity: Comparison with other anxiety-related temperamental dimensions. <i>Molecular Genetics & Genomic Medicine</i> , 2020, 8, e1352.	1.2	14
18	Brain serotonin 4 receptor binding is inversely associated with verbal memory recall. <i>Brain and Behavior</i> , 2017, 7, e00674.	2.2	13

#	ARTICLE	IF	CITATIONS
19	Sex hormone manipulation slows reaction time and increases labile mood in healthy women. <i>Psychoneuroendocrinology</i> , 2016, 68, 39-46.	2.7	12
20	Season-independent cognitive deficits in seasonal affective disorder and their relation to depressive symptoms. <i>Psychiatry Research</i> , 2017, 257, 219-226.	3.3	12
21	Default mode network functional connectivity negatively associated with trait openness to experience. <i>Social Cognitive and Affective Neuroscience</i> , 2021, 16, 950-961.	3.0	12
22	State-dependent alterations in inhibitory control and emotional face identification in seasonal affective disorder.. <i>Journal of Abnormal Psychology</i> , 2017, 126, 291-300.	1.9	11
23	Psychometric Properties and Validation of the EMOTICOM Test Battery in a Healthy Danish Population. <i>Frontiers in Psychology</i> , 2019, 10, 2660.	2.1	10
24	Personality characteristics in surgery seeking and non-surgery seeking obese individuals compared to non-obese controls. <i>Eating Behaviors</i> , 2014, 15, 595-598.	2.0	9
25	Anterior cingulate serotonin 1B receptor binding is associated with emotional response inhibition. <i>Journal of Psychiatric Research</i> , 2017, 92, 199-204.	3.1	9
26	Trait aggression is associated with five-factor personality traits in males. <i>Brain and Behavior</i> , 2021, 11, e02175.	2.2	9
27	Feeling understood for the first time: experiences of participation in rehabilitation after out-of-hospital sudden cardiac arrest. <i>European Journal of Cardiovascular Nursing</i> , 2021, 20, 767-774.	0.9	9
28	Stress-Hormone Dynamics and Working Memory in Healthy Women Who Use Oral Contraceptives Versus Non-Users. <i>Frontiers in Endocrinology</i> , 2021, 12, 731994.	3.5	9
29	Sensory processing sensitivity and its association with seasonal affective disorder. <i>Psychiatry Research</i> , 2019, 272, 359-364.	3.3	8
30	Trait Openness and serotonin 2A receptors in healthy volunteers: A positron emission tomography study. <i>Human Brain Mapping</i> , 2019, 40, 2117-2124.	3.6	8
31	Neuroticism modulates mood responses to pharmacological sex hormone manipulation in healthy women. <i>Psychoneuroendocrinology</i> , 2019, 99, 251-256.	2.7	7
32	Cognitive impairment and psychopathology in out-of-hospital cardiac arrest survivors in Denmark: The REVIVAL cohort study protocol. <i>BMJ Open</i> , 2020, 10, e038633.	1.9	6
33	Psychometric Properties of the Verbal Affective Memory Test-26 and Evaluation of Affective Biases in Major Depressive Disorder. <i>Frontiers in Psychology</i> , 2020, 11, 961.	2.1	6
34	Prevalence of cognitive impairment and its relation to mental health in Danish lymphoma survivors. <i>Supportive Care in Cancer</i> , 2021, 29, 3319-3328.	2.2	5
35	Self-perceived personality characteristics in seasonal affective disorder and their implications for severity of depression. <i>Psychiatry Research</i> , 2018, 262, 108-114.	3.3	4
36	No evidence for a role of the serotonin 4 receptor in five-factor personality traits: A positron emission tomography brain study. <i>PLoS ONE</i> , 2017, 12, e0184403.	2.5	4

#	ARTICLE	IF	CITATIONS
37	Evaluation of acute tryptophan depletion and sham depletion with a gelatin-based collagen peptide protein mixture. <i>European Neuropsychopharmacology</i> , 2016, 26, 147-149.	0.7	3
38	Brain serotonin transporter is associated with cognitive-effective biases in healthy individuals. <i>Human Brain Mapping</i> , 0, , .	3.6	3
39	Severity of self-reported depressive symptoms in a healthy sample is modulated by trait Harm Avoidance, not by 5-HTTLPR polymorphism. <i>Psychiatry Research</i> , 2020, 291, 113029.	3.3	1
40	Short-term oestrogen as a strategy to prevent postpartum depression in high-risk women: protocol for the double-blind, randomised, placebo-controlled MAMA clinical trial. <i>BMJ Open</i> , 2021, 11, e052922.	1.9	1
41	Hot and Cold Cognitive Disturbances in Parkinson Patients Treated with DBS-STN: A Combined PET and Neuropsychological Study. <i>Brain Sciences</i> , 2022, 12, 654.	2.3	1