

Min Kyung Moon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5009986/publications.pdf>

Version: 2024-02-01

119
papers

3,221
citations

172457

29
h-index

175258

52
g-index

123
all docs

123
docs citations

123
times ranked

5363
citing authors

#	ARTICLE	IF	CITATIONS
1	Exposure to Bisphenol A, S, and F and its Association with Obesity and Diabetes Mellitus in General Adults of Korea: Korean National Environmental Health Survey (KoNEHS) 2015â€“2017. <i>Exposure and Health</i> , 2023, 15, 53-67.	4.9	4
2	Lead, mercury, and cadmium exposures are associated with obesity but not with diabetes mellitus: Korean National Environmental Health Survey (KoNEHS) 2015â€“2017. <i>Environmental Research</i> , 2022, 204, 111888.	7.5	26
3	Exposure to polycyclic aromatic hydrocarbons and volatile organic compounds is associated with a risk of obesity and diabetes mellitus among Korean adults: Korean National Environmental Health Survey (KoNEHS) 2015â€“2017. <i>International Journal of Hygiene and Environmental Health</i> , 2022, 240, 113886.	4.3	32
4	Prevalence of Diabetic Retinopathy in Undiagnosed Diabetic Patients: A Nationwide Population-Based Study. <i>Diabetes and Metabolism Journal</i> , 2022, 46, 620-629.	4.7	4
5	Current Status of Low-Density Lipoprotein Cholesterol Target Achievement in Patients with Type 2 Diabetes Mellitus in Korea Compared with Recent Guidelines. <i>Diabetes and Metabolism Journal</i> , 2022, 46, 464-475.	4.7	8
6	Sex, menopause, and age differences in the associations of persistent organic pollutants with thyroid hormones, thyroxine-binding globulin, and peripheral deiodinase activity: A cross-sectional study of the general Korean adult population. <i>Environmental Research</i> , 2022, 212, 113143.	7.5	3
7	Associations of urinary concentrations of phthalate metabolites, bisphenol A, and parabens with obesity and diabetes mellitus in a Korean adult population: Korean National Environmental Health Survey (KoNEHS) 2015â€“2017. <i>Environment International</i> , 2021, 146, 106227.	10.0	55
8	Association of exposure to polycyclic aromatic hydrocarbons and heavy metals with thyroid hormones in general adult population and potential mechanisms. <i>Science of the Total Environment</i> , 2021, 762, 144227.	8.0	34
9	Hypertriglyceridemia Is an Independent Risk Factor for Cardiovascular Diseases in Korean Adults Aged 30â€“49 Years: a Nationwide Population-Based Study. <i>Journal of Lipid and Atherosclerosis</i> , 2021, 10, 88.	3.5	10
10	Prediction Models for the Clinical Severity of Patients With COVID-19 in Korea: Retrospective Multicenter Cohort Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e25852.	4.3	11
11	Incidence and disease course of new-onset diabetes mellitus in breast and colorectal cancer patients undergoing chemotherapy: A prospective multicenter cohort study. <i>Diabetes Research and Clinical Practice</i> , 2021, 174, 108751.	2.8	4
12	438-P: Contribution of Hypertriglyceridemia to Cardiovascular Disease in Korean Women: A Nationwide Population-Based Study. <i>Diabetes</i> , 2021, 70, 438-P.	0.6	0
13	2021 Clinical Practice Guidelines for Diabetes Mellitus of the Korean Diabetes Association. <i>Diabetes and Metabolism Journal</i> , 2021, 45, 461-481.	4.7	146
14	Lipid Profiles in Primary Aldosteronism Compared with Essential Hypertension: Propensity-Score Matching Study. <i>Endocrinology and Metabolism</i> , 2021, 36, 885-894.	3.0	4
15	Cardiovascular Outcomes of Obesity According to Menopausal Status: A Nationwide Population-Based Study. <i>Endocrinology and Metabolism</i> , 2021, 36, 1029-1041.	3.0	8
16	Brain Structural Alterations, Diabetes Biomarkers, and Cognitive Performance in Older Adults With Dysglycemia. <i>Frontiers in Neurology</i> , 2021, 12, 766216.	2.4	3
17	Contribution of Hypertriglyceridemia to Ischemic Cardiovascular Disease in Korean Women: A Nationwide Population-based Study. <i>Journal of Clinical Lipidology</i> , 2021, , .	1.5	2
18	Muscle strength, an independent determinant of glycemic control in older adults with long-standing type 2 diabetes: a prospective cohort study. <i>BMC Geriatrics</i> , 2021, 21, 684.	2.7	11

#	ARTICLE	IF	CITATIONS
19	Peripheral arterial endothelial dysfunction predicts future cardiovascular events in diabetic patients with albuminuria: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2020, 19, 82.	6.8	23
20	Plasma Clusterin as a Potential Link Between Diabetes and Alzheimer Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 3058-3068.	3.6	19
21	Association between muscle strength and advanced fibrosis in non-alcoholic fatty liver disease: a Korean nationwide survey. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020, 11, 1232-1241.	7.3	29
22	A novel non-PPAR γ insulin sensitizer: MLR-1023 clinical proof-of-concept in type 2 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107555.	2.3	13
23	Efficacy and safety of evogliptin treatment in patients with type 2 diabetes: A multicentre, active-controlled, randomized, double-blind study with open-label extension (the EVERGREEN study). <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1527-1536.	4.4	13
24	Validation of Risk Prediction Models for Atherosclerotic Cardiovascular Disease in a Prospective Korean Community-Based Cohort. <i>Diabetes and Metabolism Journal</i> , 2020, 44, 458.	4.7	14
25	Sodium-Glucose Cotransporter-2 Inhibitor for Renal Function Preservation in Patients with Type 2 Diabetes Mellitus: A Korean Diabetes Association and Korean Society of Nephrology Consensus Statement. <i>Diabetes and Metabolism Journal</i> , 2020, 44, 489.	4.7	3
26	The Effect of Long-Term Sodium-Glucose Cotransporter 2 Inhibitor Treatment on Renal Function in Patients with Type 2 Diabetes. <i>Journal of Korean Diabetes</i> , 2020, 21, 105-115.	0.3	0
27	Sodium-glucose cotransporter-2 inhibitor for renal function preservation in patients with type 2 diabetes mellitus: A Korean Diabetes Association and Korean Society of Nephrology consensus statement. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 269-283.	2.2	6
28	2019 Clinical Practice Guidelines for Type 2 Diabetes Mellitus in Korea. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 398.	4.7	176
29	2018 Guidelines for the Management of Dyslipidemia in Korea. <i>Journal of Lipid and Atherosclerosis</i> , 2019, 8, 78.	3.5	100
30	Taking metformin and cognitive function change in older patients with diabetes. <i>Geriatrics and Gerontology International</i> , 2019, 19, 755-761.	1.5	22
31	Concern about the Safety of Bisphenol A Substitutes. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 46.	4.7	65
32	2018 Guidelines for the management of dyslipidemia. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 723-771.	1.7	144
33	Effects of Dapagliflozin on Endothelial Function, Renal Injury Markers, and Glycemic Control in Drug-Naïve Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 711.	4.7	13
34	Effect of sodium-glucose cotransporter 2 inhibitor, empagliflozin, and α -glucosidase inhibitor, voglibose, on hepatic steatosis in an animal model of type 2 diabetes. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 8534-8546.	2.6	34
35	The Effect of a Smartphone-Based, Patient-Centered Diabetes Care System in Patients With Type 2 Diabetes: A Randomized, Controlled Trial for 24 Weeks. <i>Diabetes Care</i> , 2019, 42, 3-9.	8.6	48
36	Non-fasting triglyceride levels in the Korean population with and without ischemic heart disease and cerebrovascular disease. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 353-364.	1.7	2

#	ARTICLE	IF	CITATIONS
37	Efficacy and Safety of Sodium-Glucose Cotransporter-2 Inhibitors in Korean Patients with Type 2 Diabetes Mellitus in Real-World Clinical Practice. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 590.	4.7	20
38	Response: Effects of Dapagliflozin on Endothelial Function, Renal Injury Markers, and Glycemic Control in Drug-Naïve Patients with Type 2 Diabetes Mellitus (<i>Diabetes Metab J</i> 2019;43:711-7). <i>Diabetes and Metabolism Journal</i> , 2019, 43, 913.	4.7	0
39	573-P: Diagnostic Performance of Heart Rate Variability for Detecting Diabetic Cardiac Autonomic Neuropathy. <i>Diabetes</i> , 2019, 68, .	0.6	0
40	1140-P: Efficacy and Safety of Evogliptin in Patients with Type 2 Diabetes: A Multicenter, Active-Controlled, Randomized Study with Open Label Extension (EVERGREEN Study). <i>Diabetes</i> , 2019, 68, .	0.6	0
41	Insulin Resistance is Associated with Cognitive Decline Among Older Koreans with Normal Baseline Cognitive Function: A Prospective Community-Based Cohort Study. <i>Scientific Reports</i> , 2018, 8, 650.	3.3	25
42	Endothelial function estimated by digital reactive hyperemia in patients with atherosclerotic risk factors or coronary artery disease. <i>Heart and Vessels</i> , 2018, 33, 706-712.	1.2	11
43	Prediction of Coronary Heart Disease Risk in Korean Patients with Diabetes Mellitus. <i>Journal of Lipid and Atherosclerosis</i> , 2018, 7, 110.	3.5	4
44	Moderating Effect of Insulin Resistance on the Relationship between Gray Matter Volumes and Cognitive Function. <i>Journal of Clinical Medicine</i> , 2018, 7, 413.	2.4	2
45	Combination Therapy of Oral Hypoglycemic Agents in Patients with Type 2 Diabetes Mellitus. <i>Journal of Korean Diabetes</i> , 2018, 19, 23.	0.3	1
46	Efficacy and tolerability of novel triple combination therapy in drug-naïve patients with type 2 diabetes from the TRIPLE-AXEL trial: protocol for an open-label randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e022448.	1.9	5
47	Improvement of Glycosylated Hemoglobin in Patients with Type 2 Diabetes Mellitus under Insulin Treatment by Reimbursement for Self-Monitoring of Blood Glucose. <i>Diabetes and Metabolism Journal</i> , 2018, 42, 28.	4.7	5
48	Nonsynonymous Variants in <i>PAX4</i> and <i>GLP1R</i> Are Associated With Type 2 Diabetes in an East Asian Population. <i>Diabetes</i> , 2018, 67, 1892-1902.	0.6	36
49	A Nonsynonymous Variant in <i>GLP-1R</i> Is Associated with Decreased Risk of Type 2 Diabetes in Koreans. <i>Diabetes</i> , 2018, 67, .	0.6	0
50	Association between thyroid function and lipid profiles, apolipoproteins, and high-density lipoprotein function. <i>Journal of Clinical Lipidology</i> , 2017, 11, 1347-1353.	1.5	48
51	Efficacy and safety of initial combination therapy with gemigliptin and metformin compared with monotherapy with either drug in patients with type 2 diabetes: A double-blind randomized controlled trial (INICOM study). <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 87-97.	4.4	20
52	Glucagon-Like Peptide-1 Receptor Agonists for the Treatment of Type 2 Diabetes Mellitus: A Position Statement of the Korean Diabetes Association. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 423.	4.7	9
53	Insulin Therapy for Adult Patients with Type 2 Diabetes Mellitus: A Position Statement of the Korean Diabetes Association, 2017. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 367.	4.7	11
54	Efficacy of Moderate Intensity Statins in the Treatment of Dyslipidemia in Korean Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 23.	4.7	11

#	ARTICLE	IF	CITATIONS
55	Combination Therapy of Oral Hypoglycemic Agents in Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 357.	4.7	20
56	Response: Efficacy of Moderate Intensity Statins in the Treatment of Dyslipidemia in Korean Patients with Type 2 Diabetes Mellitus (<i>Diabetes Metab J</i> 2017;41:23-30). <i>Diabetes and Metabolism Journal</i> , 2017, 41, 152.	4.7	1
57	Small heterodimer partner (SHP) deficiency protects myocardia from lipid accumulation in high fat diet-fed mice. <i>PLoS ONE</i> , 2017, 12, e0186021.	2.5	1
58	Outcomes analysis of surgical and medical treatments for patients with primary aldosteronism. <i>Endocrine Journal</i> , 2017, 64, 623-632.	1.6	20
59	Insulin therapy for adult patients with type 2 diabetes mellitus: a position statement of the Korean Diabetes Association, 2017. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 967-973.	1.7	5
60	Antihyperglycemic Agent Therapy for Adult Patients with Type 2 Diabetes Mellitus 2017: A Position Statement of the Korean Diabetes Association. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 337.	4.7	49
61	Monotherapy in Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 349.	4.7	13
62	Influence of the definition of "metabolically healthy obesity" on the progression of coronary artery calcification. <i>PLoS ONE</i> , 2017, 12, e0178741.	2.5	14
63	Antihyperglycemic agent therapy for adult patients with type 2 diabetes mellitus 2017: a position statement of the Korean Diabetes Association. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 947-958.	1.7	12
64	Monotherapy in patients with type 2 diabetes mellitus. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 959-966.	1.7	5
65	Efficacy of Moderate Intensity Statins in the Treatment of Dyslipidemia in Korean Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 23.	4.7	1
66	Are We in the Same Risk of Diabetes Mellitus? Gender- and Age-Specific Epidemiology of Diabetes in 2001 to 2014 in the Korean Population. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 175.	4.7	18
67	2015 Korean Guidelines for the Management of Dyslipidemia: Executive Summary (English Translation). <i>Korean Circulation Journal</i> , 2016, 46, 275.	1.9	106
68	Efficacy and safety of teneligliptin, a novel dipeptidyl peptidase-4 inhibitor, in Korean patients with type 2 diabetes mellitus: a 24-week multicentre, randomized, double-blind, placebo-controlled phase III trial. <i>Diabetes, Obesity and Metabolism</i> , 2016, 18, 528-532.	4.4	22
69	Difference between old and young adults in contribution of β -cell function and sarcopenia in developing diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2016, 7, 233-240.	2.4	35
70	Thyroid-stimulating hormone improves insulin sensitivity in skeletal muscle cells via cAMP/PKA/CREB pathway-dependent upregulation of insulin receptor substrate-1 expression. <i>Molecular and Cellular Endocrinology</i> , 2016, 436, 50-58.	3.2	22
71	Evaluation of Non-Laboratory and Laboratory Prediction Models for Current and Future Diabetes Mellitus: A Cross-Sectional and Retrospective Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0156155.	2.5	7
72	Management of Dyslipidemia according to the 2015 Treatment Guideline for Diabetes: Controversies and Issues to Resolve. <i>Journal of Korean Diabetes</i> , 2016, 17, 96.	0.3	0

#	ARTICLE	IF	CITATIONS
73	Serum Lipid Level in HBsAg Carriers without a History of Hepatitis based on Nationwide Health and Nutrition Examination Datasets. <i>Journal of Lipid and Atherosclerosis</i> , 2016, 5, 133.	3.5	1
74	Lipoprotein(a): a not-so-well-known risk factor for the development of cardiovascular disease in patients with type 2 diabetes mellitus. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 1061-1063.	1.7	0
75	Low Economic Status Is Identified as an Emerging Risk Factor for Diabetes Mellitus in Korean Men Aged 30 to 59 Years in Korean National Health and Nutrition Examination Survey 2008 to 2010. <i>Diabetes and Metabolism Journal</i> , 2015, 39, 137.	4.7	11
76	Subjective Assessment of Diabetes Self-Care Correlates with Perceived Glycemic Control but not with Actual Glycemic Control. <i>Diabetes and Metabolism Journal</i> , 2015, 39, 31.	4.7	1
77	Clinical risk factors of postoperative hyperkalemia after adrenalectomy in patients with aldosterone-producing adenoma. <i>European Journal of Endocrinology</i> , 2015, 172, 725-731.	3.7	26
78	Long-term oral exposure to bisphenol A induces glucose intolerance and insulin resistance. <i>Journal of Endocrinology</i> , 2015, 226, 35-42.	2.6	93
79	Optimal high-density lipoprotein cholesterol cutoff for predicting cardiovascular disease: Comparison of the Korean and US National Health and Nutrition Examination Surveys. <i>Journal of Clinical Lipidology</i> , 2015, 9, 334-342.	1.5	19
80	Epicatechin breaks preformed glycated serum albumin and reverses the retinal accumulation of advanced glycation end products. <i>European Journal of Pharmacology</i> , 2015, 748, 108-114.	3.5	29
81	Changing relative contribution of abdominal obesity and a family history of diabetes on prevalence of diabetes mellitus in Korean men and women aged 30-49 years from 2001 to 2010	1.8	11
82	The Presence of Thyroid-Stimulation Blocking Antibody Prevents High Bone Turnover in Untreated Premenopausal Patients with Graves' Disease. <i>PLoS ONE</i> , 2015, 10, e0144599.	2.5	12
83	Up-Regulation of the Receptor for Advanced Glycation End Products in the Skin Biopsy Specimens of		

#	ARTICLE	IF	CITATIONS
91	Case Report of Everolimus-Associated DKA in a Patient with Metastatic Renal Cell Carcinoma. Korean Journal of Medicine, 2014, 86, 761.	0.3	0
92	Decreasing Trends of the Prevalence of Diabetes and Obesity in Korean Women Aged 30-59 Years Over the Past Decade: Results From the Korean National Health and Nutrition Examination Survey, 2001-2010. Diabetes Care, 2013, 36, e95-e96.	8.6	11
93	Associations between thyroid hormone levels and regional fat accumulation in euthyroid men. European Journal of Endocrinology, 2013, 168, 805-810.	3.7	7
94	Effects of patient-tailored atorvastatin therapy on ameliorating the levels of atherogenic lipids and inflammation beyond lowering low-density lipoprotein cholesterol in patients with type 2 diabetes. Journal of Diabetes Investigation, 2013, 4, 466-474.	2.4	10
95	Asymptomatic subjects with diabetes have a comparable risk of coronary artery disease to Non-diabetic subjects presenting chest pain: a 4-year community-based prospective study. BMC Cardiovascular Disorders, 2013, 13, 87.	1.7	4
96	Serum Ferritin Level is an Independent Predictor of Insulin Resistance in Non-diabetic Men Aged Between 30-69 Years: Korean National Health and Nutrition Examination Survey 2008-2010. Journal of Lipid and Atherosclerosis, 2013, 2, 69.	3.5	1
97	Impact of Isolated Low HDL Cholesterolemia on the Risk of Coronary Artery Disease: A 4-Year Community-Based Prospective Study. Korean Journal of Medicine, 2013, 84, 229.	0.3	1
98	Effects of FXR Deficiency and Pioglitazone on Atherosclerosis in ApoE-Knockout Mice. Korean Journal of Medicine, 2013, 84, 238.	0.3	0
99	Bisphenol A Impairs Mitochondrial Function in the Liver at Doses below the No Observed Adverse Effect Level. Journal of Korean Medical Science, 2012, 27, 644.	2.5	163
100	Ubiquitous Healthcare Service Has the Persistent Benefit on Glycemic Control and Body Weight in Older Adults With Diabetes. Diabetes Care, 2012, 35, e19-e19.	8.6	5
101	A Genome-Wide Association Study of Gestational Diabetes Mellitus in Korean Women. Diabetes, 2012, 61, 531-541.	0.6	215
102	The effects of chronic exercise on the inflammatory cytokines interleukin-6 and tumor necrosis factor- α are different with age. Applied Physiology, Nutrition and Metabolism, 2012, 37, 631-636.	1.9	23
103	Preoperative Predictive Factors for Parathyroid Carcinoma in Patients with Primary Hyperparathyroidism. Journal of Korean Medical Science, 2012, 27, 890.	2.5	50
104	Association between Dietary Patterns and Blood Lipid Profiles in Korean Adults with Type 2 Diabetes. Journal of Korean Medical Science, 2011, 26, 1201.	2.5	29
105	Plasma vaspin concentrations are elevated in metabolic syndrome in men and are correlated with coronary atherosclerosis in women. Clinical Endocrinology, 2011, 75, 628-635.	2.4	70
106	Effect of S-adenosylmethionine on neointimal formation after balloon injury in obese diabetic rats. Cardiovascular Research, 2011, 90, 383-393.	3.8	29
107	Serum fibroblast growth factor-21 concentration is associated with residual renal function and insulin resistance in end-stage renal disease patients receiving long-term peritoneal dialysis. Metabolism: Clinical and Experimental, 2010, 59, 1656-1662.	3.4	59
108	Subclinical Hypothyroidism has Little Influences on Muscle Mass or Strength in Elderly People. Journal of Korean Medical Science, 2010, 25, 1176.	2.5	35

#	ARTICLE	IF	CITATIONS
109	<i>S</i> -Adenosyl-L-methionine ameliorates TNF α -induced insulin resistance in 3T3-L1 adipocytes. <i>Experimental and Molecular Medicine</i> , 2010, 42, 345.	7.7	18
110	Insulin-Sensitizing Effects of Exercise on Adiponectin and Retinol-Binding Protein-4 Concentrations in Young and Middle-Aged Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2263-2268.	3.6	110
111	Association of polymorphisms in the insulin-degrading enzyme gene with type 2 diabetes in the Korean population. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, 284-290.	2.8	24
112	The Association of Aldose Reductase Gene Polymorphisms with Neuropathy in Patients with Type 2 Diabetes. <i>The Journal of Korean Diabetes Association</i> , 2007, 31, 274.	0.1	1
113	Association between Genetic Polymorphisms in Hepatocyte Nuclear Factor 4 α and Type 2 Diabetes in Koreans. <i>The Journal of Korean Diabetes Association</i> , 2006, 30, 10.	0.1	0
114	Polymorphisms in the Ghrelin Gene Are Associated with Serum High-Density Lipoprotein Cholesterol Level and not with Type 2 Diabetes Mellitus in Koreans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 4657-4663.	3.6	45
115	SLC12A3 (Solute Carrier Family 12 Member [Sodium/Chloride] 3) Polymorphisms Are Associated With End-Stage Renal Disease in Diabetic Nephropathy. <i>Diabetes</i> , 2006, 55, 843-848.	0.6	36
116	Genetic association study of adiponectin polymorphisms with risk of Type 2 diabetes mellitus in Korean population. <i>Diabetic Medicine</i> , 2005, 22, 569-575.	2.3	74
117	Genetic polymorphisms in peroxisome proliferator-activated receptor gamma are associated with Type 2 diabetes mellitus and obesity in the Korean population. <i>Diabetic Medicine</i> , 2005, 22, 1161-1166.	2.3	44
118	Genetic Polymorphisms in Peroxisome Proliferator-Activated Receptor α Associated With Obesity. <i>Diabetes</i> , 2004, 53, 847-851.	0.6	89
119	Polymorphisms in fatty acid-binding protein-3 (FABP3) - putative association with type 2 diabetes mellitus. <i>Human Mutation</i> , 2003, 22, 180-180.	2.5	17