

Mark van Ommeren

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5010268/publications.pdf>

Version: 2024-02-01

92
papers

11,691
citations

50276

46
h-index

42399

92
g-index

94
all docs

94
docs citations

94
times ranked

8783
citing authors

#	ARTICLE	IF	CITATIONS
1	Sustainable Technology for Adolescents and youth to Reduce Stress (<sc>STARS</sc>): a <sc>WHO</sc> transdiagnostic chatbot for distressed youth. World Psychiatry, 2022, 21, 156-157.	10.4	5
2	Effectiveness of a <sc>WHO</sc> self-help psychological intervention for preventing mental disorders among Syrian refugees in Turkey: a randomized controlled trial. World Psychiatry, 2022, 21, 88-95.	10.4	52
3	Baseline situational analysis in Bangladesh, Jordan, Paraguay, the Philippines, Ukraine, and Zimbabwe for the WHO Special Initiative for Mental Health: Universal Health Coverage for Mental Health. PLoS ONE, 2022, 17, e0265570.	2.5	11
4	Guided digital health intervention for depression in Lebanon: randomised trial. Evidence-Based Mental Health, 2022, 25, e34-e40.	4.5	13
5	Effects of a WHO-guided digital health intervention for depression in Syrian refugees in Lebanon: A randomized controlled trial. PLoS Medicine, 2022, 19, e1004025.	8.4	30
6	Evaluating the Effectiveness of an E-Mental Health Intervention for People Living in Lebanon: Protocol for Two Randomized Controlled Trials. JMIR Research Protocols, 2021, 10, e21585.	1.0	9
7	Step-by-step: Feasibility randomised controlled trial of a mobile-based intervention for depression among populations affected by adversity in Lebanon. Internet Interventions, 2021, 24, 100380.	2.7	23
8	Effectiveness of Group Problem Management Plus, a brief psychological intervention for adults affected by humanitarian disasters in Nepal: A cluster randomized controlled trial. PLoS Medicine, 2021, 18, e1003621.	8.4	38
9	Effectiveness of Self-Help Plus in Preventing Mental Disorders in Refugees and Asylum Seekers in Western Europe: A Multinational Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2021, 90, 403-414.	8.8	57
10	Using a person-generated mental health outcome measure in large clinical trials in Kenya and Pakistan: Self-perceived problem responses in diverse communities. Transcultural Psychiatry, 2020, 57, 108-123.	1.6	5
11	Self-help or silenced voices? An ethnographically informed warning – Authors' reply. The Lancet Global Health, 2020, 8, e647.	6.3	1
12	Cost-effectiveness of WHO Problem Management Plus for adults with mood and anxiety disorders in a post-conflict area of Pakistan: randomised controlled trial. British Journal of Psychiatry, 2020, 217, 623-629.	2.8	28
13	Open access of psychological intervention manuals. World Psychiatry, 2020, 19, 251-252.	10.4	12
14	Ensuring Quality in Psychological Support (WHO EQUIP): developing a competent global workforce. World Psychiatry, 2020, 19, 115-116.	10.4	59
15	Guided self-help to reduce psychological distress in South Sudanese female refugees in Uganda: a cluster randomised trial. The Lancet Global Health, 2020, 8, e254-e263.	6.3	135
16	Effectiveness of Group Problem Management Plus (Group-PM+) for adults affected by humanitarian crises in Nepal: study protocol for a cluster randomized controlled trial. Trials, 2020, 21, 343.	1.6	15
17	Effectiveness and cost-effectiveness of Self-Help Plus (SH+) for preventing mental disorders in refugees and asylum seekers in Europe and Turkey: study protocols for two randomised controlled trials. BMJ Open, 2019, 9, e030259.	1.9	27
18	Targets and outcomes of psychological interventions: implications for guidelines and policy. World Psychiatry, 2019, 18, 295-296.	10.4	2

#	ARTICLE	IF	CITATIONS
19	New WHO prevalence estimates of mental disorders in conflict settings: a systematic review and meta-analysis. <i>Lancet, The</i> , 2019, 394, 240-248.	13.7	767
20	Effectiveness of a brief group psychological intervention for women in a post-conflict setting in Pakistan: a single-blind, cluster, randomised controlled trial. <i>Lancet, The</i> , 2019, 393, 1733-1744.	13.7	108
21	Improving access to evidence-based interventions for young adolescents: Early Adolescent Skills for Emotions (EASE). <i>World Psychiatry</i> , 2019, 18, 105-107.	10.4	40
22	Step-by-Step, an E-Mental Health Intervention for Depression: A Mixed Methods Pilot Study From Lebanon. <i>Frontiers in Psychiatry</i> , 2019, 10, 986.	2.6	38
23	Focused psychosocial interventions for children in low-resource humanitarian settings: a systematic review and individual participant data meta-analysis. <i>The Lancet Global Health</i> , 2018, 6, e390-e400.	6.3	119
24	Step-by-Step: a new WHO digital mental health intervention for depression. <i>MHealth</i> , 2018, 4, 34-34.	1.6	58
25	Feasibility of a guided self-help intervention to reduce psychological distress in South Sudanese refugee women in Uganda. <i>World Psychiatry</i> , 2018, 17, 234-235.	10.4	28
26	The influence of humanitarian crises on social functioning among civilians in low- and middle-income countries: A systematic review. <i>Global Public Health</i> , 2017, 12, 1461-1478.	2.0	14
27	Public health information in crisis-affected populations: a review of methods and their use for advocacy and action. <i>Lancet, The</i> , 2017, 390, 2297-2313.	13.7	105
28	A review of current evidence regarding the ICD-11 proposals for diagnosing PTSD and complex PTSD. <i>Clinical Psychology Review</i> , 2017, 58, 1-15.	11.4	427
29	Effectiveness of a brief behavioural intervention on psychological distress among women with a history of gender-based violence in urban Kenya: A randomised clinical trial. <i>PLoS Medicine</i> , 2017, 14, e1002371.	8.4	176
30	Problem Management Plus (PM+): pilot trial of a WHO transdiagnostic psychological intervention in conflict-affected Pakistan. <i>World Psychiatry</i> , 2016, 15, 182-183.	10.4	64
31	Self-Help Plus (SH+): a new WHO stress management package. <i>World Psychiatry</i> , 2016, 15, 295-296.	10.4	82
32	Effect of a Multicomponent Behavioral Intervention in Adults Impaired by Psychological Distress in a Conflict-Affected Area of Pakistan. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 2609.	7.4	217
33	Not forgetting severe mental disorders in humanitarian emergencies: a descriptive study from the Philippines. <i>International Health</i> , 2016, 8, 336-344.	2.0	3
34	Problem Management Plus (PM+): a WHO transdiagnostic psychological intervention for common mental health problems. <i>World Psychiatry</i> , 2015, 14, 354-357.	10.4	248
35	Pharmacotherapy for post-traumatic stress disorder: Systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2015, 206, 93-100.	2.8	315
36	Improving mental health care in humanitarian emergencies. <i>Bulletin of the World Health Organization</i> , 2015, 93, 666-666A.	3.3	88

#	ARTICLE	IF	CITATIONS
37	World Health Organization Guidelines for Management of Acute Stress, PTSD, and Bereavement: Key Challenges on the Road Ahead. <i>PLoS Medicine</i> , 2014, 11, e1001769.	8.4	56
38	DSM-5 AND ICD-11 DEFINITIONS OF POSTTRAUMATIC STRESS DISORDER: INVESTIGATING "NARROW" AND "BROAD" APPROACHES. <i>Depression and Anxiety</i> , 2014, 31, 494-505.	4.1	161
39	Mental, neurological, and substance use problems among refugees in primary health care: analysis of the Health Information System in 90 refugee camps. <i>BMC Medicine</i> , 2014, 12, 228.	5.5	112
40	Management of Acute Stress, PTSD, and Bereavement. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 477.	7.4	94
41	Proposals for mental disorders specifically associated with stress in the International Classification of Diseases-11. <i>Lancet, The</i> , 2013, 381, 1683-1685.	13.7	433
42	A primer on single session therapy and its potential application in humanitarian situations. <i>Intervention</i> , 2013, 11, 8-23.	0.9	29
43	Diagnosis and classification of disorders specifically associated with stress: proposals for ICD-11. <i>World Psychiatry</i> , 2013, 12, 198-206.	10.4	567
44	Mental health and psychosocial support interventions for survivors of sexual and gender-based violence during armed conflict: a systematic review. <i>World Psychiatry</i> , 2013, 12, 179-180.	10.4	17
45	Review: exposure to premigration violence, gender and settlement location are associated with psychological problems among forcibly displaced children. <i>Evidence-Based Mental Health</i> , 2012, 15, 62-62.	4.5	0
46	Relevance or Excellence? Setting Research Priorities for Mental Health and Psychosocial Support in Humanitarian Settings. <i>Harvard Review of Psychiatry</i> , 2012, 20, 25-36.	2.1	52
47	Evidence-based mental health and psychosocial support in humanitarian settings: gaps and opportunities. <i>Evidence-Based Mental Health</i> , 2012, 15, 25-26.	4.5	35
48	Role of current perceived needs in explaining the association between past trauma exposure and distress in humanitarian settings in Jordan and Nepal. <i>British Journal of Psychiatry</i> , 2012, 201, 276-281.	2.8	66
49	Efficacy of antidepressants and benzodiazepines in minor depression: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2011, 198, 11-16.	2.8	182
50	Mental health and psychosocial support in humanitarian settings: linking practice and research. <i>Lancet, The</i> , 2011, 378, 1581-1591.	13.7	462
51	Research Priorities for Mental Health and Psychosocial Support in Humanitarian Settings. <i>PLoS Medicine</i> , 2011, 8, e1001096.	8.4	106
52	Focus on Global Mental Health: Mental Health Services in 42 Low- and Middle-Income Countries: A WHO-AIMS Cross-National Analysis. <i>Psychiatric Services</i> , 2011, 62, 123-125.	2.0	42
53	Six rapid assessments of alcohol and other substance use in populations displaced by conflict. <i>Conflict and Health</i> , 2011, 5, 1.	2.7	115
54	Responsible Governance for Mental Health Research in Low Resource Countries. <i>PLoS Medicine</i> , 2011, 8, e1001126.	8.4	33

#	ARTICLE	IF	CITATIONS
55	Evidence-Based Guidelines for Mental, Neurological, and Substance Use Disorders in Low- and Middle-Income Countries: Summary of WHO Recommendations. <i>PLoS Medicine</i> , 2011, 8, e1001122.	8.4	246
56	If You Could Only Choose Five Psychotropic Medicines: Updating the Interagency Emergency Health Kit. <i>PLoS Medicine</i> , 2011, 8, e1001030.	8.4	11
57	Introducing the IASC Mental Health and Psychosocial Support Guidelines in Emergencies in Nepal: a process description. <i>Intervention</i> , 2010, 8, 52-63.	0.9	8
58	Psychological first aid pilot: Haiti emergency response. <i>Intervention</i> , 2010, 8, 245-254.	0.9	30
59	Challenges in Developing Evidence-Based Recommendations Using the GRADE Approach: The Case of Mental, Neurological, and Substance Use Disorders. <i>PLoS Medicine</i> , 2010, 7, e1000322.	8.4	105
60	Orienting psychiatrists to working in emergencies: a WPA-WHO workshop. <i>World Psychiatry</i> , 2010, 9, 121-122.	10.4	7
61	Association of Torture and Other Potentially Traumatic Events With Mental Health Outcomes Among Populations Exposed to Mass Conflict and Displacement. <i>JAMA - Journal of the American Medical Association</i> , 2009, 302, 537.	7.4	1,638
62	Commentary: Explaining enormous variations in rates of disorder in trauma-focused psychiatric epidemiology after major emergencies. <i>International Journal of Epidemiology</i> , 2009, 38, 1045-1048.	1.9	54
63	Severe mental disorders in complex emergencies. <i>Lancet, The</i> , 2009, 374, 654-661.	13.7	119
64	Disability, conflict, and emergencies. <i>Lancet, The</i> , 2009, 374, 1801-1803.	13.7	31
65	Social and Clinical Interventions After Conflict or Other Large Disaster. <i>American Journal of Preventive Medicine</i> , 2008, 35, 284-286.	3.0	14
66	Evaluation of the WHO Assessment Instrument for Mental Health Systems. <i>Bulletin of the World Health Organization</i> , 2008, 86, 656-656.	3.3	8
67	Inter-agency agreement on mental health and psychosocial support in emergency settings. <i>Bulletin of the World Health Organization</i> , 2007, 85, 822-823.	3.3	36
68	WHO's Assessment Instrument for Mental Health Systems: Collecting Essential Information for Policy and Service Delivery. <i>Psychiatric Services</i> , 2007, 58, 816-821.	2.0	70
69	Treatment and prevention of mental disorders in low-income and middle-income countries. <i>Lancet, The</i> , 2007, 370, 991-1005.	13.7	737
70	Barriers to improvement of mental health services in low-income and middle-income countries. <i>Lancet, The</i> , 2007, 370, 1164-1174.	13.7	788
71	Children and the Sphere standard on mental and social aspects of health. <i>Disasters</i> , 2007, 31, 71-90.	2.2	49
72	Monitoring of mental health systems and services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 488-497.	3.1	14

#	ARTICLE	IF	CITATIONS
73	Mental health assistance to populations affected by disasters: World Health Organization's role. <i>International Review of Psychiatry</i> , 2006, 18, 199-204.	2.8	11
74	Mental health, psychosocial support and the tsunami. <i>International Review of Psychiatry</i> , 2006, 18, 213-216.	2.8	34
75	Panel 2.6: Mental and Psychosocial Effects of the Tsunami on the Affected Populations. <i>Prehospital and Disaster Medicine</i> , 2005, 20, 414-419.	1.3	4
76	Mental Health Services in a Multicultural Society: Interculturalization and its Quality Surveillance. <i>Transcultural Psychiatry</i> , 2005, 42, 437-456.	1.6	38
77	Context in Selection of Men and Women in Hiring Decisions: Gender Composition of the Applicant Pool. <i>Psychological Reports</i> , 2005, 96, 349-360.	1.7	8
78	Cost-effectiveness of clinical interventions for reducing the global burden of bipolar disorder. <i>British Journal of Psychiatry</i> , 2005, 187, 559-567.	2.8	74
79	Mental and social health during and after acute emergencies: emerging consensus?. <i>Bulletin of the World Health Organization</i> , 2005, 83, 71-5; discussion 75-6.	3.3	132
80	Resource utilisation for neuropsychiatric disorders in developing countries:. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 218-227.	3.1	30
81	Mental Illness Among Bhutanese Shamans in Nepal. <i>Journal of Nervous and Mental Disease</i> , 2004, 192, 313-317.	1.0	27
82	Reducing the global burden of hazardous alcohol use: a comparative cost-effectiveness analysis.. <i>Journal of Studies on Alcohol and Drugs</i> , 2004, 65, 782-793.	2.3	239
83	Common mental disorders in postconflict settings. <i>Lancet, The</i> , 2003, 361, 2128-2130.	13.7	330
84	Ensuring care for patients in custodial psychiatric hospitals in emergencies. <i>Lancet, The</i> , 2003, 362, 574.	13.7	53
85	Psychiatric Disability Among Tortured Bhutanese Refugees in Nepal. <i>American Journal of Psychiatry</i> , 2003, 160, 2032-2037.	7.2	53
86	Mental Health in the Aftermath of Disasters. <i>Journal of Nervous and Mental Disease</i> , 2003, 191, 611-615.	1.0	79
87	Validity issues in transcultural epidemiology. <i>British Journal of Psychiatry</i> , 2003, 182, 376-8.	2.8	46
88	Toward a Culture-informed Epidemiology: Combining Qualitative and Quantitative Research in Transcultural Contexts. <i>Transcultural Psychiatry</i> , 2002, 39, 422-433.	1.6	14
89	Limited Cultural Validity of the Composite International Diagnostic Interviewâ€™s Probe Flow Chart. <i>Transcultural Psychiatry</i> , 2000, 37, 119-129.	1.6	21
90	Preparing Instruments for Transcultural Research: Use of the Translation Monitoring Form with Nepali-Speaking Bhutanese Refugees. <i>Transcultural Psychiatry</i> , 1999, 36, 285-301.	1.6	267

#	ARTICLE	IF	CITATIONS
91	Preventing Torture and Rehabilitating Survivors in Nepal. <i>Transcultural Psychiatry</i> , 1998, 35, 85-97.	1.6	41
92	Impact of Torture on Refugees Displaced Within the Developing World. <i>JAMA - Journal of the American Medical Association</i> , 1998, 280, 443.	7.4	243