

# Anna-Lise Williamson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5013253/publications.pdf>

Version: 2024-02-01

234  
papers

6,872  
citations

71102

41  
h-index

118850

62  
g-index

236  
all docs

236  
docs citations

236  
times ranked

6113  
citing authors

#	ARTICLE	IF	CITATIONS
1	Optimization of human papillomavirus type 16 (HPV-16) L1 expression in plants: comparison of the suitability of different HPV-16 L1 gene variants and different cell-compartment localization. <i>Journal of General Virology</i> , 2007, 88, 1460-1469.	2.9	199
2	Oral Immunogenicity of Human Papillomavirus-Like Particles Expressed in Potato. <i>Journal of Virology</i> , 2003, 77, 8702-8711.	3.4	160
3	An association between HIV-1 subtypes and mode of transmission in Cape Town, South Africa. <i>Aids</i> , 1997, 11, 81-87.	2.2	118
4	Human Papillomavirus Infection and Cervical Disease in Human Immunodeficiency Virus-1â€“Infected Women. <i>Obstetrics and Gynecology</i> , 2008, 111, 1380-1387.	2.4	116
5	HIV and pre-neoplastic and neoplastic lesions of the cervix in South Africa: a case-control study. <i>BMC Cancer</i> , 2006, 6, 135.	2.6	101
6	Worldwide Genomic Diversity of the High-Risk Human Papillomavirus Types 31, 35, 52, and 58, Four Close Relatives of Human Papillomavirus Type 16. <i>Journal of Virology</i> , 2005, 79, 13630-13640.	3.4	95
7	Validation of Cervical Cancer Screening Methods in HIV Positive Women from Johannesburg South Africa. <i>PLoS ONE</i> , 2013, 8, e53494.	2.5	93
8	Evidence of Unique Genotypes of Beak and Feather Disease Virus in Southern Africa. <i>Journal of Virology</i> , 2004, 78, 9277-9284.	3.4	88
9	Expression of HIV-1 antigens in plants as potential subunit vaccines. <i>BMC Biotechnology</i> , 2008, 8, 53.	3.3	88
10	Impact of human immunodeficiency virus 1 infection and inflammation on the composition and yield of cervical mononuclear cells in the female genital tract. <i>Immunology</i> , 2009, 128, e746-57.	4.4	84
11	Association between cervical dysplasia and human papillomavirus in HIV seropositive women from Johannesburg South Africa. <i>Cancer Causes and Control</i> , 2010, 21, 433-443.	1.8	84
12	Human Papillomavirus Virus-Like Particles Are Efficient Oral Immunogens when Coadministered with Escherichia coli Heat-Labile Enterotoxin Mutant R192G or CpG DNA. <i>Journal of Virology</i> , 2001, 75, 4752-4760.	3.4	82
13	Genomic diversity of human papillomavirus-16, 18, 31, and 35 isolates in a Mexican population and relationship to European, African, and Native American variants. <i>Virology</i> , 2004, 319, 315-323.	2.4	81
14	Impact of Mucosal Inflammation on Cervical Human Immunodeficiency Virus (HIV-1)-Specific CD8 T-Cell Responses in the Female Genital Tract during Chronic HIV Infection. <i>Journal of Virology</i> , 2008, 82, 8529-8536.	3.4	81
15	Expression of Human papillomavirus type 16 major capsid protein in transgenic <i>Nicotiana tabacum</i> cv. Xanthi. <i>Archives of Virology</i> , 2003, 148, 1771-1786.	2.1	78
16	Chimeric Human Papillomavirus Type 16 (HPV-16) L1 Particles Presenting the Common Neutralizing Epitope for the L2 Minor Capsid Protein of HPV-6 and HPV-16. <i>Journal of Virology</i> , 2003, 77, 8386-8393.	3.4	76
17	Genital Human Papillomavirus Prevalence and Human Papillomavirus Concordance in Heterosexual Couples Are Positively Associated with Human Immunodeficiency Virus Coinfection. <i>Journal of Infectious Diseases</i> , 2009, 199, 1514-1524.	4.0	75
18	Impact of Human Immunodeficiency Virus on the Natural History of Human Papillomavirus Genital Infection in South African Men and Women. <i>Journal of Infectious Diseases</i> , 2012, 206, 15-27.	4.0	68

#	ARTICLE	IF	CITATIONS
19	The allelic distribution of -308 Tumor Necrosis Factor-alpha gene polymorphism in South African women with cervical cancer and control women. <i>BMC Cancer</i> , 2006, 6, 24.	2.6	66
20	Immune Activation in the Female Genital Tract During HIV Infection Predicts Mucosal CD4 Depletion and HIV Shedding. <i>Journal of Infectious Diseases</i> , 2011, 204, 1550-1556.	4.0	66
21	The Capsid Protein of Beak and Feather Disease Virus Binds to the Viral DNA and Is Responsible for Transporting the Replication-Associated Protein into the Nucleus. <i>Journal of Virology</i> , 2006, 80, 7219-7225.	3.4	65
22	Production of complex viral glycoproteins in plants as vaccine immunogens. <i>Plant Biotechnology Journal</i> , 2018, 16, 1531-1545.	8.3	65
23	Oral vaccination of mice with human papillomavirus virus-like particles induces systemic virus-neutralizing antibodies. <i>Vaccine</i> , 1999, 17, 2129-2135.	3.8	62
24	Factors influencing the immune response to foreign antigen expressed in recombinant BCG vaccines. <i>Vaccine</i> , 2005, 23, 1209-1224.	3.8	60
25	Next-generation sequencing of cervical DNA detects human papillomavirus types not detected by commercial kits. <i>Virology Journal</i> , 2012, 9, 164.	3.4	60
26	Transient expression of Human papillomavirus type 16 L1 protein in <i>Nicotiana benthamiana</i> using an infectious tobamovirus vector. <i>Virus Research</i> , 2006, 120, 91-96.	2.2	59
27	Evidence of ancient papillomavirus recombination. <i>Journal of General Virology</i> , 2006, 87, 2527-2531.	2.9	59
28	Plant-Produced Cottontail Rabbit Papillomavirus L1 Protein Protects against Tumor Challenge: a Proof-of-Concept Study. <i>Vaccine Journal</i> , 2006, 13, 845-853.	3.1	59
29	The Interaction between Human Immunodeficiency Virus and Human Papillomaviruses in Heterosexuals in Africa. <i>Journal of Clinical Medicine</i> , 2015, 4, 579-592.	2.4	58
30	The Effectiveness of Carraguard, a Vaginal Microbicide, in Protecting Women against High-Risk Human Papillomavirus Infection. <i>Antiviral Therapy</i> , 2011, 16, 1219-1226.	1.0	58
31	Cervical and oral human papillomavirus types in HIV-1 positive and negative women with cervical disease in South Africa. <i>Journal of Medical Virology</i> , 2008, 80, 953-959.	5.0	57
32	Worldwide genomic diversity of the human papillomaviruses-53, 56, and 66, a group of high-risk HPVs unrelated to HPV-16 and HPV-18. <i>Virology</i> , 2005, 340, 95-104.	2.4	55
33	Ethnic differences in allelic distribution of IFN-gamma in South African women but no link with cervical cancer. <i>Journal of Carcinogenesis</i> , 2003, 2, 3.	2.5	52
34	Diverse and High Prevalence of Human Papillomavirus Associated with a Significant High Rate of Cervical Dysplasia in Human Immunodeficiency Virus-Infected Women in Johannesburg, South Africa. <i>Acta Cytologica</i> , 2009, 53, 10-17.	1.3	52
35	Inflammatory cytokine biomarkers of asymptomatic sexually transmitted infections and vaginal dysbiosis: a multicentre validation study. <i>Sexually Transmitted Infections</i> , 2019, 95, 5-12.	1.9	51
36	Design and preclinical evaluation of a multigene human immunodeficiency virus type 1 subtype C DNA vaccine for clinical trial. <i>Journal of General Virology</i> , 2006, 87, 399-410.	2.9	49

#	ARTICLE	IF	CITATIONS
37	High-Risk Human Papillomavirus Is Associated with HIV Acquisition among South African Female Sex Workers. <i>Infectious Diseases in Obstetrics and Gynecology</i> , 2011, 2011, 1-9.	1.5	49
38	Converging epidemics of sexually transmitted infections and bacterial vaginosis in southern African female adolescents at risk of HIV. <i>International Journal of STD and AIDS</i> , 2018, 29, 531-539.	1.1	48
39	Co-expression of human calreticulin significantly improves the production of HIV gp140 and other viral glycoproteins in plants. <i>Plant Biotechnology Journal</i> , 2020, 18, 2109-2117.	8.3	47
40	High human papillomavirus (HPV) prevalence in South African adolescents and young women encourages expanded HPV vaccination campaigns. <i>PLoS ONE</i> , 2018, 13, e0190166.	2.5	47
41	HIV-1 subtypes in different risk groups in South Africa. <i>Lancet, The</i> , 1995, 346, 782.	13.7	44
42	The relationship between anti-HPV-16 IgG seropositivity and cancer of the cervix, anogenital organs, oral cavity and pharynx, oesophagus and prostate in a black South African population. <i>Infectious Agents and Cancer</i> , 2007, 2, 6.	2.6	44
43	Human papillomavirus prevalence, viral load and pre-cancerous lesions of the cervix in women initiating highly active antiretroviral therapy in South Africa: a cross-sectional study. <i>BMC Cancer</i> , 2009, 9, 275.	2.6	44
44	Female genital tract inflammation, HIV co-infection and persistent mucosal Human Papillomavirus (HPV) infections. <i>Virology</i> , 2016, 493, 247-254.	2.4	44
45	Age distribution of antibodies to human papillomavirus in children, women with cervical intraepithelial neoplasia and blood donors from South Africa. , 1997, 51, 126-131.		43
46	Setting up a platform for plant-based influenza virus vaccine production in South Africa. <i>BMC Biotechnology</i> , 2012, 12, 14.	3.3	43
47	Engineering the Plant Secretory Pathway for the Production of Next-Generation Pharmaceuticals. <i>Trends in Biotechnology</i> , 2020, 38, 1034-1044.	9.3	43
48	The use of nested polymerase chain reaction and restriction fragment length polymorphism for the detection and typing of mucosal human papillomaviruses in samples containing low copy numbers of viral DNA. <i>Journal of Virological Methods</i> , 2002, 105, 159-170.	2.1	42
49	High prevalence of HPV 16 in South African women with cancer of the cervix and cervical intraepithelial neoplasia. <i>Journal of Medical Virology</i> , 2003, 71, 265-273.	5.0	42
50	Distinct Cytokine Patterns in Semen Influence Local HIV Shedding and HIV Target Cell Activation. <i>Journal of Infectious Diseases</i> , 2014, 209, 1174-1184.	4.0	42
51	Human papillomavirus prevalence in South African women and men according to age and human immunodeficiency virus status. <i>BMC Infectious Diseases</i> , 2015, 15, 459.	2.9	42
52	Prospects for SARS-CoV-2 diagnostics, therapeutics and vaccines in Africa. <i>Nature Reviews Microbiology</i> , 2020, 18, 690-704.	28.6	42
53	Immunogenicity of a recombinant lumpy skin disease virus (neethling vaccine strain) expressing the rabies virus glycoprotein in cattle. <i>Vaccine</i> , 2002, 20, 2693-2701.	3.8	41
54	Optimization of chimeric HIV-1 virus-like particle production in a baculovirus-insect cell expression system. <i>Biotechnology Progress</i> , 2009, 25, 1153-1160.	2.6	41

#	ARTICLE	IF	CITATIONS
55	Two Methods of Self-Sampling Compared to Clinician Sampling to Detect Reproductive Tract Infections in Gugulethu, South Africa. <i>Sexually Transmitted Diseases</i> , 2006, 33, 516-523.	1.7	40
56	High Burden of Human Papillomavirus (HPV) Infection among Young Women in KwaZulu-Natal, South Africa. <i>PLoS ONE</i> , 2016, 11, e0146603.	2.5	40
57	Typing of human papillomaviruses in cervical carcinoma biopsies from Cape Town. <i>Journal of Medical Virology</i> , 1994, 43, 231-237.	5.0	39
58	Papillomavirus Subtypes Are Natural and Old Taxa: Phylogeny of Human Papillomavirus Types 44 and 55 and 68a and -b. <i>Journal of Virology</i> , 2005, 79, 6565-6569.	3.4	39
59	Construction, Characterization, and Immunogenicity of a Multigene Modified Vaccinia Ankara (MVA) Vaccine Based on HIV Type 1 Subtype C. <i>AIDS Research and Human Retroviruses</i> , 2008, 24, 195-206.	1.1	39
60	Recombinant Mycobacterium bovis BCG as an HIV Vaccine Vector. <i>Current HIV Research</i> , 2010, 8, 282-298.	0.5	39
61	The cervical microbiota in reproductive-age South African women with and without human papillomavirus infection. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2019, 7, 154-163.	4.5	39
62	Defining characteristics of genital health in South African adolescent girls and young women at high risk for HIV infection. <i>PLoS ONE</i> , 2019, 14, e0213975.	2.5	39
63	Limited Pap screening associated with reduced risk of cervical cancer in South Africa. <i>International Journal of Epidemiology</i> , 2003, 32, 573-577.	1.9	38
64	Detection of genital human papillomaviruses by polymerase chain reaction amplification with degenerate nested primers. <i>Journal of Medical Virology</i> , 1991, 33, 165-171.	5.0	37
65	Influence of human immunodeficiency virus and CD4 count on the prevalence of human papillomavirus in heterosexual couples. <i>Journal of General Virology</i> , 2010, 91, 3023-3031.	2.9	37
66	Stability studies of HIV-1 Pr55gagvirus-like particles made in insect cells after storage in various formulation media. <i>Virology Journal</i> , 2012, 9, 210.	3.4	37
67	The complete genome sequences of poxviruses isolated from a penguin and a pigeon in South Africa and comparison to other sequenced avipoxviruses. <i>BMC Genomics</i> , 2014, 15, 463.	2.8	37
68	Endocervical and vaginal microbiota in South African adolescents with asymptomatic Chlamydia trachomatis infection. <i>Scientific Reports</i> , 2018, 8, 11109.	3.3	37
69	Broad, high-magnitude and multifunctional CD4+ and CD8+ T-cell responses elicited by a DNA and modified vaccinia Ankara vaccine containing human immunodeficiency virus type 1 subtype C genes in baboons. <i>Journal of General Virology</i> , 2009, 90, 468-480.	2.9	36
70	The Brighton Collaboration standardized template for collection of key information for risk/benefit assessment of a Modified Vaccinia Ankara (MVA) vaccine platform. <i>Vaccine</i> , 2021, 39, 3067-3080.	3.8	36
71	Oral antibodies to human papillomavirus type 16 in women with cervical neoplasia. <i>Journal of Medical Virology</i> , 2001, 65, 149-154.	5.0	35
72	Risk of invasive cancer of the cervix in relation to the use of injectable progestogen contraceptives and combined estrogen/progestogen oral contraceptives (South Africa). <i>Cancer Causes and Control</i> , 2003, 14, 485-495.	1.8	35

#	ARTICLE	IF	CITATIONS
73	Agreement between Self- and Clinician-Collected Specimen Results for Detection and Typing of High-Risk Human Papillomavirus in Specimens from Women in Gugulethu, South Africa. <i>Journal of Clinical Microbiology</i> , 2007, 45, 1679-1683.	3.9	35
74	Combined single-clade candidate HIV-1 vaccines induce T cell responses limited by multiple forms of in vivo immune interference. <i>European Journal of Immunology</i> , 2007, 37, 566-577.	2.9	35
75	Typing of human papillomavirus in Zimbabwean patients with invasive cancer of the uterine cervix. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2003, 82, 762-766.	2.8	34
76	Cervical Human Papillomavirus (HPV) Infection in South African Women: Implications for HPV Screening and Vaccine Strategies. <i>Journal of Clinical Microbiology</i> , 2008, 46, 740-742.	3.9	34
77	Seroresponses to human papillomavirus types 16, 18, 31, 33, and 45 virus-like particles in South African women with cervical cancer and cervical intraepithelial neoplasia. , 2000, 60, 403-410.		33
78	The Impact of Human Immunodeficiency Virus Type 1 Status on Human Papillomavirus (HPV) Prevalence and HPV Antibodies in Serum and Cervical Secretions. <i>Journal of Infectious Diseases</i> , 2000, 182, 1239-1242.	4.0	33
79	Detection of human papillomavirus in urine and cervical swabs from patients with invasive cervical cancer. <i>Journal of Medical Virology</i> , 2003, 71, 110-114.	5.0	33
80	Evaluation of lumpy skin disease virus, a capripoxvirus, as a replication-deficient vaccine vector. <i>Journal of General Virology</i> , 2003, 84, 1985-1996.	2.9	33
81	Detection of HPV 16 and HPV 18 DNA in the blood of patients with cervical cancer. <i>Journal of Medical Virology</i> , 2005, 75, 435-439.	5.0	33
82	Evaluation of recombinant BCG expressing rotavirus VP6 as an anti-rotavirus vaccine. <i>Vaccine</i> , 2007, 25, 3646-3657.	3.8	33
83	Determinants of sexual activity and its relation to cervical cancer risk among South African Women. <i>BMC Public Health</i> , 2007, 7, 341.	2.9	33
84	Human immunodeficiency virus type 1 subtype C Gag virus-like particle boost substantially improves the immune response to a subtype C gag DNA vaccine in mice. <i>Journal of General Virology</i> , 2004, 85, 409-413.	2.9	32
85	Phylogenetic and histological variation in avipoxviruses isolated in South Africa. <i>Journal of General Virology</i> , 2013, 94, 2338-2351.	2.9	32
86	Unique safety issues associated with virus-vectored vaccines: Potential for and theoretical consequences of recombination with wild type virus strains. <i>Vaccine</i> , 2016, 34, 6610-6616.	3.8	32
87	Prime-Boost Immunizations with DNA, Modified Vaccinia Virus Ankara, and Protein-Based Vaccines Elicit Robust HIV-1 Tier 2 Neutralizing Antibodies against the CAP256 Superinfecting Virus. <i>Journal of Virology</i> , 2019, 93, .	3.4	32
88	The Penile Microbiota in Uncircumcised and Circumcised Men: Relationships With HIV and Human Papillomavirus Infections and Cervicovaginal Microbiota. <i>Frontiers in Medicine</i> , 2020, 7, 383.	2.6	32
89	Human papillomavirus prevalence and risk factors among HIV-negative and HIV-positive women residing in rural Eastern Cape, South Africa. <i>International Journal of Infectious Diseases</i> , 2020, 95, 176-182.	3.3	32
90	A deletion and point mutation study of the human papillomavirus type 16 major capsid gene. <i>Virus Research</i> , 2006, 122, 154-163.	2.2	31

#	ARTICLE	IF	CITATIONS
91	Comparative analysis of avian poxvirus genomes, including a novel poxvirus from lesser flamingos ( <i>Phoenicopterus minor</i> ), highlights the lack of conservation of the central region. <i>BMC Genomics</i> , 2017, 18, 947.	2.8	31
92	Fas and FasL gene polymorphisms are not associated with cervical cancer but differ among Black and Mixed-ancestry South Africans. <i>BMC Research Notes</i> , 2009, 2, 238.	1.4	30
93	A prime-boost immunisation regimen using recombinant BCG and Pr55gag virus-like particle vaccines based on HIV type 1 subtype C successfully elicits Gag-specific responses in baboons. <i>Vaccine</i> , 2009, 27, 4857-4866.	3.8	30
94	A recombinant human papillomavirus (HPV) type 16 L1-vaccinia virus murine challenge model demonstrates cell-mediated immunity against HPV virus-like particles. <i>Journal of General Virology</i> , 1999, 80, 2471-2475.	2.9	30
95	Cervical Human Papillomavirus (HPV) Infection and HPV Type 16 Antibodies in South African Women. <i>Journal of Clinical Microbiology</i> , 2008, 46, 732-739.	3.9	29
96	More men than women make mucosal IgA antibodies to Human papillomavirus type 16 (HPV-16) and HPV-18: a study of oral HPV and oral HPV antibodies in a normal healthy population. <i>BMC Infectious Diseases</i> , 2006, 6, 95.	2.9	28
97	CCR2-V64I polymorphism is associated with increased risk of cervical cancer but not with HPV infection or pre-cancerous lesions in African women. <i>BMC Cancer</i> , 2010, 10, 278.	2.6	28
98	Comprehensive profiling of the vaginal microbiome in HIV positive women using massive parallel semiconductor sequencing. <i>Scientific Reports</i> , 2015, 4, 4398.	3.3	28
99	Production and Immunogenicity of Soluble Plant-Produced HIV-1 Subtype C Envelope gp140 Immunogens. <i>Frontiers in Plant Science</i> , 2019, 10, 1378.	3.6	28
100	Comparison of cervical and blood T-cell responses to human papillomavirus-16 in women with human papillomavirus-associated cervical intraepithelial neoplasia. <i>Immunology</i> , 2006, 119, 507-514.	4.4	27
101	Phylogenetic analysis of three genes of Penguinpox virus corresponding to Vaccinia virus G8R (VLTF-1), A3L (P4b) and H3L reveals that it is most closely related to Turkeypox virus, Ostrichpox virus and Pigeonpox virus. <i>Virology Journal</i> , 2009, 6, 52.	3.4	27
102	A novel candidate HIV vaccine vector based on the replication deficient Capripoxvirus, Lumpy skin disease virus (LSDV). <i>Virology Journal</i> , 2011, 8, 265.	3.4	27
103	Robust Immunity to an Auxotrophic <i>Mycobacterium bovis</i> BCG-VLP Prime-Boost HIV Vaccine Candidate in a Nonhuman Primate Model. <i>Journal of Virology</i> , 2013, 87, 5151-5160.	3.4	27
104	The penile microbiota of Black South African men: relationship with human papillomavirus and HIV infection. <i>BMC Microbiology</i> , 2020, 20, 78.	3.3	27
105	Cervicovaginal, oral, and serum IgG and IgA responses to human papillomavirus type 16 in women with cervical intraepithelial neoplasia. <i>Journal of Medical Virology</i> , 2007, 79, 1375-1380.	5.0	26
106	Papanicolaou smears and cervical inflammatory cytokine responses. <i>Journal of Inflammation</i> , 2007, 4, 8.	3.4	26
107	HPV genotypes in women with squamous intraepithelial lesions and normal cervixes participating in a community-based microbicide study in Pretoria, South Africa. <i>Journal of Clinical Virology</i> , 2009, 44, 318-321.	3.1	26
108	Cervical Dysplasia and High-Risk Human Papillomavirus Infections among HIV-Infected and HIV-Uninfected Adolescent Females in South Africa. <i>Infectious Diseases in Obstetrics and Gynecology</i> , 2014, 2014, 1-6.	1.5	26



#	ARTICLE	IF	CITATIONS
109	The Brighton Collaboration Viral Vector Vaccines Safety Working Group (V3SWG). <i>Vaccine</i> , 2015, 33, 73-75.	3.8	26
110	Chimaeric HIV-1 subtype C Gag molecules with large in-frame C-terminal polypeptide fusions form virus-like particles. <i>Virus Research</i> , 2008, 133, 259-268.	2.2	25
111	HIV-1 subtype C Pr55gag virus-like particle vaccine efficiently boosts baboons primed with a matched DNA vaccine. <i>Journal of General Virology</i> , 2008, 89, 2214-2227.	2.9	25
112	Justification for the inclusion of Gag in HIV vaccine candidates. <i>Expert Review of Vaccines</i> , 2016, 15, 585-598.	4.4	25
113	Heterologous prime-boost vaccination with DNA and MVA vaccines, expressing HIV-1 subtype C mosaic Gag virus-like particles, is highly immunogenic in mice. <i>PLoS ONE</i> , 2017, 12, e0173352.	2.5	25
114	Subtype C gp140 Vaccine Boosts Immune Responses Primed by the South African AIDS Vaccine Initiative DNA-C2 and MVA-C HIV Vaccines after More than a 2-Year Gap. <i>Vaccine Journal</i> , 2016, 23, 496-506.	3.1	24
115	Human Papillomavirus (HPV) Infection in Southern Africa: Prevalence, Immunity, and Vaccine Prospects. <i>IUBMB Life</i> , 2002, 53, 253-258.	3.4	23
116	Creation and characterisation of a high-copy-number version of the pAL5000 mycobacterial replicon. <i>Tuberculosis</i> , 2007, 87, 481-488.	1.9	23
117	The impact of the use of COL-1492, a nonoxynol-9 vaginal gel, on the presence of cervical human papillomavirus in female sex workers. <i>Virus Research</i> , 2006, 121, 220-222.	2.2	22
118	A Multigene HIV Type 1 Subtype C Modified Vaccinia Ankara (MVA) Vaccine Efficiently Boosts Immune Responses to a DNA Vaccine in Mice. <i>AIDS Research and Human Retroviruses</i> , 2008, 24, 207-217.	1.1	22
119	The porcine circovirus type 1 capsid gene promoter improves antigen expression and immunogenicity in a HIV-1 plasmid vaccine. <i>Virology Journal</i> , 2011, 8, 51.	3.4	22
120	The impact of human immunodeficiency virus on human papillomavirus transmission in heterosexually active couples. <i>Journal of Infection</i> , 2013, 67, 51-58.	3.3	22
121	High Risk Human Papillomavirus Persistence Among HIV-infected Young Women in South Africa. <i>International Journal of Infectious Diseases</i> , 2015, 33, 219-221.	3.3	22
122	The adjuvant AlhydroGel elicits higher antibody titres than AddaVax when combined with HIV-1 subtype C gp140 from CAP256. <i>PLoS ONE</i> , 2018, 13, e0208310.	2.5	22
123	Chronic schistosomiasis suppresses HIV-specific responses to DNA-MVA and MVA-gp140 Env vaccine regimens despite anthelmintic treatment and increases helminth-associated pathology in a mouse model. <i>PLoS Pathogens</i> , 2018, 14, e1007182.	4.7	22
124	Construction and characterisation of a candidate HIV-1 subtype C DNA vaccine for South Africa. <i>Vaccine</i> , 2003, 21, 4380-4389.	3.8	21
125	Oral vaccination with a recombinant Salmonella vaccine vector provokes systemic HIV-1 subtype C Gag-specific CD4+ Th1 and Th2 cell immune responses in mice. <i>Virology Journal</i> , 2009, 6, 87.	3.4	21
126	Use of the piggyBac transposon to create HIV-1 gag transgenic insect cell lines for continuous VLP production. <i>BMC Biotechnology</i> , 2010, 10, 30.	3.3	21



#	ARTICLE	IF	CITATIONS
127	Risk factors for oral human papillomavirus in heterosexual couples in an African setting. <i>Journal of Infection</i> , 2014, 68, 185-189.	3.3	21
128	Adventitious agents and live viral vectored vaccines: Considerations for archiving samples of biological materials for retrospective analysis. <i>Vaccine</i> , 2016, 34, 6617-6625.	3.8	21
129	High-risk oncogenic HPV genotype infection associates with increased immune activation and T cell exhaustion in ART-suppressed HIV-1-infected women. <i>Oncolmmunology</i> , 2016, 5, e1128612.	4.6	21
130	Selecting human papillomavirus genotypes to optimize the performance of screening tests among South African women. <i>Cancer Medicine</i> , 2020, 9, 6813-6824.	2.8	21
131	Priming with a Recombinant Pantothenate Auxotroph of <i>Mycobacterium bovis</i> BCG and Boosting with MVA Elicits HIV-1 Gag Specific CD8+ T Cells. <i>PLoS ONE</i> , 2012, 7, e32769.	2.5	21
132	HIV-1 seroconversion promotes rapid changes in cervical human papillomavirus (HPV) prevalence and HPV-16 antibodies in female sex workers. <i>Journal of Medical Virology</i> , 2009, 81, 203-210.	5.0	20
133	Abrogation of contaminating RNA activity in HIV-1 Gag VLPs. <i>Virology Journal</i> , 2011, 8, 462.	3.4	20
134	Typing of human papillomaviruses in cervical intraepithelial neoplasia grade 3 biopsies from cape town. <i>Journal of Medical Virology</i> , 1989, 28, 146-149.	5.0	19
135	Immunogenicity of an HPV-16 L2 DNA vaccine. <i>Vaccine</i> , 2009, 27, 6432-6434.	3.8	19
136	Xpert human papillomavirus test is a promising cervical cancer screening test for HIV-seropositive women. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2016, 2, 56-60.	4.5	19
137	Factors associated with the composition and diversity of the cervical microbiota of reproductive-age Black South African women: a retrospective cross-sectional study. <i>PeerJ</i> , 2019, 7, e7488.	2.0	19
138	Inflammatory Cytokine Profiles of Semen Influence Cytokine Responses of Cervicovaginal Epithelial Cells. <i>Frontiers in Immunology</i> , 2018, 9, 2721.	4.8	18
139	Clinical validation of the HPVIR high-risk HPV test on cervical samples according to the international guidelines for human papillomavirus DNA test requirements for cervical cancer screening. <i>Virology Journal</i> , 2019, 16, 107.	3.4	18
140	Strategies for the prevention of cervical cancer by human papillomavirus vaccination. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2005, 19, 531-544.	2.8	17
141	Vaccination strategies for the prevention of cervical cancer. <i>Expert Review of Anticancer Therapy</i> , 2005, 5, 97-107.	2.4	17
142	Human Leukocyte Antigen (HLA) Class II -DRB1 and -DQB1 Alleles and the Association with Cervical Cancer in HIV/HPV Co-Infected Women in South Africa. <i>Journal of Cancer</i> , 2019, 10, 2145-2152.	2.5	17
143	Seroresponses to virus-like particles of human papillomavirus types 16, 18, 31, 33, and 45 in San People of Southern Africa. , 2000, 60, 331-336.		16
144	CASP8 promoter polymorphism is associated with high-risk HPV types and abnormal cytology but not with cervical cancer. <i>Journal of Medical Virology</i> , 2011, 83, 630-636.	5.0	16

#	ARTICLE	IF	CITATIONS
145	CD4 T Cell Depletion at the Cervix during HIV Infection Is Associated with Accumulation of Terminally Differentiated T Cells. <i>Journal of Virology</i> , 2011, 85, 13333-13341.	3.4	16
146	Increased alpha-9 human papillomavirus species viral load in human immunodeficiency virus positive women. <i>BMC Infectious Diseases</i> , 2014, 14, 51.	2.9	16
147	The novel capripoxvirus vector lumpy skin disease virus efficiently boosts modified vaccinia Ankara human immunodeficiency virus responses in rhesus macaques. <i>Journal of General Virology</i> , 2014, 95, 2267-2272.	2.9	16
148	<sc>CCR</sc>5 expression, haplotype and immune activation in protection from infection in <sc>HIV</sc>-exposed uninfected individuals in <sc>HIV</sc>-serodiscordant relationships. <i>Immunology</i> , 2017, 151, 464-473.	4.4	16
149	Priming with Recombinant Auxotrophic BCG Expressing HIV-1 Gag, RT and Gp120 and Boosting with Recombinant MVA Induces a Robust T Cell Response in Mice. <i>PLoS ONE</i> , 2013, 8, e71601.	2.5	16
150	Sequential Immunization with gp140 Boosts Immune Responses Primed by Modified Vaccinia Ankara or DNA in HIV-Uninfected South African Participants. <i>PLoS ONE</i> , 2016, 11, e0161753.	2.5	16
151	Isolation and characterization of T cells from semen. <i>Journal of Immunological Methods</i> , 2012, 375, 223-231.	1.4	15
152	Distribution of Human Papillomavirus (HPV) Genotypes in HIV-Negative and HIV-Positive Women with Cervical Intraepithelial Lesions in the Eastern Cape Province, South Africa. <i>Viruses</i> , 2021, 13, 280.	3.3	15
153	High human papillomavirus prevalence among females attending high school in the Eastern Cape Province of South Africa. <i>PLoS ONE</i> , 2021, 16, e0253074.	2.5	15
154	HIV-1 Subtype C Mosaic Gag Expressed by BCG and MVA Elicits Persistent Effector T Cell Responses in a Prime-Boost Regimen in Mice. <i>PLoS ONE</i> , 2016, 11, e0159141.	2.5	15
155	single-cell cytokine analysis allows detection of cervical T-cell responses against human papillomavirus type 16 L1 in women infected with genital HPV. <i>Journal of Medical Virology</i> , 2002, 67, 234-240.	5.0	14
156	Association of serum and mucosal neutralizing antibodies to human papillomavirus type 16 (HPV-16) with HPV-16 infection and cervical disease. <i>Journal of General Virology</i> , 2008, 89, 910-914.	2.9	14
157	Cumulative Impact of HIV and Multiple Concurrent Human Papillomavirus Infections on the Risk of Cervical Dysplasia. <i>Advances in Virology</i> , 2016, 2016, 1-5.	1.1	14
158	Detection of sexually transmitted pathogens and co-infection with human papillomavirus in women residing in rural Eastern Cape, South Africa. <i>PeerJ</i> , 2021, 9, e10793.	2.0	14
159	Avian Poxvirus Epizootic in a Breeding Population of Lesser Flamingos ( <i>Phoenicopterus minor</i> ) at Kamfers Dam, Kimberley, South Africa. <i>Journal of Wildlife Diseases</i> , 2011, 47, 989-993.	0.8	13
160	Vaccine farming in Cape Town. <i>Hum Vaccin</i> , 2011, 7, 339-348.	2.4	13
161	Prevalence of Anal HPV and Anal Dysplasia in HIV-Infected Women From Johannesburg, South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017, 75, e59-e64.	2.1	13
162	The complete genome sequence of the lumpy skin disease virus vaccine Herbivac LS reveals a mutation in the superoxide dismutase gene homolog. <i>Archives of Virology</i> , 2019, 164, 3107-3109.	2.1	13

#	ARTICLE	IF	CITATIONS
163	Acceptability of self- collection for human papillomavirus detection in the Eastern Cape, South Africa. PLoS ONE, 2020, 15, e0241781.	2.5	13
164	Therapeutic immunisation of rabbits with cottontail rabbit papillomavirus (CRPV) virus-like particles (VLP) induces regression of established papillomas. Virology Journal, 2008, 5, 45.	3.4	12
165	HIV-1 sub-type C chimaeric VLPs boost cellular immune responses in mice. Journal of Immune Based Therapies and Vaccines, 2010, 8, 7.	2.4	12
166	Six host-range restricted poxviruses from three genera induce distinct gene expression profiles in an in vivo mouse model. BMC Genomics, 2015, 16, 510.	2.8	12
167	Impact of chemokine CCL27, foreskin anatomy and sexually transmitted infections on HIV-1 target cell availability in adolescent South African males. Mucosal Immunology, 2020, 13, 118-127.	6.0	12
168	Human papillomavirus genotypes and clinical management of genital warts in women attending a colposcopy clinic in Cape Town, South Africa. South African Medical Journal, 2015, 105, 679.	0.6	11
169	Immunogenicity of HIV-1 Vaccines Expressing Chimeric Envelope Glycoproteins on the Surface of Pr55 Gag Virus-Like Particles. Vaccines, 2020, 8, 54.	4.4	11
170	High human papillomavirus (HPV)-35 prevalence among South African women with cervical intraepithelial neoplasia warrants attention. PLoS ONE, 2022, 17, e0264498.	2.5	11
171	The use of the polymerase chain reaction for the detection of human papillomavirus type 13. Journal of Virological Methods, 1991, 31, 57-65.	2.1	10
172	Detection of natural infection with Mycobacterium intracellulare in healthy wild-caught Chacma baboons (Papio ursinus) by ESAT-6 and CFP-10 IFN- $\gamma$ ELISPOT tests following a tuberculosis outbreak. BMC Microbiology, 2008, 8, 27.	3.3	10
173	A fas gene polymorphism influences herpes simplex virus type 2 infection in South African women. Journal of Medical Virology, 2010, 82, 2082-2086.	5.0	10
174	The Use of Directed Evolution to Create a Stable and Immunogenic Recombinant BCG Expressing a Modified HIV-1 Gag Antigen. PLoS ONE, 2014, 9, e103314.	2.5	10
175	Altered phenotype and function of NK cells infiltrating Human Papillomavirus (HPV)-associated genital warts during HIV infection. Clinical Immunology, 2014, 150, 210-219.	3.2	10
176	High diversity of alpha, beta and gamma human papillomaviruses in genital samples from HIV-negative and HIV-positive heterosexual South African men. Papillomavirus Research (Amsterdam, Netherlands), 2017, 3, 160-167.	4.5	10
177	Discovery, characterisation and genomic variation of six novel Gammapapillomavirus types from penile swabs in South Africa. Papillomavirus Research (Amsterdam, Netherlands), 2019, 7, 102-111.	4.5	10
178	South African bovine ephemeral fever virus glycoprotein sequences are phylogenetically distinct from those from the rest of the world. Archives of Virology, 2020, 165, 1207-1210.	2.1	10
179	Age, absolute CD4 count, and CD4 percentage in relation to HPV infection and the stage of cervical disease in HIV-1-positive women. Medicine (United States), 2020, 99, e19273.	1.0	10
180	Transkingdom Analysis of the Female Reproductive Tract Reveals Bacteriophages form Communities. Viruses, 2022, 14, 430.	3.3	10

#	ARTICLE	IF	CITATIONS
181	Hypothesis: the act of taking a Papanicolaou smear reduces the prevalence of human papillomavirus infection: a potential impact on the risk of cervical cancer. <i>Cancer Causes and Control</i> , 2003, 14, 953-957.	1.8	9
182	Rabbits immunised with recombinant BCG expressing the cottontail rabbit papillomavirus (CRPV) L2E7E2 genes induces regression of established papillomas. <i>Virus Research</i> , 2007, 127, 43-48.	2.2	9
183	South African HIV-1 vaccine candidates – the journey from the bench to clinical trials. <i>South African Medical Journal</i> , 2012, 102, 452.	0.6	9
184	Prospective One Year Follow Up of HIV Infected Women Screened for Cervical Cancer Using Visual Inspection with Acetic Acid, Cytology and Human Papillomavirus Testing in Johannesburg South Africa. <i>PLoS ONE</i> , 2016, 11, e0144905.	2.5	9
185	Influence of the Viral Superoxide Dismutase (SOD) Homologue on Lumpy Skin Disease Virus (LSDV) Growth, Histopathology and Pathogenicity. <i>Vaccines</i> , 2020, 8, 664.	4.4	9
186	Site-Specific Glycosylation of Recombinant Viral Glycoproteins Produced in <i>Nicotiana benthamiana</i> . <i>Frontiers in Plant Science</i> , 2021, 12, 709344.	3.6	9
187	Advancements in the Growth and Construction of Recombinant Lumpy Skin Disease Virus (LSDV) for Use as a Vaccine Vector. <i>Vaccines</i> , 2021, 9, 1131.	4.4	9
188	Sequence variation in the L1 gene of human papillomavirus type 16 from Africa. <i>Archives of Virology</i> , 1995, 140, 1863-1870.	2.1	8
189	An oral recombinant <i>Salmonella enterica</i> serovar Typhimurium mutant elicits systemic antigen-specific CD8+ T cell cytokine responses in mice. <i>Gut Pathogens</i> , 2009, 1, 9.	3.4	8
190	Human papillomavirus types in HIV seropositive men with penile warts in Johannesburg, South Africa. <i>International Journal of STD and AIDS</i> , 2011, 22, 107-109.	1.1	8
191	The combined risks of reduced or increased function variants in cell death pathway genes differentially influence cervical cancer risk and herpes simplex virus type 2 infection among black Africans and the Mixed Ancestry population of South Africa. <i>BMC Cancer</i> , 2015, 15, 680.	2.6	8
192	Cryotherapy Reduces Progression of Cervical Intraepithelial Neoplasia Grade 1 in South African HIV-Infected Women: A Randomized, Controlled Trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017, 76, 532-538.	2.1	8
193	Predictive functional analysis reveals inferred features unique to cervicovaginal microbiota of African women with bacterial vaginosis and high-risk human papillomavirus infection. <i>PLoS ONE</i> , 2021, 16, e0253218.	2.5	8
194	Influence of the lumpy skin disease virus (LSDV) superoxide dismutase homologue on host transcriptional activity, apoptosis and histopathology. <i>Journal of General Virology</i> , 2020, 101, 645-650.	2.9	8
195	The Development of Dual Vaccines against Lumpy Skin Disease (LSD) and Bovine Ephemeral Fever (BEF). <i>Vaccines</i> , 2021, 9, 1215.	4.4	8
196	The Development of HIV-1 Subtype C Vaccines for Southern Africa. <i>IUBMB Life</i> , 2002, 53, 207-208.	3.4	7
197	DNA-MVA-protein vaccination of rhesus macaques induces HIV-specific immunity in mucosal-associated lymph nodes and functional antibodies. <i>Vaccine</i> , 2017, 35, 929-937.	3.8	7
198	Removal of bovine viral diarrhoea virus (BVDV) from lumpy skin disease virus (LSDV) vaccine stocks by passage on chorioallantoic membranes of fertilized hens' eggs. <i>Journal of Virological Methods</i> , 2020, 275, 113752.	2.1	7

#	ARTICLE	IF	CITATIONS
199	A Viable and Simple Self-Sampling Method for Human Papillomavirus Detection among South African Adolescents. <i>Journal of Immunological Techniques in Infectious Diseases</i> , 2013, 02, .	0.1	7
200	Human Papillomavirus Genotype Distribution among Human Immunodeficiency Virus (HIV)-Infected and Non-HIV-Infected Women in Soweto, South Africa. <i>Journal of Clinical Microbiology</i> , 2008, 46, 4109-4110.	3.9	6
201	Prevalence of Anal Human Papillomavirus (HPV) and Performance of Cepheid Xpert and Hybrid Capture 2 (hc2) HPV Assays in South African HIV-Infected Women. <i>American Journal of Clinical Pathology</i> , 2017, 148, 148-153.	0.7	6
202	Human papillomavirus clustering patterns among HIV-infected and HIV-uninfected adolescent females in South Africa. <i>Journal of AIDS and HIV Research (Online)</i> , 2017, 9, 202-206.	0.4	6
203	Investigation of Cervical Tumor Biopsies for Chromosomal Loss of Heterozygosity (LOH) and Microsatellite Instability (MSI) at the HLA II Locus in HIV-1/HPV Co-infected Women. <i>Frontiers in Oncology</i> , 2019, 9, 951.	2.8	6
204	Recombination Between High-Risk Human Papillomaviruses and Non-Human Primate Papillomaviruses: Evidence of Ancient Host Switching Among Alphapapillomaviruses. <i>Journal of Molecular Evolution</i> , 2020, 88, 453-462.	1.8	6
205	Xenogenic rolling-circle replication of a synthetic beak and feather disease virus genomic clone in 293T mammalian cells and <i>Nicotiana benthamiana</i> . <i>Journal of General Virology</i> , 2017, 98, 2329-2338.	2.9	6
206	Investigating Constraints Along the Plant Secretory Pathway to Improve Production of a SARS-CoV-2 Spike Vaccine Candidate. <i>Frontiers in Plant Science</i> , 2021, 12, 798822.	3.6	6
207	Typing and molecular characterization of human papillomaviruses in genital warts from South African women. <i>Journal of Medical Virology</i> , 1991, 33, 39-42.	5.0	5
208	Optimisation of a mycobacterial replicon increases foreign antigen expression in mycobacteria. <i>Tuberculosis</i> , 2009, 89, 225-232.	1.9	5
209	Evolutionary dynamics of ten novel Gamma-PVs: insights from phylogenetic incongruence, recombination and phylodynamic analyses. <i>BMC Genomics</i> , 2019, 20, 368.	2.8	5
210	Phylogenetic Analysis of South African Bovine Leukaemia Virus (BLV) Isolates. <i>Viruses</i> , 2020, 12, 898.	3.3	5
211	Assessment of an LSDV-Vectored Vaccine for Heterologous Prime-Boost Immunizations against HIV. <i>Vaccines</i> , 2021, 9, 1281.	4.4	5
212	The agreement between cervical abnormalities identified by cytology and detection of high-risk types of human papillomavirus. <i>South African Medical Journal</i> , 2006, 96, 1186-90.	0.6	5
213	Identification of the Human Papillomavirus Genotypes, According to the Human Immunodeficiency Virus Status in a Cohort of Women from Maputo, Mozambique. <i>Viruses</i> , 2022, 14, 24.	3.3	5
214	High Level of Agreement between Clinician-Collected and Self-Collected Samples for HPV Detection among South African Adolescents. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2012, 25, 280-281.	0.7	4
215	Host Immune Responses Associated with Clearance or Persistence of Human Papillomavirus Infections. <i>Current Obstetrics and Gynecology Reports</i> , 2016, 5, 177-188.	0.8	4
216	Characterization and Immunogenicity of HIV Envelope gp140 Zera <sup>®</sup> Tagged Antigens. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 321.	4.1	4

#	ARTICLE	IF	CITATIONS
217	Effect of Human Papillomavirus (HPV) Education Intervention on HPV Knowledge and Awareness Among High School Learners in Eastern Cape Province of South Africa. <i>Journal of Cancer Education</i> , 2021, , 1.	1.3	4
218	High Rate of Multiple Concurrent Human Papillomavirus Infections among HIV-Uninfected South African Adolescents. , 2013, 2, 1000106.		4
219	Genital inflammatory status and the innate immune response to contraceptive initiation. <i>American Journal of Reproductive Immunology</i> , 2022, 88, .	1.2	4
220	Partner HIV Serostatus Impacts Viral Load, Genital HIV Shedding, and Immune Activation in HIV-Infected Individuals. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2019, 82, 51-60.	2.1	3
221	Management of cervical disease in HIV-infected women. <i>Gynecologic Oncology</i> , 2005, 99, S14-S15.	1.4	2
222	Complete Genome Sequences of Four Novel Human Gammapapillomavirus Types, HPV-219, HPV-220, HPV-221, and HPV-222, Isolated from Penile Skin Swabs from South African Men. <i>Genome Announcements</i> , 2018, 6, .	0.8	2
223	Molecular Identification of Cervical Microbes in HIV-Negative and HIV-Positive Women in an African Setting Using a Customized Bacterial Vaginosis Microbial DNA Quantitative PCR (qPCR) Array. <i>Microbiology Spectrum</i> , 0, , .	3.0	2
224	Papanicolaou Smears Induce Partial Immunity Against Sexually Transmitted Viral Infections. <i>Epidemiology</i> , 2007, 18, 709-715.	2.7	1
225	Transient global T cell activation after vaccination of rhesus macaques with a DNA-poxvirus vaccine regimen for HIV. <i>Vaccine</i> , 2015, 33, 3435-3439.	3.8	1
226	The Cape Town declaration on human papillomavirus related disease. <i>Papillomavirus Research</i> (Amsterdam, Netherlands), 2018, 5, 59-60.	4.5	1
227	Modifications to the HIV-1 SAAVI MVA-C vaccine improve in vitro expression and in vivo immunogenicity. <i>Vaccine</i> , 2021, 39, 463-468.	3.8	1
228	Infection of Chinese Rhesus Monkeys with a Subtype C SHIV Resulted in Attenuated In Vivo Viral Replication Despite Successful Animal-to-Animal Serial Passages. <i>Viruses</i> , 2021, 13, 397.	3.3	1
229	Typing of human papillomavirus in Zimbabwean patients with invasive cancer of the uterine cervix. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2003, 82, 762-766.	2.8	1
230	Characterization of a Novel Chimeric Theileria parva p67 Antigen Which Incorporates into Virus-like Particles and Is Highly Immunogenic in Mice. <i>Vaccines</i> , 2022, 10, 210.	4.4	1
231	Characterization of a dynamic self-replicating mammalian expression vector based on the circular ssDNA genome of beak and feather disease virus. <i>Journal of General Virology</i> , 2022, 103, .	2.9	1
232	Host Restricted Poxviruses Produce Distinct Host Responses in an <i>In Vivo</i> Mouse Model with Implications for Future Use as HIV-1 Vaccine Vectors. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, A248-A248.	1.1	0
233	Impact of Systemic Immune Activation (IA) and Inflammation on the HIV Susceptibility of HIV- individuals with HIV Concordant or Discordant Partners. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, A14-A15.	1.1	0
234	Construction and Evaluation of BCG and Modified Vaccinia Ankara Vaccines Expressing HIV-1 Subtype C Mosaic Gag. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, A243-A243.	1.1	0