
## **Thomas Rutledge**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/501531/publications.pdf Version: 2024-02-01



THOMAS PUTIEDCE

#	Article	IF	CITATIONS
1	Depression in Heart Failure. Journal of the American College of Cardiology, 2006, 48, 1527-1537.	2.8	1,225
2	A randomized, controlled trial of acceptance and commitment therapy and cognitive-behavioral therapy for chronic pain. Pain, 2011, 152, 2098-2107.	4.2	392
3	Depression, Inflammation, and Incident Cardiovascular Disease in Women With Suspected Coronary Ischemia. Journal of the American College of Cardiology, 2007, 50, 2044-2050.	2.8	234
4	A Meta-Analysis of Mental Health Treatments and Cardiac Rehabilitation for Improving Clinical Outcomes and Depression Among Patients With Coronary Heart Disease. Psychosomatic Medicine, 2013, 75, 335-349.	2.0	228
5	A Quantitative Review of Prospective Evidence Linking Psychological Factors With Hypertension Development. Psychosomatic Medicine, 2002, 64, 758-766.	2.0	194
6	Depression, the Metabolic Syndrome and Cardiovascular Risk. Psychosomatic Medicine, 2008, 70, 40-48.	2.0	150
7	A real-time assessment of work stress in physicians and nurses Health Psychology, 2009, 28, 194-200.	1.6	144
8	There is more to anger coping than "in" or "out" Emotion, 2003, 3, 12-29.	1.8	140
9	Effect sizes and statistical testing in the determination of clinical significance in behavioral medicine research. Annals of Behavioral Medicine, 2004, 27, 138-145.	2.9	126
10	Comorbid Depression and Anxiety Symptoms as Predictors of Cardiovascular Events: Results From the NHLBI-Sponsored Women's Ischemia Syndrome Evaluation (WISE) Study. Psychosomatic Medicine, 2009, 71, 958-964.	2.0	104
11	Social Networks Are Associated With Lower Mortality Rates Among Women With Suspected Coronary Disease: The National Heart, Lung, and Blood Institute-Sponsored Women's Ischemia Syndrome Evaluation Study. Psychosomatic Medicine, 2004, 66, 882-888.	2.0	102
12	Telehealth Versus In-Person Acceptance and Commitment Therapy for Chronic Pain: A Randomized Noninferiority Trial. Journal of Pain, 2017, 18, 200-211.	1.4	102
13	Psychiatric Factors and Weight Loss Patterns Following Gastric Bypass Surgery in a Veteran Population. Obesity Surgery, 2011, 21, 29-35.	2.1	99
14	Depression and Cardiovascular Health Care Costs Among Women With Suspected Myocardial Ischemia. Journal of the American College of Cardiology, 2009, 53, 176-183.	2.8	80
15	Pilot Randomized Study of a Gratitude Journaling Intervention on Heart Rate Variability and Inflammatory Biomarkers in Patients With Stage B Heart Failure. Psychosomatic Medicine, 2016, 78, 667-676.	2.0	78
16	Depression Symptom Severity and Reported Treatment History in the Prediction of Cardiac Risk in Women With Suspected Myocardial Ischemia. Archives of General Psychiatry, 2006, 63, 874.	12.3	74
17	Social Networks and Incident Stroke Among Women With Suspected Myocardial Ischemia. Psychosomatic Medicine, 2008, 70, 282-287.	2.0	69
18	Non-trauma-focused meditation versus exposure therapy in veterans with post-traumatic stress disorder: a randomised controlled trial. Lancet Psychiatry,the, 2018, 5, 975-986.	7.4	66

THOMAS RUTLEDGE

#	Article	IF	CITATIONS
19	Social Networks and Marital Status Predict Mortality in Older Women. Psychosomatic Medicine, 2003, 65, 688-694.	2.0	59
20	Intern to Attending: Assessing Stress Among Physicians. Academic Medicine, 2009, 84, 251-257.	1.6	56
21	To eat or not to eat: affective and physiological mechanisms in the stress-eating relationship. Journal of Behavioral Medicine, 1998, 21, 221-240.	2.1	54
22	Five-Year Changes in Psychiatric Treatment Status and Weight-Related Comorbidities Following Bariatric Surgery in a Veteran Population. Obesity Surgery, 2012, 22, 1734-1741.	2.1	50
23	Psychosocial Variables Are Associated With Atherosclerosis Risk Factors Among Women With Chest Pain: The WISE Study. Psychosomatic Medicine, 2001, 63, 282-288.	2.0	49
24	A case for the usefulness of laboratory social stressors. Annals of Behavioral Medicine, 1998, 20, 310-316.	2.9	46
25	Self-Rated Versus Objective Health Indicators as Predictors of Major Cardiovascular Events: The NHLBI-Sponsored Women's Ischemia Syndrome Evaluation. Psychosomatic Medicine, 2010, 72, 549-555.	2.0	44
26	Depression Is Associated With Cardiac Symptoms, Mortality Risk, and Hospitalization Among Women With Suspected Coronary Disease: The NHLBI-Sponsored WISE Study. Psychosomatic Medicine, 2006, 68, 217-223.	2.0	43
27	History of anxiety disorders is associated with a decreased likelihood of angiographic coronary artery disease in women with chest pain: the WISE study. Journal of the American College of Cardiology, 2001, 37, 780-785.	2.8	41
28	Cardiac-related Hospitalization and/or Death Associated With Immune Dysregulation and Symptoms of Depression in Heart Failure Patients. Psychosomatic Medicine, 2007, 69, 23-29.	2.0	38
29	A Virtual Reality Intervention for the Treatment of Phantom Limb Pain: Development and Feasibility Results. Pain Medicine, 2019, 20, 2051-2059.	1.9	38
30	A Prospective Assessment of Psychosocial Factors Among Bariatric Versus Non-bariatric Surgery Candidates. Obesity Surgery, 2011, 21, 1570-1579.	2.1	35
31	Relationships Between Cardiovascular Disease Risk Factors and Depressive Symptoms as Predictors of Cardiovascular Disease Events in Women. Journal of Women's Health, 2012, 21, 133-139.	3.3	34
32	A Pilot Study Exploring the Effects of a 12-Week <i>T'ai Chi</i> Intervention on Somatic Symptoms of Depression in Patients with Heart Failure. Journal of Alternative and Complementary Medicine, 2012, 18, 744-748.	2.1	31
33	Socioeconomic Status Variables Predict Cardiovascular Disease Risk Factors and Prospective Mortality Risk among Women with Chest Pain. Behavior Modification, 2003, 27, 54-67.	1.6	30
34	Anxiety associations with cardiac symptoms, angiographic disease severity, and healthcare utilization: The NHLBI-sponsored Women's Ischemia Syndrome Evaluation. International Journal of Cardiology, 2013, 168, 2335-2340.	1.7	27
35	Reduced Trauma Symptoms and Perceived Stress in Male Prison Inmates through the Transcendental Meditation Program: A Randomized Controlled Trial. , 2016, 20, 16-007.		27
36	Cardiovascular Recovery From Acute Laboratory Stress: Reliability and Concurrent Validity. Psychosomatic Medicine, 2000, 62, 648-654.	2.0	25

THOMAS RUTLEDGE

#	Article	IF	CITATIONS
37	Defensiveness and 3-year Blood Pressure levels among young adults: The mediating effect of stress-reactivity. Annals of Behavioral Medicine, 2003, 25, 34-40.	2.9	24
38	Depression, Dietary Habits, and Cardiovascular Events Among Women with Suspected Myocardial Ischemia. American Journal of Medicine, 2014, 127, 840-847.	1.5	23
39	A comparison of MOVE! versus TeleMOVE programs for weight loss in Veterans with obesity. Obesity Research and Clinical Practice, 2017, 11, 344-351.	1.8	23
40	Randomized Controlled Trial of Nurse-Delivered Cognitive-Behavioral Therapy Versus Supportive Psychotherapy Telehealth Interventions for Chronic Back Pain. Journal of Pain, 2018, 19, 1033-1039.	1.4	22
41	A Randomized Study Examining the Effects of Mild-to-Moderate Group Exercises on Cardiovascular, Physical, and Psychological Well-being in Patients With Heart Failure. Journal of Cardiopulmonary Rehabilitation and Prevention, 2019, 39, 403-408.	2.1	22
42	Circulating levels of soluble intercellular adhesion molecule-1 (sICAM-1) independently predict depressive symptom severity after 12 months in heart failure patients. Brain, Behavior, and Immunity, 2010, 24, 366-369.	4.1	21
43	Combining Psychosocial Data to Improve Prediction of Cardiovascular Disease Risk Factors and Events. Psychosomatic Medicine, 2012, 74, 263-270.	2.0	20
44	Depressive symptoms and spiritual wellbeing in asymptomatic heart failure patients. Journal of Behavioral Medicine, 2015, 38, 407-415.	2.1	20
45	Randomized Controlled Trial of Telephone-delivered Cognitive Behavioral Therapy Versus Supportive Care for Chronic Back Pain. Clinical Journal of Pain, 2018, 34, 322-327.	1.9	19
46	Evaluation of TeleMOVE: a Telehealth Weight Reduction Intervention for Veterans with Obesity. Annals of Behavioral Medicine, 2015, 49, 628-633.	2.9	18
47	Depressive Symptoms Are Associated with Soluble P-Selectin Reactivity to Acute Exercise in Heart Failure. Biological Psychiatry, 2009, 65, 801-807.	1.3	17
48	Pilot study: rapidly cycling hypobaric pressure improves pain after 5 days in adiposis dolorosa. Journal of Pain Research, 2010, 3, 147.	2.0	17
49	Use of a Handheld Computer Application for Voluntary Medication Event Reporting by Inpatient Nurses and Physicians. Journal of General Internal Medicine, 2008, 23, 418-422.	2.6	16
50	Intermittent exercise in response to cigarette cravings in the context of an Internet-based smoking cessation program. Mental Health and Physical Activity, 2012, 5, 85-92.	1.8	16
51	Behavioural weight management for the primary careprovider. Obesity Reviews, 2011, 12, e290-7.	6.5	15
52	Psychosocial predictors of long-term mortality among women with suspected myocardial ischemia: the NHLBI-sponsored Women's Ischemia Syndrome Evaluation. Journal of Behavioral Medicine, 2016, 39, 687-693.	2.1	15
53	Social determinants of experienced anger. Journal of Behavioral Medicine, 1997, 20, 415-432.	2.1	14
54	Psychological Risk Factors May Moderate Pharmacological Treatment Effects Among Ischemic Heart Disease Patients. Psychosomatic Medicine, 1999, 61, 834-841.	2.0	14

THOMAS RUTLEDGE

#	Article	IF	CITATIONS
55	A Real-Time Assessment of Factors Influencing Medication Events. Journal for Healthcare Quality: Official Publication of the National Association for Healthcare Quality, 2014, 36, 5-12.	0.7	13
56	The stability of cardiovascular reactivity: Effects of task-type and family history over a 3-year interval. International Journal of Behavioral Medicine, 2001, 8, 293-303.	1.7	12
57	A randomized placebo-controlled trial of desipramine, cognitive behavioral therapy, and active placebo therapy for low back pain. Pain, 2020, 161, 1341-1349.	4.2	12
58	Psychological stress, cardiac symptoms, and cardiovascular risk in women with suspected ischaemia but no obstructive coronary disease. Stress and Health, 2020, 36, 264-273.	2.6	10
59	Real–Time Assessment of Nurse Work Environment and Stress. Journal for Healthcare Quality: Official Publication of the National Association for Healthcare Quality, 2011, 33, 39-48.	0.7	9
60	A revised psychosocial assessment model for implantable pain devices to improve their evidence basis and consensus with updated pain management guidelines. Pain Management, 2019, 9, 139-149.	1.5	9
61	Telehealth Therapy Effects of Nurses and Mental Health Professionals From 2 Randomized Controlled Trials for Chronic Back Pain. Clinical Journal of Pain, 2019, 35, 295-303.	1.9	9
62	Leukocyte ß-Adrenergic Receptor Sensitivity and Depression Severity in Patients With Heart Failure. Psychosomatic Medicine, 2014, 76, 726-731.	2.0	8
63	Revising the bariatric psychological evaluation to improve clinical and research utility. Journal of Behavioral Medicine, 2020, 43, 660-665.	2.1	7
64	Consultation-liaison psychology: Training and research recommendations for this emerging interprofessional practice Professional Psychology: Research and Practice, 2020, 51, 383-389.	1.0	7
65	Meditation Intervention Reviews. JAMA Internal Medicine, 2014, 174, 1193.	5.1	6
66	Design and rationale of a comparative effectiveness trial evaluating transcendental meditation against established therapies for PTSD. Contemporary Clinical Trials, 2014, 39, 50-56.	1.8	6
67	Depressive symptoms in asymptomatic stage B heart failure with Type II diabetic mellitus. Clinical Cardiology, 2019, 42, 637-643.	1.8	6
68	Even "WISE-R?â€â€"an Update on the NHLBI-Sponsored Women's Ischemia Syndrome Evaluation. Current Atherosclerosis Reports, 2020, 22, 35.	4.8	6
69	Somatic versus cognitive depressive symptoms as predictors of coronary artery disease among women with suspected ischemia: The women's ischemia syndrome evaluation. Heart and Mind (Mumbai, India), 2021, 5, 112.	0.6	4
70	Psychosocial characteristics of candidates for implantable pain devices: validation of an assessment model. Pain Management, 2021, 11, 159-172.	1.5	3
71	Phobic anxiety and depression increase the risk of ventricular arrhythmias in people with coronary artery disease. Evidence-Based Mental Health, 2007, 10, 43-43.	4.5	1
72	Brief report: Characteristics of antidepressant use in patients with heart failure. Patient Preference and Adherence, 2008, 2, 333.	1.8	1

1

#	Article	IF	CITATIONS
73	Epidemiological evidence linking stress and depression with CVD. , 2020, , 15-34.		1

74 Impaired Quality of Life – Causes, Assessment and Management. , 2013, , 277-285.