Cornu00e9 Pieterse

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5016241/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The rhizosphere microbiome and plant health. Trends in Plant Science, 2012, 17, 478-486. | 8.8 | 3,741 |
| 2 | Significance of Inducible Defense-related Proteins in Infected Plants. Annual Review of Phytopathology, 2006, 44, 135-162. | 7.8 | 2,754 |
| 3 | Hormonal Modulation of Plant Immunity. Annual Review of Cell and Developmental Biology, 2012, 28, 489-521. | 9.4 | 2,396 |
| 4 | Induced Systemic Resistance by Beneficial Microbes. Annual Review of Phytopathology, 2014, 52, 347-375. | 7.8 | 2,193 |
| 5 | Networking by small-molecule hormones in plant immunity. Nature Chemical Biology, 2009, 5, 308-316. | 8.0 | 1,987 |
| 6 | SYSTEMIC RESISTANCE INDUCED BY RHIZOSPHERE BACTERIA. Annual Review of Phytopathology, 1998, 36, 453-483. | 7.8 | 1,964 |
| 7 | Priming: Getting Ready for Battle. Molecular Plant-Microbe Interactions, 2006, 19, 1062-1071. | 2.6 | 1,241 |
| 8 | A Novel Signaling Pathway Controlling Induced Systemic Resistance in Arabidopsis. Plant Cell, 1998, 10, 1571-1580. | 6.6 | 1,029 |
| 9 | NPR1 Modulates Cross-Talk between Salicylate- and Jasmonate-Dependent Defense Pathways through a Novel Function in the Cytosol. Plant Cell, 2003, 15, 760-770. | 6.6 | 1,011 |
| 10 | Signal Signature and Transcriptome Changes of Arabidopsis During Pathogen and Insect Attack. Molecular Plant-Microbe Interactions, 2005, 18, 923-937. | 2.6 | 909 |
| 11 | Cross Talk in Defense Signaling. Plant Physiology, 2008, 146, 839-844. | 4.8 | 878 |
| 12 | Priming in plant–pathogen interactions. Trends in Plant Science, 2002, 7, 210-216. | 8.8 | 853 |
| 13 | Modulation of Host Immunity by Beneficial Microbes. Molecular Plant-Microbe Interactions, 2012, 25, 139-150. | 2.6 | 783 |
| 14 | Plant immune responses triggered by beneficial microbes. Current Opinion in Plant Biology, 2008, 11, 443-448. | 7.1 | 755 |
| 15 | Costs and benefits of priming for defense in Arabidopsis. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 5602-5607. | 7.1 | 727 |
| 16 | Systemic resistance in Arabidopsis induced by biocontrol bacteria is independent of salicylic acid accumulation and pathogenesis-related gene expression Plant Cell, 1996, 8, 1225-1237. | 6.6 | 647 |
| 17 | The AP2/ERF Domain Transcription Factor ORA59 Integrates Jasmonic Acid and Ethylene Signals in Plant Defense Â. Plant Physiology, 2008, 147, 1347-1357. | 4.8 | 609 |
| 18 | MYB72-dependent coumarin exudation shapes root microbiome assembly to promote plant health. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E5213-E5222. | 7.1 | 608 |

Cornuooe9 Pieterse

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Disease-induced assemblage of a plant-beneficial bacterial consortium. ISME Journal, 2018, 12, 1496-1507. | 9.8 | 603 |
| 20 | Salicylic acid-independent plant defence pathways. Trends in Plant Science, 1999, 4, 52-58. | 8.8 | 584 |
| 21 | Enhancement of induced disease resistance by simultaneous activation of salicylate- and jasmonate-dependent defense pathways in Arabidopsisthaliana. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 8711-8716. | 7.1 | 569 |
| 22 | Recognizing Plant Defense Priming. Trends in Plant Science, 2016, 21, 818-822. | 8.8 | 549 |
| 23 | Helping plants to deal with insects: the role of beneficial soil-borne microbes. Trends in Plant Science, 2010, 15, 507-514. | 8.8 | 528 |
| 24 | Emerging microbial biocontrol strategies for plant pathogens. Plant Science, 2018, 267, 102-111. | 3.6 | 490 |
| 25 | Inner Plant Values: Diversity, Colonization and Benefits from Endophytic Bacteria. Frontiers in Microbiology, 2017, 8, 2552. | 3.5 | 488 |
| 26 | The Transcriptome of Rhizobacteria-Induced Systemic Resistance in Arabidopsis. Molecular Plant-Microbe Interactions, 2004, 17, 895-908. | 2.6 | 483 |
| 27 | Induced Systemic Resistance by Fluorescent Pseudomonas spp Phytopathology, 2007, 97, 239-243. | 2.2 | 472 |
| 28 | NPR1: the spider in the web of induced resistance signaling pathways. Current Opinion in Plant Biology, 2004, 7, 456-464. | 7.1 | 435 |
| 29 | How salicylic acid takes transcriptional control over jasmonic acid signaling. Frontiers in Plant Science, 2015, 6, 170. | 3.6 | 400 |
| 30 | Plant interactions with microbes and insects: from molecular mechanisms to ecology. Trends in Plant Science, 2007, 12, 564-569. | 8.8 | 399 |
| 31 | Salicylic Acid Suppresses Jasmonic Acid Signaling Downstream of SCFCOI1-JAZ by Targeting GCC Promoter Motifs via Transcription Factor ORA59 Â Â. Plant Cell, 2013, 25, 744-761. | 6.6 | 381 |
| 32 | The rhizosphere revisited: root microbiomics. Frontiers in Plant Science, 2013, 4, 165. | 3.6 | 372 |
| 33 | Jasmonate signaling in plant interactions with resistance-inducing beneficial microbes. Phytochemistry, 2009, 70, 1581-1588. | 2.9 | 369 |
| 34 | The Soil-Borne Legacy. Cell, 2018, 172, 1178-1180. | 28.9 | 366 |
| 35 | Differential Induction of Systemic Resistance in Arabidopsis by Biocontrol Bacteria. Molecular Plant-Microbe Interactions, 1997, 10, 716-724. | 2.6 | 365 |
| 36 | Kinetics of Salicylate-Mediated Suppression of Jasmonate Signaling Reveal a Role for Redox Modulation. Plant Physiology, 2008, 147, 1358-1368. | 4.8 | 331 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Differential Effectiveness of Salicylate-Dependent and Jasmonate/Ethylene-Dependent Induced Resistance in Arabidopsis. Molecular Plant-Microbe Interactions, 2002, 15, 27-34. | 2.6 | 330 |
| 38 | Unraveling Root Developmental Programs Initiated by Beneficial <i>Pseudomonas</i> spp. Bacteria Â. Plant Physiology, 2013, 162, 304-318. | 4.8 | 288 |
| 39 | Rhizobacteria-mediated induced systemic resistance (ISR) in Arabidopsis is not associated with a direct effect on expression of known defense-related genes but stimulates the expression of the jasmonate-inducible gene Atvsp upon challenge. Plant Molecular Biology, 1999, 41, 537-549. | 3.9 | 283 |
| 40 | Plant Immunity: It's the Hormones Talking, But What Do They Say?. Plant Physiology, 2010, 154, 536-540. | 4.8 | 280 |
| 41 | Shifting from priming of salicylic acid―to jasmonic acidâ€regulated defences by <i>Trichoderma</i> protects tomato against the root knot nematode <i>Meloidogyne incognita</i> . New Phytologist, 2017, 213, 1363-1377. | 7.3 | 275 |
| 42 | Ethylene Modulates the Role of NONEXPRESSOR OF PATHOGENESIS-RELATED GENES1 in Cross Talk between Salicylate and Jasmonate Signaling Â. Plant Physiology, 2009, 149, 1797-1809. | 4.8 | 269 |
| 43 | Transcription factor MYC2 is involved in priming for enhanced defense during rhizobacteriaâ€induced systemic resistance in <i>Arabidopsis thaliana</i> . New Phytologist, 2008, 180, 511-523. | 7.3 | 264 |
| 44 | <i>MYB72</i> Is Required in Early Signaling Steps of Rhizobacteria-Induced Systemic Resistance in Arabidopsis Â. Plant Physiology, 2008, 146, 1293-1304. | 4.8 | 255 |
| 45 | Salicylate-mediated suppression of jasmonate-responsive gene expression in Arabidopsis is targeted downstream of the jasmonate biosynthesis pathway. Planta, 2010, 232, 1423-1432. | 3.2 | 249 |
| 46 | MYB72, a node of convergence in induced systemic resistance triggered by a fungal and a bacterial beneficial microbe. Plant Biology, 2009, 11, 90-96. | 3.8 | 245 |
| 47 | The Age of Coumarins in Plant–Microbe Interactions. Plant and Cell Physiology, 2019, 60, 1405-1419. | 3.1 | 241 |
| 48 | Rhizobacteria-mediated induced systemic resistance (ISR) in Arabidopsis requires sensitivity to jasmonate and ethylene but is not accompanied by an increase in their production. Physiological and Molecular Plant Pathology, 2000, 57, 123-134. | 2.5 | 222 |
| 49 | Architecture and Dynamics of the Jasmonic Acid Gene Regulatory Network. Plant Cell, 2017, 29, 2086-2105. | 6.6 | 220 |
| 50 | Differential Effectiveness of Microbially Induced Resistance Against Herbivorous Insects in <i>Arabidopsis</i> . Molecular Plant-Microbe Interactions, 2008, 21, 919-930. | 2.6 | 213 |
| 51 | Silencing of the Mitogen-Activated Protein Kinase MPK6 Compromises Disease Resistance in Arabidopsis. Plant Cell, 2004, 16, 897-907. | 6.6 | 211 |
| 52 | Herbivore-Induced Resistance against Microbial Pathogens in Arabidopsis. Plant Physiology, 2006, 142, 352-363. | 4.8 | 207 |
| 53 | Transcriptome dynamics of Arabidopsis during sequential biotic and abiotic stresses. Plant Journal, 2016, 86, 249-267. | 5.7 | 200 |
| 54 | Jasmonates - Signals in Plant-Microbe Interactions. Journal of Plant Growth Regulation, 2004, 23, | 5.1 | 194 |

^{*} 211-222.

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Priming of plant innate immunity by rhizobacteria and βâ€aminobutyric acid: differences and similarities in regulation. New Phytologist, 2009, 183, 419-431. | 7.3 | 192 |
| 56 | Root transcriptional dynamics induced by beneficial rhizobacteria and microbial immune elicitors reveal signatures of adaptation to mutualists. Plant Journal, 2018, 93, 166-180. | 5.7 | 191 |
| 57 | Induced Systemic Resistance in <i>Arabidopsis thaliana</i> Against <i>Pseudomonas syringae</i> pv. <i>tomato</i> by 2,4-Diacetylphloroglucinol-Producing <i>Pseudomonas fluorescens</i> . Phytopathology, 2012, 102, 403-412. | 2.2 | 190 |
| 58 | Signalling in Rhizobacteria-Induced Systemic Resistance inArabidopsis thaliana. Plant Biology, 2002, 4, 535-544. | 3.8 | 189 |
| 59 | βâ€Glucosidase <scp>BGLU</scp> 42 is a <scp>MYB</scp> 72â€dependent key regulator of rhizobacteriaâ€induced systemic resistance and modulates iron deficiency responses in <i><scp>A</scp>rabidopsis</i> roots. New Phytologist, 2014, 204, 368-379. | 7.3 | 188 |
| 60 | Unearthing the genomes of plant-beneficial Pseudomonas model strains WCS358, WCS374 and WCS417. BMC Genomics, 2015, 16, 539. | 2.8 | 184 |
| 61 | Iron and Immunity. Annual Review of Phytopathology, 2017, 55, 355-375. | 7.8 | 183 |
| 62 | Systemic Resistance in Arabidopsis Induced by Rhizobacteria Requires Ethylene-Dependent Signaling at the Site of Application. Molecular Plant-Microbe Interactions, 1999, 12, 720-727. | 2.6 | 182 |
| 63 | Rhizobacteria-mediated Induced Systemic Resistance: Triggering, Signalling and Expression. European Journal of Plant Pathology, 2001, 107, 51-61. | 1.7 | 181 |
| 64 | Perception of low red:farâ€red ratio compromises both salicylic acid―and jasmonic acidâ€dependent pathogen defences in <scp>A</scp> rabidopsis. Plant Journal, 2013, 75, 90-103. | 5.7 | 181 |
| 65 | Low Red/Far-Red Ratios Reduce Arabidopsis Resistance to <i>Botrytis cinerea</i> and Jasmonate Responses via a COI1-JAZ10-Dependent, Salicylic Acid-Independent Mechanism Â. Plant Physiology, 2012, 158, 2042-2052. | 4.8 | 180 |
| 66 | Cytokinins as key regulators in plant–microbe–insect interactions: connecting plant growth and defence. Functional Ecology, 2013, 27, 599-609. | 3.6 | 178 |
| 67 | Beneficial microbes in a changing environment: are they always helping plants to deal with insects?. Functional Ecology, 2013, 27, 574-586. | 3.6 | 171 |
| 68 | Costs and benefits of hormoneâ€regulated plant defences. Plant Pathology, 2013, 62, 43-55. | 2.4 | 171 |
| 69 | Rhizobacterial volatiles and photosynthesisâ€related signals coordinate <i><scp>MYB</scp>72</i> expression in Arabidopsis roots during onset of induced systemic resistance and ironâ€deficiency responses. Plant Journal, 2015, 84, 309-322. | 5.7 | 171 |
| 70 | Ethylene Signaling Renders the Jasmonate Response of <i>Arabidopsis</i> Insensitive to Future Suppression by Salicylic Acid. Molecular Plant-Microbe Interactions, 2010, 23, 187-197. | 2.6 | 169 |
| 71 | Impact of hormonal crosstalk on plant resistance and fitness under multi-attacker conditions. Frontiers in Plant Science, 2015, 6, 639. | 3.6 | 165 |
| 72 | The Soil-Borne Supremacy. Trends in Plant Science, 2016, 21, 171-173. | 8.8 | 159 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Rewiring of the jasmonate signaling pathway in Arabidopsis during insect herbivory. Frontiers in Plant Science, 2011, 2, 47. | 3.6 | 155 |
| 74 | RNA-Seq: revelation of the messengers. Trends in Plant Science, 2013, 18, 175-179. | 8.8 | 155 |
| 75 | Airborne signals from <i>Trichoderma</i> fungi stimulate iron uptake responses in roots resulting in priming of jasmonic acidâ€dependent defences in shoots of <scp><i>Arabidopsis thaliana</i></scp> and <scp><i>Solanum lycopersicum</i></scp> . Plant, Cell and Environment, 2017, 40, 2691-2705. | 5.7 | 153 |
| 76 | Ethylene: traffic controller on hormonal crossroads to defense. Plant Physiology, 2015, 169, pp.01020.2015. | 4.8 | 149 |
| 77 | Onset of herbivore-induced resistance in systemic tissue primed for jasmonate-dependent defenses is activated by abscisic acid. Frontiers in Plant Science, 2013, 4, 539. | 3.6 | 144 |
| 78 | Genetic architecture of plant stress resistance: multiâ€ŧrait genomeâ€wide association mapping. New Phytologist, 2017, 213, 1346-1362. | 7.3 | 144 |
| 79 | Understanding the involvement of rhizobacteria-mediated induction of systemic resistance in biocontrol of plant diseases. Canadian Journal of Plant Pathology, 2003, 25, 5-9. | 1.4 | 142 |
| 80 | Induced systemic resistance in radish is not associated with accumulation of pathogenesis-related proteins. Physiological and Molecular Plant Pathology, 1995, 46, 309-320. | 2.5 | 140 |
| 81 | Natural genetic variation in Arabidopsis for responsiveness to plant growth-promoting rhizobacteria. Plant Molecular Biology, 2016, 90, 623-634. | 3.9 | 140 |
| 82 | Microbial recognition and evasion of host immunity. Journal of Experimental Botany, 2013, 64, 1237-1248. | 4.8 | 133 |
| 83 | Beneficial microbes going underground of root immunity. Plant, Cell and Environment, 2019, 42, 2860-2870. | 5.7 | 133 |
| 84 | Induced systemic resistance in cucumber and Arabidopsis thaliana by the combination of Trichoderma harzianum Tr6 and Pseudomonas sp. Ps14. Biological Control, 2013, 65, 14-23. | 3.0 | 132 |
| 85 | Non-Mycorrhizal Plants: The Exceptions that Prove the Rule. Trends in Plant Science, 2018, 23, 577-587. | 8.8 | 131 |
| 86 | Plant perception of β-aminobutyric acid is mediated by an aspartyl-tRNA synthetase. Nature Chemical Biology, 2014, 10, 450-456. | 8.0 | 128 |
| 87 | Pseudomonas Evades Immune Recognition of Flagellin in Both Mammals and Plants. PLoS Pathogens, 2011, 7, e1002206. | 4.7 | 124 |
| 88 | Systemic Resistance in Arabidopsis Induced by Biocontrol Bacteria Is Independent of Salicylic Acid Accumulation and Pathogenesis-Related Gene Expression. Plant Cell, 1996, 8, 1225. | 6.6 | 123 |
| 89 | Ecological and phytohormonal aspects of plant volatile emission in response to single and dual infestations with herbivores and phytopathogens. Functional Ecology, 2013, 27, 587-598. | 3.6 | 114 |
| 90 | Rhizosphere-Associated Pseudomonas Suppress Local Root Immune Responses by Gluconic Acid-Mediated Lowering of Environmental pH. Current Biology, 2019, 29, 3913-3920.e4. | 3.9 | 112 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Two-way plant mediated interactions between root-associated microbes and insects: from ecology to mechanisms. Frontiers in Plant Science, 2013, 4, 414. | 3.6 | 110 |
| 92 | Abundantly Present miRNAs in Milk-Derived Extracellular Vesicles Are Conserved Between Mammals. Frontiers in Nutrition, 2018, 5, 81. | 3.7 | 110 |
| 93 | Coumarin Communication Along the Microbiome–Root–Shoot Axis. Trends in Plant Science, 2021, 26, 169-183. | 8.8 | 107 |
| 94 | Induced Systemic Resistance and the Rhizosphere Microbiome. Plant Pathology Journal, 2013, 29, 136-143. | 1.7 | 106 |
| 95 | Microbial small molecules – weapons of plant subversion. Natural Product Reports, 2018, 35, 410-433. | 10.3 | 105 |
| 96 | The Arabidopsis ISR1 Locus Controlling Rhizobacteria-Mediated Induced Systemic Resistance Is Involved in Ethylene Signaling. Plant Physiology, 2001, 125, 652-661. | 4.8 | 98 |
| 97 | Characterization of Arabidopsisenhanced disease susceptibility mutants that are affected in systemically induced resistance. Plant Journal, 2002, 29, 11-21. | 5.7 | 98 |
| 98 | Arbuscular mycorrhizal fungi reduce growth and infect roots of the nonâ€host plant <i><scp>A</scp>rabidopsis thaliana</i> . Plant, Cell and Environment, 2013, 36, 1926-1937. | 5.7 | 97 |
| 99 | Structure and genomic organization of the ipiB and ipiO gene clusters of Phytophthora infestans. Gene, 1994, 138, 67-77. | 2.2 | 95 |
| 100 | A Comparative Review on Microbiota Manipulation: Lessons From Fish, Plants, Livestock, and Human Research. Frontiers in Nutrition, 2018, 5, 80. | 3.7 | 95 |
| 101 | A Novel Signaling Pathway Controlling Induced Systemic Resistance in Arabidopsis. Plant Cell, 1998, 10, 1571. | 6.6 | 91 |
| 102 | Identification of a Locus in Arabidopsis Controlling Both the Expression of Rhizobacteria-Mediated Induced Systemic Resistance (ISR) and Basal Resistance Against Pseudomonas syringae pv. tomato. Molecular Plant-Microbe Interactions, 1999, 12, 911-918. | 2.6 | 88 |
| 103 | The Induced Resistance Lexicon: Do's and Don'ts. Trends in Plant Science, 2021, 26, 685-691. | 8.8 | 84 |
| 104 | The Soil-Borne Identity and Microbiome-Assisted Agriculture: Looking Back to the Future. Molecular Plant, 2020, 13, 1394-1401. | 8.3 | 80 |
| 105 | Members of the aquaporin family in the developing pea seed coat include representatives of the PIP, TIP, and NIP subfamilies. Plant Molecular Biology, 2003, 53, 655-667. | 3.9 | 78 |
| 106 | Reassessing the role of phospholipase D in the <i>Arabidopsis</i> wounding response. Plant, Cell and Environment, 2009, 32, 837-850. | 5.7 | 74 |
| 107 | Expression of the Phytophthora infestans ipiB and ipiO genes in planta and in vitro. Molecular Genetics and Genomics, 1994, 244, 269-277. | 2.4 | 72 |
| 108 | The <i>Arabidopsis thaliana</i> Transcription Factor AtMYB102 Functions in Defense Against The Insect Herbivore <i>Pieris rapae</i> . Plant Signaling and Behavior, 2006, 1, 305-311. | 2.4 | 72 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | An in planta induced gene of Phytophthora infestans codes for ubiquitin. Plant Molecular Biology, 1991, 17, 799-811. | 3.9 | 68 |
| 110 | <i>Pseudomonas syringae</i> Evades Host Immunity by Degrading Flagellin Monomers with Alkaline Protease AprA. Molecular Plant-Microbe Interactions, 2014, 27, 603-610. | 2.6 | 68 |
| 111 | Genomeâ€wide association study reveals novel players in defense hormone crosstalk in <i>Arabidopsis</i> . Plant, Cell and Environment, 2018, 41, 2342-2356. | 5.7 | 67 |
| 112 | Assessing the Role of ETHYLENE RESPONSE FACTOR Transcriptional Repressors in Salicylic Acid-Mediated Suppression of Jasmonic Acid-Responsive Genes. Plant and Cell Physiology, 2016, 58, pcw187. | 3.1 | 66 |
| 113 | Thrips advisor: exploiting thrips-induced defences to combat pests on crops. Journal of Experimental Botany, 2018, 69, 1837-1848. | 4.8 | 66 |
| 114 | Colonization of Arabidopsis roots by Pseudomonas fluorescens primes the plant to produce higher levels of ethylene upon pathogen infection. Physiological and Molecular Plant Pathology, 2003, 62, 219-226. | 2.5 | 64 |
| 115 | Colonization of the Arabidopsis rhizosphere by fluorescent Pseudomonas spp. activates a root-specific, ethylene-responsive PR-5 gene in the vascular bundle. Plant Molecular Biology, 2005, 57, 731-748. | 3.9 | 62 |
| 116 | How Can We Define "Optimal Microbiota?― A Comparative Review of Structure and Functions of Microbiota of Animals, Fish, and Plants in Agriculture. Frontiers in Nutrition, 2018, 5, 90. | 3.7 | 61 |
| 117 | Expression and antisense inhibition of transgenes in Phytophthora infestons is modulated by choice of promoter and position effects. Gene, 1993, 133, 63-69. | 2.2 | 58 |
| 118 | Editorial: Harnessing Useful Rhizosphere Microorganisms for Pathogen and Pest Biocontrol. Frontiers in Microbiology, 2016, 7, 1620. | 3.5 | 58 |
| 119 | The Non-JAZ TIFY Protein TIFY8 from Arabidopsis thaliana Is a Transcriptional Repressor. PLoS ONE, 2014, 9, e84891. | 2.5 | 55 |
| 120 | Bioassays for Assessing Jasmonate-Dependent Defenses Triggered by Pathogens, Herbivorous Insects, or Beneficial Rhizobacteria. Methods in Molecular Biology, 2013, 1011, 35-49. | 0.9 | 53 |
| 121 | Different shades of <scp>JAZ</scp> during plant growth and defense. New Phytologist, 2014, 204, 261-264. | 7.3 | 53 |
| 122 | Effect of prior drought and pathogen stress on <i>Arabidopsis</i> transcriptome changes to caterpillar herbivory. New Phytologist, 2016, 210, 1344-1356. | 7.3 | 53 |
| 123 | Pseudomonas simiae WCS417: star track of a model beneficial rhizobacterium. Plant and Soil, 2021, 461, 245-263. | 3.7 | 53 |
| 124 | Rapid evolution of bacterial mutualism in the plant rhizosphere. Nature Communications, 2021, 12, 3829. | 12.8 | 51 |
| 125 | Attenuation of pattern recognition receptor signaling is mediated by a <scp>MAP</scp> kinase kinase kinase kinase. EMBO Reports, 2016, 17, 441-454. | 4.5 | 50 |
| 126 | Molecular dialogue between arbuscular mycorrhizal fungi and the nonhost plant <i>Arabidopsis thaliana</i> switches from initial detection to antagonism. New Phytologist, 2019, 223, 867-881. | 7.3 | 49 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Increased Expression of the Calmodulin Gene of the Late Blight FungusPhytophthora infestansDuring Pathogenesis on Potato. Molecular Plant-Microbe Interactions, 1993, 6, 164. | 2.6 | 49 |
| 128 | OCP3 is an important modulator of NPR1-mediated jasmonic acid-dependent induced defenses in Arabidopsis. BMC Plant Biology, 2010, 10, 199. | 3.6 | 46 |
| 129 | Genetic dissection of basal defence responsiveness in accessions of <i>Arabidopsis thaliana</i> . Plant, Cell and Environment, 2011, 34, 1191-1206. | 5.7 | 46 |
| 130 | Prime Time for Transgenerational Defense. Plant Physiology, 2012, 158, 545-545. | 4.8 | 44 |
| 131 | Induced plant responses to microbes and insects. Frontiers in Plant Science, 2013, 4, 475. | 3.6 | 42 |
| 132 | Are Small GTPases Signal Hubs in Sugar-Mediated Induction of Fructan Biosynthesis?. PLoS ONE, 2009, 4, e6605. | 2.5 | 38 |
| 133 | Cross activity of orthologous WRKY transcription factors in wheat and Arabidopsis. Journal of Experimental Botany, 2011, 62, 1975-1990. | 4.8 | 36 |
| 134 | Type III Secretion System of Beneficial Rhizobacteria Pseudomonas simiae WCS417 and Pseudomonas defensor WCS374. Frontiers in Microbiology, 2019, 10, 1631. | 3.5 | 36 |
| 135 | Towards a reporter system to identify regulators of cross-talk between salicylate and jasmonate signaling pathways in Arabidopsis. Plant Signaling and Behavior, 2008, 3, 543-546. | 2.4 | 33 |
| 136 | Isolation of putative pathogenicity genes of the potato late blight fungus Phytophthora infestans by differential hybridization of a genomic library. Physiological and Molecular Plant Pathology, 1993, 43, 69-79. | 2.5 | 32 |
| 137 | Long-Term Induction of Defense Gene Expression in Potato by Pseudomonas sp. LBUM223 and Streptomyces scabies. Phytopathology, 2014, 104, 926-932. | 2.2 | 32 |
| 138 | NiaA, the structural nitrate reductase gene of Phytophthora infestans: isolation, characterization and expression analysis in Aspergillus nidulans. Current Genetics, 1995, 27, 359-366. | 1.7 | 31 |
| 139 | Receptors and Signaling Pathways for Recognition of Bacteria in Livestock and Crops: Prospects for Beneficial Microbes in Healthy Growth Strategies. Frontiers in Immunology, 2018, 9, 2223. | 4.8 | 31 |
| 140 | Effect of atmospheric CO2 on plant defense against leaf and root pathogens of Arabidopsis. European Journal of Plant Pathology, 2019, 154, 31-42. | 1.7 | 31 |
| 141 | <i>Arabidopsis thaliana cdd1</i> mutant uncouples the constitutive activation of salicylic acid signalling from growth defects. Molecular Plant Pathology, 2011, 12, 855-865. | 4.2 | 30 |
| 142 | Kinome profiling of Arabidopsis using arrays of kinase consensus substrates. Plant Methods, 2007, 3, 3. | 4.3 | 28 |
| 143 | Rhizobacteria-Mediated Activation of the Fe Deficiency Response in Arabidopsis Roots: Impact on Fe Status and Signaling. Frontiers in Plant Science, 2019, 10, 909. | 3.6 | 28 |
| 144 | Mechanisms underlying iron deficiency-induced resistance against pathogens with different lifestyles. Journal of Experimental Botany, 2021, 72, 2231-2241. | 4.8 | 27 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Atmospheric CO2 Alters Resistance of Arabidopsis to Pseudomonas syringae by Affecting Abscisic Acid Accumulation and Stomatal Responsiveness to Coronatine. Frontiers in Plant Science, 2017, 8, 700. | 3.6 | 26 |
| 146 | Editorial: Harnessing Useful Rhizosphere Microorganisms for Pathogen and Pest Biocontrol - Second Edition. Frontiers in Microbiology, 2019, 10, 1935. | 3.5 | 26 |
| 147 | Mining the natural genetic variation in Arabidopsis thaliana for adaptation to sequential abiotic and biotic stresses. Planta, 2019, 249, 1087-1105. | 3.2 | 26 |
| 148 | Aphid feeding induces the relaxation of epigenetic control and the associated regulation of the defense response in <i>Arabidopsis</i> . New Phytologist, 2021, 230, 1185-1200. | 7.3 | 24 |
| 149 | Histone modifications do not play a major role in salicylate-mediated suppression of jasmonate-inducedPDF1.2gene expression. Communicative and Integrative Biology, 2008, 1, 143-145. | 1.4 | 23 |
| 150 | A coumarin exudation pathway mitigates arbuscular mycorrhizal incompatibility in Arabidopsis thaliana. Plant Molecular Biology, 2021, 106, 319-334. | 3.9 | 22 |
| 151 | Signaling in Plant Resistance Responses: Divergence and Cross-Talk of Defense Pathways. , 2006, , 166-196. | | 21 |
| 152 | Nitric oxide signalling in roots is required for MYB72-dependent systemic resistance induced by <i>Trichoderma</i> volatile compounds in Arabidopsis. Journal of Experimental Botany, 2022, 73, 584-595. | 4.8 | 21 |
| 153 | Kinome Profiling Reveals an Interaction Between Jasmonate, Salicylate and Light Control of Hyponastic Petiole Growth in Arabidopsis thaliana. PLoS ONE, 2010, 5, e14255. | 2.5 | 21 |
| 154 | Plants Under Attack. Plant Signaling and Behavior, 2007, 2, 527-529. | 2.4 | 19 |
| 155 | Signalling Cascades Involved in Induced Resistance. , 0, , 65-88. | | 19 |
| 156 | Tracking plant preference for higherâ€quality mycorrhizal symbionts under varying <scp>CO</scp> ₂ conditions over multiple generations. Ecology and Evolution, 2018, 8, 78-87. | 1.9 | 19 |
| 157 | Experimental-Evolution-Driven Identification of <i>Arabidopsis</i> Rhizosphere Competence Genes in Pseudomonas protegens. MBio, 2021, 12, e0092721. | 4.1 | 19 |
| 158 | Molecular aspects of the potato — Phytophthora infestans interaction. European Journal of Plant Pathology, 1992, 98, 85-92. | 0.5 | 18 |
| 159 | Carbonic anhydrases CA1 and CA4 function in atmospheric CO2-modulated disease resistance. Planta, 2020, 251, 75. | 3.2 | 18 |
| 160 | The Arabidopsis ISR1 Locus is Required for Rhizobacteria-Mediated Induced Systemic Resistance Against Different Pathogens. Plant Biology, 2002, 4, 224-227. | 3.8 | 17 |
| 161 | The Relationship Between Basal and Induced Resistance in Arabidopsis. , 2006, , 197-224. | | 15 |
| 162 | Modulation of ethylene- and heat-controlled hyponastic leaf movement in Arabidopsis thaliana by the plant defence hormones jasmonate and salicylate. Planta, 2012, 235, 677-685. | 3.2 | 15 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Functional Analysis of Hyaloperonospora arabidopsidis RXLR Effectors. PLoS ONE, 2014, 9, e110624. | 2.5 | 14 |
| 164 | Title is missing!. European Journal of Plant Pathology, 2001, 107, 63-68. | 1.7 | 13 |
| 165 | Combining QTL mapping with transcriptome and metabolome profiling reveals a possible role for ABA signaling in resistance against the cabbage whitefly in cabbage. PLoS ONE, 2018, 13, e0206103. | 2.5 | 13 |
| 166 | Jasmonates—Signals in plant-microbe interactions. Journal of Plant Growth Regulation, 2004, 23, 211-222. | 5.1 | 12 |
| 167 | Transcriptome Signatures in Pseudomonas simiae WCS417 Shed Light on Role of Root-Secreted Coumarins in Arabidopsis-Mutualist Communication. Microorganisms, 2021, 9, 575. | 3.6 | 12 |
| 168 | Wide Screening of Phage-Displayed Libraries Identifies Immune Targets in Planta. PLoS ONE, 2013, 8, e54654. | 2.5 | 11 |
| 169 | Induced Disease Resistance. , 2015, , 123-133. | | 10 |
| 170 | Evolutionary "hide and seek―between bacterial flagellin and the plant immune system. Cell Host and Microbe, 2021, 29, 548-550. | 11.0 | 10 |
| 171 | Plant Defense Signaling from the Underground Primes Aboveground Defenses to Confer Enhanced Resistance in a Cost-Efficient Manner. Signaling and Communication in Plants, 2010, , 43-60. | 0.7 | 9 |
| 172 | The role of ethylene in rhizobacteria-induced systemic resistance (ISR). , 2007, , 325-331. | | 8 |
| 173 | A family of pathogen-induced cysteine-rich transmembrane proteins is involved in plant disease resistance. Planta, 2021, 253, 102. | 3.2 | 8 |
| 174 | FUNCTION AND REGULATION OF THE EARLY NODULIN GENE ENOD2. , 1990, , 259-269. | | 8 |
| 175 | Towards Healthy Planet Diets—A Transdisciplinary Approach to Food Sustainability Challenges. Challenges, 2020, 11, 21. | 1.7 | 6 |
| 176 | Johanna Westerdijk (1881–1961) – the impact of the grand lady of phytopathology in the Netherlands from 1917 to 2017. European Journal of Plant Pathology, 2019, 154, 11-16. | 1.7 | 5 |
| 177 | Plant-Beneficial <i>Pseudomonas</i> Spp. Suppress Local Root Immune Responses by Gluconic Acid-Mediated Lowering of Environmental pH. SSRN Electronic Journal, 0, , . | 0.4 | 5 |
| 178 | Induced Resistance– Orchestrating Defence Mechanisms through Crosstalk and Priming. , 0, , 334-370. | | 4 |
| 179 | Editorial: Beneficial Microbiota Interacting With the Plant Immune System. Frontiers in Plant Science, 2021, 12, 698902. | 3.6 | 3 |
| 180 | Rapid Evolution of Plant-Bacterium Mutualism in the Rhizosphere. SSRN Electronic Journal, 0, , . | 0.4 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Soil-Borne Legacies of Disease in Arabidopsis thaliana. Methods in Molecular Biology, 2021, 2232, 209-218. | 0.9 | 3 |
| 182 | Collection of Sterile Root Exudates from Foliar Pathogen-Inoculated Plants. Methods in Molecular Biology, 2021, 2232, 305-317. | 0.9 | 3 |
| 183 | Editorial: New Horizons in Food Science via Agricultural Immunity. Frontiers in Nutrition, 2020, 7, 19. | 3.7 | 1 |
| 184 | Bioassays to Evaluate the Resistance of Whole Plants to the Herbivorous Insect Thrips. Methods in Molecular Biology, 2020, 2085, 93-108. | 0.9 | 1 |
| 185 | Title is missing!. European Journal of Plant Pathology, 1998, 104, 223-223. | 1.7 | 0 |