

Marina Aparicio-Soto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5020865/publications.pdf>

Version: 2024-02-01

27
papers

1,206
citations

394421

19
h-index

526287

27
g-index

27
all docs

27
docs citations

27
times ranked

1878
citing authors

#	ARTICLE	IF	CITATIONS
1	Frequencies and TCR Repertoires of Human 2,4,6-Trinitrobenzenesulfonic Acid-specific T Cells. <i>Frontiers in Toxicology</i> , 2022, 4, 827109.	3.1	5
2	Mast cells instruct keratinocytes to produce thymic stromal lymphopoietin: Relevance of the tryptase/protease-activated receptor 2 axis. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 2053-2061.e6.	2.9	14
3	In Vitro Monitoring of Human T Cell Responses to Skin Sensitizing Chemicals—A Systematic Review. <i>Cells</i> , 2022, 11, 83.	4.1	5
4	Immunological Mechanisms of Metal Allergies and the Nickel-Specific TCR-pMHC Interface. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10867.	2.6	17
5	TCRs with segment TRAV9 or a CDR3 histidine are overrepresented among nickel-specific CD4+ T cells. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 2574-2586.	5.7	16
6	Olive Oil-Derived Polyphenols Effectively Attenuate Inflammatory Responses of Human Keratinocytes by Interfering with the NF- κ B Pathway. <i>Molecular Nutrition and Food Research</i> , 2019, 63, 1900019.	3.3	20
7	Olive secoiridoid oleuropein and its semisynthetic acetyl-derivatives reduce LPS-induced inflammatory response in murine peritoneal macrophages via JAK-STAT and MAPKs signaling pathways. <i>Journal of Functional Foods</i> , 2019, 58, 95-104.	3.4	22
8	Peracetylated hydroxytyrosol, a new hydroxytyrosol derivate, attenuates LPS-induced inflammatory response in murine peritoneal macrophages via regulation of non-canonical inflammasome, Nrf2/HO1 and JAK/STAT signaling pathways. <i>Journal of Nutritional Biochemistry</i> , 2018, 57, 110-120.	4.2	32
9	Virgin olive oil and its phenol fraction modulate monocyte/macrophage functionality: a potential therapeutic strategy in the treatment of systemic lupus erythematosus. <i>British Journal of Nutrition</i> , 2018, 120, 681-692.	2.3	27
10	The phenolic fraction of extra virgin olive oil modulates the activation and the inflammatory response of T cells from patients with systemic lupus erythematosus and healthy donors. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1601080.	3.3	19
11	An update on diet and nutritional factors in systemic lupus erythematosus management. <i>Nutrition Research Reviews</i> , 2017, 30, 118-137.	4.1	62
12	Dietary hydroxytyrosol and hydroxytyrosyl acetate supplementation prevent pristane-induced systemic lupus erythematosus in mice. <i>Journal of Functional Foods</i> , 2017, 29, 84-92.	3.4	23
13	The flavonol-enriched <i>Cistus albidus</i> chloroform extract possesses in vivo anti-inflammatory and anti-nociceptive activity. <i>Journal of Ethnopharmacology</i> , 2017, 209, 210-218.	4.1	10
14	Extra virgin olive oil: a key functional food for prevention of immune-inflammatory diseases. <i>Food and Function</i> , 2016, 7, 4492-4505.	4.6	72
15	Dietary extra-virgin olive oil prevents inflammatory response and cartilage matrix degradation in murine collagen-induced arthritis. <i>European Journal of Nutrition</i> , 2016, 55, 315-325.	3.9	66
16	Dietary extra virgin olive oil attenuates kidney injury in pristane-induced SLE model via activation of HO-1/Nrf-2 antioxidant pathway and suppression of JAK/STAT, NF- κ B and MAPK activation. <i>Journal of Nutritional Biochemistry</i> , 2016, 27, 278-288.	4.2	69
17	Effects of dietary virgin olive oil polyphenols: hydroxytyrosyl acetate and 3, 4-dihydroxyphenylglycol on DSS-induced acute colitis in mice. <i>Journal of Nutritional Biochemistry</i> , 2015, 26, 513-520.	4.2	60
18	Naturally Occurring Hydroxytyrosol Derivatives: Hydroxytyrosyl Acetate and 3,4-Dihydroxyphenylglycol Modulate Inflammatory Response in Murine Peritoneal Macrophages. Potential Utility as New Dietary Supplements. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 836-846.	5.2	53

#	ARTICLE	IF	CITATIONS
19	Squalene targets pro- and anti-inflammatory mediators and pathways to modulate over-activation of neutrophils, monocytes and macrophages. <i>Journal of Functional Foods</i> , 2015, 14, 779-790.	3.4	73
20	Dietary squalene supplementation improves DSS-induced acute colitis by downregulating p38 MAPK and NFκB signaling pathways. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 284-292.	3.3	78
21	Melatonin modulates microsomal PGE synthase 1 and NF-κB-related factor-regulated antioxidant enzyme expression in LPS-induced murine peritoneal macrophages. <i>British Journal of Pharmacology</i> , 2014, 171, 134-144.	5.4	40
22	Unsaponifiable fraction from extra virgin olive oil inhibits the inflammatory response in LPS-activated murine macrophages. <i>Food Chemistry</i> , 2014, 147, 117-123.	8.2	30
23	Extra virgin olive oil polyphenolic extracts downregulate inflammatory responses in LPS-activated murine peritoneal macrophages suppressing NF-κB and MAPK signalling pathways. <i>Food and Function</i> , 2014, 5, 1270-1277.	4.6	47
24	Abarema cochliacarpus reduces LPS-induced inflammatory response in murine peritoneal macrophages regulating ROS-MAPK signal pathway. <i>Journal of Ethnopharmacology</i> , 2013, 149, 140-147.	4.1	28
25	Dietary unsaponifiable fraction from extra virgin olive oil supplementation attenuates acute ulcerative colitis in mice. <i>European Journal of Pharmaceutical Sciences</i> , 2013, 48, 572-581.	4.0	53
26	Dietary extra virgin olive oil polyphenols supplementation modulates DSS-induced chronic colitis in mice. <i>Journal of Nutritional Biochemistry</i> , 2013, 24, 1401-1413.	4.2	117
27	Dietary supplementation of an ellagic acid-enriched pomegranate extract attenuates chronic colonic inflammation in rats. <i>Pharmacological Research</i> , 2012, 66, 235-242.	7.1	148