

Ole Bennike

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5022718/publications.pdf>

Version: 2024-02-01

212
papers

6,336
citations

71102

41
h-index

98798

67
g-index

219
all docs

219
docs citations

219
times ranked

4622
citing authors

#	ARTICLE	IF	CITATIONS
1	Synchronized Terrestrial/Atmospheric Deglacial Records Around the North Atlantic. <i>Science</i> , 1996, 274, 1155-1160.	12.6	525
2	Ancient Biomolecules from Deep Ice Cores Reveal a Forested Southern Greenland. <i>Science</i> , 2007, 317, 111-114.	12.6	393
3	Last Interglacial Arctic warmth confirms polar amplification of climate change. <i>Quaternary Science Reviews</i> , 2006, 25, 1383-1400.	3.0	215
4	Holocene climate change in Arctic Canada and Greenland. <i>Quaternary Science Reviews</i> , 2016, 147, 340-364.	3.0	173
5	Chronology of the last recession of the Greenland Ice Sheet. <i>Journal of Quaternary Science</i> , 2002, 17, 211-219.	2.1	158
6	Forested Arctic: Evidence from North Greenland. <i>Geology</i> , 1985, 13, 542.	4.4	122
7	Palaeoecological studies of Holocene lake sediments from west Greenland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2000, 155, 285-304.	2.3	118
8	The influence of refugial population on Lateglacial and early Holocene vegetational changes in Romania. <i>Review of Palaeobotany and Palynology</i> , 2007, 145, 305-320.	1.5	88
9	Stratified interglacial lacustrine sediments from Baffin Island, Arctic Canada: chronology and paleoenvironmental implications. <i>Quaternary Science Reviews</i> , 1999, 18, 789-810.	3.0	86
10	Anomalously mild Younger Dryas summer conditions in southern Greenland. <i>Geology</i> , 2002, 30, 427.	4.4	79
11	Early Holocene history of the southwestern Baltic Sea: the Ancyclus Lake stage. <i>Boreas</i> , 1999, 28, 437-453.	2.4	77
12	Late Quaternary history around Nioghalvfjærdsfjorden and Jåkelbugten, North-East Greenland. <i>Boreas</i> , 2001, 30, 205-227.	2.4	74
13	The Baltic Ice Lake in the southwestern Baltic: sequence, chronology and biostratigraphy. <i>Boreas</i> , 1997, 26, 217-236.	2.4	74
14	Estimates of South Greenland late-glacial ice limits from a new relative sea level curve. <i>Earth and Planetary Science Letters</i> , 2002, 197, 171-186.	4.4	71
15	Quaternary glaciation history and glaciology of Jakobshavn Isbræ and the Disko Bugt region, West Greenland: a review. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 14, 1-78.	2.0	71
16	Late Quaternary development of the southern sector of the Greenland Ice Sheet, with particular reference to the Qassimiut lobe. <i>Boreas</i> , 2004, 33, 284-299.	2.4	70
17	Holocene environmental reconstruction from deltaic deposits in northeast Greenland. <i>Journal of Quaternary Science</i> , 2002, 17, 145-160.	2.1	67
18	Late Holocene expansion of Istorvet ice cap, Liverpool Land, east Greenland. <i>Quaternary Science Reviews</i> , 2013, 63, 128-140.	3.0	66

#	ARTICLE	IF	CITATIONS
19	Colonisation of Greenland by plants and animals after the last ice age: a review. <i>Polar Record</i> , 1999, 35, 323-336.	0.8	64
20	Paleoecological Studies of a Holocene Lacustrine Record from the Kangerlussuaq (Søndre) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 Td	1.7	63
21	Land biotas of the last interglacial/glacial cycle on Jameson Land, East Greenland. <i>Boreas</i> , 1994, 23, 479-487.	2.4	63
22	Vegetation history in western Uganda during the last 1200 years: a sedimentbased reconstruction from two crater lakes. <i>Holocene</i> , 2005, 15, 119-132.	1.7	61
23	Holocene relative sea-level changes in the Qaqortoq area, southern Greenland. <i>Boreas</i> , 2006, 35, 171-187.	2.4	61
24	A high-resolution ¹⁴ C dated sediment sequence from southwest Sweden: age comparisons between different components of the sediment. , 1998, 13, 85-89.		60
25	Holocene climate changes in southern Greenland: evidence from lake sediments. <i>Journal of Quaternary Science</i> , 2004, 19, 783-795.	2.1	59
26	Lake Boksehandsken's earliest postglacial sediments and their palaeoenvironmental implications, Jameson Land, East Greenland. <i>Boreas</i> , 1994, 23, 459-472.	2.4	58
27	First indication of Storegga tsunami deposits from East Greenland. <i>Journal of Quaternary Science</i> , 2007, 22, 321-325.	2.1	56
28	Quaternary marine stratigraphy and geochronology in central West Greenland. <i>Boreas</i> , 1994, 23, 194-215.	2.4	56
29	Pediastrum algae from the classic late glacial Båjling SÅ site, Denmark: Response of aquatic biota to climate change. <i>Review of Palaeobotany and Palynology</i> , 2006, 138, 95-107.	1.5	54
30	Late- and postglacial history of the Great Belt, Denmark. <i>Boreas</i> , 2004, 33, 18-33.	2.4	53
31	Relative sea-level changes since 15 000 cal. yr BP in the Nanortalik area, southern Greenland. <i>Journal of Quaternary Science</i> , 2006, 21, 29-48.	2.1	53
32	Climatic and environmental changes in north-western Russia between 15,000 and 8000calyrBP: a review. <i>Quaternary Science Reviews</i> , 2007, 26, 1871-1883.	3.0	53
33	Rate of mass loss from the Greenland Ice Sheet will exceed Holocene values this century. <i>Nature</i> , 2020, 586, 70-74.	27.8	53
34	Late Quaternary palaeoecological and palaeoclimatological reconstruction in the Gutaiului Mountains, northwest Romania. <i>Journal of Quaternary Science</i> , 2004, 19, 809-827.	2.1	52
35	A Holocene lacustrine record in the central North Atlantic: proxies for volcanic activity, short-term NAO mode variability, and long-term precipitation changes. <i>Quaternary Science Reviews</i> , 2006, 25, 9-32.	3.0	52
36	Limnological and palaeolimnological studies of lakes in south-western Greenland. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 183, 68-74.	0.0	52

#	ARTICLE	IF	CITATIONS
37	Quaternary vertebrates from Greenland: A review. <i>Quaternary Science Reviews</i> , 1997, 16, 899-909.	3.0	50
38	Early Holocene plant and animal remains from North-east Greenland. <i>Journal of Biogeography</i> , 1999, 26, 667-677.	3.0	50
39	A multi-proxy study of Pliocene sediments from Åžle de France, North-East Greenland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2002, 186, 1-23.	2.3	49
40	Reinvestigation of the classic late-glacial BÅŕlling SÅ, sequence, Denmark: chronology, macrofossils, Cladocera and chydorid ephippia. <i>Journal of Quaternary Science</i> , 2004, 19, 465-478.	2.1	49
41	Late Quaternary history of Washington Land, North Greenland. <i>Boreas</i> , 2002, 31, 260-272.	2.4	46
42	Palaeoecology of two lake basins from Disko, West Greenland. <i>Journal of Quaternary Science</i> , 1995, 10, 149-155.	2.1	45
43	Late- and postglacial shore level changes in the southwestern Baltic Sea. <i>Bulletin of the Geological Society of Denmark</i> , 1998, 45, 27-38.	1.1	44
44	Postglacial uplift and relative sea level changes in Finnmark, northern Norway. <i>Quaternary Science Reviews</i> , 2011, 30, 2398-2421.	3.0	42
45	Regressions and transgressions of the Baltic basin reflected by a new high-resolution deglacial and postglacial lithostratigraphy for Arkona Basin sediments (western Baltic Sea). <i>Boreas</i> , 2002, 31, 151-162.	2.4	41
46	Darss Sill as a biological border in the fossil record of the Baltic Sea: evidence from diatoms. <i>Quaternary International</i> , 2005, 130, 97-109.	1.5	41
47	Revision of the early Holocene lake sediment based chronology and event stratigraphy on Hochstetter Forland, NE Greenland. <i>Boreas</i> , 1994, 23, 513-523.	2.4	41
48	The deglaciation and neoglaciation of Upernavik IsstrÅ, Greenland. <i>Quaternary Research</i> , 2013, 80, 459-467.	1.7	41
49	Holocene palaeoecology of southwest Greenland inferred from macrofossils in sediments of an oligosaline lake. <i>Journal of Paleolimnology</i> , 2010, 43, 787-798.	1.6	40
50	Early Weichselian interstadial land biotas at Thule, Northwest Greenland. <i>Boreas</i> , 1992, 21, 111-118.	2.4	39
51	Geological setting as background for methane distribution in Holocene mud deposits, Å...rhus Bay, Denmark. <i>Continental Shelf Research</i> , 2009, 29, 775-784.	1.8	39
52	Local glaciation in West Greenland linked to North Atlantic Ocean circulation during the Holocene. <i>Geology</i> , 2017, 45, 195-198.	4.4	39
53	Late Quaternary Environmental and Cultural Changes in the Wollaston Forland Region, Northeast Greenland. <i>Advances in Ecological Research</i> , 2008, 40, 45-79.	2.7	37
54	Late Glacial and Holocene Palaeoenvironmental Changes in the Rostov-YaroslavlÅ™ Area, West Central Russia. <i>Journal of Paleolimnology</i> , 2006, 35, 543-569.	1.6	36

#	ARTICLE	IF	CITATIONS
55	Environmental change over the last millennium recorded in two contrasting crater lakes in western Uganda, eastern Africa (Lakes Kasenda and Wandakara). <i>Quaternary Science Reviews</i> , 2011, 30, 555-569.	3.0	36
56	Hydrographic thresholds in the western Baltic Sea: Late Quaternary geology and the Dana River concept. <i>Marine Geology</i> , 2001, 176, 191-201.	2.1	35
57	New geological aspects for freshwater seepage and formation in Eckernförde Bay, western Baltic. <i>Continental Shelf Research</i> , 2002, 22, 2159-2173.	1.8	35
58	Late-Glacial and Early Holocene Environmental and Climatic Change at Lake Tambichozero, Southeastern Russian Karelia. <i>Quaternary Research</i> , 2002, 58, 261-272.	1.7	35
59	Holocene sea-ice variations in Greenland: onshore evidence. <i>Holocene</i> , 2004, 14, 607-613.	1.7	34
60	Near-shore Baltic Ice Lake deposits in Fakse Bugt, southeast Denmark. <i>Boreas</i> , 1995, 24, 185-195.	2.4	32
61	Relative sea level changes during the Holocene in the Sisimiut area, southwestern Greenland. <i>Journal of Quaternary Science</i> , 2011, 26, 353-361.	2.1	32
62	Unstable early-Holocene climatic and environmental conditions in northwestern Russia derived from a multidisciplinary study of a lake-sediment sequence from Pichozero, southeastern Russian Karelia. <i>Holocene</i> , 2004, 14, 732-746.	1.7	30
63	Dating of the Narssarssuaq stade in southern Greenland. <i>Holocene</i> , 2007, 17, 279-282.	1.7	30
64	Chironomids as indicators of the Holocene climatic and environmental history of two lakes in Northeast Greenland. <i>Boreas</i> , 2011, 40, 116-130.	2.4	30
65	Living on the good soil: relationships between soils, vegetation and human settlement during the late Allerød period in Denmark. <i>Vegetation History and Archaeobotany</i> , 2014, 23, 195-205.	2.1	29
66	A Holocene relative sea-level database for the Baltic Sea. <i>Quaternary Science Reviews</i> , 2021, 266, 107071.	3.0	29
67	What do $\delta^{14}C$ changes across the Gerzensee oscillation/GI-1b event imply for deglacial oscillations?. , 2000, 15, 203-214.		28
68	A multidisciplinary study of Holocene sediment records from Hjort Sø, on Store Koldewey, Northeast Greenland. <i>Journal of Paleolimnology</i> , 2008, 39, 381-398.	1.6	28
69	Amino acid ratios in reworked marine bivalve shells constrain Greenland Ice Sheet history during the Holocene. <i>Geology</i> , 2014, 42, 75-78.	4.4	28
70	A multi-disciplinary macrofossil study of Middle Weichselian sediments at Kobbegård, Møn, Denmark. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1994, 111, 1-15.	2.3	27
71	Early Holocene drowned lagoonal deposits from the Kattegat, southern Scandinavia. <i>Boreas</i> , 2000, 29, 272-286.	2.4	27
72	Early Pleistocene sediments on Store Koldewey, northeast Greenland. <i>Boreas</i> , 2010, 39, 603-619.	2.4	27

#	ARTICLE	IF	CITATIONS
73	Fossil egg sacs of <i>Diaptomus</i> (Crustaceae: Copepoda) in Late Quaternary lake sediments. , 1998, 19, 77-79.		26
74	Late Quaternary records of <i>Najas</i> spp. (Najadaceae) from the southwestern Baltic region. Review of Palaeobotany and Palynology, 2001, 114, 259-267.	1.5	26
75	Aquatic invertebrates and high latitude paleolimnology. , 2004, , 159-186.		26
76	Reconstructing Holocene temperature and salinity variations in the western Baltic Sea region: a multi-proxy comparison from the Little Belt (IODP Expedition 347, Site M0059). Biogeosciences, 2017, 14, 5607-5632.	3.3	26
77	A Baltic Ice Lake lowstand of latest Allerød age in the Arkona Basin, southern Baltic Sea. Geological Survey of Denmark and Greenland Bulletin, 0, 28, 17-20.	2.0	26
78	Neoglacial and historical glacier changes around Kangersuneq fjord in southern West Greenland. Geological Survey of Denmark and Greenland Bulletin, 0, 27, 1-68.	2.0	25
79	Fauna and flora in submarine early Holocene lake-marl deposits from the southwestern Baltic Sea. Holocene, 1998, 8, 353-358.	1.7	24
80	An early Holocene Greenland whale from Melville Bugt, Greenland. Quaternary Research, 2008, 69, 72-76.	1.7	24
81	Interglacial remains of caribou (<i>Rangifer tarandus</i>) and lemming (<i>Dicrostonyx torquatus</i> (?)) from North Greenland. Boreas, 1989, 18, 359-366.	2.4	24
82	Geomorphology and glacial history of Rauer Group, East Antarctica. Quaternary Research, 2009, 72, 80-90.	1.7	24
83	Slow retreat of a land based sector of the West Greenland Ice Sheet during the Holocene Thermal Maximum: evidence from threshold lakes at Paakitsoq. Quaternary Science Reviews, 2014, 98, 74-83.	3.0	24
84	Neotectonics, sea-level changes and biological evolution in the Fennoscandian Border Zone of the southern Kattegat Sea. Boreas, 2002, 31, 133-150.	2.4	23
85	The role of sea ice for vascular plant dispersal in the Arctic. Biology Letters, 2016, 12, 20160264.	2.3	23
86	The Holocene Great Belt connection to the southern Kattegat, Scandinavia: Ancyclus Lake drainage and Early Littorina Sea transgression. Boreas, 2017, 46, 53-68.	2.4	23
87	Palaeoenvironments in the southern Baltic Sea Basin during Marine Isotope Stage 3: a multi-proxy reconstruction. Quaternary Science Reviews, 2012, 34, 81-92.	3.0	22
88	The late Quaternary history of Hall Land, northwest Greenland: Discussion. Canadian Journal of Earth Sciences, 1987, 24, 370-374.	1.3	21
89	Deglaciation and catchment ontogeny in coastal south-west Greenland: implications for terrestrial and aquatic carbon cycling. Journal of Quaternary Science, 2012, 27, 575-584.	2.1	21
90	Holocene lake sediments in West Greenland and their palaeoclimatic and palaeoecological implications. Geological Survey of Denmark and Greenland Bulletin, 0, 176, 89-94.	0.0	20

#	ARTICLE	IF	CITATIONS
91	Early Holocene insect and plant remains from Jameson Land, East Greenland. <i>Boreas</i> , 1996, 25, 187-193.	2.4	19
92	Lake sediments from Store Koldewey, Northeast Greenland, as archive of Late Pleistocene and Holocene climatic and environmental changes. <i>Boreas</i> , 2009, 38, 59-71.	2.4	18
93	Late Quaternary history of the Kap Mackenzie area, northeast Greenland. <i>Boreas</i> , 2010, 39, 492-504.	2.4	18
94	Holocene relative sea-level changes in the inner Bredefjord area, southern Greenland. <i>Quaternary Science Reviews</i> , 2013, 69, 107-124.	3.0	18
95	Holocene mountain glacier history in the Sukkertoppen Iskappe area, southwest Greenland. <i>Quaternary Science Reviews</i> , 2018, 197, 142-161.	3.0	18
96	Multiple independent records of local glacier variability on Nuussuaq, West Greenland, during the Holocene. <i>Quaternary Science Reviews</i> , 2019, 215, 253-271.	3.0	18
97	Postglacial, relative shore-level changes in Lillebælt, Denmark. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 23, 37-40.	2.0	18
98	Lake sediment coring in South Greenland in 1999. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 186, 60-64.	0.0	18
99	Mammals of central North Greenland. <i>Polar Record</i> , 1989, 25, 43-49.	0.8	17
100	Late Quaternary history around Nioghalvfjerdingsfjorden and Jåkelbugten, North-East Greenland. <i>Boreas</i> , 2001, 30, 205-227.	2.4	17
101	Interglacial Chironomidae (Diptera) from Thule, Northwest Greenland: matching modern analogues to fossil assemblages. <i>Boreas</i> , 2003, 32, 560-565.	2.4	17
102	Chronology of the last deglaciation and Holocene environmental changes in the Sismiut area, SW Greenland based on lacustrine records. <i>Boreas</i> , 2012, 41, 481-493.	2.4	17
103	Notes on the late Cenozoic history of the Washington Land area, western North Greenland. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 186, 29-34.	0.0	17
104	Terrestrial biotas and environmental changes during the late Middle Weichelian in north Jutland, Denmark. <i>Bulletin of the Geological Society of Denmark</i> , 1996, 43, 169-176.	1.1	17
105	Hydrology and Diatom Phytoplankton of High Arctic Lakes and Ponds on Store Koldewey, Northeast Greenland. <i>International Review of Hydrobiology</i> , 2005, 90, 84-99.	0.9	16
106	Late and postglacial history of the Great Belt, Denmark. <i>Boreas</i> , 2004, 33, 18-33.	2.4	16
107	Lake sediment evidence for the last deglaciation of eastern Greenland. <i>Quaternary Science Reviews</i> , 2008, 27, 312-319.	3.0	16
108	Repeated short-term bioproductivity changes in a coastal lake on Store Koldewey, northeast Greenland: an indicator of varying sea-ice coverage?. <i>Holocene</i> , 2009, 19, 653-663.	1.7	16

#	ARTICLE	IF	CITATIONS
109	Unglaciaded areas in East Antarctica during the Last Glacial (Marine Isotope Stage 3) – New evidence from Rauer Group. <i>Quaternary Science Reviews</i> , 2016, 153, 1-10.	3.0	16
110	Glacial history and palaeo-environmental change of southern Taimyr Peninsula, Arctic Russia, during the Middle and Late Pleistocene. <i>Earth-Science Reviews</i> , 2019, 196, 102832.	9.1	16
111	Dissolved Inorganic Geogenic Phosphorus Load to a Groundwater-Fed Lake: Implications of Terrestrial Phosphorus Cycling by Groundwater. <i>Water (Switzerland)</i> , 2019, 11, 2213.	2.7	16
112	An integrated analysis of Maglemose bone points reframes the Early Mesolithic of Southern Scandinavia. <i>Scientific Reports</i> , 2020, 10, 17244.	3.3	16
113	Macrofossil studies of Holocene lake sediments from Jameson Land, East Greenland. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 176, 80-83.	0.0	16
114	Early Holocene land floras and faunas from EdgeÅya, eastern Svalbard. <i>Polar Research</i> , 1995, 14, 205-214.	1.6	15
115	Early Holocene history of the southwestern Baltic Sea: the Ancyclus Lake stage. <i>Boreas</i> , 1999, 28, 437-453.	2.4	15
116	Deglaciation chronology, sea-level changes and environmental changes from Holocene lake sediments of Germania Havn SÅ, Sabine Å, northeast Greenland. <i>Quaternary Research</i> , 2012, 78, 103-109.	1.7	15
117	Early Holocene Greenland-ice mass loss likely triggered earthquakes and tsunamis. <i>Earth and Planetary Science Letters</i> , 2020, 546, 116443.	4.4	15
118	Floral evidence for high summer temperatures in southern Scandinavia during 15–11 ka BP. <i>Quaternary Science Reviews</i> , 2020, 233, 106243.	3.0	15
119	AMS 14C measurements and macrofossil analyses of a varved sequence near Pudozh, eastern Karelia, NW Russia. <i>Boreas</i> , 1999, 28, 575-586.	2.4	14
120	The StoreÅlt gateway to the Baltic. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 7, 45-48.	2.0	14
121	Paleoecology and Paleoclimatology of a Late Holocene Peat Deposit from Broendevinsskoer, Central West Greenland. <i>Arctic and Alpine Research</i> , 1992, 24, 249.	1.3	13
122	Century-scale changes of atmospheric CO2 during the last interglacial. <i>Geology</i> , 2002, 30, 187.	4.4	13
123	Inferring a single variable from an assemblage with multiple controls: getting into deep water with cladoceran lake-depth transfer functions. <i>Hydrobiologia</i> , 2011, 676, 129-142.	2.0	13
124	Holocene range of <i>Mytilus edulis</i> in central East Greenland. <i>Polar Record</i> , 2013, 49, 291-296.	0.8	13
125	Role of Groundwater-Borne Geogenic Phosphorus for the Internal P Release in Shallow Lakes. <i>Water (Switzerland)</i> , 2019, 11, 1783.	2.7	13
126	A Middle Weichselian interstadial lake deposit on SejerÅ, Denmark: macrofossil studies and dating. <i>Journal of Quaternary Science</i> , 2007, 22, 647-651.	2.1	12

#	ARTICLE	IF	CITATIONS
127	Pilgrimstad revisited - a multi-proxy reconstruction of Early/Middle Weichselian climate and environment at a key site in central Sweden. <i>Boreas</i> , 2011, 40, 211-230.	2.4	12
128	Late Cenozoic wood from Washington Land, North Greenland. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 180, 155-158.	0.0	12
129	New dates of musk-ox (<i>Ovibos moschatus</i>) remains from northwest Greenland. <i>Polar Record</i> , 2005, 41, 125-129.	0.8	11
130	Holocene environmental change in the Sallingen area, eastern North Greenland, based on a lacustrine record. <i>Boreas</i> , 2015, 44, 45-59.	2.4	11
131	Holocene climate and environmental history of East Greenland inferred from lake sediments. <i>Journal of Paleolimnology</i> , 2017, 57, 321-341.	1.6	11
132	Pingos at Nioghalvfjærdsfjorden, eastern North Greenland. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 180, 159-162.	0.0	11
133	Early Holocene land floras and faunas from Edgeøya, eastern Svalbard. <i>Polar Research</i> , 1995, 14, 205-214.	1.6	10
134	<i>Potamogeton praelongus</i> in West Greenland. <i>Nordic Journal of Botany</i> , 1998, 18, 499-501.	0.5	10
135	Trichoptera remains from early Holocene river deposits in the Great Belt, Denmark. <i>Boreas</i> , 2001, 30, 299-306.	2.4	10
136	Radiocarbon dating of musk-ox (<i>Ovibos moschatus</i>) remains from northeast Greenland. <i>Polar Record</i> , 2005, 41, 305-310.	0.8	10
137	Late Quaternary history of Washington Land, North Greenland. <i>Boreas</i> , 2002, 31, 260-272.	2.4	10
138	The harp seal (<i>Phoca groenlandica</i> Erxleben) in Denmark, southern Scandinavia, during the Holocene. <i>Boreas</i> , 2008, 37, 263-272.	2.4	10
139	Holocene environmental history in high Arctic North Greenland revealed by a combined biomarker and macrofossil approach. <i>Boreas</i> , 2019, 48, 273-286.	2.4	10
140	Holocene glacier fluctuations and environmental changes in subantarctic South Georgia inferred from a sediment record from a coastal inlet. <i>Quaternary Research</i> , 2019, 91, 132-148.	1.7	10
141	Plant macrofossils analysis from Steregoiu NW Romania: taphonomy, representation, and comparison with pollen analysis. <i>Studia Universitatis Babeş-Bolyai, Geologia</i> , 2008, 53, 5-10.	1.0	10
142	Palaeoecology of Holocene peat deposits from NordvestÅ, north-west Greenland. <i>Journal of Paleolimnology</i> , 2008, 40, 557-565.	1.6	9
143	Short Note: New marine core record of Late Pleistocene glaciation history, Rauer Group, East Antarctica. <i>Antarctic Science</i> , 2009, 21, 299-300.	0.9	9
144	Relative sea level changes and glacio-isostatic modelling in the Beagle Channel, Tierra del Fuego, Chile: Glacial and tectonic implications. <i>Quaternary Science Reviews</i> , 2021, 251, 106657.	3.0	9

#	ARTICLE	IF	CITATIONS
145	Late Glacial and early Holocene records of <i>Stratiotes aloides</i> L. from northwestern Europe. <i>Review of Palaeobotany and Palynology</i> , 1999, 107, 259-263.	1.5	8
146	A new interglacial sequence from Washington Land, Northern Greenland. <i>Polar Research</i> , 2000, 19, 267-270.	1.6	8
147	Neotectonics, sea-level changes and biological evolution in the Fennoscandian Border Zone of the southern Kattegat Sea. <i>Boreas</i> , 2002, 31, 133-150.	2.4	8
148	Seabird Transfer of Nutrients and Trace Elements from the North Water Polynya to Land during the Mid-Holocene Warm Period, Carey Islands, Northwest Greenland + Supplementary Appendix Figure S1 (See Article Tools). <i>Arctic</i> , 2016, 69, 253.	0.4	8
149	Early Holocene sea-level changes in Åresund, southern Scandinavia. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 26, 29-32.	2.0	8
150	Development of the western Limfjord, Denmark, after the last deglaciation: a review with new data. <i>Bulletin of the Geological Society of Denmark</i> , 2019, 67, 53-73.	1.1	8
151	Was South Georgia covered by an ice cap during the Last Glacial Maximum?. <i>Geological Society Special Publication</i> , 2018, 461, 49-59.	1.3	7
152	Data set on sedimentology, palaeoecology and chronology of Middle to Late Pleistocene deposits on the Taimyr Peninsula, Arctic Russia. <i>Data in Brief</i> , 2019, 25, 104267.	1.0	7
153	Submarine Lateglacial lake deposits from the Kattegat, southern Scandinavia. <i>Journal of Quaternary Science</i> , 2019, 34, 165-171.	2.1	7
154	Late glacial to early Holocene development of southern Kattegat. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 28, 21-24.	2.0	7
155	Observations on the Quaternary geology around Nioghalvfjordsfjorden, eastern North Greenland. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 183, 56-60.	0.0	7
156	A Subfossil Lapland Bunting <i>Calcarius lapponicus</i> Feather from Vovedal, North Greenland. <i>Ornis Scandinavica</i> , 1986, 17, 75.	1.0	6
157	Radiocarbon AMS dating of Holocene wolf (<i>Canis lupus</i>) remains from Greenland. <i>Holocene</i> , 1994, 4, 84-88.	1.7	6
158	Evidence of ameliorated Middle Weichselian climate and subarctic environment in the western Baltic region: coring lake sediments at Klintholm, MÅn, Denmark. <i>Boreas</i> , 2016, 45, 347-359.	2.4	6
159	A multiproxy macrofossil record of Eemian palaeoenvironments from KlaksvÅk, the Faroe Islands. <i>Boreas</i> , 2018, 47, 106-113.	2.4	6
160	Late Quaternary development of the southern sector of the Greenland Ice Sheet, with particular reference to the Qassimiut lobe. <i>Boreas</i> , 2004, 33, 284-299.	2.4	5
161	Tuppiap Qeqertaa (Tobias Island): a newly discovered island off northeast Greenland. <i>Polar Record</i> , 2006, 42, 309-314.	0.8	5
162	Regressions and transgressions of the Baltic basin reflected by a new high-resolution deglacial and postglacial lithostratigraphy for Arkona Basin sediments (western Baltic Sea). <i>Boreas</i> , 2002, 31, 151-162.	2.4	5

#	ARTICLE	IF	CITATIONS
163	Holocene relative sea-level changes in the Qaqortoq area, southern Greenland. <i>Boreas</i> , 2006, 35, 171-187.	2.4	5
164	Radiocarbon dating of musk-ox (<i>Ovibos moschatus</i>) bones from the Thule region, northwest Greenland. <i>Polar Record</i> , 2014, 50, 113-118.	0.8	5
165	Earliest Holocene deglaciation of the central Uummannaq Fjord system, West Greenland. <i>Boreas</i> , 2018, 47, 311-325.	2.4	5
166	Holocene sedimentary and environmental development of Aarhus Bay, Denmark – a multi-proxy study. <i>Boreas</i> , 2020, 49, 108-128.	2.4	5
167	The longevity of pockmarks – A case study from a shallow water body in northern Denmark. <i>Marine Geology</i> , 2021, 434, 106440.	2.1	5
168	Marine mammals in Peary Land, North Greenland. <i>Polar Record</i> , 1991, 27, 357-359.	0.8	4
169	Quaternary marine macroalgae from Greenland. <i>Nordic Journal of Botany</i> , 1993, 13, 221-225.	0.5	4
170	Early Holocene drowned lagoonal deposits from the Kattegat, southern Scandinavia. <i>Boreas</i> , 2000, 29, 272-286.	2.4	4
171	Seed-like hydroptilid larval cases (Insecta: Trichoptera) from Holocene freshwater deposits. <i>Journal of Paleolimnology</i> , 2002, 27, 275-278.	1.6	4
172	Interglacial Chironomidae (Diptera) from Thule, Northwest Greenland: matching modern analogues to fossil assemblages. <i>Boreas</i> , 2003, 32, 560-565.	2.4	4
173	Radiocarbon dating of walrus (<i>Odobenus rosmarus</i>) remains from Greenland. <i>Polar Record</i> , 2007, 43, 361-365.	0.8	4
174	Mid-Devensian climate and landscape in England: new data from Finningley, South Yorkshire. <i>Royal Society Open Science</i> , 2019, 6, 190577.	2.4	4
175	Deglaciation dynamics of the Fennoscandian Ice Sheet in the Kattegat, the gateway between the North Sea and the Baltic Sea Basin. <i>Boreas</i> , 2021, 50, 351-368.	2.4	4
176	When were the straits between the Baltic Sea and the Kattegat inundated by the sea during the Holocene?. <i>Boreas</i> , 2021, 50, 1079.	2.4	4
177	The channels in Storebælt, Denmark: implications of new radiocarbon ages. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 43, .	2.0	4
178	Amino acid analysis of pre-Holocene foraminifera from Kriegers Flak in the Baltic Sea. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 20, 35-38.	2.0	4
179	News from the Plio-Pleistocene Kap København Formation, North Greenland. <i>Polar Research</i> , 1987, 5, 339-340.	1.6	3
180	AMS ¹⁴ C measurements and macrofossil analyses of a varved sequence near Pudozh, eastern Karelia, NW Russia. <i>Boreas</i> , 1999, 28, 575-586.	2.4	3

#	ARTICLE	IF	CITATIONS
181	Trichoptera remains from early Holocene river deposits in the Great Belt, Denmark. <i>Boreas</i> , 2001, 30, 299-306.	2.4	3
182	Holocene insect remains from south-western Greenland. <i>Polar Research</i> , 2012, 31, 18367.	1.6	3
183	New in situ 14C data indicate the absence of nunataks in west Greenland during the Last Glacial Maximum. <i>Quaternary Science Reviews</i> , 2019, 225, 105981.	3.0	3
184	New interglacial deposits from Copenhagen, Denmark: marine Isotope Stage 7. <i>Boreas</i> , 2019, 48, 107-118.	2.4	3
185	Glacial Rock Flour as Soil Amendment in Subarctic Farming in South Greenland. <i>Land</i> , 2020, 9, 198.	2.9	3
186	Mapping glacial rock flour deposits in Tasersuaq, southern West Greenland. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 43, .	2.0	3
187	Arctic plant remains of Weichselian age from the Danish North Sea. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 31, 43-46.	2.0	3
188	A multi-disciplinary macrofossil study of late glacial to early Holocene sediments from S�ndre Kobberrdam, Hareskovene, Denmark. <i>Bulletin of the Geological Society of Denmark</i> , 2018, 66, 113-122.	1.1	3
189	News from the Plio-Pleistocene Kap K�benhavn Formation, North Greenland. <i>Polar Research</i> , 1987, 5, 339-340.	1.6	2
190	Late-glacial and early Postglacial finds of <i>Ancylus fluviatilis</i> from the southwestern Baltic Sea. <i>Gff</i> , 2001, 123, 81-84.	1.2	2
191	Observations of surge periodicity in East Greenland using molybdenum records from marine sediment cores. <i>Geological Society Special Publication</i> , 2002, 203, 367-373.	1.3	2
192	Dating of a muskox (<i>Ovibos moschatus</i>) skull fragment from J�mtland, Sweden: Middle Weichselian age. <i>Gff</i> , 2014, 136, 406-409.	1.2	2
193	Early Holocene estuary development of the Hessel� Bay area, southern Kattegat, Denmark and its implication for <i>Ancylus</i> Lake drainage. <i>Geo-Marine Letters</i> , 2017, 37, 579-591.	1.1	2
194	Early historical forest clearance caused major degradation of water quality at Lake V�ng, Denmark. <i>Anthropocene</i> , 2021, 35, 100302.	3.3	2
195	Late Glacial and Holocene shore-level changes in the Aarhus Bugt area, Denmark. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 47, .	2.0	2
196	A new interglacial sequence from Washington Land, Northern Greenland. <i>Polar Research</i> , 2000, 19, 267-270.	1.6	2
197	Late Pleistocene to early Holocene environmental changes on Store Koldewey, coastal north-east Greenland. <i>Polar Research</i> , 2016, 35, 21912.	1.6	2
198	A new Middle Pleistocene interglacial sequence from M�yl�v, Sj�lland, Denmark. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 23, 29-32.	2.0	2

#	ARTICLE	IF	CITATIONS
199	Rapid ice sheet response to deglacial and Holocene paleoenvironmental changes in eastern Prydz Bay, East Antarctica. <i>Quaternary Science Reviews</i> , 2022, 280, 107401.	3.0	2
200	Development of Predictive Geoarchaeological Models to Locate and Assess the Preservation Potential of Submerged Prehistoric Sites Using Remote Sensing, Palaeoenvironmental Analysis, and GIS. <i>Heritage</i> , 2021, 4, 4678-4699.	1.9	2
201	Middle Pleistocene interglacial deposits near Herning, Jylland, Denmark. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 35, 47-50.	2.0	1
202	The Greenland Caribou - Zoogeography, Taxonomy and Population Dynamics, by Morten Meldgaard. <i>Arctic</i> , 1988, 41, .	0.4	1
203	<i>Lymnaea</i> versus <i>Limnaea</i> . <i>Gff</i> , 1995, 117, 86-86.	1.2	0
204	Reply to Miller etÅal. (2013) Substantial agreement on the timing and magnitude of Late Holocene ice cap expansion between east Greenland and the eastern Canadian Arctic: a commentary on Lowell etÅal. (2013). <i>Quaternary Science Reviews</i> , 2013, 77, 246-247.	3.0	0
205	Oodaaq Ã and other short-lived islets north of Greenland. <i>Polar Record</i> , 2019, 55, 14-24.	0.8	0
206	Findes BÃlling i BÃlling SÃ? - nye undersÃgelser af en klassisk lokalitet. <i>GeologiskNyt</i> , 2005, 15, .	0.0	0
207	Storegga - nu ogsÃ i GrÃnland. <i>GeologiskNyt</i> , 2007, 17, .	0.0	0
208	Termen KvartÃ r er tilbage - undergrÃ nsen defineret til 2,588 mio. Ãr. <i>GeologiskNyt</i> , 2009, , .	0.0	0
209	Danmarks senkvartÃ re pattedyrsfauna. <i>GeologiskNyt</i> , 2009, , .	0.0	0
210	Late Quaternary history of Lammefjorden, north-west SjÃ lland, Denmark. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, , .	2.0	0
211	Lateglacial and Holocene floras and faunas from the Salpetermosen area, north-east SjÃ lland, Denmark. <i>Bulletin of the Geological Society of Denmark</i> , 0, 68, 231-244.	1.1	0
212	A new Middle Pleistocene interglacial occurrence from Ejby, SjÃ lland, Denmark. , 0, 49, .		0