

Christopher W. Foster

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5022848/publications.pdf>

Version: 2024-02-01

65
papers

3,447
citations

136885

32
h-index

138417

58
g-index

68
all docs

68
docs citations

68
times ranked

4999
citing authors

#	ARTICLE	IF	CITATIONS
1	Additively manufactured graphitic electrochemical sensing platforms. <i>Chemical Engineering Journal</i> , 2020, 381, 122343.	6.6	77
2	Tailoring the electrochemical properties of 2D-hBN <i>via</i> physical linear defects: physicochemical, computational and electrochemical characterisation. <i>Nanoscale Advances</i> , 2020, 2, 264-273.	2.2	11
3	Single step additive manufacturing (3D printing) of electrocatalytic anodes and cathodes for efficient water splitting. <i>Sustainable Energy and Fuels</i> , 2020, 4, 302-311.	2.5	49
4	Electrochemical Decoration of Additively Manufactured Graphene Macroelectrodes with MoO ₂ Nanowires: An Approach to Demonstrate the Surface Morphology. <i>Journal of Physical Chemistry C</i> , 2020, 124, 15377-15385.	1.5	5
5	Trace manganese detection <i>via</i> differential pulse cathodic stripping voltammetry using disposable electrodes: additively manufactured nanographite electrochemical sensing platforms. <i>Analyst</i> , 2020, 145, 3424-3430.	1.7	32
6	Quick Test for Determination of N-Bombs (Phenethylamine Derivatives, NBOMe) Using High-Performance Liquid Chromatography: A Comparison between Photodiode Array and Amperometric Detection. <i>ACS Omega</i> , 2019, 4, 14439-14450.	1.6	14
7	Exploring the reactivity of distinct electron transfer sites at CVD grown monolayer graphene through the selective electrodeposition of MoO ₂ nanowires. <i>Scientific Reports</i> , 2019, 9, 12814.	1.6	11
8	Complete Additively Manufactured (3D-Printed) Electrochemical Sensing Platform. <i>Analytical Chemistry</i> , 2019, 91, 12844-12851.	3.2	176
9	Analytical determination of heroin, fentanyl and fentologues using high-performance liquid chromatography with diode array and amperometric detection. <i>Analytical Methods</i> , 2019, 11, 1053-1063.	1.3	30
10	Forensic Electrochemistry: The Electroanalytical Sensing of Mephedrone Metabolites. <i>ACS Omega</i> , 2019, 4, 1947-1954.	1.6	30
11	Next-Generation Additive Manufacturing: Tailorable Graphene/Poly(lactic acid) Filaments Allow the Fabrication of 3D Printable Porous Anodes for Utilisation within Lithium-ion Batteries. <i>Batteries and Supercaps</i> , 2019, 2, 399-400.	2.4	0
12	Cobalt-based electrode materials for sodium-ion batteries. <i>Chemical Engineering Journal</i> , 2019, 370, 185-207.	6.6	118
13	Recent Advances in Electrosynthesized Molecularly Imprinted Polymer Sensing Platforms for Bioanalyte Detection. <i>Sensors</i> , 2019, 19, 1204.	2.1	154
14	Next-Generation Additive Manufacturing: Tailorable Graphene/Poly(lactic acid) Filaments Allow the Fabrication of 3D Printable Porous Anodes for Utilisation within Lithium-ion Batteries. <i>Batteries and Supercaps</i> , 2019, 2, 448-453.	2.4	52
15	Next-Generation Additive Manufacturing of Complete Standalone Sodium-ion Energy Storage Architectures. <i>Advanced Energy Materials</i> , 2019, 9, 1803019.	10.2	48
16	Development of a Flexible MIP-Based Biosensor Platform for the Thermal Detection of Neurotransmitters. <i>MRS Advances</i> , 2018, 3, 1569-1574.	0.5	5
17	Fast Determination of Antioxidant Capacity of Food Samples Using Continuous Amperometric Detection on Polyester Screen-printed Graphitic Electrodes. <i>Electroanalysis</i> , 2018, 30, 1192-1197.	1.5	6
18	Highly sensitive and selective determination of dopamine using screen-printed electrodes modified with nanocomposite of N-phenyl-p-phenylenediamine/multiwalled carbon nanotubes/nafion. <i>Materials Research Bulletin</i> , 2018, 101, 253-263.	2.7	16

#	ARTICLE	IF	CITATIONS
19	Use of Screen-Printed Electrodes Modified by Prussian Blue and Analogues in Sensing of Cysteine. <i>Electroanalysis</i> , 2018, 30, 170-179.	1.5	33
20	Molecular-Level CuS@S Hybrid Nanosheets Constructed by Mineral Chemistry for Energy Storage Systems. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 43669-43681.	4.0	32
21	A reduced graphene oxide-cyclodextrin-platinum nanocomposite modified screen printed electrode for the detection of cysteine. <i>Journal of Electroanalytical Chemistry</i> , 2018, 829, 230-240.	1.9	33
22	A facile electrochemical intercalation and microwave assisted exfoliation methodology applied to screen-printed electrochemical-based sensing platforms to impart improved electroanalytical outputs. <i>Analyst, The</i> , 2018, 143, 3360-3365.	1.7	11
23	Determination of the Electrochemical Area of Screen-Printed Electrochemical Sensing Platforms. <i>Biosensors</i> , 2018, 8, 53.	2.3	252
24	Highly sensitive amperometric sensing of nitrite utilizing bulk-modified MnO ₂ decorated Graphene oxide nanocomposite screen-printed electrodes. <i>Electrochimica Acta</i> , 2017, 227, 255-266.	2.6	91
25	Surfactant-exfoliated 2D hexagonal boron nitride (2D-hBN): role of surfactant upon the electrochemical reduction of oxygen and capacitance applications. <i>Journal of Materials Chemistry A</i> , 2017, 5, 4103-4113.	5.2	48
26	Development of a novel flexible polymer-based biosensor platform for the thermal detection of noradrenaline in aqueous solutions. <i>Chemical Engineering Journal</i> , 2017, 315, 459-468.	6.6	53
27	Mass-producible 2D-MoSe ₂ bulk modified screen-printed electrodes provide significant electrocatalytic performances towards the hydrogen evolution reaction. <i>Sustainable Energy and Fuels</i> , 2017, 1, 74-83.	2.5	39
28	3D Printed Graphene Based Energy Storage Devices. <i>Scientific Reports</i> , 2017, 7, 42233.	1.6	345
29	Surfactant exfoliated 2D hexagonal Boron Nitride (2D-hBN) explored as a potential electrochemical sensor for dopamine: surfactants significantly influence sensor capabilities. <i>Analyst, The</i> , 2017, 142, 1756-1764.	1.7	29
30	Reprint of: L-Cysteine determination in embryo cell culture media using Co (II)-phthalocyanine modified disposable screen-printed electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2017, 793, 77-84.	1.9	4
31	Portable electrochemical system using screen-printed electrodes for monitoring corrosion inhibitors. <i>Talanta</i> , 2017, 174, 420-427.	2.9	14
32	Oxygen Vacancies Evoked Blue TiO ₂ (B) Nanobelts with Efficiency Enhancement in Sodium Storage Behaviors. <i>Advanced Functional Materials</i> , 2017, 27, 1700856.	7.8	212
33	Calixarene bulk modified screen-printed electrodes (SPCCEs) as a one-shot disposable sensor for the simultaneous detection of lead(II), copper(II) and mercury(II) ions: Application to environmental samples. <i>Sensors and Actuators A: Physical</i> , 2017, 267, 517-525.	2.0	51
34	Electrochemical Determination of the Serotonin Reuptake Inhibitor, Dapoxetine, Using Cesium-“Gold Nanoparticles. <i>ACS Omega</i> , 2017, 2, 6628-6635.	1.6	23
35	Titanium nanoparticles (TiO ₂)/graphene oxide nanosheets (GO): an electrochemical sensing platform for the sensitive and simultaneous determination of benzocaine in the presence of antipyrine. <i>Analyst, The</i> , 2017, 142, 3674-3679.	1.7	48
36	Graphene Encapsulated Silicon Carbide Nanocomposites for High and Low Power Energy Storage Applications. <i>Journal of Carbon Research</i> , 2017, 3, 20.	1.4	6

#	ARTICLE	IF	CITATIONS
37	Pencil It in: Exploring the Feasibility of Hand-Drawn Pencil Electrochemical Sensors and Their Direct Comparison to Screen-Printed Electrodes. <i>Biosensors</i> , 2016, 6, 45.	2.3	40
38	The Mediatorless Electroanalytical Sensing of Sulfide Utilizing Unmodified Graphitic Electrode Materials. <i>Journal of Carbon Research</i> , 2016, 2, 14.	1.4	10
39	High Yield Synthesis of Hydroxyapatite (HAP) and Palladium Doped HAP via a Wet Chemical Synthetic Route. <i>Catalysts</i> , 2016, 6, 119.	1.6	16
40	Introducing Thermal Wave Transport Analysis (TWTA): A Thermal Technique for Dopamine Detection by Screen-Printed Electrodes Functionalized with Molecularly Imprinted Polymer (MIP) Particles. <i>Molecules</i> , 2016, 21, 552.	1.7	32
41	A Facile and Cost-effective Electroanalytical Strategy for the Quantification of Deoxyguanosine and Deoxyadenosine in Oligonucleotides Using Screen-printed Graphite Electrodes. <i>Electroanalysis</i> , 2016, 28, 3066-3074.	1.5	4
42	L-Cysteine determination in embryo cell culture media using Co (II)-phthalocyanine modified disposable screen-printed electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2016, 780, 303-310.	1.9	29
43	Graphene-rich Wrapped Petal-like Rutile TiO ₂ tuned by Carbon Dots for High-performance Sodium Storage. <i>Advanced Materials</i> , 2016, 28, 9391-9399.	11.1	262
44	Pencil drawn paper based supercapacitors. <i>RSC Advances</i> , 2016, 6, 81130-81141.	1.7	54
45	Organic-resistant screen-printed graphitic electrodes: Application to on-site monitoring of liquid fuels. <i>Analytica Chimica Acta</i> , 2016, 934, 1-8.	2.6	24
46	Pencil it in: pencil drawn electrochemical sensing platforms. <i>Analyst, The</i> , 2016, 141, 4055-4064.	1.7	49
47	Self-assembly of porous copper oxide hierarchical nanostructures for selective determinations of glucose and ascorbic acid. <i>RSC Advances</i> , 2016, 6, 14474-14482.	1.7	68
48	Utilising copper screen-printed electrodes (CuSPE) for the electroanalytical sensing of sulfide. <i>Analyst, The</i> , 2016, 141, 1233-1238.	1.7	15
49	Boron-doped diamond electrodes explored for the electroanalytical detection of 7-methylguanine and applied for its sensing within urine samples. <i>Electrochimica Acta</i> , 2016, 197, 167-178.	2.6	22
50	Can solvent induced surface modifications applied to screen-printed platforms enhance their electroanalytical performance?. <i>Analyst, The</i> , 2016, 141, 2783-2790.	1.7	22
51	Can the mechanical activation (polishing) of screen-printed electrodes enhance their electroanalytical response?. <i>Analyst, The</i> , 2016, 141, 2791-2799.	1.7	65
52	Electrochemical lactate biosensor based upon chitosan/carbon nanotubes modified screen-printed graphite electrodes for the determination of lactate in embryonic cell cultures. <i>Biosensors and Bioelectronics</i> , 2016, 77, 1168-1174.	5.3	129
53	Fundamentals of Screen-Printing Electrochemical Architectures. <i>SpringerBriefs in Applied Sciences and Technology</i> , 2016, , 13-23.	0.2	12
54	Quality Control/Quality Assurance Analysis of Electrochemical Screen-Printed Sensors. <i>SpringerBriefs in Applied Sciences and Technology</i> , 2016, , 35-56.	0.2	0

#	ARTICLE	IF	CITATIONS
55	Introduction and Current Applications of Screen-Printed Electrochemical Architectures. SpringerBriefs in Applied Sciences and Technology, 2016, , 1-12.	0.2	1
56	Back-to-back Screen-Printed Electroanalytical Sensors: Extending the Potential Applications of the Simplistic Design. Electroanalysis, 2015, 27, 2295-2301.	1.5	20
57	Exploring the electrical wiring of screen-printed configurations utilised in electroanalysis. Analytical Methods, 2015, 7, 1208-1214.	1.3	42
58	Detection and quantification of new psychoactive substances (NPSs) within the evolved "legal high" product, NRG-2, using high performance liquid chromatography-amperometric detection (HPLC-AD). Analyst, The, 2015, 140, 6283-6294.	1.7	20
59	Screen-printed back-to-back electroanalytical sensors: heavy metal ion sensing. Analyst, The, 2015, 140, 4130-4136.	1.7	47
60	Metallic modified (bismuth, antimony, tin and combinations thereof) film carbon electrodes. Analyst, The, 2015, 140, 7598-7612.	1.7	53
61	Metallic Impurities in Graphene Screen-Printed Electrodes Can Influence Their Electrochemical Properties. Electroanalysis, 2014, 26, 2429-2433.	1.5	17
62	Cobalt Phthalocyanine Modified Electrodes Utilised in Electroanalysis: Nano-Structured Modified Electrodes vs. Bulk Modified Screen-Printed Electrodes. Sensors, 2014, 14, 21905-21922.	2.1	65
63	Ultraflexible Screen-Printed Graphitic Electroanalytical Sensing Platforms. Electroanalysis, 2014, 26, 262-274.	1.5	69
64	Ultra Flexible Paper Based Electrochemical Sensors: Effect of Mechanical Contortion upon Electrochemical Performance. Electroanalysis, 2013, 25, 2275-2282.	1.5	16
65	The electrochemical performance of graphene modified electrodes: An analytical perspective. Analyst, The, 2012, 137, 1815.	1.7	82