

Mengle Shao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5023649/publications.pdf>

Version: 2024-02-01

46
papers

4,095
citations

147786
31
h-index

233409
45
g-index

49
all docs

49
docs citations

49
times ranked

6259
citing authors

#	ARTICLE	IF	CITATIONS
1	Multilayered omics reveal sex- and depot-dependent adipose progenitor cell heterogeneity. <i>Cell Metabolism</i> , 2022, 34, 783-799.e7.	16.2	24
2	Triiodothyronine (T3) promotes brown fat hyperplasia via thyroid hormone receptor β -mediated adipocyte progenitor cell proliferation. <i>Nature Communications</i> , 2022, 13, .	12.8	18
3	Pathologic HIF1 β signaling drives adipose progenitor dysfunction in obesity. <i>Cell Stem Cell</i> , 2021, 28, 685-701.e7.	11.1	57
4	Regulation of cold-induced thermogenesis by the RNA binding protein FAM195A. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	13
5	Adipose tissue hyaluronan production improves systemic glucose homeostasis and primes adipocytes for CL 316,243-stimulated lipolysis. <i>Nature Communications</i> , 2021, 12, 4829.	12.8	15
6	Cold-responsive adipocyte progenitors couple adrenergic signaling to immune cell activation to promote beige adipocyte accrual. <i>Genes and Development</i> , 2021, 35, 1333-1338.	5.9	17
7	ZFP423 controls EBF2 coactivator recruitment and PPAR β occupancy to determine the thermogenic plasticity of adipocytes. <i>Genes and Development</i> , 2021, 35, 1461-1474.	5.9	15
8	Perivascular mesenchymal cells control adipose-tissue macrophage accrual in obesity. <i>Nature Metabolism</i> , 2020, 2, 1332-1349.	11.9	53
9	Transcriptional brakes on the road to adipocyte thermogenesis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 20-28.	2.4	19
10	Cellular Origins of Beige Fat Cells Revisited. <i>Diabetes</i> , 2019, 68, 1874-1885.	0.6	98
11	A PRDM16-Driven Metabolic Signal from Adipocytes Regulates Precursor Cell Fate. <i>Cell Metabolism</i> , 2019, 30, 174-189.e5.	16.2	141
12	Dysregulation of amyloid precursor protein impairs adipose tissue mitochondrial function and promotes obesity. <i>Nature Metabolism</i> , 2019, 1, 1243-1257.	11.9	39
13	Low- and high-thermogenic brown adipocyte subpopulations coexist in murine adipose tissue. <i>Journal of Clinical Investigation</i> , 2019, 130, 247-257.	8.2	134
14	Dermal adipose tissue has high plasticity and undergoes reversible dedifferentiation in mice. <i>Journal of Clinical Investigation</i> , 2019, 129, 5327-5342.	8.2	112
15	Peroxisome Proliferator-Activated Receptor γ and Its Role in Adipocyte Homeostasis and Thiazolidinedione-Mediated Insulin Sensitization. <i>Molecular and Cellular Biology</i> , 2018, 38, .	2.3	33
16	De novo adipocyte differentiation from Pdgfr β ⁺ preadipocytes protects against pathologic visceral adipose expansion in obesity. <i>Nature Communications</i> , 2018, 9, 890.	12.8	113
17	Warming Induces Significant Reprogramming of Beige, but Not Brown, Adipocyte Cellular Identity. <i>Cell Metabolism</i> , 2018, 27, 1121-1137.e5.	16.2	168
18	An Adipose Tissue Atlas: An Image-Guided Identification of Human-like BAT and Beige Depots in Rodents. <i>Cell Metabolism</i> , 2018, 27, 252-262.e3.	16.2	174

#	ARTICLE	IF	CITATIONS
19	Adipocyte Xbp1s overexpression drives uridine production and reduces obesity. <i>Molecular Metabolism</i> , 2018, 11, 1-17.	6.5	34
20	Intracellular lipid metabolism impairs β^2 cell compensation during diet-induced obesity. <i>Journal of Clinical Investigation</i> , 2018, 128, 1178-1189.	8.2	33
21	Reversible De-differentiation of Mature White Adipocytes into Preadipocyte-like Precursors during Lactation. <i>Cell Metabolism</i> , 2018, 28, 282-288.e3.	16.2	116
22	Identification of functionally distinct fibro-inflammatory and adipogenic stromal subpopulations in visceral adipose tissue of adult mice. <i>ELife</i> , 2018, 7, .	6.0	227
23	Fetal development of subcutaneous white adipose tissue is dependent on Zfp423. <i>Molecular Metabolism</i> , 2017, 6, 111-124.	6.5	56
24	Regeneration of fat cells from myofibroblasts during wound healing. <i>Science</i> , 2017, 355, 748-752.	12.6	434
25	Short-Term Versus Long-Term Effects of Adipocyte Toll-Like Receptor 4 Activation on Insulin Resistance in Male Mice. <i>Endocrinology</i> , 2017, 158, 1260-1270.	2.8	31
26	The metabolic ER stress sensor IRE1 \pm suppresses alternative activation of macrophages and impairs energy expenditure in obesity. <i>Nature Immunology</i> , 2017, 18, 519-529.	14.5	279
27	Hepatic GALE Regulates Whole-Body Glucose Homeostasis by Modulating <i>Tff3</i> Expression. <i>Diabetes</i> , 2017, 66, 2789-2799.	0.6	24
28	Directing visceral white adipocyte precursors to a thermogenic adipocyte fate improves insulin sensitivity in obese mice. <i>ELife</i> , 2017, 6, .	6.0	39
29	Zfp423 Maintains White Adipocyte Identity through Suppression of the Beige Cell Thermogenic Gene Program. <i>Cell Metabolism</i> , 2016, 23, 1167-1184.	16.2	187
30	Connexin 43 Mediates White Adipose Tissue Beiging by Facilitating the Propagation of Sympathetic Neuronal Signals. <i>Cell Metabolism</i> , 2016, 24, 420-433.	16.2	80
31	Pdgfr β^2 + Mural Preadipocytes Contribute to Adipocyte Hyperplasia Induced by High-Fat-Diet Feeding and Prolonged Cold Exposure in Adult Mice. <i>Cell Metabolism</i> , 2016, 23, 350-359.	16.2	259
32	Impact of tamoxifen on adipocyte lineage tracing: Inducer of adipogenesis and prolonged nuclear translocation of Cre recombinase. <i>Molecular Metabolism</i> , 2015, 4, 771-778.	6.5	103
33	Role for the endoplasmic reticulum stress sensor IRE1 \pm in liver regenerative responses. <i>Journal of Hepatology</i> , 2015, 62, 590-598.	3.7	67
34	The Endoplasmic Reticulum Stress Sensor IRE1 \pm in Intestinal Epithelial Cells Is Essential for Protecting against Colitis. <i>Journal of Biological Chemistry</i> , 2015, 290, 15327-15336.	3.4	54
35	Distinct regulatory mechanisms governing embryonic versus adult adipocyte maturation. <i>Nature Cell Biology</i> , 2015, 17, 1099-1111.	10.3	111
36	Fibroblast Growth Factor 21 Is Regulated by the IRE1 \pm -XBP1 Branch of the Unfolded Protein Response and Counteracts Endoplasmic Reticulum Stress-induced Hepatic Steatosis. <i>Journal of Biological Chemistry</i> , 2014, 289, 29751-29765.	3.4	147

#	ARTICLE	IF	CITATIONS
37	Hepatic IRE1 α regulates fasting-induced metabolic adaptive programs through the XBP1 α -PPAR α axis signalling. <i>Nature Communications</i> , 2014, 5, 3528.	12.8	126
38	Adiponectin is essential for lipid homeostasis and survival under insulin deficiency and promotes β -cell regeneration. <i>ELife</i> , 2014, 3, .	6.0	74
39	The m Subunit of Murine Translation Initiation Factor eIF3 Maintains the Integrity of the eIF3 Complex and Is Required for Embryonic Development, Homeostasis, and Organ Size Control. <i>Journal of Biological Chemistry</i> , 2013, 288, 30087-30093.	3.4	26
40	Herbal constituent sequoyitol improves hyperglycemia and glucose intolerance by targeting hepatocytes, adipocytes, and β -cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 302, E932-E940.	3.5	21
41	A Role for Protein Inhibitor of Activated STAT1 (PIAS1) in Lipogenic Regulation through SUMOylation-independent Suppression of Liver X Receptors. <i>Journal of Biological Chemistry</i> , 2012, 287, 37973-37985.	3.4	19
42	PKA phosphorylation couples hepatic inositol-requiring enzyme 1 α to glucagon signaling in glucose metabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 15852-15857.	7.1	76
43	Calorie restriction and endurance exercise share potent anti-inflammatory function in adipose tissues in ameliorating diet-induced obesity and insulin resistance in mice. <i>Nutrition and Metabolism</i> , 2010, 7, 59.	3.0	41
44	A Crucial Role for RACK1 in the Regulation of Glucose-Stimulated IRE1 α Activation in Pancreatic β Cells. <i>Science Signaling</i> , 2010, 3, ra7.	3.6	130
45	Deficiency in hepatic ATP-citrate lyase affects VLDL-triglyceride mobilization and liver fatty acid composition in mice. <i>Journal of Lipid Research</i> , 2010, 51, 2516-2526.	4.2	53
46	Single-Cell RNA Sequencing Identifies Functionally Distinct Fibro-inflammatory and Adipogenic Pdgfr Progenitor Subpopulations in Visceral Adipose Tissue. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0