

# Matti Uusitupa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/503460/publications.pdf>

Version: 2024-02-01

106  
papers

30,249  
citations

50566

48  
h-index

30277

107  
g-index

111  
all docs

111  
docs citations

111  
times ranked

38133  
citing authors

#	ARTICLE	IF	CITATIONS
1	Analysis of the SYSDIET Healthy Nordic Diet randomized trial based on metabolic profiling reveal beneficial effects on glucose metabolism and blood lipids. <i>Clinical Nutrition</i> , 2022, 41, 441-451.	2.3	8
2	Vitamin D supplementation and prevention of cardiovascular disease and cancer in the Finnish Vitamin D Trial: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 1300-1310.	2.2	45
3	PUFA $\omega$ -3 and $\omega$ -6 biomarkers and sleep: a pooled analysis of cohort studies on behalf of the Fatty Acids and Outcomes Research Consortium (FORCE). <i>American Journal of Clinical Nutrition</i> , 2022, 115, 864-876.	2.2	1
4	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. <i>Nature Communications</i> , 2021, 12, 24.	5.8	87
5	n-3 Fatty Acid Biomarkers and Incident Type 2 Diabetes: An Individual Participant-Level Pooling Project of 20 Prospective Cohort Studies. <i>Diabetes Care</i> , 2021, 44, 1133-1142.	4.3	50
6	The trans-ancestral genomic architecture of glyceemic traits. <i>Nature Genetics</i> , 2021, 53, 840-860.	9.4	341
7	Long-term outcomes of lifestyle intervention to prevent type 2 diabetes in people at high risk in primary health care. <i>Primary Care Diabetes</i> , 2021, 15, 444-450.	0.9	10
8	Interaction of Diet/Lifestyle Intervention and TCF7L2 Genotype on Glycemic Control and Adiposity among Overweight or Obese Adults: Big Data from Seven Randomized Controlled Trials Worldwide. <i>Health Data Science</i> , 2021, 2021, .	1.1	0
9	Serum Levels of Plasmalogens and Fatty Acid Metabolites Associate with Retinal Microangiopathy in Participants from the Finnish Diabetes Prevention Study. <i>Nutrients</i> , 2021, 13, 4452.	1.7	7
10	Metformin and Risk of Alzheimer's Disease Among Community-Dwelling People With Diabetes: A National Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e963-e972.	1.8	60
11	Divergent pathologies and treatment options for diabetic neuropathies. <i>Diabetologia</i> , 2020, 63, 1947-1948.	2.9	2
12	Fatty acids in the de novo lipogenesis pathway and incidence of type 2 diabetes: A pooled analysis of prospective cohort studies. <i>PLoS Medicine</i> , 2020, 17, e1003102.	3.9	38
13	Evolving Nutritional Therapy for Diabetes Mellitus. <i>Nutrients</i> , 2020, 12, 423.	1.7	5
14	The Effects of Different Quantities and Qualities of Protein Intake in People with Diabetes Mellitus. <i>Nutrients</i> , 2020, 12, 365.	1.7	30
15	Life Style Intervention Improves Retinopathy Status—The Finnish Diabetes Prevention Study. <i>Nutrients</i> , 2019, 11, 1691.	1.7	24
16	Nordic Diet and Inflammation—A Review of Observational and Intervention Studies. <i>Nutrients</i> , 2019, 11, 1369.	1.7	43
17	Prevention of Type 2 Diabetes by Lifestyle Changes: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2019, 11, 2611.	1.7	203
18	Quantitative assessment of betainized compounds and associations with dietary and metabolic biomarkers in the randomized study of the healthy Nordic diet (SYSDIET). <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1108-1118.	2.2	23

#	ARTICLE	IF	CITATIONS
19	Healthy Nordic Diet Modulates the Expression of Genes Related to Mitochondrial Function and Immune Response in Peripheral Blood Mononuclear Cells from Subjects with Metabolic Syndrome—A SYSDIET Sub-Study. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1801405.	1.5	10
20	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , 2019, 51, 452-469.	9.4	89
21	Good news from the Da Qing Diabetes Prevention Outcome Study—healthy lifestyles result in long-term cardiovascular benefits. <i>Annals of Translational Medicine</i> , 2019, 7, S368-S368.	0.7	3
22	An Isocaloric Nordic Diet Modulates RELA and TNFRSF1A Gene Expression in Peripheral Blood Mononuclear Cells in Individuals with Metabolic Syndrome—A SYSDIET Sub-Study. <i>Nutrients</i> , 2019, 11, 2932.	1.7	16
23	Early fecal microbiota composition in children who later develop celiac disease and associated autoimmunity. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 403-409.	0.6	49
24	Remission of type 2 diabetes: mission not impossible. <i>Lancet, The</i> , 2018, 391, 515-516.	6.3	13
25	Genes and Dietary Fatty Acids in Regulation of Fatty Acid Composition of Plasma and Erythrocyte Membranes. <i>Nutrients</i> , 2018, 10, 1785.	1.7	38
26	Fatty acid biomarkers of dairy fat consumption and incidence of type 2 diabetes: A pooled analysis of prospective cohort studies. <i>PLoS Medicine</i> , 2018, 15, e1002670.	3.9	143
27	Prevention of type 2 diabetes—success story that is waiting for next steps. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 1260-1266.	1.3	9
28	Associations of serum indolepropionic acid, a gut microbiota metabolite, with type 2 diabetes and low-grade inflammation in high-risk individuals. <i>Nutrition and Diabetes</i> , 2018, 8, 35.	1.5	147
29	Serum adiponectin/Ferritin ratio in relation to the risk of type 2 diabetes and insulin sensitivity. <i>Diabetes Research and Clinical Practice</i> , 2018, 141, 264-274.	1.1	10
30	Susceptibility of low-density lipoprotein particles to aggregate depends on particle lipidome, is modifiable, and associates with future cardiovascular deaths. <i>European Heart Journal</i> , 2018, 39, 2562-2573.	1.0	126
31	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , 2018, 50, 26-41.	9.4	286
32	Indolepropionic acid and novel lipid metabolites are associated with a lower risk of type 2 diabetes in the Finnish Diabetes Prevention Study. <i>Scientific Reports</i> , 2017, 7, 46337.	1.6	228
33	Fasting serum hippuric acid is elevated after bilberry ( <i>Vaccinium myrtillus</i> ) consumption and associates with improvement of fasting glucose levels and insulin secretion in persons at high risk of developing type 2 diabetes. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1700019.	1.5	60
34	A Low-Frequency Inactivating <i>AKT2</i> Variant Enriched in the Finnish Population Is Associated With Fasting Insulin Levels and Type 2 Diabetes Risk. <i>Diabetes</i> , 2017, 66, 2019-2032.	0.3	47
35	A Healthy Nordic Diet Alters the Plasma Lipidomic Profile in Adults with Features of Metabolic Syndrome in a Multicenter Randomized Dietary Intervention. <i>Journal of Nutrition</i> , 2016, 146, 662-672.	1.3	68
36	FTO genotype and weight loss: systematic review and meta-analysis of 9563 individual participant data from eight randomised controlled trials. <i>BMJ, The</i> , 2016, 354, i4707.	3.0	88

#	ARTICLE	IF	CITATIONS
37	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. <i>Nature Communications</i> , 2016, 7, 13357.	5.8	74
38	Lifestyle changes and cardiovascular risk reduction in diabetes. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 877-878.	5.5	5
39	Trans-ancestry meta-analyses identify rare and common variants associated with blood pressure and hypertension. <i>Nature Genetics</i> , 2016, 48, 1151-1161.	9.4	261
40	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. <i>Nature Genetics</i> , 2016, 48, 1171-1184.	9.4	362
41	Effects of a healthy Nordic diet on gene expression changes in peripheral blood mononuclear cells in response to an oral glucose tolerance test in subjects with metabolic syndrome: a SYSDIET sub-study. <i>Genes and Nutrition</i> , 2016, 11, 3.	1.2	20
42	Diabetes, glycaemia, and cognition – a secondary analysis of the Finnish Diabetes Prevention Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2016, 32, 102-110.	1.7	23
43	Development of gliadin-specific immune responses in children with HLA-associated genetic risk for celiac disease. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 168-177.	0.6	6
44	Following in the Footsteps of the North Karelia Project: Prevention of Type 2 Diabetes. <i>Global Heart</i> , 2016, 11, 223.	0.9	8
45	MFAP5 is related to obesity-associated adipose tissue and extracellular matrix remodeling and inflammation. <i>Obesity</i> , 2015, 23, 1371-1378.	1.5	35
46	Glucose Metabolism Effects of Vitamin D in Prediabetes: The VitDmet Randomized Placebo-Controlled Supplementation Study. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-8.	1.0	31
47	CMPF Does Not Associate with Impaired Glucose Metabolism in Individuals with Features of Metabolic Syndrome. <i>PLoS ONE</i> , 2015, 10, e0124379.	1.1	27
48	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015, 11, e1005378.	1.5	331
49	Healthy Nordic diet downregulates the expression of genes involved in inflammation in subcutaneous adipose tissue in individuals with features of the metabolic syndrome. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 228-239.	2.2	48
50	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , 2015, 518, 187-196.	13.7	1,328
51	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015, 518, 197-206.	13.7	3,823
52	Identification and Functional Characterization of G6PC2 Coding Variants Influencing Glycemic Traits Define an Effector Transcript at the G6PC2-ABCB11 Locus. <i>PLoS Genetics</i> , 2015, 11, e1004876.	1.5	95
53	Dissecting high from low responders in a vitamin D3 intervention study. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015, 148, 275-282.	1.2	44
54	Changes in lifestyle modestly reduce the estimated cardiovascular disease risk in one-year follow-up of the Finnish diabetes prevention program (FIN-D2D). <i>European Journal of Cardiovascular Nursing</i> , 2015, 14, 145-152.	0.4	18

#	ARTICLE	IF	CITATIONS
55	Dietary polyunsaturated fatty acids and the Pro12Ala polymorphisms of PPAR $\gamma$ regulate serum lipids through divergent pathways: a randomized crossover clinical trial. <i>Genes and Nutrition</i> , 2015, 10, 43.	1.2	15
56	Plasma fatty acids as predictors of glycaemia and type 2 diabetes. <i>Diabetologia</i> , 2015, 58, 2533-2544.	2.9	85
57	Relevance of Vitamin D Receptor Target Genes for Monitoring the Vitamin D Responsiveness of Primary Human Cells. <i>PLoS ONE</i> , 2015, 10, e0124339.	1.1	64
58	Whole Grain Rye Intake, Reflected by a Biomarker, Is Associated with Favorable Blood Lipid Outcomes in Subjects with the Metabolic Syndrome – A Randomized Study. <i>PLoS ONE</i> , 2014, 9, e110827.	1.1	37
59	Effects of Whole Grain, Fish and Bilberries on Serum Metabolic Profile and Lipid Transfer Protein Activities: A Randomized Trial (Sysdimet). <i>PLoS ONE</i> , 2014, 9, e90352.	1.1	60
60	Association of Serum 25-Hydroxyvitamin D with Lifestyle Factors and Metabolic and Cardiovascular Disease Markers: Population-Based Cross-Sectional Study (FIN-D2D). <i>PLoS ONE</i> , 2014, 9, e100235.	1.1	29
61	FTO genetic variants, dietary intake and body mass index: insights from 177 330 individuals. <i>Human Molecular Genetics</i> , 2014, 23, 6961-6972.	1.4	143
62	A Dietary Biomarker Approach Captures Compliance and Cardiometabolic Effects of a Healthy Nordic Diet in Individuals with Metabolic Syndrome. <i>Journal of Nutrition</i> , 2014, 144, 1642-1649.	1.3	39
63	The impact of weight reduction in the prevention of the progression of obstructive sleep apnea: an explanatory analysis of a 5-year observational follow-up trial. <i>Sleep Medicine</i> , 2014, 15, 329-335.	0.8	38
64	Do depressive symptoms have an impact on the effectiveness of lifestyle counseling in prevention of type 2 diabetes? One-year follow-up of FIN-D2D. <i>Primary Care Diabetes</i> , 2014, 8, 43-47.	0.9	4
65	Serum Omega-3 Polyunsaturated Fatty Acids and Risk of Incident Type 2 Diabetes in Men: The Kuopio Ischemic Heart Disease Risk Factor Study. <i>Diabetes Care</i> , 2014, 37, 189-196.	4.3	91
66	Association of erythrocyte membrane fatty acids with changes in glycemia and risk of type 2 diabetes. <i>American Journal of Clinical Nutrition</i> , 2014, 99, 79-85.	2.2	77
67	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186.	9.4	1,818
68	Primary vitamin D receptor target genes as biomarkers for the vitamin D3 status in the hematopoietic system. <i>Journal of Nutritional Biochemistry</i> , 2014, 25, 875-884.	1.9	32
69	Effect of the amount and type of dietary fat on cardiometabolic risk factors and risk of developing type 2 diabetes, cardiovascular diseases, and cancer: a systematic review. <i>Food and Nutrition Research</i> , 2014, 58, 25145.	1.2	278
70	Lifestyle Changes Aiming at Weight Loss Should Always Be Included in the Treatment of Obese Patients with Obstructive Sleep Apnea. <i>Sleep</i> , 2014, 37, 1021-1021.	0.6	4
71	The Association between HbA1c, Fasting Glucose, 1-Hour Glucose and 2-Hour Glucose during an Oral Glucose Tolerance Test and Cardiovascular Disease in Individuals with Elevated Risk for Diabetes. <i>PLoS ONE</i> , 2014, 9, e109506.	1.1	38
72	Discovery and refinement of loci associated with lipid levels. <i>Nature Genetics</i> , 2013, 45, 1274-1283.	9.4	2,641

#	ARTICLE	IF	CITATIONS
73	Dietary Fat in Relation to Erythrocyte Fatty Acid Composition in Men. <i>Lipids</i> , 2013, 48, 1093-1102.	0.7	39
74	Diet, Inflammation and Prediabetes—Impact of Quality of Diet. <i>Canadian Journal of Diabetes</i> , 2013, 37, 327-331.	0.4	17
75	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , 2013, 45, 501-512.	9.4	578
76	Importance of Weight Loss Maintenance and Risk Prediction in the Prevention of Type 2 Diabetes: Analysis of European Diabetes Prevention Study RCT. <i>PLoS ONE</i> , 2013, 8, e57143.	1.1	98
77	Adherence to the Nordic Nutrition Recommendations in a Nordic population with metabolic syndrome: high salt consumption and low dietary fibre intake (The SYSDIET study). <i>Food and Nutrition Research</i> , 2013, 57, 21391.	1.2	14
78	Insulin Secretion and Its Determinants in the Progression of Impaired Glucose Tolerance to Type 2 Diabetes in Impaired Glucose-Tolerant Individuals. <i>Diabetes Care</i> , 2012, 35, 211-217.	4.3	44
79	Effects of n-6 PUFAs compared with SFAs on liver fat, lipoproteins, and inflammation in abdominal obesity: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1003-1012.	2.2	391
80	Gene expression of peripheral blood mononuclear cells as a tool in dietary intervention studies: What do we know so far?. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 1160-1172.	1.5	144
81	Whole Grain Products, Fish and Bilberries Alter Glucose and Lipid Metabolism in a Randomized, Controlled Trial: The Sysdimet Study. <i>PLoS ONE</i> , 2011, 6, e22646.	1.1	83
82	Mid-infrared spectroscopy and multivariate curve resolution for analyzing human adipose tissue triacylglycerols. <i>European Journal of Lipid Science and Technology</i> , 2010, 112, 1308-1314.	1.0	2
83	Ten-Year Mortality and Cardiovascular Morbidity in the Finnish Diabetes Prevention Study—Secondary Analysis of the Randomized Trial. <i>PLoS ONE</i> , 2009, 4, e5656.	1.1	158
84	The effect of fatty or lean fish intake on inflammatory gene expression in peripheral blood mononuclear cells of patients with coronary heart disease. <i>European Journal of Nutrition</i> , 2009, 48, 447-455.	1.8	47
85	Inflammation markers are modulated by responses to diets differing in postprandial insulin responses in individuals with the metabolic syndrome. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1497-1503.	2.2	91
86	Dietary carbohydrate modification induces alterations in gene expression in abdominal subcutaneous adipose tissue in persons with the metabolic syndrome: the FUNGENT Study. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 1417-1427.	2.2	121
87	Sustained reduction in the incidence of type 2 diabetes by lifestyle intervention: follow-up of the Finnish Diabetes Prevention Study. <i>Lancet</i> , The, 2006, 368, 1673-1679.	6.3	1,530
88	Systemic Immune Mediators and Lifestyle Changes in the Prevention of Type 2 Diabetes: Results From the Finnish Diabetes Prevention Study. <i>Diabetes</i> , 2006, 55, 2340-2346.	0.3	110
89	Physical Activity in the Prevention of Type 2 Diabetes: The Finnish Diabetes Prevention Study. <i>Diabetes</i> , 2005, 54, 158-165.	0.3	518
90	Gene-diet interaction in relation to the prevention of obesity and type 2 diabetes: Evidence from the Finnish Diabetes Prevention Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2005, 15, 225-233.	1.1	46

#	ARTICLE	IF	CITATIONS
91	The Finnish Diabetes Prevention Study (DPS): Lifestyle intervention and 3-year results on diet and physical activity. <i>Diabetes Care</i> , 2003, 26, 3230-3236.	4.3	1,157
92	Long-Term Improvement in Insulin Sensitivity by Changing Lifestyles of People with Impaired Glucose Tolerance: 4-Year Results From the Finnish Diabetes Prevention Study. <i>Diabetes</i> , 2003, 52, 2532-2538.	0.3	184
93	Prevention of Type 2 Diabetes Mellitus by Changes in Lifestyle among Subjects with Impaired Glucose Tolerance. <i>New England Journal of Medicine</i> , 2001, 344, 1343-1350.	13.9	9,083
94	Association between manganese superoxide dismutase (MnSOD) gene polymorphism and breast cancer risk. <i>Carcinogenesis</i> , 2001, 22, 827-829.	1.3	217
95	Lifetime alcohol consumption and breast cancer: a case-control study in Finland. <i>Public Health Nutrition</i> , 2000, 3, 11-18.	1.1	18
96	Salivary matrix metalloproteinase (MMP-8) levels and gelatinase (MMP-9) activities in patients with type 2 diabetes mellitus. <i>Journal of Periodontal Research</i> , 2000, 35, 259-265.	1.4	50
97	Identification of a Three-Amino Acid Deletion in the $\beta$ 2-Adrenergic Receptor That Is Associated with Reduced Basal Metabolic Rate in Obese Subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 2429-2433.	1.8	103
98	The effect of a very low-calorie diet-induced weight loss on the severity of obstructive sleep apnoea and autonomic nervous function in obese patients with obstructive sleep apnoea syndrome. <i>Clinical Physiology</i> , 1998, 18, 377-385.	0.7	95
99	Postprandial Lipemic Response Is Modified by the Polymorphism at Codon 54 of the Fatty Acid-Binding Protein 2 Gene. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 1606-1610.	1.1	104
100	Serum Leptin and Short-Term Regulation of Eating in Obese Women. <i>Clinical Science</i> , 1997, 92, 573-578.	1.8	41
101	Body-size indicators and risk of breast cancer according to menopause and estrogen-receptor status. , 1996, 68, 8-13.		92
102	Natural History of Peripheral Neuropathy in Patients with Non-Insulin-Dependent Diabetes Mellitus. <i>New England Journal of Medicine</i> , 1995, 333, 89-94.	13.9	561
103	Screening for mutations in the exon 26 of the apolipoprotein B gene in hypercholesterolemic finnish families by the single-strand conformation polymorphism method. <i>Human Mutation</i> , 1994, 4, 217-223.	1.1	8
104	Comparison between Lovastatin and Cholestyramine in the Treatment of Moderate to Severe Primary Hypercholesterolaemia. <i>Annals of Medicine</i> , 1992, 24, 121-127.	1.5	7
105	Effects of bezafibrate on insulin sensitivity and glucose tolerance in subjects with combined hyperlipidemia. <i>Clinical Pharmacology and Therapeutics</i> , 1992, 52, 620-626.	2.3	39
106	Hypertension in Diabetic Patients-Use of Exercise in Treatment. <i>Annals of Medicine</i> , 1991, 23, 335-338.	1.5	1