

Antoinette PechÃre-Bertschi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5035483/publications.pdf>

Version: 2024-02-01

28
papers

7,792
citations

516710

16
h-index

501196

28
g-index

29
all docs

29
docs citations

29
times ranked

12103
citing authors

#	ARTICLE	IF	CITATIONS
1	Uromodulin, Salt, and 24-Hour Blood Pressure in the General Population. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 787-789.	4.5	11
2	Sex- and age-specific reference intervals for diagnostic ratios reflecting relative activity of steroidogenic enzymes and pathways in adults. <i>PLoS ONE</i> , 2021, 16, e0253975.	2.5	2
3	Relationship between renal function and blood pressure dipping status in renal transplant recipients: a longitudinal study. <i>BMC Nephrology</i> , 2021, 22, 325.	1.8	1
4	Parathyroid Hormone and Plasma Phosphate Are Predictors of Soluble β -Klotho Levels in Adults of European Descent. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e1135-e1143.	3.6	8
5	Sodium Intake Is Associated With Renal Resistive Index in an Adult Population-Based Study. <i>Hypertension</i> , 2020, 76, 1898-1905.	2.7	4
6	Gender Differences in Cardiovascular Pharmacotherapyâ€”the Example of Hypertension: A Mini Review. <i>Frontiers in Pharmacology</i> , 2020, 11, 564.	3.5	45
7	Renal Resistive Index Is Associated With Inactive Matrix Gla (β -Carboxyglutamate) Protein in an Adult Population-Based Study. <i>Journal of the American Heart Association</i> , 2019, 8, e013558.	3.7	5
8	Urinary Sex Steroid and Glucocorticoid Hormones Are Associated With Muscle Mass and Strength in Healthy Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2195-2215.	3.6	14
9	Reference intervals for the urinary steroid metabolome: The impact of sex, age, day and night time on human adult steroidogenesis. <i>PLoS ONE</i> , 2019, 14, e0214549.	2.5	38
10	Urinary Cadmium Excretion Is Associated With Increased Synthesis of Cortico- and Sex Steroids in a Population Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 748-758.	3.6	18
11	Associations of Urinary Caffeine and Caffeine Metabolites With Arterial Stiffness in a Large Population-Based Study. <i>Mayo Clinic Proceedings</i> , 2018, 93, 586-596.	3.0	17
12	Prevalence of Hypertensive Phenotypes After Preeclampsia. <i>Hypertension</i> , 2018, 71, 103-109.	2.7	55
13	2018 ESC/ESH Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2018, 39, 3021-3104.	2.2	6,826
14	A population-based approach to assess the heritability and distribution of renal handling of electrolytes. <i>Kidney International</i> , 2017, 92, 1536-1543.	5.2	20
15	Associations of sodium, potassium and protein intake with blood pressure and hypertension in Switzerland. <i>Swiss Medical Weekly</i> , 2017, 147, w14411.	1.6	18
16	Fibroblast growth factor 23 and markers of mineral metabolism in individuals with preserved renal function. <i>Kidney International</i> , 2016, 90, 648-657.	5.2	51
17	Relation of 24-hour urinary caffeine and caffeine metabolite excretions with self-reported consumption of coffee and other caffeinated beverages in the general population. <i>Nutrition and Metabolism</i> , 2016, 13, 81.	3.0	19
18	Sociodemographic, behavioral and genetic determinants of allostatic load in a Swiss population-based study. <i>Psychoneuroendocrinology</i> , 2016, 67, 76-85.	2.7	50

#	ARTICLE	IF	CITATIONS
19	Associations of Urinary Uromodulin with Clinical Characteristics and Markers of Tubular Function in the General Population. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 70-80.	4.5	87
20	CYP17A1 Enzyme Activity Is Linked to Ambulatory Blood Pressure in a Family-Based Population Study. <i>American Journal of Hypertension</i> , 2016, 29, 484-493.	2.0	13
21	Prevalence and determinants of chronic kidney disease in the Swiss population. <i>Swiss Medical Weekly</i> , 2016, 146, w14313.	1.6	11
22	New anthropometry-based age- and sex-specific reference values for urinary 24-hour creatinine excretion based on the adult Swiss population. <i>BMC Medicine</i> , 2015, 13, 40.	5.5	57
23	Inactive Matrix Gla-Protein Is Associated With Arterial Stiffness in an Adult Population-Based Study. <i>Hypertension</i> , 2015, 66, 85-92.	2.7	85
24	Copeptin Is Associated with Kidney Length, Renal Function, and Prevalence of Simple Cysts in a Population-Based Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 1415-1425.	6.1	48
25	Accuracy of doctors' anthropometric measurements in general practice. <i>Swiss Medical Weekly</i> , 2015, 145, w14115.	1.6	23
26	Epidemiology of Masked and White-Coat Hypertension: The Family-Based SKIPOGH Study. <i>PLoS ONE</i> , 2014, 9, e92522.	2.5	56
27	Reference Values and Factors Associated With Renal Resistive Index in a Family-Based Population Study. <i>Hypertension</i> , 2014, 63, 136-142.	2.7	97
28	1999-2009 Trends in Prevalence, Unawareness, Treatment and Control of Hypertension in Geneva, Switzerland. <i>PLoS ONE</i> , 2012, 7, e39877.	2.5	113