

Zbigniew Madeja

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5039966/publications.pdf>

Version: 2024-02-01

99
papers

2,600
citations

218677

26
h-index

233421

45
g-index

103
all docs

103
docs citations

103
times ranked

3715
citing authors

#	ARTICLE	IF	CITATIONS
1	Induced Pluripotent Stem Cell (iPSC)-Derived Extracellular Vesicles Are Safer and More Effective for Cardiac Repair Than iPSCs. <i>Circulation Research</i> , 2018, 122, 296-309.	4.5	231
2	Directional movement of rat prostate cancer cells in direct-current electric field. <i>Journal of Cell Science</i> , 2001, 114, 2697-2705.	2.0	190
3	Activation of macrophage-like cells by multiple grooved substrata. Topographical control of cell behaviour. <i>Cell Biology International</i> , 1995, 19, 485-490.	3.0	151
4	Fibroblast-to-myofibroblast transition in bronchial asthma. <i>Cellular and Molecular Life Sciences</i> , 2018, 75, 3943-3961.	5.4	95
5	Genetically modified adipose tissue-derived mesenchymal stem cells overexpressing CXCR4 display increased motility, invasiveness, and homing to bone marrow of NOD/SCID mice. <i>Experimental Hematology</i> , 2011, 39, 686-696.e4.	0.4	85
6	Stem Cells, Including a Population of Very Small Embryonic-Like Stem Cells, are Mobilized Into Peripheral Blood in Patients After Skin Burn Injury. <i>Stem Cell Reviews and Reports</i> , 2012, 8, 184-194.	5.6	85
7	Human Induced Pluripotent Stem Cell-Derived Microvesicles Transmit RNAs and Proteins to Recipient Mature Heart Cells Modulating Cell Fate and Behavior. <i>Stem Cells</i> , 2015, 33, 2748-2761.	3.2	85
8	ROS accumulation and IGF-1R inhibition contribute to fenofibrate/PPAR α -mediated inhibition of Glioma cell motility in vitro. <i>Molecular Cancer</i> , 2010, 9, 159.	19.2	81
9	Flavonoid apigenin inhibits motility and invasiveness of carcinoma cells in vitro. <i>International Journal of Cancer</i> , 2005, 114, 12-18.	5.1	65
10	The role of connexins in prostate cancer promotion and progression. <i>Nature Reviews Urology</i> , 2012, 9, 274-282.	3.8	56
11	Diverse impact of xeno-free conditions on biological and regenerative properties of hUC-MSCs and their extracellular vesicles. <i>Journal of Molecular Medicine</i> , 2017, 95, 205-220.	3.9	54
12	Cell elasticity is an important indicator of the metastatic phenotype of melanoma cells. <i>Experimental Dermatology</i> , 2014, 23, 813-818.	2.9	45
13	Immediate and long-term galvanotactic responses of <i>Amoeba proteus</i> to dc electric fields. <i>Cytoskeleton</i> , 2000, 45, 10-26.	4.4	43
14	Usnic acid and atranorin exert selective cytostatic and anti-invasive effects on human prostate and melanoma cancer cells. <i>Toxicology in Vitro</i> , 2017, 40, 161-169.	2.4	42
15	The role of thioredoxin reductase activity in selenium-induced cytotoxicity. <i>Biochemical Pharmacology</i> , 2005, 69, 1765-1772.	4.4	41
16	Contact stimulation of prostate cancer cell migration: the role of gap junctional coupling and migration stimulated by heterotypic cell-to-cell contacts in determination of the metastatic phenotype of Dunning rat prostate cancer cells. <i>Biology of the Cell</i> , 2005, 97, 893-903.	2.0	41
17	Functional links between Snail-1 and Cx43 account for the recruitment of Cx43-positive cells into the invasive front of prostate cancer. <i>Carcinogenesis</i> , 2014, 35, 1920-1930.	2.8	38
18	Electric field as a potential directional cue in homing of bone marrow-derived mesenchymal stem cells to cutaneous wounds. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017, 1864, 267-279.	4.1	37

#	ARTICLE	IF	CITATIONS
19	Enhanced asthma-related fibroblast to myofibroblast transition is the result of profibrotic TGF- β 2/Smad2/3 pathway intensification and antifibrotic TGF- β 2/Smad1/5/(8)9 pathway impairment. <i>Scientific Reports</i> , 2020, 10, 16492.	3.3	34
20	Chemotaxis of <i>Amoeba proteus</i> in the developing pH gradient within a pocket-like chamber studied with the computer assisted method. , 1997, 38, 38-53.		32
21	Fenofibrate enhances barrier function of endothelial continuum within the metastatic niche of prostate cancer cells. <i>Expert Opinion on Therapeutic Targets</i> , 2015, 19, 163-176.	3.4	32
22	Connexin43 Controls the Myofibroblastic Differentiation of Bronchial Fibroblasts from Patients with Asthma. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2017, 57, 100-110.	2.9	32
23	Overexpression of thioredoxin reductase 1 inhibits migration of HEK293 cells. <i>Biology of the Cell</i> , 2007, 99, 677-687.	2.0	30
24	Lovastatin-induced decrease of intracellular cholesterol level attenuates fibroblast-to-myofibroblast transition in bronchial fibroblasts derived from asthmatic patients. <i>European Journal of Pharmacology</i> , 2013, 704, 23-32.	3.5	30
25	Blood monocytes stimulate migration of human pancreatic carcinoma cells in vitro: The role of tumour necrosis factor α . <i>European Journal of Cell Biology</i> , 2009, 88, 743-752.	3.6	29
26	ADAM17 Silencing in Mouse Colon Carcinoma Cells: The Effect on Tumoricidal Cytokines and Angiogenesis. <i>PLoS ONE</i> , 2012, 7, e50791.	2.5	27
27	Microcystin-LR affects properties of human epidermal skin cells crucial for regenerative processes. <i>Toxicol</i> , 2014, 80, 38-46.	1.6	27
28	Genistein inhibits the contact-stimulated migration of prostate cancer cells. <i>Cellular and Molecular Biology Letters</i> , 2007, 12, 348-61.	7.0	26
29	Monocyte Chemoattractant Protein-Induced Protein 1 (MCP1) Enhances Angiogenic and Cardiomyogenic Potential of Murine Bone Marrow-Derived Mesenchymal Stem Cells. <i>PLoS ONE</i> , 2015, 10, e0133746.	2.5	25
30	Diverse chemotactic responses of <i>Dictyostelium discoideum</i> amoebae in the developing (temporal) and stationary (spatial) concentration gradients of folic acid, cAMP, Ca ²⁺ and Mg ²⁺ . <i>Cytoskeleton</i> , 2002, 53, 1-25.	4.4	24
31	Fenofibrate attenuates contact-stimulated cell motility and gap junctional coupling in DU-145 human prostate cancer cell populations. <i>Oncology Reports</i> , 2011, 26, 447-53.	2.6	24
32	Transition of asthmatic bronchial fibroblasts to myofibroblasts is inhibited by cell-cell contacts. <i>Respiratory Medicine</i> , 2011, 105, 1467-1475.	2.9	23
33	Impact of Graphene-Based Surfaces on the Basic Biological Properties of Human Umbilical Cord Mesenchymal Stem Cells: Implications for Ex Vivo Cell Expansion Aimed at Tissue Repair. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4561.	4.1	23
34	Fenofibrate Reduces the Asthma-Related Fibroblast-To-Myofibroblast Transition by TGF- β 2/Smad2/3 Signaling Attenuation and Connexin 43-Dependent Phenotype Destabilization. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2571.	4.1	22
35	Fenofibrate Augments the Sensitivity of Drug-Resistant Prostate Cancer Cells to Docetaxel. <i>Cancers</i> , 2019, 11, 77.	3.7	22
36	Multilineage Differentiation Potential of Human Dental Pulp Stem Cells—Impact of 3D and Hypoxic Environment on Osteogenesis In Vitro. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6172.	4.1	22

#	ARTICLE	IF	CITATIONS
37	Contact-activated migration of melanoma B16 and sarcoma XC cells. <i>Biochemistry and Cell Biology</i> , 2001, 79, 425-440.	2.0	21
38	Graphene-based materials enhance cardiomyogenic and angiogenic differentiation capacity of human mesenchymal stem cells in vitro – Focus on cardiac tissue regeneration. <i>Materials Science and Engineering C</i> , 2021, 119, 111614.	7.3	20
39	Triterpene saponosides from <i>Lysimachia ciliata</i> differentially attenuate invasive potential of prostate cancer cells. <i>Chemico-Biological Interactions</i> , 2013, 206, 6-17.	4.0	19
40	Connexin43high prostate cancer cells induce endothelial connexin43 up-regulation through the activation of intercellular ERK1/2-dependent signaling axis. <i>European Journal of Cell Biology</i> , 2017, 96, 337-346.	3.6	19
41	Avoiding the side effects of electric current pulse application to electroporated cells in disposable small volume cuvettes assures good cell survival. <i>Cellular and Molecular Biology Letters</i> , 2017, 22, 1.	7.0	18
42	Metastatic prostate cancer cells are highly sensitive to 3-bromopyruvic acid. <i>Life Sciences</i> , 2019, 227, 212-223.	4.3	18
43	Connexin-dependent intercellular stress signaling in tissue homeostasis and tumor development. <i>Acta Biochimica Polonica</i> , 2017, 64, 377-389.	0.5	18
44	Separation methods for isolation of human polymorphonuclear leukocytes affect their motile activity. <i>European Journal of Cell Biology</i> , 2009, 88, 531-539.	3.6	17
45	Polylactide- and polycaprolactone-based substrates enhance angiogenic potential of human umbilical cord-derived mesenchymal stem cells in vitro - implications for cardiovascular repair. <i>Materials Science and Engineering C</i> , 2017, 77, 521-533.	7.3	17
46	Connective tissue growth factor regulates transition of primary bronchial fibroblasts to myofibroblasts in asthmatic subjects. <i>Cytokine</i> , 2018, 102, 187-190.	3.2	17
47	DU-145 prostate carcinoma cells that selectively transmigrate narrow obstacles express elevated levels of Cx43. <i>Cellular and Molecular Biology Letters</i> , 2011, 16, 625-37.	7.0	15
48	Reversible and irreversible electroporation of cell suspensions flowing through a localized DC electric field. <i>Cellular and Molecular Biology Letters</i> , 2013, 18, 102-19.	7.0	15
49	MET receptor is a potential therapeutic target in high grade cervical cancer. <i>Oncotarget</i> , 2015, 6, 10086-10101.	1.8	15
50	Effective usage of cationic derivatives of polyprenols as carriers of DNA vaccines against influenza virus. <i>Virology Journal</i> , 2017, 14, 168.	3.4	13
51	Cinnamic Acid Derivatives as Cardioprotective Agents against Oxidative and Structural Damage Induced by Doxorubicin. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6217.	4.1	13
52	New cationic polyprenyl derivative proposed as a lipofecting agent.. <i>Acta Biochimica Polonica</i> , 2007, 54, 873-876.	0.5	13
53	Lclet 4 enhances pro-apoptotic and anti-invasive effects of mitoxantrone on human prostate cancer cells - in vitro study.. <i>Acta Biochimica Polonica</i> , 2013, 60, .	0.5	13
54	Folic acid, ascorbic acid and sodium selenite restore the motility of <i>Dictyostelium discoideum</i> inhibited by triethyllead. <i>Toxicology</i> , 2002, 180, 275-292.	4.2	12

#	ARTICLE	IF	CITATIONS
55	Ascorbic acid inhibits the migration of walker 256 carcinosarcoma cells. Cellular and Molecular Biology Letters, 2008, 13, 103-11.	7.0	12
56	Lithium Attenuates TGF- β 1-Induced Fibroblasts to Myofibroblasts Transition in Bronchial Fibroblasts Derived from Asthmatic Patients. Journal of Allergy, 2012, 2012, 1-12.	0.7	12
57	Lamellipodia and Membrane Blebs Drive Efficient Electrotactic Migration of Rat Walker Carcinosarcoma Cells WC 256. PLoS ONE, 2016, 11, e0149133.	2.5	12
58	Growth and motility of human skin fibroblasts on multilayer strong polyelectrolyte films. Journal of Colloid and Interface Science, 2016, 461, 305-316.	9.4	12
59	High bisphenol A concentrations augment the invasiveness of tumor cells through Snail-1/Cx43/ERR1 ³ -dependent epithelial-mesenchymal transition. Toxicology in Vitro, 2020, 62, 104676.	2.4	12
60	SB203580 is a Potent p38 MAPK Inhibitor Reduces the Profibrotic Bronchial Fibroblasts Transition Associated with Asthma. International Journal of Molecular Sciences, 2021, 22, 12790.	4.1	12
61	The effect of triethyllead on the motile activity of walker 256 carcinosarcoma cells. Cellular and Molecular Biology Letters, 2004, 9, 15-30.	7.0	12
62	Cell motility affects the intensity of gap junctional coupling in prostate carcinoma and melanoma cell populations. International Journal of Oncology, 2008, 33, 309-15.	3.3	12
63	Apigenin inhibits growth and motility but increases gap junctional coupling intensity in rat prostate carcinoma (MAT-LyLu) cell populations. Cellular and Molecular Biology Letters, 2008, 13, 327-38.	7.0	11
64	High doses of sodium ascorbate interfere with the expansion of glioblastoma multiforme cells in vitro and in vivo. Life Sciences, 2019, 232, 116657.	4.3	11
65	Adipose-Derived Stromal Cells Seeded on Integra® Dermal Regeneration Template Improve Post-Burn Wound Reconstruction. Bioengineering, 2020, 7, 67.	3.5	11
66	Responsiveness of human bronchial fibroblasts and epithelial cells from asthmatic and non-asthmatic donors to the transforming growth factor- β 1 in epithelial-mesenchymal trophic unit model. BMC Molecular and Cell Biology, 2021, 22, 19.	2.0	11
67	Temozolomide Induces the Acquisition of Invasive Phenotype by O6-Methylguanine-DNA Methyltransferase (MGMT)+ Glioblastoma Cells in a Snail-1/Cx43-Dependent Manner. International Journal of Molecular Sciences, 2021, 22, 4150.	4.1	11
68	CD44+ cells determine fenofibrate-induced microevolution of drug-resistance in prostate cancer cell populations. Stem Cells, 2020, 38, 1544-1556.	3.2	11
69	Trimethyltin inhibits the chemotaxis of Dictyostelium discoideum amoebae. European Journal of Protistology, 2001, 37, 313-326.	1.5	10
70	Functional heterogeneity of non-small lung adenocarcinoma cell sub-populations. Cell Biology International, 2012, 36, 99-103.	3.0	10
71	Morpho-physiological heterogeneity of cells within two rat prostate carcinoma cell lines AT-2 and MAT-LyLu differing in the degree of malignancy observed by cell cloning and the effects of caffeine, theophylline and papaverine upon a proportion of the clones. Oncology Reports, 2013, 29, 1789-1796.	2.6	10
72	Efficient and non-toxic gene delivery by anionic lipoplexes based on polypropenyl ammonium salts and their effects on cell physiology. Journal of Gene Medicine, 2016, 18, 331-342.	2.8	10

#	ARTICLE	IF	CITATIONS
73	Fenofibrate Interferes with the Diapedesis of Lung Adenocarcinoma Cells through the Interference with Cx43/EGF-Dependent Intercellular Signaling. <i>Cancers</i> , 2018, 10, 363.	3.7	10
74	Extracellular vesicles from human iPSCs enhance reconstitution capacity of cord blood-derived hematopoietic stem and progenitor cells. <i>Leukemia</i> , 2021, 35, 2964-2977.	7.2	10
75	Pentoxifylline and its active metabolite lisofylline attenuate transforming growth factor β 1-induced asthmatic bronchial fibroblast-to-myofibroblast transition. <i>Acta Biochimica Polonica</i> , 2016, 63, 437-42.	0.5	9
76	Electrotaxis: Cell Directional Movement in Electric Fields. <i>Methods in Molecular Biology</i> , 2018, 1749, 325-340.	0.9	9
77	Topographical control of prostate cancer cell migration. <i>Molecular Medicine Reports</i> , 2009, 2, 865-71.	2.4	8
78	Processing and Ex Vivo Expansion of Adipose Tissue-Derived Mesenchymal Stem/Stromal Cells for the Development of an Advanced Therapy Medicinal Product for use in Humans. <i>Cells</i> , 2021, 10, 1908.	4.1	8
79	Decreasing the thresholds for electroporation by sensitizing cells with local cationic anesthetics and substances that decrease the surface negative electric charge. <i>Cellular and Molecular Biology Letters</i> , 2014, 19, 65-76.	7.0	7
80	Poly(L-lactide-co-glycolide) thin films can act as autologous cell carriers for skin tissue engineering. <i>Cellular and Molecular Biology Letters</i> , 2014, 19, 297-314.	7.0	7
81	Towards water-soluble [60]fullerenes for the delivery of siRNA in a prostate cancer model. <i>Scientific Reports</i> , 2021, 11, 10565.	3.3	7
82	The inhibitory effect of diphenyltin on gap junctional intercellular communication in HEK-293 cells is reduced by thioredoxin reductase 1. <i>Toxicology Letters</i> , 2008, 183, 45-51.	0.8	6
83	Involvement of Cytoskeleton in Orientation of Cell Division in Contact Guided Cells. <i>Folia Biologica</i> , 2009, 58, 21-27.	0.5	6
84	The role of microtubules in electrotaxis of rat Walker carcinosarcoma WC256 cells. <i>Acta Biochimica Polonica</i> , 2015, 62, 401-406.	0.5	6
85	New cationic polyprenyl derivative proposed as a lipofecting agent. <i>Acta Biochimica Polonica</i> , 2007, 54, 873-6.	0.5	6
86	Solute-dependent activation of cell motility in strongly hypertonic solutions in Dictyostelium discoideum, human melanoma HTB-140 cells and walker 256 carcinosarcoma cells. <i>Cellular and Molecular Biology Letters</i> , 2011, 16, 412-30.	7.0	5
87	Contact guidance of Walker carcinosarcoma cells by the underlying normal fibroblasts is inhibited by RGD-containing synthetic peptides. <i>Folia Histochemica Et Cytobiologica</i> , 2002, 40, 251-60.	1.5	5
88	Curcumin augments cytostatic and anti-invasive effects of mitoxantrone on carcinosarcoma cells in vitro. <i>Acta Biochimica Polonica</i> , 2016, 63, 397-401.	0.5	4
89	Boost of serum resistance and storage stability in cationic polyprenyl-based lipofection by helper lipids compositions. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2020, 155, 199-209.	4.3	4
90	Polyprenol-Based Lipofecting Agents for In Vivo Delivery of Therapeutic DNA to Treat Hypertensive Rats. <i>Biochemical Genetics</i> , 2021, 59, 62-82.	1.7	4

#	ARTICLE	IF	CITATIONS
91	CD44 cells determine fenofibrate-induced microevolution of drug-resistance in prostate cancer cell populations. <i>Stem Cells</i> , 2020, , .	3.2	4
92	The effect of tributyltin on human eosinophylic leukemia EoL-1 cells. <i>Cellular and Molecular Biology Letters</i> , 2008, 13, 67-73.	7.0	3
93	Stage-Specific Embryonic Antigen-4 (SSEA-4) as a Distinguishing Marker between Eccrine and Apocrine Origin of Ducts of Sweat Glands. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2437-2440.	0.7	3
94	Asthma-derived fibroblast to myofibroblast transition is enhanced in comparison to fibroblasts derived from non-asthmatic patients in 3D in vitro culture due to Smad2/3 signalling. <i>Acta Biochimica Polonica</i> , 2020, 67, 441-448.	0.5	3
95	Efficacy of Local Anesthetics in Detachment of Normal 3T3 Mouse Fibroblasts and Prostate Cancer AT-2 Cells from Substrata, in Maintenance of Viable Cells in a Non-Adherent State, and in Preservation of Cell Surface Markers Detected with FlowSight Image Cytometry. <i>Folia Biologica</i> , 2015, 63, 249-255.	0.5	2
96	Identification of New Rat Bone Marrow-Derived Population of Very Small Stem Cell with Oct-4A and Nanog Expression by Flow Cytometric Platforms. <i>Stem Cells International</i> , 2016, 2016, 1-14.	2.5	2
97	9-AAA inhibits growth and induces apoptosis in human melanoma A375 and rat prostate adenocarcinoma AT-2 and Mat-LyLu cell lines but does not affect the growth and viability of normal fibroblasts. <i>Oncology Letters</i> , 2016, 12, 4125-4132.	1.8	2
98	Lipofection-Based Delivery of DNA Vaccines. <i>Methods in Molecular Biology</i> , 2021, 2183, 391-404.	0.9	2
99	Experimental cardiovascular and lung research Mobilization of stem cells into the peripheral blood in children with congenital heart disease. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2013, 4, 403-409.	0.1	0