

Xiaoyi Bao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5040917/publications.pdf>

Version: 2024-02-01

511
papers

12,406
citations

36691

53
h-index

42259

96
g-index

513
all docs

513
docs citations

513
times ranked

4835
citing authors

#	ARTICLE	IF	CITATIONS
1	Stimulated Brillouin Scattering and Longitudinal Strain Performance of BOTDA-Based Nonuniform As ₂ Se ₃ -PMMA Tapered Fibers. <i>Journal of Lightwave Technology</i> , 2023, 41, 4359-4365.	2.7	0
2	Frequency-stabilized Brillouin random fiber laser enabled by self-inscribed transient population grating. <i>Optics Letters</i> , 2022, 47, 150.	1.7	13
3	Fabrication of high frequency SAW devices using tri-layer lift-off photolithography. <i>Microelectronic Engineering</i> , 2022, 253, 111671.	1.1	9
4	Measuring Velocity, Attenuation, and Reflection in Surface Acoustic Wave Cavities Through Acoustic Fabry-Pirot Spectra. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2022, PP, 1-1.	1.7	1
5	Acoustic Wave Coupling in Dual-Wavelength Orthogonal Polarized Brillouin Random Fiber Laser Using Polarization-Maintaining Fiber. <i>Journal of Lightwave Technology</i> , 2022, 40, 2541-2547.	2.7	4
6	U-shape core-offset fiber sensor with submicrostrain resolution over a 35 millistrain range. <i>Applied Optics</i> , 2022, 61, 1150.	0.9	6
7	Orthogonal polarization clamping and interleaving in polarization maintaining fiber random Brillouin lasers. <i>Optics Communications</i> , 2022, 509, 127697.	1.0	2
8	Broadband ultrasound sensing based on fused dual-core chalcogenide-PMMA microfibers. <i>Optics Express</i> , 2022, 30, 8847.	1.7	4
9	Sensitivity enhancement of fiber optical polarimetric sensors using self-induced nonlinear phase modulation via the Kerr effect. <i>Optics Express</i> , 2022, 30, 13985.	1.7	4
10	High-resolution surface acoustic wave (SAW) strain sensor based on acoustic Fabry-Pirot resonance. <i>Sensors and Actuators A: Physical</i> , 2022, 338, 113504.	2.0	4
11	Random Number Generation by Brillouin-enhanced Four-wave-mixing in Polarization Maintaining Fiber. , 2022, , .		0
12	Single-shot hybrid CP-OTDR/CP-BOTDA system for simultaneous distributed temperature/strain sensing. , 2022, , .		1
13	Distributed temperature profile in hydrogen flame measured by telecom fiber and its durability under flame by OFDR. <i>Optics Express</i> , 2022, 30, 19390.	1.7	8
14	Generation of high performance optical chirped pulse for distributed strain sensing application with high strain accuracy and larger measurement range. <i>Optics Express</i> , 2022, 30, 18518.	1.7	1
15	Stabilizing Brillouin random laser with photon localization by feedback of distributed random fiber grating array. <i>Optics Express</i> , 2022, 30, 20712.	1.7	12
16	Salinity Concentration Sensing Based on a Tapered Dual-Core As ₂ Se ₃ -PMMA Hybrid Fiber. <i>IEEE Photonics Technology Letters</i> , 2021, 33, 181-184.	1.3	5
17	Stimulated Brillouin scattering in high-birefringence elliptical-core As ₂ Se ₃ -PMMA microfibers. <i>Optics Letters</i> , 2021, 46, 945.	1.7	4
18	Ultrafast Laser Processing of Optical Fibers for Sensing Applications. <i>Sensors</i> , 2021, 21, 1447.	2.1	19

#	ARTICLE	IF	CITATIONS
19	High efficiency Brillouin random fiber laser with replica symmetry breaking enabled by random fiber grating. Optics Express, 2021, 29, 6532.	1.7	19
20	Ultra-low frequency dynamic strain detection with laser frequency drifting compensation based on a random fiber grating array. Optics Letters, 2021, 46, 789.	1.7	14
21	Recent Advancements in Rayleigh Scattering-Based Distributed Fiber Sensors. Advanced Devices & Instrumentation, 2021, 2021, .	4.0	39
22	Distributed static and dynamic detection of an acoustic wave in a Brillouin random fiber laser. Photonics Research, 2021, 9, 772.	3.4	6
23	Development of femtosecond random gratings for fiber laser and sensor applications. , 2021, , .		1
24	All-optical pulse peak power stabilization and its impact in phase-OTDR vibration detection. OSA Continuum, 2021, 4, 1430.	1.8	4
25	Temperature-Insensitive Strain Sensor Based on Microsphere-Embedded Core-Offset Fiber With High Sensitivity. Journal of Lightwave Technology, 2021, 39, 2547-2551.	2.7	11
26	Acousto-Optic Comb Interrogation System for Random Fiber Grating Sensors with Sub-nm Resolution. Sensors, 2021, 21, 3967.	2.1	4
27	Review: distributed time-domain sensors based on Brillouin scattering and FWM enhanced SBS for temperature, strain and acoustic wave detection. Photonix, 2021, 2, 14.	5.5	30
28	Frequency sweep extension using the Kerr effect for static temperature measurement range enhancement in Chirped Pulse Ĩt-OTDR. Optics Express, 2021, 29, 23202.	1.7	5
29	All-optical enhancement of minimum detectable perturbation in intensity-based fiber sensors. Optics Express, 2021, 29, 32114.	1.7	2
30	High extinction ratio optical pulse characterization method via single-photon counting. Applied Optics, 2021, 60, 20.	0.9	3
31	Detection and compensation of laser frequency noise for high resolution optical sensing. , 2021, , .		0
32	All-optical intensity fluctuation magnification using Kerr effect: erratum. Optics Express, 2021, 29, 38082.	1.7	0
33	Single-shot chirped pulse BOTDA for static and dynamic strain sensing. Optics Letters, 2021, 46, 5774.	1.7	11
34	Distributed nano-Strain Sensing Based on Random Fiber Grating Array. , 2021, , .		0
35	A novel method for distributed phase birefringence measurement based on chirped pulse Ĩt-OTDR. , 2021, , .		0
36	Compact silica twisted microfiber for ultrasound sensing. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
37	Non-destructive and distributed measurement of optical fiber diameter with nanometer resolution based on coherent forward stimulated Brillouin scattering. Light Advanced Manufacturing, 2021, 2, 1.	2.2	15
38	Combined tension-compression μ sensor with $1 \mu\text{m}/4$ resolution based on 6 non-uniform-core-offset fiber. , 2021, , .		0
39	High Spatial Resolution Opto-mechanical time-domain analysis. , 2021, , .		0
40	Acousto-optic self-heterodyne comb readout for strain sensing with random fiber grating. , 2021, , .		0
41	Simultaneous inscription of an antisymmetric long-period grating and an apodized fiber Bragg grating on a dual-core As ₂ Se ₃ -PMMA tapered fiber and its strain measurement. , 2021, , .		0
42	Distributed acoustic wave sensing in a Brillouin random fiber laser. , 2021, , .		0
43	Chalcogenide Taper and Its Nonlinear Effects and Sensing Applications. IScience, 2020, 23, 100802.	1.9	21
44	High spatial resolution: an integrative review of its developments on the Brillouin optical time- and correlation-domain analysis. Measurement Science and Technology, 2020, 31, 052001.	1.4	14
45	Distributed High Temperature Monitoring of SMF under Electrical Arc Discharges Based on OFDR. Sensors, 2020, 20, 6407.	2.1	12
46	Simultaneously Self-Inscribed Antisymmetric Long-Period Grating and Antisymmetric Apodized Fiber Bragg Grating in a Dual-Core As ₂ Se ₃ -PMMA Tapered Fiber. Journal of Lightwave Technology, 2020, 38, 6345-6351.	2.7	0
47	Tapered Assisted Dual Micro-Bubble-Device for Ultrasound Sensor. IEEE Photonics Technology Letters, 2020, 32, 1219-1222.	1.3	8
48	Dynamic detection of acoustic wave generated by polarization maintaining Brillouin random fiber laser. APL Photonics, 2020, 5, 096101.	3.0	9
49	Random Fiber Grating Characterization Based on OFDR and Transfer Matrix Method. Sensors, 2020, 20, 6071.	2.1	3
50	Fabrication of Multiple Superimposed Fiber Bragg Gratings for Multiple Parameter Sensing. , 2020, 4, 1-4.		1
51	High-Efficiency Random Fiber Laser Based on Strong Random Fiber Grating for MHz Ultrasonic Sensing. IEEE Sensors Journal, 2020, 20, 5885-5892.	2.4	20
52	Fiber-Optic Ultrasound Transmitter Based on Multi-Mode Interference in Curved Adhesive Waveguide. IEEE Photonics Technology Letters, 2020, 32, 325-328.	1.3	14
53	Fabrication of chirped fiber Bragg gratings in a non-uniform single-core As ₂ Se ₃ -PMMA tapered fiber. Journal of Lightwave Technology, 2020, , 1-1.	2.7	3
54	Fiber-Optic Sensor Based on Core-Offset Fused Unequal-Length Fiber Segments to Improve Ultrasound Detection Sensitivity. IEEE Sensors Journal, 2020, 20, 9148-9154.	2.4	5

#	ARTICLE	IF	CITATIONS
55	All-optical intensity fluctuation magnification using Kerr effect. Optics Express, 2020, 28, 3789.	1.7	9
56	Unveiling delay-time-resolved phase noise statistics of narrow-linewidth laser via coherent optical time domain reflectometry. Optics Express, 2020, 28, 6719.	1.7	12
57	Signal-to-noise ratio analysis of computational distributed fiber-optic sensing. Optics Express, 2020, 28, 9563.	1.7	4
58	Wide-range strain sensor based on Brillouin frequency and linewidth in an As ₂ Se ₃ -PMMA hybrid microfiber. Optics Express, 2020, 28, 22933.	1.7	7
59	Nonlinear resolution enhancement of an FBG based temperature sensor using the Kerr effect. Optics Express, 2020, 28, 39181.	1.7	8
60	Mode characteristic manipulation of random feedback interferometers in Brillouin random fiber laser. Optics Letters, 2020, 45, 678.	1.7	12
61	Chalcogenide microfiber-assisted silica microfiber for ultrasound detection. Optics Letters, 2020, 45, 1128.	1.7	16
62	Stimulated Brillouin scattering in a tapered dual-core As ₂ Se ₃ -PMMA fiber for simultaneous temperature and strain sensing. Optics Letters, 2020, 45, 3301.	1.7	16
63	Distributed time delay sensing in a random fiber grating array based on chirped pulse Ï-OTDR. Optics Letters, 2020, 45, 3423.	1.7	12
64	Combined compression-tension strain sensor over 1âm by using non-uniform multiple-core-offset fiber. Optics Letters, 2020, 45, 3143.	1.7	12
65	Ultracompact twisted silica taper for 20âHz to 94âMHz ultrasound sensing. Optics Letters, 2020, 45, 3889.	1.7	11
66	Compact single-end pumped Brillouin random fiber laser with enhanced distributed feedback. Optics Letters, 2020, 45, 4236.	1.7	16
67	Strain measurement range enhanced chirped pulse Ï-OTDR for distributed static and dynamic strain measurement based on random fiber grating array. Optics Letters, 2020, 45, 6110.	1.7	18
68	Opto-mechanical time-domain analysis based on coherent forward stimulated Brillouin scattering probing. Optica, 2020, 7, 176.	4.8	64
69	Performance enhancement of Brillouin sensing systems based on compressive sampling. OSA Continuum, 2020, 3, 3116.	1.8	1
70	Approach for Temperature-Sensitivity Enhancement in a Tapered Dual-Core As ₂ Se ₃ -PMMA Fiber With an Antisymmetric Long-Period Grating. Journal of Lightwave Technology, 2019, 37, 2734-2738.	2.7	6
71	Calculation Method of Brillouin Power and Frequency Coefficients for Fiber Strain and Temperature Based on Multi-Layer Segmentation. Journal of Lightwave Technology, 2019, 37, 4947-4956.	2.7	1
72	Refractive index sensing based on Brillouin scattering in a micro fiber. Applied Physics Express, 2019, 12, 082013.	1.1	9

#	ARTICLE	IF	CITATIONS
73	Computational distributed fiber-optic sensing. <i>Optics Express</i> , 2019, 27, 17069.	1.7	11
74	Precision Dynamic Sensing With Ultra-Weak Fiber Bragg Grating Arrays by Wavelength to Frequency Transform. <i>Journal of Lightwave Technology</i> , 2019, 37, 3526-3531.	2.7	9
75	Low-Loss Random Fiber Gratings Made With an fs-IR Laser for Distributed Fiber Sensing. <i>Journal of Lightwave Technology</i> , 2019, 37, 4697-4702.	2.7	35
76	10 kHz-34 MHz ultrasound detection based on a dual-core hybrid taper. <i>APL Photonics</i> , 2019, 4, 110805.	3.0	9
77	Time-delay signature concealed broadband gain-coupled chaotic laser with fiber random grating induced distributed feedback. <i>Optics and Laser Technology</i> , 2019, 109, 654-658.	2.2	15
78	Micro-Cavity Array With High Accuracy for Fully Distributed Optical Fiber Sensing. <i>Journal of Lightwave Technology</i> , 2019, 37, 927-932.	2.7	15
79	Trench-assisted multimode fiber used in Brillouin optical time domain sensors. <i>Optics Express</i> , 2019, 27, 11396.	1.7	12
80	Simultaneous generation of guided-acoustic-wave Brillouin scattering and stimulated-Brillouin-scattering in hybrid As_2Se_3 -PMMA microtapers. <i>Optics Express</i> , 2019, 27, 13734.	1.7	8
81	Ultrasound sensing based on an in-fiber dual-cavity Fabry-Perot interferometer. <i>Optics Letters</i> , 2019, 44, 3606.	1.7	42
82	Thermal and acoustic noise insensitive Brillouin random fiber laser based on polarization-maintaining random fiber grating. <i>Optics Letters</i> , 2019, 44, 4195.	1.7	16
83	High birefringent Brillouin frequency shifts in a single-mode As_2Se_3 -PMMA microtaper induced by a transverse load. <i>Optics Letters</i> , 2019, 44, 4789.	1.7	9
84	Simultaneous generation of guided-acoustic-wave Brillouin scattering and stimulated-Brillouin-scattering in hybrid As_2Se_3 -PMMA microtapers: errata. <i>Optics Express</i> , 2019, 27, 19842.	1.7	0
85	Multi-Wavelength Brillouin Random Fiber Laser via Distributed Feedback From a Random Fiber Grating. <i>Journal of Lightwave Technology</i> , 2018, 36, 2122-2128.	2.7	55
86	Linearly Polarized Multi-Wavelength Fiber Laser Comb via Brillouin Random Lasing Oscillation. <i>IEEE Photonics Technology Letters</i> , 2018, 30, 1005-1008.	1.3	9
87	Micro-structured fibers and their applications in fiber-optic sensors and random fiber lasers. <i>Canadian Journal of Physics</i> , 2018, 96, 359-365.	0.4	2
88	Multiwavelength Coherent Brillouin Random Fiber Laser With Ultrahigh Optical Signal-to-Noise Ratio. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2018, 24, 1-8.	1.9	22
89	Detection of Thermal Strain in Steel Rails with BOTDA. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 2013.	1.3	4
90	Orthogonal polarization switchable lasing based on axial polarization pulling of SBS in polarization-maintaining fiber. <i>Optics Express</i> , 2018, 26, 28385.	1.7	5

#	ARTICLE	IF	CITATIONS
91	Approach for temperature-insensitive strain measurement using a dual-core As ₂ Se ₃ -PMMA taper. Optics Letters, 2018, 43, 1523.	1.7	7
92	High-Sensitivity Temperature and Strain Measurement in Dual-Core Hybrid Tapers. IEEE Photonics Technology Letters, 2018, 30, 1155-1158.	1.3	16
93	Simultaneous distributed static and dynamic sensing based on ultra-short fiber Bragg gratings. Optics Express, 2018, 26, 17437.	1.7	49
94	High-speed demodulation of weak fiber Bragg gratings based on microwave photonics and chromatic dispersion. Optics Letters, 2018, 43, 2430.	1.7	19
95	Single-shot BOTDA based on an optical chirp chain probe wave for distributed ultrafast measurement. Light: Science and Applications, 2018, 7, 32.	7.7	158
96	Spatially Resolved Brillouin Spectral Hole Burning in PMF and SMF. IEEE Photonics Journal, 2018, 10, 1-8.	1.0	1
97	Simultaneous Measurement of Temperature and Strain in a Dual-Core As ₂ Se ₃ -PMMA Taper. IEEE Photonics Technology Letters, 2018, 30, 79-82.	1.3	11
98	Random Fiber Gratings Fabricated Using Fs-IR Laser for Distributed Temperature Sensor Application. , 2018, , .		4
99	150km fast BOTDA based on the optical chirp chain probe wave and Brillouin loss scheme. Optics Letters, 2018, 43, 4679.	1.7	47
100	Large-scale multiplexing of a FBG array with randomly varied characteristic parameters for distributed sensing. Optics Letters, 2018, 43, 5259.	1.7	23
101	Brillouin optical time-domain analysis via compressed sensing. Optics Letters, 2018, 43, 5496.	1.7	26
102	Linearly Polarized Multi-wavelength Comb via Rayleigh Scattering induced Brillouin Random Lasing Resonance. , 2018, , .		2
103	Sub-MHz Ultrasonic Sensor Using Fiber Laser Based on Random Fiber Grating. , 2018, , .		1
104	The Kerr phase-interrogator: exploiting the nonlinear Kerr-effect for overcoming fundamental limitations in linear sensing approaches. , 2018, , .		1
105	Spectral Polarization Spreading Behaviors in Stimulated Brillouin Scattering of Fibers. IEEE Photonics Journal, 2017, 9, 1-11.	1.0	4
106	Distributed hydrostatic pressure sensor using a thin-diameter and polarization-maintaining photonics crystal fiber based on Brillouin dynamic gratings. Proceedings of SPIE, 2017, , .	0.8	0
107	Multi-parameter fiber optic sensors based on fiber random grating. , 2017, , .		2
108	Measuring strain fields in FRP strengthened RC shear walls using a distributed fiber optic sensor. Engineering Structures, 2017, 152, 359-369.	2.6	24

#	ARTICLE	IF	CITATIONS
109	Introduction to the Issue on Photonics for Sensing. IEEE Journal of Selected Topics in Quantum Electronics, 2017, 23, 5-7.	1.9	6
110	A High-Speed Distributed Ultra-Weak FBG Sensing System With High Resolution. IEEE Photonics Technology Letters, 2017, 29, 1249-1252.	1.3	30
111	High-Speed Random Bit Generation via Brillouin Random Fiber Laser With Non-Uniform Fibers. IEEE Photonics Technology Letters, 2017, 29, 1352-1355.	1.3	13
112	Recent Development in the Distributed Fiber Optic Acoustic and Ultrasonic Detection. Journal of Lightwave Technology, 2017, 35, 3256-3267.	2.7	89
113	High-efficiency Brillouin random fiber laser using all-polarization maintaining ring cavity. Optics Express, 2017, 25, 11306.	1.7	39
114	Self-inscribed antisymmetric long-period grating in a dual-core As ₂ Se ₃ -PMMA fiber. Optics Express, 2017, 25, 12409.	1.7	15
115	Single-mode SOA-based 1kHz-linewidth dual-wavelength random fiber laser. Optics Express, 2017, 25, 15828.	1.7	60
116	Polarization dependent Brillouin frequency shift fluctuation induced by low birefringence in single mode fiber. Optics Express, 2017, 25, 31896.	1.7	9
117	Time-delay signature suppression in a chaotic semiconductor laser by fiber random grating induced random distributed feedback. Optics Letters, 2017, 42, 4107.	1.7	38
118	Highly sensitive fiber random-grating-based random laser sensor for ultrasound detection. Optics Letters, 2017, 42, 1353.	1.7	78
119	Recent Developments in Micro-Structured Fiber Optic Sensors. Fibers, 2017, 5, 3.	1.8	51
120	Multi-wavelength Coherent Brillouin Random Fiber Laser with High Optical Signal-to-Noise Ratio. , 2017, , .		3
121	Linearly polarized low-noise Brillouin random fiber laser. Optics Letters, 2017, 42, 739.	1.7	31
122	Real-time physical random bit generation at Gbps based on random fiber lasers. Optics Letters, 2017, 42, 4796.	1.7	12
123	Fiber random grating feedback induced chaos in semiconductor laser with highly suppressed time-delay signature. , 2017, , .		0
124	Random Brillouin fiber laser for tunable ultra-narrow linewidth microwave generation. Optics Letters, 2016, 41, 4839.	1.7	19
125	Temperature-compensated distributed hydrostatic pressure sensor with a thin-diameter polarization-maintaining photonic crystal fiber based on Brillouin dynamic gratings. Optics Letters, 2016, 41, 4413.	1.7	50
126	Enhancement of optical pulse extinction-ratio using the nonlinear Kerr effect for phase-OTDR. Optics Express, 2016, 24, 19424.	1.7	29

#	ARTICLE	IF	CITATIONS
127	Tapered fiber based Brillouin random fiber laser and its application for linewidth measurement. Optics Express, 2016, 24, 28353.	1.7	17
128	Multi-parameter sensor based on random fiber lasers. AIP Advances, 2016, 6, .	0.6	25
129	Phase-shift detection in a Fourier-transform method for temperature sensing using a tapered fiber microknot resonator. Optics Letters, 2016, 41, 1344.	1.7	1
130	Phase-shifted Brillouin dynamic gratings using single pump phase-modulation: proof of concept. Optics Express, 2016, 24, 11218.	1.7	7
131	Distributed dynamic strain measurement using optical frequency-domain reflectometry. Applied Optics, 2016, 55, 6735.	2.1	39
132	Influence of finite extinction ratio on performance of phase-sensitive optical time-domain reflectometry. Optics Express, 2016, 24, 13325.	1.7	38
133	Low-noise Brillouin random fiber laser with a random grating-based resonator. Optics Letters, 2016, 41, 3197.	1.7	38
134	1200Å°C high-temperature distributed optical fiber sensing using Brillouin optical time domain analysis. Applied Optics, 2016, 55, 5471.	2.1	32
135	Study of D-OTDR stability for dynamic strain measurement in piezoelectric vibration. Photonic Sensors, 2016, 6, 199-208.	2.5	18
136	Multi-parameter sensor based on stimulated Brillouin scattering in inverse-parabolic graded-index fiber. Optics Letters, 2016, 41, 1138.	1.7	32
137	Study of chromatic dispersion impact on nonlinear interaction between two sinusoidally modulated optical signals using theory of four-wave mixing. Journal of the Optical Society of America B: Optical Physics, 2016, 33, 110.	0.9	2
138	Theoretical and Experimental Analysis of O-OTDR Based on Polarization Diversity Detection. IEEE Photonics Technology Letters, 2016, 28, 697-700.	1.3	88
139	Distributed acoustic wave detection with Rayleigh scattering. , 2016, , .		0
140	High-sensitivity distributed transverse load sensor with an elliptical-core fiber based on Brillouin dynamic gratings. Optics Letters, 2015, 40, 5003.	1.7	25
141	Dispersion characterization of group birefringence in polarization-maintaining fiber using a Kerr phase-interrogator. Proceedings of SPIE, 2015, , .	0.8	1
142	Bend-insensitive distributed sensing in singlemode-multimode-singlemode optical fiber structure by using Brillouin optical time-domain analysis. , 2015, , .		0
143	Multiwavelength Single-Longitudinal-Mode Brillouinâ€Erbium Fiber Laser Sensor for Temperature Measurements With Ultrahigh Resolution. IEEE Photonics Journal, 2015, 7, 1-9.	1.0	11
144	Polarization dependence of the nonlinear interaction between sinusoidally modulated optical signals in a randomly birefringent optical fiber. Applied Optics, 2015, 54, 9563.	2.1	0

#	ARTICLE	IF	CITATIONS
145	Truly random bit generation based on a novel random Brillouin fiber laser. Optics Letters, 2015, 40, 5415.	1.7	19
146	Optical fiber random grating-based multiparameter sensor. Optics Letters, 2015, 40, 5514.	1.7	55
147	Distributed group birefringence measurement in a polarization-maintaining fiber using optical frequency-domain reflectometry. Optics Communications, 2015, 345, 62-66.	1.0	5
148	Low Frequency-Noise Random Fiber Laser With Bidirectional SBS and Rayleigh Feedback. IEEE Photonics Technology Letters, 2015, 27, 490-493.	1.3	27
149	Dispersion effects of high-order-mode fiber on temperature and axial strain discrimination. Photonic Sensors, 2015, 5, 224-234.	2.5	4
150	Incoherent Brillouin Optical Time-Domain Reflectometry With Random State Correlated Brillouin Spectrum. IEEE Photonics Journal, 2015, 7, 1-7.	1.0	13
151	Group-Delay-Based Temperature Sensing in Linearly-Chirped Fiber Bragg Gratings Using a Kerr Phase-Interrogator. Journal of Lightwave Technology, 2015, 33, 381-385.	2.7	17
152	Multi-parameter sensing based on the stimulated Brillouin scattering of higher-order acoustic modes in OAM fiber. Proceedings of SPIE, 2015, , .	0.8	2
153	Sensitivity enhancement beyond the wavelength limit in a novel sub-micron displacement sensor. Optics Express, 2015, 23, 17838.	1.7	7
154	Bend-insensitive distributed sensing in singlemode-multimode-singlemode optical fiber structure by using Brillouin optical time-domain analysis. Optics Express, 2015, 23, 22714.	1.7	31
155	Random Fabry-Perot resonator-based sub-kHz Brillouin fiber laser to improve spectral resolution in linewidth measurement. Optics Letters, 2015, 40, 1920.	1.7	28
156	1200°C high-temperature distributed Brillouin optical fiber sensing based on photonics crystal fiber. Proceedings of SPIE, 2015, , .	0.8	0
157	High-sensitive distributed transverse load sensing based on Brillouin dynamic gratings. , 2015, , .		1
158	Frequency Response Enhancement by Periodical Nonuniform Sampling in Distributed Sensing. IEEE Photonics Technology Letters, 2015, 27, 2158-2161.	1.3	42
159	Dynamic distributed Brillouin optical fiber sensing based on multi-slope analysis. Proceedings of SPIE, 2015, , .	0.8	1
160	Chromatic-Dispersion Monitor Based on a Differential Phase-Shift Method Using a Kerr Phase-Interrogator. IEEE Photonics Journal, 2015, 7, 1-6.	1.0	8
161	Review: optical fiber sensors for civil engineering applications. Materials and Structures/Materiaux Et Constructions, 2015, 48, 871-906.	1.3	293
162	In-fiber Mach-Zehnder interferometric refractive index sensors with guided and leaky modes. Sensors and Actuators B: Chemical, 2015, 206, 246-251.	4.0	51

#	ARTICLE	IF	CITATIONS
163	Suppression of thermal frequency noise in erbium-doped fiber random lasers. Optics Letters, 2014, 39, 1038.	1.7	41
164	Long-Range High Spatial Resolution Distributed Temperature and Strain Sensing Based on Optical Frequency-Domain Reflectometry. IEEE Photonics Journal, 2014, 6, 1-8.	1.0	129
165	Random spaced index modulation for a narrow linewidth tunable fiber laser with low intensity noise. Optics Letters, 2014, 39, 2294.	1.7	42
166	Sub-MHz ultrahigh-resolution optical spectrometry based on Brillouin dynamic gratings. Optics Letters, 2014, 39, 2967.	1.7	52
167	Moment-generating function method used to accurately evaluate the impact of the linearized optical noise amplified by EDFAs. Optics Express, 2014, 22, 6620.	1.7	0
168	Chromatic-dispersion measurement by modulation phase-shift method using a Kerr phase-interrogator. Optics Express, 2014, 22, 22314.	1.7	18
169	Characterization of evolution of mode coupling in a graded-index polymer optical fiber by using Brillouin optical time-domain analysis. Optics Express, 2014, 22, 26510.	1.7	50
170	Effects of polarization on stimulated Brillouin scattering in a birefringent optical fiber. Photonics Research, 2014, 2, 126.	3.4	7
171	Displacement sensor based on Kerr induced phase-modulation of orthogonally polarized sinusoidal optical signals. Optics Express, 2014, 22, 9095.	1.7	11
172	Narrow linewidth low frequency noise Er-doped fiber ring laser based on femtosecond laser induced random feedback. Applied Physics Letters, 2014, 105, .	1.5	30
173	OTDR and OFDR for distributed multi-parameter sensing. Proceedings of SPIE, 2014, , .	0.8	4
174	Displacement measurement based on cross-phase modulation of orthogonally polarized sinusoidal optical signals. Proceedings of SPIE, 2014, , .	0.8	0
175	Tapered polarization-maintaining fiber sensor based on analysis of polarization evolution. , 2014, , .		2
176	Real distributed vibration sensing with high frequency response based on pulse pair. Proceedings of SPIE, 2014, , .	0.8	2
177	High-resolution high-sensitivity and truly distributed optical frequency domain reflectometry for structural crack detection. Proceedings of SPIE, 2014, , .	0.8	2
178	Bend-insensitive fiber based vibration sensor. Proceedings of SPIE, 2014, , .	0.8	0
179	Ultrahigh resolution optical spectrometry based on Brillouin dynamic grating. Proceedings of SPIE, 2014, , .	0.8	0
180	Characterization of high nonlinearity in Brillouin amplification in optical fibers with applications in fiber sensing and photonic logic. Photonics Research, 2014, 2, 1.	3.4	14

#	ARTICLE	IF	CITATIONS
181	Ultranarrow Linewidth Brillouin Fiber Laser. IEEE Photonics Technology Letters, 2014, 26, 2058-2061.	1.3	24
182	Distributed vibration/acoustic sensing with high frequency response and spatial resolution based on time-division multiplexing. Optics Communications, 2014, 331, 287-290.	1.0	16
183	Investigation of combined Brillouin gain and loss in a birefringent fiber with applications in sensing. Chinese Optics Letters, 2014, 12, 123101.	1.3	1
184	Distributed Strain and Temperature Measurement by Brillouin Beat Spectrum. IEEE Photonics Technology Letters, 2013, 25, 1050-1053.	1.3	27
185	Distributed birefringence measurement for optical fibers and fiber based devices. , 2013, , .		0
186	Compensation of temperature and strain coefficients due to local birefringence using optical frequency domain reflectometry. Optics Communications, 2013, 311, 26-32.	1.0	39
187	Distributed Temperature and Strain Discrimination with Stimulated Brillouin Scattering and Rayleigh Backscatter in an Optical Fiber. Sensors, 2013, 13, 1836-1845.	2.1	66
188	Discrimination of temperature and axial strain using dispersion effects of high-order-mode fibers. , 2013, , .		2
189	Modulated pulses based distributed vibration sensing with high frequency response and spatial resolution. Optics Express, 2013, 21, 2953.	1.7	159
190	In-fiber interferometers for temperature corrected refractive index sensing with guided and leaky modes. , 2013, , .		0
191	All Fiber Distributed Vibration Sensing Using Modulated Time-Difference Pulses. IEEE Photonics Technology Letters, 2013, 25, 1955-1957.	1.3	53
192	Long-Range and High-Spatial-Resolution Distributed Birefringence Measurement of a Polarization-Maintaining Fiber Based on Brillouin Dynamic Grating. Journal of Lightwave Technology, 2013, 31, 2681-2686.	2.7	22
193	High-spatial-resolution fast Brillouin optical fiber sensor for distributed dynamic measurement based on differential double-pulse. Proceedings of SPIE, 2013, , .	0.8	0
194	Distributed vibration sensing based on time-difference pulses. , 2013, , .		0
195	Highly sensitive in-fiber interferometric refractometer with temperature and axial strain compensation. Optics Express, 2013, 21, 9996.	1.7	63
196	Frequency stabilized coherent Brillouin random fiber laser: theory and experiments. Optics Express, 2013, 21, 27155.	1.7	75
197	Polarization-maintaining property of tapered polarization-maintaining fibers. Applied Optics, 2013, 52, 1550.	0.9	7
198	All-optical NAND/NOT/AND/OR logic gates based on combined Brillouin gain and loss in an optical fiber. Applied Optics, 2013, 52, 3404.	0.9	9

#	ARTICLE	IF	CITATIONS
199	Polarization-decoupled four-wave mixing based on stimulated Brillouin scattering in a polarization-maintaining fiber. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2013, 30, 821.	0.9	9
200	Vibration sensing using a tapered bend-insensitive fiber based Mach-Zehnder interferometer. <i>Optics Express</i> , 2013, 21, 3031.	1.7	57
201	In-line fiber microcantilever vibration sensor. <i>Applied Physics Letters</i> , 2013, 103, .	1.5	24
202	High-Spatial-Resolution Fast BOTDA for Dynamic Strain Measurement Based on Differential Double-Pulse and Second-Order Sideband of Modulation. <i>IEEE Photonics Journal</i> , 2013, 5, 2600407-2600407.	1.0	82
203	Observation of narrow linewidth spikes in the coherent Brillouin random fiber laser. <i>Optics Letters</i> , 2013, 38, 1866.	1.7	118
204	Differential Gain in Distributed Brillouin Sensors. , 2013, , .		0
205	All-fiber acceleration sensor with temperature self-compensation. , 2012, , .		0
206	Continuous wavelet transform for non-stationary vibration detection with phase-OTDR. <i>Optics Express</i> , 2012, 20, 20459.	1.7	101
207	Rayleigh scattering-assisted narrow linewidth Brillouin lasing in cascaded fiber. <i>Optics Letters</i> , 2012, 37, 3129.	1.7	74
208	Polarization averaged short-time Fourier transform technique for distributed fiber birefringence characterization using Brillouin gain. <i>Applied Optics</i> , 2012, 51, 4359.	0.9	7
209	Distributed birefringence measurement with beat period detection of homodyne Brillouin optical time-domain reflectometry. <i>Optics Letters</i> , 2012, 37, 3936.	1.7	23
210	Polarization dependence of Brillouin linewidth and peak frequency due to fiber inhomogeneity in single mode fiber and its impact on distributed fiber Brillouin sensing. <i>Optics Express</i> , 2012, 20, 6385.	1.7	25
211	Thermal and mechanical properties of tapered single mode fiber measured by OFDR and its application for high-sensitivity force measurement. <i>Optics Express</i> , 2012, 20, 14779.	1.7	18
212	Distributed vibration sensing with time-resolved optical frequency-domain reflectometry. <i>Optics Express</i> , 2012, 20, 13138.	1.7	120
213	Lateral Stress Detection Using a Tapered Fiber Mach-Zehnder Interferometer. <i>IEEE Photonics Technology Letters</i> , 2012, 24, 2038-2041.	1.3	8
214	The non-uniformity and dispersion in SBS-based fiber sensors. , 2012, , .		3
215	High-spatial-resolution distributed vibration measurement using time-resolved optical frequency-domain reflectometry. <i>Proceedings of SPIE</i> , 2012, , .	0.8	0
216	Continuous wavelet transform for non-stationary vibration detection with phase-OTDR. <i>Proceedings of SPIE</i> , 2012, , .	0.8	1

#	ARTICLE	IF	CITATIONS
217	Distributed birefringence measurement of a polarization maintaining fiber with a 20cm resolution over a 500m range based on Brillouin dynamic grating. , 2012, , .		0
218	Wavelet Denoising Method for Improving Detection Performance of Distributed Vibration Sensor. IEEE Photonics Technology Letters, 2012, 24, 542-544.	1.3	246
219	Distributed Mode Coupling Measurement Along Tapered Single-Mode Fibers With Optical Frequency-Domain Reflectometry. Journal of Lightwave Technology, 2012, 30, 1499-1508.	2.7	12
220	2 \hat{A} cm spatial-resolution and 2 km range Brillouin optical fiber sensor using a transient differential pulse pair. Applied Optics, 2012, 51, 1229.	0.9	221
221	Simultaneous refractive index and temperature measurements using a tapered bend-resistant fiber interferometer. Optics Letters, 2012, 37, 4567.	1.7	49
222	Tapered-fiber-based refractive index sensor at an air/solution interface. Applied Optics, 2012, 51, 7368.	0.9	29
223	Distributed birefringence, strain and temperature measurement by homodyne BOTDR. Proceedings of SPIE, 2012, , .	0.8	1
224	Stimulated Brillouin scattering induced refractive index changes measurement in an optical fiber. Proceedings of SPIE, 2012, , .	0.8	0
225	Recent Progress in Distributed Fiber Optic Sensors. Sensors, 2012, 12, 8601-8639.	2.1	1,026
226	Impacts of Kerr effect and fiber dispersion on long-range Brillouin optical time-domain analysis systems. , 2012, , .		2
227	Characterization of Brillouin Gratings in Optical Fibers and Their Applications. , 2012, , .		7
228	A self-gain random distributed feedback fiber laser based on stimulated Rayleigh scattering. Optics Communications, 2012, 285, 1371-1374.	1.0	24
229	Brillouin Spectrum in LEAF and Simultaneous Temperature and Strain Measurement. Journal of Lightwave Technology, 2012, 30, 1053-1059.	2.7	64
230	Extending the Sensing Range of Brillouin Optical Time-Domain Analysis Combining Frequency-Division Multiplexing and In-Line EDFAs. Journal of Lightwave Technology, 2012, 30, 1161-1167.	2.7	101
231	Distributed Birefringence Measurement of a 500-m Polarization-Maintaining Fiber with a 20-cm Resolution Based on Brillouin Dynamic Grating. , 2012, , .		0
232	High-sensitivity force measurement using optical tapered fiber with optical frequency-domain reflectometry. , 2012, , .		1
233	2-km-range and 2-cm-spatial-resolution Brillouin optical fiber sensor using a transient differential pulse pair. , 2011, , .		2
234	Vibration monitoring with high frequency response based on coherent phase-sensitive OTDR method. , 2011, , .		3

#	ARTICLE	IF	CITATIONS
235	High Sensitivity Distributed Vibration Sensor Based on Polarization-Maintaining Configurations of Phase-OTDR. IEEE Photonics Technology Letters, 2011, 23, 1091-1093.	1.3	168
236	100-km sensing range Brillouin optical time domain analysis based on time-division multiplexing. , 2011, , .		3
237	Tunable narrow linewidth and stable frequency laser based on stimulated Rayleigh scattering in non-uniform optical fiber. Proceedings of SPIE, 2011, , .	0.8	0
238	A Single Longitudinal-Mode Tunable Fiber Ring Laser Based on Stimulated Rayleigh Scattering in a Nonuniform Optical Fiber. Journal of Lightwave Technology, 2011, 29, 1802-1807.	2.7	56
239	Recent Progress in Brillouin Scattering Based Fiber Sensors. Sensors, 2011, 11, 4152-4187.	2.1	520
240	A novel optical fiber current sensor using polarization diversity and a Faraday rotation mirror cavity. , 2011, , .		1
241	High sensitivity optical fiber current sensor based on polarization diversity and a Faraday rotation mirror cavity. Applied Optics, 2011, 50, 924.	2.1	37
242	Sensitive acoustic vibration sensor using single-mode fiber tapers. Applied Optics, 2011, 50, 1873.	2.1	45
243	Effect of beam waists on performance of the tunable fiber laser based on in-line two-taper Mach-Zehnder interferometer filter. Applied Optics, 2011, 50, 5714.	2.1	25
244	Tunable Fabry-Perot filter using hollow-core photonic bandgap fiber and micro-fiber for a narrow-linewidth laser. Optics Express, 2011, 19, 9617.	1.7	18
245	Four-wave mixing analysis of Brillouin dynamic grating in a polarization-maintaining fiber: theory and experiment. Optics Express, 2011, 19, 20785.	1.7	32
246	Tunable Er-doped fiber ring laser with single longitudinal mode operation based on Rayleigh backscattering in single mode fiber. Optics Express, 2011, 19, 25981.	1.7	58
247	Time-division multiplexing-based BOTDA over 100km sensing length. Optics Letters, 2011, 36, 277.	1.7	132
248	High performance BOTDA for long range sensing. , 2011, , .		1
249	Tunable Fabry-Perot filter based on hollow-core photonic bandgap fiber and micro-fiber and its application. , 2011, , .		1
250	Distributed fiber beat length, birefringence and differential group delay measurement using BOTDA technique. Proceedings of SPIE, 2011, , .	0.8	2
251	High-axial-resolution distributed lateral displacement measurement based on differential pulse-width pair BOTDA. , 2011, , .		1
252	Simultaneous temperature and strain measurement with bandwidth and peak of the Brillouin spectrum in LEAF fiber. Proceedings of SPIE, 2011, , .	0.8	3

#	ARTICLE	IF	CITATIONS
253	Recent progress in optical fiber sensors based on Brillouin scattering at university of Ottawa. Photonic Sensors, 2011, 1, 102-117.	2.5	38
254	Refractive index sensing based on Mach-Zehnder interferometer formed by three cascaded single-mode fiber tapers. Proceedings of SPIE, 2011, , .	0.8	5
255	Refractive index and temperature sensor based on double-pass in-line Mach-Zehnder interferometer. Proceedings of SPIE, 2011, , .	0.8	1
256	High performance Brillouin strain and temperature sensor based on frequency division multiplexing using nonuniform fibers over 75km fiber. Proceedings of SPIE, 2011, , .	0.8	4
257	Characteristics of stimulated Rayleigh scattering in optical fibers. Proceedings of SPIE, 2011, , .	0.8	3
258	Online monitoring of the distributed lateral displacement in large AC power generators using a high spatial resolution Brillouin optical fiber sensor. Smart Materials and Structures, 2011, 20, 115001.	1.8	3
259	Pushing the limit of the distributed Brillouin sensors for the sensing length and the spatial resolution. Proceedings of SPIE, 2010, , .	0.8	4
260	High-Spatial-Resolution Time-Domain Simultaneous Strain and Temperature Sensor Using Brillouin Scattering and Birefringence in a Polarization-Maintaining Fiber. IEEE Photonics Technology Letters, 2010, 22, 1364-1366.	1.3	79
261	Double-Pass In-Line Fiber Taper Mach-Zehnder Interferometer Sensor. IEEE Photonics Technology Letters, 2010, 22, 1750-1752.	1.3	52
262	System optimization of a long-range Brillouin-loss-based distributed fiber sensor. Applied Optics, 2010, 49, 5020.	2.1	34
263	Fiber-optic Mach-Zehnder interferometer as a high-precision temperature sensor: effects of temperature fluctuations on surface biosensing. Applied Optics, 2010, 49, 5682.	2.1	3
264	Application of spectrum differential integration method in an in-line fiber Mach-Zehnder refractive index sensor. Optics Express, 2010, 18, 8135.	1.7	50
265	A fourth-order Runge-Kutta in the interaction picture method for numerically solving the coupled nonlinear Schrödinger equation. Optics Express, 2010, 18, 8261.	1.7	22
266	Characterization of the Brillouin grating spectra in a polarization-maintaining fiber. Optics Express, 2010, 18, 18960.	1.7	47
267	Experimental study on stimulated Rayleigh scattering in optical fibers. Optics Express, 2010, 18, 22958.	1.7	69
268	Truly distributed birefringence measurement of polarization-maintaining fibers based on transient Brillouin grating. Optics Letters, 2010, 35, 193.	1.7	99
269	High-resolution DPP-BOTDA over 50 km LEAF using return-to-zero coded pulses. Optics Letters, 2010, 35, 1503.	1.7	106
270	C- and L-band tunable fiber ring laser using a two-taper Mach-Zehnder interferometer filter. Optics Letters, 2010, 35, 3354.	1.7	63

#	ARTICLE	IF	CITATIONS
271	Improved FBC Polarimeter Design Evaluated Using VCM Extension to Elliptical Polarization. Journal of Lightwave Technology, 2010, 28, 1032-1041.	2.7	5
272	A Novel Distributed Brillouin Sensor Based on Optical Differential Parametric Amplification. Journal of Lightwave Technology, 2010, 28, 2621-2626.	2.7	34
273	Distributed Vibration Sensor Based on Coherent Detection of Phase-OTDR. Journal of Lightwave Technology, 2010, , .	2.7	168
274	Optical fiber sensors based on Brillouin scattering. , 2010, , .		1
275	Strain monitoring in a reinforced concrete slab sustaining service loads by distributed Brillouin fibre optic sensors. Canadian Journal of Civil Engineering, 2010, 37, 1341-1349.	0.7	12
276	Distributed Birefringence Measurement of Polarization Maintaining Fiber Using Transient Brillouin Grating. , 2010, , .		1
277	Performance evaluation of a few- and multimode fiber optic perimeter sensor with selective mode excitation. Photonics Letters of Poland, 2010, 2, .	0.2	0
278	Fiber Sensor Applications in Dynamic Monitoring of Structures, Boundary Intrusion, Submarine and Optical Ground Wire Fibers. , 2009, , .		1
279	Distributed sensing: From Rayleigh to Brillouin scattering. , 2009, , .		0
280	Signal-to-noise ratio improvement in Brillouin sensing. , 2009, , .		3
281	Brillouin spectrum narrowing in high extinction ratio nanosecond pulse from phase locked DFB lasers. , 2009, , .		0
282	Acoustic emission sensor based on biconical fiber micro-tapers. Proceedings of SPIE, 2009, , .	0.8	0
283	Characterization of Brillouin fiber generator and amplifier for optimized working condition of distributed sensors. Optical Fiber Technology, 2009, 15, 304-309.	1.4	9
284	Distributed temperature sensing based on birefringence effect on transient Brillouin grating in a polarization-maintaining photonic crystal fiber. Optics Letters, 2009, 34, 2590.	1.7	74
285	Optical Fiber Sensors Based on Brillouin Scattering. Optics and Photonics News, 2009, 20, 40.	0.4	22
286	Direct evidence of tilted Bragg grating azimuthal radiation mode coupling mechanisms. Optics Express, 2009, 17, 14075.	1.7	11
287	Polarization dynamics in optical ground wire network. Applied Optics, 2009, 48, 2214.	2.1	3
288	Differential Brillouin gain for improving the temperature accuracy and spatial resolution in a long-distance distributed fiber sensor. Applied Optics, 2009, 48, 4297.	2.1	55

#	ARTICLE	IF	CITATIONS
289	Tunable ring laser using a tapered single mode fiber tip. Applied Optics, 2009, 48, 6827.	2.1	10
290	Moment-Generating Function Method Used to Evaluate the Performance of a Linear Optical Communication System. Journal of Lightwave Technology, 2009, 27, 3399-3409.	2.7	1
291	Spatial resolution analysis for discrete Fourier transform-based Brillouin optical time domain reflectometry. Measurement Science and Technology, 2009, 20, 025202.	1.4	16
292	Novel distributed birefringence measurement based on transient Brillouin grating in polarization-maintaining fibers and its application in sensing. Proceedings of SPIE, 2009, , .	0.8	0
293	High spatial resolution and long-distance BOTDA using differential Brillouin gain in a dispersion shifted fiber. , 2009, , .		6
294	Relation between diffusion constant and particle density in TiO ₂ suspended solutions. , 2009, , .		0
295	12-km distributed fiber sensor based on differential pulse-width pair BOTDA. Proceedings of SPIE, 2009, , .	0.8	2
296	Frequency-shifted light storage in a photonics crystal fiber via stimulated Brillouin scattering. , 2009, , .		0
297	Prediction of the pipe buckling by using broadening factor with distributed Brillouin fiber sensors. Optical Fiber Technology, 2008, 14, 109-113.	1.4	17
298	Water wave frequency detection by optical fiber sensor. Optics Communications, 2008, 281, 6011-6015.	1.0	0
299	Using pulse with a dark base to achieve high spatial and frequency resolution for the distributed Brillouin sensor. Optics Letters, 2008, 33, 2707.	1.7	78
300	Frequency-shifted light storage via stimulated Brillouin scattering in optical fibers. Optics Letters, 2008, 33, 2848.	1.7	39
301	Distributed Brillouin sensor system based on offset locking of two distributed feedback lasers. Applied Optics, 2008, 47, 99.	2.1	19
302	Continuous and Damped Vibration Detection Based on Fiber Diversity Detection Sensor by Rayleigh Backscattering. Journal of Lightwave Technology, 2008, 26, 832-838.	2.7	31
303	Distributed optical fiber vibration sensor based on spectrum analysis of Polarization-OTDR system. Optics Express, 2008, 16, 10240.	1.7	190
304	Partial bit delay correlative modulation used to improve the dispersion tolerance of an optical duobinary system. Optics Express, 2008, 16, 11344.	1.7	7
305	Differential pulse-width pair BOTDA for high spatial resolution sensing. Optics Express, 2008, 16, 21616.	1.7	443
306	Monitoring the distributed impact wave on a concrete slab due to the traffic based on polarization dependence on stimulated Brillouin scattering. Smart Materials and Structures, 2008, 17, 015003.	1.8	49

#	ARTICLE	IF	CITATIONS
307	Reverse peak of Brillouin spectrum in BOTDA sensor. Proceedings of SPIE, 2008, , .	0.8	0
308	The observation of comblike transmission spectrum from a tapered single mode fiber tip. Applied Physics Letters, 2008, 93, 261107.	1.5	15
309	Concrete pavement vibration monitoring due to the car passing using optical fiber sensor. , 2008, , .		0
310	Distributed fiber sensors based on stimulated Brillouin scattering with centimeter spatial resolution. Proceedings of SPIE, 2008, , .	0.8	1
311	Feasibility of Kerr-lens mode locking in fiber lasers. , 2008, , .		1
312	Effect of temperature on Brillouin gain spectrum and aging behavior in carbon/polyimide coated fiber. Proceedings of SPIE, 2008, , .	0.8	1
313	The mass loading effect on lightweight cantilever mode frequency measurement by optical fiber sensor. Proceedings of SPIE, 2008, , .	0.8	0
314	Crack detection in reinforced concrete beam by use of distributed Brillouin fiber sensor. Proceedings of SPIE, 2008, , .	0.8	2
315	Using dispersion decreasing fiber to generate pulse delay and compensate the pulse distortion. Proceedings of SPIE, 2008, , .	0.8	0
316	Using Nonuniform Fiber to Generate Slow Light via SBS. Research Letters in Optics, 2008, 2008, 1-4.	0.5	2
317	Development of the Distributed Brillouin Sensors for Health Monitoring of Civil Structures. , 2008, , 101-125.		4
318	Power Thresholds and Pump Depletion in Brillouin Fiber Amplifiers. The Open Optics Journal, 2008, 2, 1-5.	0.1	6
319	Using nonuniform fiber to generate slow light via SBS. , 2008, , .		0
320	PRBS data delay in an all fiber slow light system based on SBS effect, NRZ vs. RZ. , 2007, , .		1
321	<title>Measuring tide and vibration of the submarine and aerial fibers by polarization mode dispersion</title>. , 2007, , .		0
322	The statistics of PMD for an optical pulse and its relationship to pulse broadening. , 2007, , .		0
323	Predict the pipeline buckling using the broadening factor of Brillouin spectrum width. , 2007, , .		0
324	<title>The distributed Brillouin sensor system based on offset locking two DFB lasers</title>. , 2007, , .		0

#	ARTICLE	IF	CITATIONS
325	Tensile strain dependence of the Brillouin gain spectrum in carbon/polyimide coated fibers. Optics Letters, 2007, 32, 2565.	1.7	20
326	Combined PMD-PDL effects on BERs in simplified optical systems: an analytical approach. Optics Express, 2007, 15, 2106.	1.7	10
327	Accurate BER evaluation for lumped DPSK and OOK systems with PMD and PDL. Optics Express, 2007, 15, 9418.	1.7	5
328	Stabilization of electro-optic modulator bias voltage drift using a lock-in amplifier and a proportional-integral-derivative controller in a distributed Brillouin sensor system. Applied Optics, 2007, 46, 1482.	2.1	49
329	Signal Processing Technique for Distributed Brillouin Sensing at Centimeter Spatial Resolution. Journal of Lightwave Technology, 2007, 25, 3610-3618.	2.7	29
330	Slow light of subnanosecond pulses via stimulated Brillouin scattering in nonuniform fibers. Physical Review A, 2007, 75, .	1.0	19
331	Distributed Brillouin sensor for structural health monitoring. Canadian Journal of Civil Engineering, 2007, 34, 291-297.	0.7	13
332	Stabilized Phase-Modulated Rational Harmonic Mode-Locking Soliton Fiber Laser. IEEE Photonics Technology Letters, 2007, 19, 393-395.	1.3	7
333	Time evolution of PMD due to tides and sun radiation on submarine fibers. Optical Fiber Technology, 2007, 13, 62-66.	1.4	4
334	Slow light of Gb/s bit streams via stimulated Brillouin scattering in non-uniform optical fibers. , 2007, , .		0
335	Distributed Brillouin sensor based on Brillouin scattering for structural health monitoring. , 2006, , .		2
336	Signature of structure failure using asymmetric and broadening factors of Brillouin spectrum. IEEE Photonics Technology Letters, 2006, 18, 394-396.	1.3	15
337	Fast state of polarization and PMD drift in submarine fibers. IEEE Photonics Technology Letters, 2006, 18, 1034-1036.	1.3	5
338	"Rational harmonic mode-locking" in a phase-modulated fiber laser. IEEE Photonics Technology Letters, 2006, 18, 1332-1334.	1.3	3
339	PMD-PDL Emulator Designs for Low Interchannel Correlation. IEEE Photonics Technology Letters, 2006, 18, 2362-2364.	1.3	4
340	Influence of transient phonon relaxation on the Brillouin loss spectrum of nanosecond pulses. Optics Letters, 2006, 31, 888.	1.7	16
341	Generating a high-extinction-ratio pulse from a phase-modulated optical signal with a dispersion-imbalanced nonlinear loop mirror. Optics Letters, 2006, 31, 1032.	1.7	16
342	Effect of Brillouin slow light on distributed Brillouin fiber sensors. Optics Letters, 2006, 31, 2698.	1.7	18

#	ARTICLE	IF	CITATIONS
343	How to obtain high spectral resolution of SBS-based distributed sensing by using nanosecond pulses. Optics Express, 2006, 14, 2071.	1.7	44
344	Ultra-short pulse operation of all-optical fiber passively mode-locked ytterbium laser. Optics Express, 2006, 14, 4935.	1.7	9
345	Theoretical study of the effect of slow light on BOTDA spatial resolution. Optics Express, 2006, 14, 10351.	1.7	9
346	Slow and fast light via SBS in optical fibers for short pulses and broadband pump. Optics Express, 2006, 14, 12693.	1.7	50
347	Distributed Brillouin fiber sensor for detecting pipeline buckling in an energy pipe under internal pressure. Applied Optics, 2006, 45, 3372.	2.1	39
348	Development and performance comparison of two different approaches for stabilizing a harmonic mode-locked fiber laser at 40 GHz. Applied Optics, 2006, 45, 3826.	2.1	1
349	Picosecond-pulse wavelength conversion based on cascaded second-harmonic generation-difference frequency generation in a periodically poled lithium niobate waveguide. Applied Optics, 2006, 45, 5391.	2.1	22
350	40-GHz picosecond-pulse second-harmonic generation in an MgO-doped PPLN waveguide. Journal of Lightwave Technology, 2006, 24, 3698-3708.	2.7	9
351	Pulse Time Delay of Different Pulse Durations via Brillouin Slow Light in an Optical Fiber. , 2006, , ThE47.		0
352	Accurate strain detection and localisation with the distributed Brillouin sensor based on phenomenological signal processing approach. , 2006, , .		6
353	Comparison of wavelength conversions based on cascaded second-harmonic generation/difference-frequency generation under continuous-wave and pulsed pumping. , 2006, , .		0
354	A simple method to identify the spatial location complication due to the transient phonon relaxation on the Brillouin loss spectrum. , 2006, , .		0
355	WDM high speed chirped DPSK fiber optical system transmission modeling in presence of PMD, PDL, and CD. Optical Fiber Technology, 2006, 12, 276-281.	1.4	0
356	Polarization dependent loss vector measurement in a system with polarization mode dispersion. Optical Fiber Technology, 2006, 12, 251-254.	1.4	7
357	Detection of buckling in steel pipeline and column by the distributed Brillouin sensor. Optical Fiber Technology, 2006, 12, 305-311.	1.4	41
358	BOTDA Location Accuracy in Depleted Pump Regime in the Presence of Brillouin Slow Light. , 2006, , ThE39.		2
359	Generating amplitude equalized repetition rate multiplexed pulses directly from a phase modulated fiber laser. , 2006, , .		0
360	Experimental observation of excess noise in a detuned phase-modulation harmonic mode-locking laser. Physical Review A, 2006, 74, .	1.0	23

#	ARTICLE	IF	CITATIONS
361	High extinction ratio pulse generation from FM signal by using dispersion imbalanced fiber loop mirror. , 2006, , .		0
362	Influence of Brillouin Slow Light on Distributed Brillouin Fiber Sensor due to Depletion of Pump Beam. , 2006, , .		0
363	Identification of Damage on Optical Ground Wire Cable Using Distributed Brillouin Fiber Sensor. , 2006, , .		0
364	The excess supermode noise in a detuned phase modulated harmonic mode-locking laser. , 2006, , .		1
365	A Simple Model for BOTDA Spectral Deconvolution Under Short Spatial Resolution (<50cm) and Non-Uniform Strain Conditions. , 2006, , .		0
366	The effect of optical phase on the Brillouin spectrum in the distributed sensor system. , 2005, , .		0
367	Picosecond-pulse wavelength conversion based on SHG nonlinear interaction in a PPMGLN waveguide. , 2005, , .		0
368	Wavelength dependence study on the transmission characteristics of the concatenated PDL and PMD elements. , 2005, 5970, 800.		0
369	Eye diagram evaluation of WDM DPSK fiber optical system in presence of PMD, PDL, and CD. , 2005, , .		0
370	Analytical evaluation of the effect of amplifier noise on eye diagram for communication systems having PMD, PDL, and CD. , 2005, , .		0
371	Column structure deformation monitoring with the distributed Brillouin sensor. , 2005, 5855, 531.		1
372	CW pre-injection of pump-probe Brillouin sensors for high spatial and strain (temperature)resolutions. , 2005, 5855, 567.		0
373	Repetition-rate-doubled or -tripled FM mode-locking fiber laser by using phase modulated optical fiber loop mirror. , 2005, , .		0
374	Distributed fiber strain sensor based on Brillouin scattering for inspection of pipeline buckling. , 2005, , .		1
375	Fast PMD and PDL measurement of aerial fiber. , 2005, , .		2
376	Criterion for sub-pulse-length resolution and minimum frequency shift in distributed Brillouin sensors. , 2005, , .		0
377	Polarization dependent loss vector measurement in a system with polarization mode dispersion. , 2005, , .		0
378	Experimental study on relaxation oscillation in a detuned FM harmonic mode-locked Er-doped fiber laser. Optics Communications, 2005, 245, 371-376.	1.0	9

#	ARTICLE	IF	CITATIONS
379	Polarization effects in aerial fibers. <i>Optical Fiber Technology</i> , 2005, 11, 1-19.	1.4	20
380	Investigation of Brillouin effects in carbon coating single-mode fiber using for inspection of pipeline buckling. , 2005, 6004, 27.		1
381	Distributed Brillouin temperature sensing in photonic crystal fiber. <i>Smart Materials and Structures</i> , 2005, 14, S8-S11.	1.8	10
382	Wavelength dependence study on the transmission characteristics of the concatenated polarization dependent loss and polarization mode dispersion elements. <i>Optical Engineering</i> , 2005, 44, 115006.	0.5	0
383	Distributed fiber Brillouin strain and temperature sensor with centimeter spatial resolution by coherent probe-pump technique. , 2005, , .		0
384	Repetition-rate-multiplication in actively mode-locking fiber laser by using phase modulated fiber loop mirror. <i>IEEE Journal of Quantum Electronics</i> , 2005, 41, 1285-1292.	1.0	9
385	The dynamics of Q degradation in system with polarization mode dispersion. , 2005, , .		0
386	Simple approach to determining the minimum measurable stress length and stress measurement accuracy in distributed Brillouin sensing. <i>Applied Optics</i> , 2005, 44, 5304.	2.1	11
387	Coherent probe-pump-based Brillouin sensor for centimeter-crack detection. <i>Optics Letters</i> , 2005, 30, 370.	1.7	79
388	Brillouin spectral deconvolution method for centimeter spatial resolution and high-accuracy strain measurement in Brillouin sensors. <i>Optics Letters</i> , 2005, 30, 705.	1.7	8
389	Effect of optical phase on a distributed Brillouin sensor at centimeter spatial resolution. <i>Optics Letters</i> , 2005, 30, 827.	1.7	9
390	Subpeaks in the Brillouin loss spectra of distributed fiber-optic sensors. <i>Optics Letters</i> , 2005, 30, 1099.	1.7	12
391	Simple method to identify the spatial location better than the pulse length with high strain accuracy. <i>Optics Letters</i> , 2005, 30, 2215.	1.7	9
392	Enhancement of stimulated Brillouin scattering of higher-order acoustic modes in single-mode optical fiber. <i>Optics Letters</i> , 2005, 30, 2685.	1.7	22
393	80-GHz pulse generation from a repetition-rate-doubled FM mode-locking fiber laser. <i>IEEE Photonics Technology Letters</i> , 2005, 17, 300-302.	1.3	8
394	Criterion for subpulse-length resolution and minimum frequency shift in distributed Brillouin sensors. <i>IEEE Photonics Technology Letters</i> , 2005, 17, 1504-1506.	1.3	16
395	Pipeline Buckling Detection by the Distributed Brillouin Sensor. , 2005, , 515-524.		1
396	Centimeter spatial resolution of distributed optical fiber sensor for structural health monitoring. , 2004, 5579, 1.		2

#	ARTICLE	IF	CITATIONS
397	Simultaneous distributed Brillouin strain and temperature sensor with photonic crystal fiber. , 2004, 5384, 13.		3
398	Highly precise distributed Brillouin scattering sensor for structural health monitoring of optical ground wire cable. , 2004, , .		1
399	Computer-controlled harmonic FM mode-locking of 40-GHz repetition-rate fiber laser. , 2004, 5579, 736.		2
400	Polarization-Mode Dispersion Measurement in a System With Polarization-Dependent Loss or Gain. IEEE Photonics Technology Letters, 2004, 16, 206-208.	1.3	22
401	Autocorrelation Function of the Principal State of Polarization Vector for Systems Having PMD. IEEE Photonics Technology Letters, 2004, 16, 1489-1491.	1.3	7
402	40-GHz Transform-Limited Pulse Generation From FM Oscillation Fiber Laser With External Cavity Chirp Compensation. IEEE Photonics Technology Letters, 2004, 16, 1631-1633.	1.3	11
403	Simultaneous strain and temperature measurement in PM fibers using Brillouin frequency, power, and bandwidth. , 2004, , .		1
404	Analytic optical eye diagram evaluation in the presence of polarization-mode dispersion, polarization-dependent loss, and chromatic dispersion in dynamic single-mode fiber communication networks. Journal of the Optical Society of America B: Optical Physics, 2004, 21, 1860.	0.9	3
405	Distributed Brillouin scattering sensor for discrimination of wall-thinning defects in steel pipe under internal pressure. Applied Optics, 2004, 43, 1583.	2.1	49
406	Temperature dependence of Brillouin frequency, power, and bandwidth in panda, bow-tie, and tiger polarization-maintaining fibers. Optics Letters, 2004, 29, 17.	1.7	32
407	Simultaneous strain and temperature measurements with polarization-maintaining fibers and their error analysis by use of a distributed Brillouin loss system. Optics Letters, 2004, 29, 1342.	1.7	39
408	Dependence of the Brillouin frequency shift on strain and temperature in a photonic crystal fiber. Optics Letters, 2004, 29, 1485.	1.7	133
409	Strain dependence of Brillouin frequency, intensity, and bandwidth in polarization-maintaining fibers. Optics Letters, 2004, 29, 1605.	1.7	11
410	Simulation of the distributed fiber optic pump-probe Brillouin sensor. , 2004, , .		0
411	Multicanonical investigation of joint probability density function of PMD and PDL. , 2004, , .		0
412	Optical eye diagram evaluation for communication systems having PMD, PDL, and CD for chirped input pulse modulators. , 2004, , .		0
413	Development of the offset-locking-based distributed sensor. , 2004, , .		2
414	Wide chirp spectrum from FM oscillation fiber laser and its application in pulse generation. , 2004, , .		0

#	ARTICLE	IF	CITATIONS
415	<title>Distributed Brillouin temperature measurements without frequency scanning for dynamic process monitoring</title> . , 2004, , .		0
416	Effect of pulsewidth on strain measurement accuracy in Brillouin-scattering-based fiber optic sensors. , 2004, , .		0
417	A study on the jacket effect of fiber optic sensors. , 2004, 5579, 43.		3
418	Modeling of stimulated Brillouin scattering in microstructured fibers. , 2004, , .		0
419	Demonstration of the detection of buckling effects in steel pipelines and beams by the Brillouin sensor. , 2004, , .		1
420	The use of importance sampling in the study of polarization mode dispersion with polarization dependent loss. Optics Communications, 2003, 215, 303-307.	1.0	9
421	Statistical distribution of pulse broadening/narrowing due to the interaction of polarization mode dispersion and frequency chirp in dispersion-shifted fiber. Optics Communications, 2003, 222, 243-248.	1.0	0
422	A dynamical polarization mode dispersion emulator. IEEE Photonics Technology Letters, 2003, 15, 534-536.	1.3	11
423	Effect of the finite extinction ratio of an electro-optic modulator on the performance of distributed probe-pump Brillouin sensorsystems. Optics Letters, 2003, 28, 1418.	1.7	46
424	Brillouin scattering spectrum in photonic crystal fiber with a partially germanium-doped core. Optics Letters, 2003, 28, 2022.	1.7	56
425	Effect of local PMD and PDL directional correlation on the principal state of polarization vector autocorrelation. Optics Express, 2003, 11, 3141.	1.7	14
426	A new fitting method for spectral characterization of Brillouin-based distributed sensors. , 2003, , .		11
427	Polarization-mode dispersion measurement in a system with polarization-dependent loss or gain. , 2003, 5260, 386.		0
428	Statistics of relative orientation of principal states of polarization in the presence of PMD and PDL. , 2003, 5260, 394.		0
429	Novel dynamical polarization mode dispersion emulator. , 2003, , .		2
430	Comparison of the combined effect of PMD and PDL on 10 and 40 Gbits/second systems. , 2003, , .		0
431	A new waveplate model of charactering the system impact due to PMD. , 2003, , .		1
432	Directional autocorrelation function of the polarization-mode dispersion vector. , 2003, , .		0

#	ARTICLE	IF	CITATIONS
433	Measurement of aerial fiber galloping using the state of polarization. , 2003, 5260, 391.		1
434	Dynamics of polarization mode dispersion in field fibers. , 2003, 4833, 1093.		0
435	Principal state vector autocorrelation in a fiber optic system having both polarization-mode dispersion and polarization-dependent loss. , 2003, , .		1
436	System impact of dynamic PMD emulation. , 2003, , .		0
437	Dynamic field fiber polarization mode dispersion measurements. , 2003, 4833, 1116.		0
438	Temperature-dependent PMD measurement of photonic crystal fibers. , 2003, 5260, 316.		0
439	Study of Brillouin effects in nonlinear photonic crystal fiber. , 2003, 5260, 284.		0
440	Polarization-dependent loss autocorrelation in the presence of combined polarization-mode dispersion and polarization-dependent losses in optical fibers. , 2003, 5260, 377.		5
441	Temperature characteristics of PMD emulators using PM fibers. , 2003, , .		0
442	Limitation of the phase shift technique in measuring chromatic dispersion for optical filters. , 2003, 5260, 74.		0
443	Automated measurements of PDL and PMD over fiber Bragg gratings reflection wavelength. , 2003, 4833, 1017.		0
444	Simultaneous optical spectral loss and chromatic dispersion measurements of fiber Bragg grating using the phase-shift technique. , 2003, 4833, 1033.		0
445	Analytical eye diagram evaluation due to the existence of the polarization-mode dispersion and polarization-dependent loss in single-mode fibers. , 2003, 5260, 41.		0
446	Temperature and strain measurements using the power, line-width, shape, and frequency shift of the Brillouin loss spectrum. , 2002, 4920, 311.		4
447	Simultaneous strain and temperature monitoring of the composite cure with a Brillouin-scattering-based distributed sensor. Optical Engineering, 2002, 41, 1496.	0.5	16
448	Strain measurement in a concrete beam by use of the Brillouin-scattering-based distributed fiber sensor with single-mode fibers embedded in glass fiber reinforced polymer rods and bonded to steel reinforcing bars. Applied Optics, 2002, 41, 5105.	2.1	49
449	System outage probability due to the combined effect of PMD and PDL. Journal of Lightwave Technology, 2002, 20, 1805-1808.	2.7	19
450	Theoretical and experimental study of the dynamics of polarization-mode dispersion. IEEE Photonics Technology Letters, 2002, 14, 468-470.	1.3	20

#	ARTICLE	IF	CITATIONS
451	State of polarisation bias in aerial fibres. Electronics Letters, 2002, 38, 1086.	0.5	3
452	Statistical distribution of polarization-dependent loss in the presence of polarization-mode dispersion in single-mode fibers. IEEE Photonics Technology Letters, 2001, 13, 451-453.	1.3	29
453	Fast state of polarization changes in aerial fiber under different climatic conditions. IEEE Photonics Technology Letters, 2001, 13, 1035-1037.	1.3	58
454	<title>Strain measurement in concrete structure using distributed fiber optic sensing based on Brillouin scattering with single-mode fibers embedded in glass fiber reinforcing vinyl ester rod and bonded to steel reinforcing bars</title>. , 2001, , .		1
455	Pulsewidth compression in optical components with polarization mode dispersion using polarization controls. Journal of Lightwave Technology, 2001, 19, 830-836.	2.7	8
456	Polarization mode dispersion and polarization dependent loss for a pulse in single-mode fibers. Journal of Lightwave Technology, 2001, 19, 856-860.	2.7	34
457	Tensile and compressive strain measurement in the lab and field with the distributed Brillouin scattering sensor. Journal of Lightwave Technology, 2001, 19, 1698-1704.	2.7	119
458	<title>Strain measurement of the steel beam with the distributed Brillouin scattering sensor</title>. , 2001, , .		7
459	Simultaneous temperature and strain monitoring of composite cure using a Brillouin-scattering-based distributed fiber optic sensor. , 2001, , .		0
460	Characterization of Fibers in an Existing Network for High Speed System (10Gb/s or Greater) Compatibility. Fiber and Integrated Optics, 2001, 20, 427-442.	1.7	0
461	The Measurement of Fast State of Polarization Changes in Aerial Fiber. , 2001, , .		4
462	Testing of fibers in an existing network for high-speed system (10 Gb/s or greater) compatibility. , 2000, , .		0
463	Pulse narrowing in optical components with polarization mode dispersion using polarization controls. , 2000, , .		0
464	Principal states of polarization for an optical pulse in the presence of polarization-dependent loss and polarization mode dispersion. , 2000, , .		2
465	Strain monitoring of the Rollinsford bridge using distributed sensing. , 2000, 4087, 1149.		1
466	Pulse narrowing due to optical interference in fiber-optic systems with polarization-dependent signal reception. Optics Communications, 2000, 184, 7-12.	1.0	1
467	Application of a mid-infrared fiber bundle in remote measurement of gas concentrations in a chemical vapor deposition chamber. Applied Optics, 2000, 39, 1112.	2.1	4
468	Polarization-dependent loss-induced pulse narrowing in birefringent optical fiber with finite differential group delay. Journal of Lightwave Technology, 2000, 18, 665-667.	2.7	20

#	ARTICLE	IF	CITATIONS
469	Anomalous pulse-width narrowing with first-order compensation of polarization mode dispersion. Optics Letters, 2000, 25, 884.	1.7	6
470	Gamma-induced attenuation in normal single-mode and multimode, Ge-doped and P-doped optical fibers: A fiber optic dosimeter for low dose levels. Canadian Journal of Physics, 2000, 78, 89-97.	0.4	14
471	Distributed strain sensing for structural monitoring applications. Canadian Journal of Civil Engineering, 2000, 27, 873-879.	0.7	8
472	Impact of chromatic dispersion on the system limitation due to polarization mode dispersion. IEEE Photonics Technology Letters, 2000, 12, 47-49.	1.3	10
473	Brillouin Scattering Based Distributed Sensors for Structural Applications. Journal of Intelligent Material Systems and Structures, 1999, 10, 340-349.	1.4	30
474	Field Measurements of Polarization Mode Dispersion. Fiber and Integrated Optics, 1999, 18, 49-59.	1.7	2
475	Pulse width dependance of the Brillouin loss spectrum. Optics Communications, 1999, 168, 393-398.	1.0	20
476	Limitations of first-order PMD compensation techniques in the presence of chromatic dispersion. Optics Communications, 1999, 171, 15-21.	1.0	2
477	Gamma ray radiation induced visible light absorption in P-doped silica fibers at low dose levels. Radiation Measurements, 1999, 30, 725-733.	0.7	21
478	Statistics of polarization mode dispersion in presence of the polarization dependent loss in single mode fibers. Optics Communications, 1999, 169, 69-73.	1.0	35
479	<title>Optical fibers for the application of a fiber radiation sensor</title>. , 1999, , .		3
480	Structural monitoring by use of a Brillouin distributed sensor. Applied Optics, 1999, 38, 2755.	2.1	44
481	Simultaneous distributed strain and temperature measurement. Applied Optics, 1999, 38, 5372.	2.1	51
482	Spatial resolution enhancement of a Brillouin-distributed sensor using a novel signal processing method. Journal of Lightwave Technology, 1999, 17, 1179-1183.	2.7	50
483	Characterization of the Brillouin-loss spectrum of single-mode fibers by use of very short (≤ 10-ns) pulses. Optics Letters, 1999, 24, 510.	1.7	165
484	Brillouin Scattering Based Distributed Sensors for Structural Applications. Journal of Intelligent Material Systems and Structures, 1999, 10, 340-349.	1.4	4
485	Analytical and numerical solutions for steady state stimulated Brillouin scattering in a single-mode fiber. Optics Communications, 1998, 152, 65-70.	1.0	61
486	Time evolution of polarization mode dispersion in optical fibers. IEEE Photonics Technology Letters, 1998, 10, 1265-1267.	1.3	39

#	ARTICLE	IF	CITATIONS
487	<title>Automated system for distributed sensing</title>. , 1998, 3330, 315.		12
488	<title>Advances in distributed sensing using Brillouin scattering</title>. , 1998, , .		13
489	Novel way of improving the collection efficiency and image quality of Global to mid-IR fibers. , 1998, , .		0
490	<title>Brillouin loss-based distributed temperature sensor using a single source</title>. , 1996, , .		1
491	Distributed temperature sensor based on Brillouin loss in an optical fibre for transient threshold monitoring. Canadian Journal of Physics, 1996, 74, 1-3.	0.4	16
492	Recent progress in distributed fiber optic sensors based upon Brillouin scattering. , 1995, 2507, 175.		6
493	Experimental and theoretical studies on a distributed temperature sensor based on Brillouin scattering. Journal of Lightwave Technology, 1995, 13, 1340-1348.	2.7	237
494	Recent progress in experiments on a Brillouin loss-based distributed sensor. , 1994, , .		5
495	22 km distributed strain sensor using Brillouin loss in an optical fibre. Optics Communications, 1994, 104, 298-302.	1.0	12
496	Combined distributed temperature and strain sensor based on Brillouin loss in an optical fiber. Optics Letters, 1994, 19, 141.	1.7	138
497	22-km distributed temperature sensor using Brillouin gain in an optical fiber. Optics Letters, 1993, 18, 552.	1.7	137
498	32-km distributed temperature sensor based on Brillouin loss in an optical fiber. Optics Letters, 1993, 18, 1561.	1.7	230
499	<title>Dynamic studies on a distributed temperature sensor with a 22-km sensing length</title>. , 1993, , .		0
500	Characteristics of Brillouin gain based distributed temperature sensors. Electronics Letters, 1993, 29, 1543.	0.5	6
501	Two-photon absorption and resonant non-phase-matched second-harmonic generation in CdSe. Optical and Quantum Electronics, 1990, 22, 351-367.	1.5	16
502	Analysis of the amplitude fluctuation in a synchronously pumped mode-locked dye laser. Physical Review A, 1989, 39, 5132-5135.	1.0	0
503	Analytic theory of a supermodes solution and output criteria for synchronously pumped dye lasers. Journal of the Optical Society of America B: Optical Physics, 1989, 6, 1370.	0.9	0
504	A standing wave acoustooptical mode locker working on the second harmonic. IEEE Journal of Quantum Electronics, 1989, 25, 1691-1694.	1.0	0

#	ARTICLE	IF	CITATIONS
505	Stability criteria for pulse solution of a synchronously pumped dye laser. Optics Letters, 1987, 12, 251.	1.7	4
506	Time evolution of polarization-mode dispersion for aerial and buried cables. , 0, , .		7
507	Pulse width dependence of polarization mode dispersion and polarization dependent loss for a pulse and their impacts on pulse broadening. , 0, , .		0
508	The measurement of fast state of polarization changes in aerial fiber. , 0, , .		6
509	Eye diagram evaluation in single mode fibers having polarization mode dispersion, polarization dependent loss and chromatic dispersion. , 0, , .		1
510	Polarization fluctuations in field fibers. , 0, , .		2
511	Development and applications of the distributed temperature and strain sensors based on Brillouin scattering. , 0, , .		8