

Jihui Jia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5043226/publications.pdf>

Version: 2024-02-01

73
papers

2,974
citations

136950

32
h-index

182427

51
g-index

75
all docs

75
docs citations

75
times ranked

4172
citing authors

#	ARTICLE	IF	CITATIONS
1	Pseudophosphatase STYX is induced by <i>Helicobacter pylori</i> and promotes gastric cancer progression by inhibiting FBXO31 function. <i>Cell Death and Disease</i> , 2022, 13, 268.	6.3	2
2	CircMAN1A2 is upregulated by <i>Helicobacter pylori</i> and promotes development of gastric cancer. <i>Cell Death and Disease</i> , 2022, 13, 409.	6.3	18
3	Wnt/beta-catenin signaling confers ferroptosis resistance by targeting GPX4 in gastric cancer. <i>Cell Death and Differentiation</i> , 2022, 29, 2190-2202.	11.2	100
4	<sc>SETDB1</sc> promotes gastric carcinogenesis and metastasis via upregulation of <sc>CCND1</sc> and <sc>MMP9</sc> expression. <i>Journal of Pathology</i> , 2021, 253, 148-159.	4.5	21
5	<i>Helicobacter pylori</i> Induces a Novel NF- κ B/LIN28A/let-7a/hTERT Axis to Promote Gastric Carcinogenesis. <i>Molecular Cancer Research</i> , 2021, 19, 74-85.	3.4	6
6	<i>Helicobacter pylori</i> inhibits autophagic flux and promotes its intracellular survival and colonization by downregulating SIRT1. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 3348-3360.	3.6	12
7	miR-181d/RBP2/NF- κ B p65 Feedback Regulation Promotes Chronic Myeloid Leukemia Blast Crisis. <i>Frontiers in Oncology</i> , 2021, 11, 654411.	2.8	7
8	SpoT-Mediated NapA Upregulation Promotes Oxidative Stress-Induced <i>Helicobacter pylori</i> Biofilm Formation and Confers Multidrug Resistance. <i>Antimicrobial Agents and Chemotherapy</i> , 2021, 65, .	3.2	17
9	<i>Helicobacter pylori</i> infection is correlated with the incidence of erosive oral lichen planus and the alteration of the oral microbiome composition. <i>BMC Microbiology</i> , 2021, 21, 122.	3.3	13
10	The Pyroptosis-Related Signature Predicts Prognosis and Indicates Immune Microenvironment Infiltration in Gastric Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 676485.	3.7	129
11	A Tumor Progression Related 7-Gene Signature Indicates Prognosis and Tumor Immune Characteristics of Gastric Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 690129.	2.8	6
12	Social support moderates suicidal ideation among Chinese nursing home residents with limited activities of daily living and loneliness. <i>Archives of Psychiatric Nursing</i> , 2021, 35, 638-644.	1.4	6
13	Mechanisms of JARID1B Up-Regulation and Its Role in <i>Helicobacter pylori</i> -Induced Gastric Carcinogenesis. <i>Frontiers in Oncology</i> , 2021, 11, 757497.	2.8	2
14	Circular RNA hsa_circ_0004872 inhibits gastric cancer progression via the miR-224/Smad4/ADAR1 successive regulatory circuit. <i>Molecular Cancer</i> , 2020, 19, 157.	19.2	109
15	Orphan nuclear receptor Nurr1 promotes <i>Helicobacter pylori</i> -associated gastric carcinogenesis by directly enhancing CDK4 expression. <i>EBioMedicine</i> , 2020, 53, 102672.	6.1	12
16	SIRT1 inhibits chemoresistance and cancer stemness of gastric cancer by initiating an AMPK/FOXO3 positive feedback loop. <i>Cell Death and Disease</i> , 2020, 11, 115.	6.3	57
17	miR-106a Regulates Cell Proliferation and Autophagy by Targeting LKB1 in HPV-16-Associated Cervical Cancer. <i>Molecular Cancer Research</i> , 2020, 18, 1129-1141.	3.4	31
18	Downregulation of eukaryotic translation initiation factor 3b inhibited proliferation and metastasis of gastric cancer. <i>Cell Death and Disease</i> , 2019, 10, 623.	6.3	19

#	ARTICLE	IF	CITATIONS
19	Long noncoding RNA THAP9-AS1 is induced by Helicobacter pylori and promotes cell growth and migration of gastric cancer. OncoTargets and Therapy, 2019, Volume 12, 6653-6663.	2.0	35
20	Helicobacter pylori induced YAP1 nuclear translocation promotes gastric carcinogenesis by enhancing IL-1 β expression. Cancer Medicine, 2019, 8, 3965-3980.	2.8	36
21	Importin α 4 functions as a driving force in human primary gastric cancer. Journal of Cellular Biochemistry, 2019, 120, 12638-12646.	2.6	15
22	H. pylori infection induced BMAL1 expression and rhythm disorder aggravate gastric inflammation. EBioMedicine, 2019, 39, 301-314.	6.1	20
23	NF- κ B/miR-223-3p/ARID1A axis is involved in Helicobacter pylori CagA-induced gastric carcinogenesis and progression. Cell Death and Disease, 2018, 9, 12.	6.3	93
24	Social Support as a Mediator of Physical Disability and Depressive Symptoms in Chinese Elderly. Archives of Psychiatric Nursing, 2018, 32, 256-262.	1.4	36
25	FBXO31 Suppresses Gastric Cancer EMT by Targeting Snail1 for Proteasomal Degradation. Molecular Cancer Research, 2018, 16, 286-295.	3.4	33
26	CHAF1A interacts with TCF4 to promote gastric carcinogenesis via upregulation of c-MYC and CCND1 expression. EBioMedicine, 2018, 38, 69-78.	6.1	29
27	SIRT1 suppresses the migration and invasion of gastric cancer by regulating ARHGAP5 expression. Cell Death and Disease, 2018, 9, 977.	6.3	40
28	Bifunctional Enzyme SpoT Is Involved in Biofilm Formation of Helicobacter pylori with Multidrug Resistance by Upregulating Efflux Pump Hp1174 (<i>gluP</i>). Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	50
29	The Bifunctional Enzyme SpoT Is Involved in the Clarithromycin Tolerance of Helicobacter pylori by Upregulating the Transporters HP0939, HP1017, HP0497, and HP0471. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	17
30	Histone Chaperone ASF1A Predicts Poor Outcomes for Patients With Gastrointestinal Cancer and Drives Cancer Progression by Stimulating Transcription of β -Catenin Target Genes. EBioMedicine, 2017, 21, 104-116.	6.1	21
31	Perfluorodecanoic acid stimulates NLRP3 inflammasome assembly in gastric cells. Scientific Reports, 2017, 7, 45468.	3.3	13
32	Perfluorodecanoic acid (PFDA) promotes gastric cell proliferation via sPLA2-IIA. Oncotarget, 2017, 8, 50911-50920.	1.8	16
33	Histone demethylase PHF8 promotes progression and metastasis of gastric cancer. American Journal of Cancer Research, 2017, 7, 448-461.	1.4	9
34	MicroRNA-200c is involved in proliferation of gastric cancer by directly repressing p27 Kip1. Biochemistry and Biophysics Reports, 2016, 8, 227-233.	1.3	9
35	RUNX3-mediated up-regulation of miR-29b suppresses the proliferation and migration of gastric cancer cells by targeting KDM2A. Cancer Letters, 2016, 381, 138-148.	7.2	46
36	mi RNA α 532 α 5p functions as an oncogenic micro RNA in human gastric cancer by directly targeting RUNX 3. Journal of Cellular and Molecular Medicine, 2016, 20, 95-103.	3.6	41

#	ARTICLE	IF	CITATIONS
37	RBP2 Promotes Adult Acute Lymphoblastic Leukemia by Upregulating BCL2. <i>PLoS ONE</i> , 2016, 11, e0152142.	2.5	5
38	Mutual amplification of HNF4 α and IL-1R1 composes an inflammatory circuit in <i>Helicobacter pylori</i> associated gastric carcinogenesis. <i>Oncotarget</i> , 2016, 7, 11349-11363.	1.8	12
39	JMJD2B is required for <i>Helicobacter pylori</i> -induced gastric carcinogenesis via regulating COX-2 expression. <i>Oncotarget</i> , 2016, 7, 38626-38637.	1.8	28
40	<i>Helicobacter pylori</i> Outer Membrane Protein 18 (Hp1125) Is Involved in Persistent Colonization by Evading Interferon- γ Signaling. <i>BioMed Research International</i> , 2015, 2015, 1-12.	1.9	9
41	Histone demethylase RBP2 decreases miR-21 in blast crisis of chronic myeloid leukemia. <i>Oncotarget</i> , 2015, 6, 1249-1261.	1.8	33
42	Telomerase Deficiency Causes Alveolar Stem Cell Senescence-associated Low-grade Inflammation in Lungs. <i>Journal of Biological Chemistry</i> , 2015, 290, 30813-30829.	3.4	72
43	Anti-inflammatory effect of curcumin on mast cell-mediated allergic responses in ovalbumin-induced allergic rhinitis mouse. <i>Cellular Immunology</i> , 2015, 298, 88-95.	3.0	63
44	Histone demethylase RBP2 promotes malignant progression of gastric cancer through TGF- β 1-(p-Smad3)-RBP2-E-cadherin-Smad3 feedback circuit. <i>Oncotarget</i> , 2015, 6, 17661-17674.	1.8	30
45	Bortezomib-mediated down-regulation of telomerase and disruption of telomere homeostasis contributes to apoptosis of malignant cells. <i>Oncotarget</i> , 2015, 6, 38079-38092.	1.8	21
46	<i>Helicobacter pylori</i> Promotes Epithelial-Mesenchymal Transition in Gastric Cancer by Downregulating Programmed Cell Death Protein 4 (PDCD4). <i>PLoS ONE</i> , 2014, 9, e105306.	2.5	58
47	RUNX3 regulates vimentin expression via miR-30a during epithelial-mesenchymal transition in gastric cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2014, 18, 610-623.	3.6	75
48	RUNX3 inhibits survivin expression and induces cell apoptosis in gastric cancer. <i>European Journal of Cell Biology</i> , 2014, 93, 118-126.	3.6	16
49	The absence of TERT promoter mutations in primary gastric cancer. <i>Gene</i> , 2014, 540, 266-267.	2.2	11
50	F-box protein FBXO31 is down-regulated in gastric cancer and negatively regulated by miR-17 and miR-20a. <i>Oncotarget</i> , 2014, 5, 6178-6190.	1.8	47
51	Histone demethylase RBP2 induced by <i>Helicobacter Pylori</i> CagA participates in the malignant transformation of gastric epithelial cells. <i>Oncotarget</i> , 2014, 5, 5798-5807.	1.8	16
52	JMJD2B Promotes Epithelial-Mesenchymal Transition by Cooperating with β -Catenin and Enhances Gastric Cancer Metastasis. <i>Clinical Cancer Research</i> , 2013, 19, 6419-6429.	7.0	96
53	Changes of proteome components of <i>Helicobacter pylori</i> biofilms induced by serum starvation. <i>Molecular Medicine Reports</i> , 2013, 8, 1761-1766.	2.4	32
54	FoxM1 is Overexpressed in <i>Helicobacter pylori</i> -Induced Gastric Carcinogenesis and Is Negatively Regulated by miR-370. <i>Molecular Cancer Research</i> , 2013, 11, 834-844.	3.4	89

#	ARTICLE	IF	CITATIONS
55	SIRT1 Is Downregulated in Gastric Cancer and Leads to G1-phase Arrest via NF- κ B/Cyclin D1 Signaling. <i>Molecular Cancer Research</i> , 2013, 11, 1497-1507.	3.4	79
56	Resveratrol Inhibits the Growth of Gastric Cancer by Inducing G1 Phase Arrest and Senescence in a Sirt1-Dependent Manner. <i>PLoS ONE</i> , 2013, 8, e70627.	2.5	112
57	Proteomic analysis of the function of spot in <i>Helicobacter pylori</i> anti-oxidative stress in vitro and colonization in vivo. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 3393-3402.	2.6	8
58	Analysis of Aztreonam-Inducing Proteome Changes in Nondividing Filamentous <i>Helicobacter pylori</i> . <i>Current Microbiology</i> , 2012, 65, 108-115.	2.2	3
59	<i>Helicobacter pylori</i> CagA inhibits the expression of Runx3 via Src/MEK/ERK and p38 MAPK pathways in gastric epithelial cell. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 1080-1086.	2.6	45
60	Histone demethylase JMJD2B is required for tumor cell proliferation and survival and is overexpressed in gastric cancer. <i>Biochemical and Biophysical Research Communications</i> , 2011, 416, 372-378.	2.1	69
61	Virulence factor cytotoxin-associated gene A in <i>Helicobacter pylori</i> is downregulated by interferon- γ in vitro. <i>FEMS Immunology and Medical Microbiology</i> , 2011, 61, 76-83.	2.7	6
62	Upregulation of progranulin by <i>Helicobacter pylori</i> in human gastric epithelial cells via p38MAPK and MEK1/2 signaling pathway: role in epithelial cell proliferation and migration. <i>FEMS Immunology and Medical Microbiology</i> , 2011, 63, 82-92.	2.7	42
63	Identification of S-nitrosylation of proteins of <i>Helicobacter pylori</i> in response to nitric oxide stress. <i>Journal of Microbiology</i> , 2011, 49, 251-256.	2.8	11
64	<i>Helicobacter pylori</i> CagA upregulation of CIP2A is dependent on the Src and MEK/ERK pathways. <i>Journal of Medical Microbiology</i> , 2010, 59, 259-265.	1.8	40
65	Reptin is required for the transcription of telomerase reverse transcriptase and over-expressed in gastric cancer. <i>Molecular Cancer</i> , 2010, 9, 132.	19.2	44
66	The Histone Demethylase RBP2 Is Overexpressed in Gastric Cancer and Its Inhibition Triggers Senescence of Cancer Cells. <i>Gastroenterology</i> , 2010, 138, 981-992.	1.3	150
67	Activation of Telomerase by Human Cytomegalovirus. <i>Journal of the National Cancer Institute</i> , 2009, 101, 488-497.	6.3	109
68	<i>Helicobacter pylori</i> proteins response to nitric oxide stress. <i>Journal of Microbiology</i> , 2009, 47, 486-493.	2.8	30
69	<i>FoxM1</i> is up-regulated in gastric cancer and its inhibition leads to cellular senescence, partially dependent on p27 ^{kip1} . <i>Journal of Pathology</i> , 2009, 218, 419-427.	4.5	100
70	The changes of proteomes components of <i>Helicobacter pylori</i> in response to acid stress without urea. <i>Journal of Microbiology</i> , 2008, 46, 331-337.	2.8	14
71	Expression of the full-length telomerase reverse transcriptase (hTERT) transcript in both malignant and normal gastric tissues. <i>Cancer Letters</i> , 2008, 260, 28-36.	7.2	24
72	CIP2A Is Overexpressed in Gastric Cancer and Its Depletion Leads to Impaired Clonogenicity, Senescence, or Differentiation of Tumor Cells. <i>Clinical Cancer Research</i> , 2008, 14, 3722-3728.	7.0	131

#	ARTICLE	IF	CITATIONS
73	Helicobacter pylori protein response to human bile stress. Journal of Medical Microbiology, 2008, 57, 151-158.	1.8	19