Tatiana Foroud

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5052364/publications.pdf

Version: 2024-02-01

291 30,736 65 159 papers citations h-index g-index

332 332 332 33976

times ranked

citing authors

docs citations

all docs

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer's disease. Nature Genetics, 2013, 45, 1452-1458. | 21.4 | 3,741 |
| 2 | Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates Aβ, tau, immunity and lipid processing. Nature Genetics, 2019, 51, 414-430. | 21.4 | 1,962 |
| 3 | Large-scale meta-analysis of genome-wide association data identifies six new risk loci for Parkinson's disease. Nature Genetics, 2014, 46, 989-993. | 21.4 | 1,685 |
| 4 | Common variants at MS4A4/MS4A6E, CD2AP, CD33 and EPHA1 are associated with late-onset Alzheimer's disease. Nature Genetics, 2011, 43, 436-441. | 21.4 | 1,676 |
| 5 | Mutations in a member of the ADAMTS gene family cause thrombotic thrombocytopenic purpura. Nature, 2001, 413, 488-494. | 27.8 | 1,623 |
| 6 | Genome-wide association study identifies 30 loci associated with bipolar disorder. Nature Genetics, 2019, 51, 793-803. | 21.4 | 1,191 |
| 7 | Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. Nature Genetics, 2017, 49, 1373-1384. | 21.4 | 783 |
| 8 | Common genetic variants influence human subcortical brain structures. Nature, 2015, 520, 224-229. | 27.8 | 772 |
| 9 | New insights into the genetic etiology of Alzheimer's disease and related dementias. Nature Genetics, 2022, 54, 412-436. | 21.4 | 700 |
| 10 | Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829. | 21.4 | 629 |
| 11 | Genome-wide search for genes affecting the risk for alcohol dependence. American Journal of Medical Genetics Part A, 1998, 81, 207-215. | 2.4 | 625 |
| 12 | Parent-of-origin-specific allelic associations among 106 genomic loci for age at menarche. Nature, 2014, 514, 92-97. | 27.8 | 548 |
| 13 | Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. Nature Neuroscience, 2018, 21, 1656-1669. | 14.8 | 490 |
| 14 | Genomewide association study for susceptibility genes contributing to familial Parkinson disease. Human Genetics, 2009, 124, 593-605. | 3.8 | 410 |
| 15 | Alzheimer's Disease Neuroimaging Initiative biomarkers as quantitative phenotypes: Genetics core aims, progress, and plans. Alzheimer's and Dementia, 2010, 6, 265-273. | 0.8 | 378 |
| 16 | Meta-analysis Confirms CR1, CLU, and PICALM as Alzheimer Disease Risk Loci and Reveals Interactions With APOE Genotypes. Archives of Neurology, 2010, 67, 1473. | 4.5 | 376 |
| 17 | A Multicenter Study of Glucocerebrosidase Mutations in Dementia With Lewy Bodies. JAMA Neurology, 2013, 70, 727. | 9.0 | 374 |
| 18 | The Parkinson's progression markers initiative (PPMI) $\hat{a}\in$ establishing a PD biomarker cohort. Annals of Clinical and Translational Neurology, 2018, 5, 1460-1477. | 3.7 | 330 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Functional variants in the <i>LRRK2</i> gene confer shared effects on risk for Crohn's disease and Parkinson's disease. Science Translational Medicine, 2018, 10, . | 12.4 | 273 |
| 20 | Localization of the gene for familial primary pulmonary hypertension to chromosome 2q31–32. Nature Genetics, 1997, 15, 277-280. | 21.4 | 260 |
| 21 | Novel genetic loci associated with hippocampal volume. Nature Communications, 2017, 8, 13624. | 12.8 | 250 |
| 22 | Exceptionally low likelihood of Alzheimer's dementia in APOE2 homozygotes from a 5,000-person neuropathological study. Nature Communications, 2020, 11, 667. | 12.8 | 246 |
| 23 | Genetic studies of quantitative MCI and AD phenotypes in ADNI: Progress, opportunities, and plans. Alzheimer's and Dementia, 2015, 11, 792-814. | 0.8 | 241 |
| 24 | Alcoholism Susceptibility Loci: Confirmation Studies in a Replicate Sample and Further Mapping. Alcoholism: Clinical and Experimental Research, 2000, 24, 933-945. | 2.4 | 224 |
| 25 | Novel genetic loci underlying human intracranial volume identified through genome-wide association. Nature Neuroscience, 2016, 19, 1569-1582. | 14.8 | 213 |
| 26 | Guidelines for the standardization of preanalytic variables for bloodâ€based biomarker studies in Alzheimer's disease research. Alzheimer's and Dementia, 2015, 11, 549-560. | 0.8 | 205 |
| 27 | Identification of Pathways for Bipolar Disorder. JAMA Psychiatry, 2014, 71, 657. | 11.0 | 204 |
| 28 | Linkage of the Indiana kindred of Gerstmann-Strässler-Scheinker disease to the prion protein gene. Nature Genetics, 1992, 1, 64-67. | 21.4 | 202 |
| 29 | A large-scale genome-wide association study meta-analysis of cannabis use disorder. Lancet Psychiatry,the, 2020, 7, 1032-1045. | 7.4 | 200 |
| 30 | Genome sequencing analysis identifies new loci associated with Lewy body dementia and provides insights into its genetic architecture. Nature Genetics, 2021, 53, 294-303. | 21.4 | 198 |
| 31 | A genome screen of maximum number of drinks as an alcoholism phenotype. American Journal of Medical Genetics Part A, 2000, 96, 632-637. | 2.4 | 197 |
| 32 | Differences in duration of Huntington's disease based on age at onset. Journal of Neurology, Neurosurgery and Psychiatry, 1999, 66, 52-56. | 1.9 | 195 |
| 33 | Genetic architecture of subcortical brain structures in 38,851 individuals. Nature Genetics, 2019, 51, 1624-1636. | 21.4 | 192 |
| 34 | A Quantitative Trait Locus for Alcohol Consumption in Selectively Bred Rat Lines. Alcoholism: Clinical and Experimental Research, 1998, 22, 884-887. | 2.4 | 190 |
| 35 | Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. Human Molecular Genetics, 2016, 25, 3383-3394. | 2.9 | 182 |
| 36 | Convergent genetic and expression data implicate immunity in Alzheimer's disease. Alzheimer's and Dementia, 2015, 11, 658-671. | 0.8 | 173 |

| # | Article | IF | Citations |
|----|--|--------------|-----------|
| 37 | Effects of Multiple Genetic Loci on Age at Onset in Late-Onset Alzheimer Disease. JAMA Neurology, 2014, 71, 1394. | 9.0 | 166 |
| 38 | Transethnic genomeâ€wide scan identifies novel Alzheimer's disease loci. Alzheimer's and Dementia, 2017, 13, 727-738. | 0.8 | 166 |
| 39 | A description of the methods of the Nulliparous Pregnancy Outcomes Study: monitoring mothers-to-be (nuMoM2b). American Journal of Obstetrics and Gynecology, 2015, 212, 539.e1-539.e24. | 1.3 | 160 |
| 40 | <i>APOE</i> effect on Alzheimer's disease biomarkers in older adults with significant memory concern. Alzheimer's and Dementia, 2015, 11, 1417-1429. | 0.8 | 157 |
| 41 | Gene-Wide Analysis Detects Two New Susceptibility Genes for Alzheimer's Disease. PLoS ONE, 2014, 9, e94661. | 2.5 | 155 |
| 42 | Initial genomic scan of the NIMH genetics initiative bipolar pedigrees: Chromosomes 3, 5, 15, 16, 17, and 22., 1997, 74, 238-246. | | 149 |
| 43 | Identification of TMEM230 mutations in familial Parkinson's disease. Nature Genetics, 2016, 48, 733-739. | 21.4 | 146 |
| 44 | Meta-Analysis of Genome-Wide Scans Provides Evidence for Sex- and Site-Specific Regulation of Bone Mass. Journal of Bone and Mineral Research, 2007, 22, 173-183. | 2.8 | 144 |
| 45 | Novel Alzheimer Disease Risk Loci and Pathways in African American Individuals Using the African Genome Resources Panel. JAMA Neurology, 2021, 78, 102. | 9.0 | 144 |
| 46 | Phenotypic Dissection of Bone Mineral Density Reveals Skeletal Site Specificity and Facilitates the Identification of Novel Loci in the Genetic Regulation of Bone Mass Attainment. PLoS Genetics, 2014, 10, e1004423. | 3 . 5 | 134 |
| 47 | TREM2 is associated with increased risk for Alzheimer's disease in African Americans. Molecular Neurodegeneration, 2015, 10, 19. | 10.8 | 130 |
| 48 | Penetrance estimate of <i>LRRK2</i> p.G2019S mutation in individuals of nonâ€Ashkenazi Jewish ancestry. Movement Disorders, 2017, 32, 1432-1438. | 3.9 | 126 |
| 49 | Finding useful biomarkers for Parkinson's disease. Science Translational Medicine, 2018, 10, . | 12.4 | 125 |
| 50 | Cognitive scores in carriers of huntington's disease gene compared to noncarriers. Annals of Neurology, 1995, 37, 657-664. | 5. 3 | 122 |
| 51 | GWAS of longitudinal amyloid accumulation on ¹⁸ F-florbetapir PET in Alzheimer's disease implicates microglial activation gene <i>IL1RAP</i> Brain, 2015, 138, 3076-3088. | 7.6 | 117 |
| 52 | Association of Blood Biomarkers With Acute Sport-Related Concussion in Collegiate Athletes. JAMA Network Open, 2020, 3, e1919771. | 5.9 | 116 |
| 53 | Genetics of Osteoporosis., 2002, 23, 303-326. | | 115 |
| 54 | Alcoholism susceptibility loci: confirmation studies in a replicate sample and further mapping. Alcoholism: Clinical and Experimental Research, 2000, 24, 933-45. | 2.4 | 107 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 55 | Genomic screen for QTLs underlying alcohol consumption in the P and NP rat lines. Mammalian Genome, 1998, 9, 949-955. | 2.2 | 106 |
| 56 | Genome Screen for Quantitative Trait Loci Underlying Normal Variation in Femoral Structure. Journal of Bone and Mineral Research, 2001, 16, 985-991. | 2.8 | 106 |
| 57 | Genome-Wide Association Study of Intracranial Aneurysms Confirms Role of Anril and SOX17 in Disease Risk. Stroke, 2012, 43, 2846-2852. | 2.0 | 106 |
| 58 | Genome-Wide Association Studies for Taxane-Induced Peripheral Neuropathy in ECOG-5103 and ECOG-1199. Clinical Cancer Research, 2015, 21, 5082-5091. | 7.0 | 106 |
| 59 | Stress–response pathways are altered in the hippocampus of chronic alcoholics. Alcohol, 2013, 47, 505-515. | 1.7 | 104 |
| 60 | Validation of Serum Neurofilament Light Chain as a Biomarker of Parkinson's Disease Progression. Movement Disorders, 2020, 35, 1999-2008. | 3.9 | 104 |
| 61 | Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. Behavior Genetics, 2016, 46, 151-169. | 2.1 | 98 |
| 62 | Two rare <i>AKAP9</i> variants are associated with Alzheimer's disease in African Americans. Alzheimer's and Dementia, 2014, 10, 609. | 0.8 | 94 |
| 63 | Clinical and dopamine transporter imaging characteristics of non-manifest LRRK2 and GBA mutation carriers in the Parkinson's Progression Markers Initiative (PPMI): a cross-sectional study. Lancet Neurology, The, 2020, 19, 71-80. | 10.2 | 94 |
| 64 | Polygenic Risk for Externalizing Disorders. Clinical Psychological Science, 2015, 3, 189-201. | 4.0 | 92 |
| 65 | Two novel loci, <i>COBL</i> and <i>SLC10A2</i> , for Alzheimer's disease in African Americans. Alzheimer's and Dementia, 2017, 13, 119-129. | 0.8 | 87 |
| 66 | Meta-analysis of up to 622,409 individuals identifies 40 novel smoking behaviour associated genetic loci. Molecular Psychiatry, 2020, 25, 2392-2409. | 7.9 | 83 |
| 67 | Leveraging genome-wide data to investigate differences between opioid use vs. opioid dependence in 41,176 individuals from the Psychiatric Genomics Consortium. Molecular Psychiatry, 2020, 25, 1673-1687. | 7.9 | 82 |
| 68 | A mutation in myotilin causes spheroid body myopathy. Neurology, 2005, 65, 1936-1940. | 1.1 | 81 |
| 69 | APOE $\hat{l}\mu4$ and the risk for Alzheimer disease and cognitive decline in African Americans and Yoruba. International Psychogeriatrics, 2014, 26, 977-985. | 1.0 | 79 |
| 70 | Association of Alcohol Craving With ?-Synuclein (SNCA). Alcoholism: Clinical and Experimental Research, 2007, 31, 070212174136009-???. | 2.4 | 76 |
| 71 | Genome-Wide Association Study for Anthracycline-Induced Congestive Heart Failure. Clinical Cancer Research, 2017, 23, 43-51. | 7.0 | 73 |
| 72 | Polygenic Scores for Major Depressive Disorder and Risk of Alcohol Dependence. JAMA Psychiatry, 2017, 74, 1153. | 11.0 | 73 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Whole-Exome Sequencing in Familial Parkinson Disease. JAMA Neurology, 2016, 73, 68. | 9.0 | 71 |
| 74 | Comparison of Parent, Peer, Psychiatric, and Cannabis Use Influences Across Stages of Offspring Alcohol Involvement: Evidence from the <scp>COGA</scp> Prospective Study. Alcoholism: Clinical and Experimental Research, 2017, 41, 359-368. | 2.4 | 71 |
| 75 | Targeted neurogenesis pathway-based gene analysis identifies ADORA2A associated with hippocampal volume in mild cognitive impairment and Alzheimer's disease. Neurobiology of Aging, 2017, 60, 92-103. | 3.1 | 70 |
| 76 | DNM3 and genetic modifiers of age of onset in LRRK2 Gly2019Ser parkinsonism: a genome-wide linkage and association study. Lancet Neurology, The, 2016, 15, 1248-1256. | 10.2 | 69 |
| 77 | Exome Chip Meta-analysis Fine Maps Causal Variants and Elucidates the Genetic Architecture of Rare Coding Variants in Smoking and AlcoholÂUse. Biological Psychiatry, 2019, 85, 946-955. | 1.3 | 69 |
| 78 | Genetic influences on craving for alcohol. Addictive Behaviors, 2013, 38, 1501-1508. | 3.0 | 67 |
| 79 | Analysis of whole genome-transcriptomic organization in brain to identify genes associated with alcoholism. Translational Psychiatry, 2019, 9, 89. | 4.8 | 66 |
| 80 | Suggestive evidence of a locus on chromosome 10p using the NIMH genetics initiative bipolar affective disorder pedigrees., 2000, 96, 18-23. | | 65 |
| 81 | Variability in Skeletal Mass, Structure, and Biomechanical Properties Among Inbred Strains of Rats. Journal of Bone and Mineral Research, 2001, 16, 1532-1539. | 2.8 | 65 |
| 82 | Linkage of an Alcoholism-Related Severity Phenotype to Chromosome 16. Alcoholism: Clinical and Experimental Research, 1998, 22, 2035-2042. | 2.4 | 63 |
| 83 | AluY-mediated germline deletion, duplication and somatic stem cell reversion in <i>UBE2T < /i>defines a new subtype of Fanconi anemia. Human Molecular Genetics, 2015, 24, 5093-5108.</i> | 2.9 | 62 |
| 84 | Inflammatory profile in LRRK2-associated prodromal and clinical PD. Journal of Neuroinflammation, 2016, 13, 122. | 7.2 | 57 |
| 85 | Harnessing peripheral DNA methylation differences in the Alzheimer's Disease Neuroimaging Initiative (ADNI) to reveal novel biomarkers of disease. Clinical Epigenetics, 2020, 12, 84. | 4.1 | 57 |
| 86 | Inflammatory profile discriminates clinical subtypes in <i>LRRK2</i> â€associated Parkinson's disease. European Journal of Neurology, 2017, 24, 427. | 3.3 | 56 |
| 87 | Genomeâ€wide association studies of alcohol dependence, DSMâ€ŧV criterion count and individual criteria. Genes, Brain and Behavior, 2019, 18, e12579. | 2.2 | 56 |
| 88 | Neurology Individualized Medicine: When to Use Next-Generation Sequencing Panels. Mayo Clinic Proceedings, 2017, 92, 292-305. | 3.0 | 55 |
| 89 | Genetic risk for schizophrenia and psychosis in Alzheimer disease. Molecular Psychiatry, 2018, 23, 963-972. | 7.9 | 55 |
| 90 | Evolution of Alzheimer's Disease Cerebrospinal Fluid Biomarkers in Early Parkinson's Disease. Annals of Neurology, 2020, 88, 574-587. | 5.3 | 55 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Genomeâ€wide Association Study and Metaâ€analysis on Alcoholâ€Associated Liver Cirrhosis Identifies Genetic Risk Factors. Hepatology, 2021, 73, 1920-1931. | 7.3 | 54 |
| 92 | Chromosome workshop: Chromosomes 11, 14, and 15. American Journal of Medical Genetics Part A, 1999, 88, 244-254. | 2.4 | 53 |
| 93 | The Systemic Synuclein Sampling Study: toward a biomarker for Parkinson's disease. Biomarkers in Medicine, 2017, 11, 359-368. | 1.4 | 50 |
| 94 | Assessment of first and second degree relatives of individuals with bipolar disorder shows increased genetic risk scores in both affected relatives and young Atâ€Risk Individuals. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2015, 168, 617-629. | 1.7 | 49 |
| 95 | The Role of Cardiovascular Risk Factors and Stroke in Familial Alzheimer Disease. JAMA Neurology, 2016, 73, 1231. | 9.0 | 49 |
| 96 | Parkinson's disease biomarkers: perspective from the NINDS Parkinson's Disease Biomarkers Program. Biomarkers in Medicine, 2017, 11, 451-473. | 1.4 | 49 |
| 97 | The Tachykinin Receptor 3 Is Associated With Alcohol and Cocaine Dependence. Alcoholism: Clinical and Experimental Research, 2008, 32, 1023-1030. | 2.4 | 48 |
| 98 | Age-Specific Incidence Rates for Dementia and Alzheimer Disease in NIA-LOAD/NCRAD and EFIGA Families. JAMA Neurology, 2014, 71, 315. | 9.0 | 48 |
| 99 | Clinical and Dopamine Transporter Imaging Characteristics of Leucine Rich Repeat Kinase 2 (LRRK2) and Glucosylceramidase Beta (GBA) Parkinson's Disease Participants in the Parkinson's Progression Markers Initiative: A Crossâ€Sectional Study. Movement Disorders, 2020, 35, 833-844. | 3.9 | 48 |
| 100 | Genome Screen to Detect Linkage to Intracranial Aneurysm Susceptibility Genes. Stroke, 2008, 39, 1434-1440. | 2.0 | 47 |
| 101 | Knowledge gaps and research recommendations for essential tremor. Parkinsonism and Related Disorders, 2016, 33, 27-35. | 2.2 | 46 |
| 102 | Shared Genetic Risk Factors of Intracranial, Abdominal, and Thoracic Aneurysms. Journal of the American Heart Association, $2016, 5, \ldots$ | 3.7 | 45 |
| 103 | Genomeâ€wide search for genes affecting the risk for alcohol dependence. American Journal of Medical Genetics Part A, 1998, 81, 207-215. | 2.4 | 45 |
| 104 | Heterogeneity in hereditary pancreatitis. , 1998, 77, 47-53. | | 43 |
| 105 | Lack of Association of Alcohol Dependence and Habitual Smoking With Catechol-O-methyltransferase. Alcoholism: Clinical and Experimental Research, 2007, 31, 1773-1779. | 2.4 | 43 |
| 106 | Association of plasma and cortical amyloid beta is modulated by <i>APOE</i> $\hat{l}\mu4$ status. Alzheimer's and Dementia, 2014, 10, e9-e18. | 0.8 | 43 |
| 107 | <i>GABRR1</i> and <i>GABRR2</i> , encoding the GABAâ€A receptor subunits il and i2, are associated with alcohol dependence. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 418-427. | 1.7 | 42 |
| 108 | Global and local ancestry in Africanâ€Americans: Implications for Alzheimer's disease risk. Alzheimer's and Dementia, 2016, 12, 233-243. | 0.8 | 42 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 109 | Genetics of Alcoholism: A Review of Recent Studies in Human and Animal Models. American Journal on Addictions, 1999, 8, 261-278. | 1.4 | 41 |
| 110 | Rarity of the Alzheimer Disease–Protective <i>APP</i> A673T Variant in the United States. JAMA Neurology, 2015, 72, 209. | 9.0 | 41 |
| 111 | Genome-wide association data suggest ABCB1 and immune-related gene sets may be involved in adult antisocial behavior. Translational Psychiatry, 2015, 5, e558-e558. | 4.8 | 39 |
| 112 | NIPT and Informed Consent: an Assessment of Patient Understanding of a Negative NIPT Result. Journal of Genetic Counseling, 2016, 25, 1127-1137. | 1.6 | 39 |
| 113 | Genome-wide association study identifies a novel locus for cannabis dependence. Molecular Psychiatry, 2018, 23, 1293-1302. | 7.9 | 39 |
| 114 | DSM-5 cannabis use disorder: A phenotypic and genomic perspective. Drug and Alcohol Dependence, 2014, 134, 362-369. | 3.2 | 38 |
| 115 | Clinical-Genetic Associations in the Prospective Huntington at Risk Observational Study (PHAROS). JAMA Neurology, 2016, 73, 102. | 9.0 | 38 |
| 116 | Prenatal Alcohol Exposure: Advancing Knowledge Through International Collaborations. Alcoholism: Clinical and Experimental Research, 2003, 27, 118-135. | 2.4 | 37 |
| 117 | Genetic variant predicts bevacizumab-induced hypertension in ECOG-5103 and ECOG-2100. British Journal of Cancer, 2014, 111, 1241-1248. | 6.4 | 37 |
| 118 | A Multiancestral Genome-Wide Exome Array Study of Alzheimer Disease, Frontotemporal Dementia, and Progressive Supranuclear Palsy. JAMA Neurology, 2015, 72, 414. | 9.0 | 37 |
| 119 | Dopamine transporter imaging predicts clinicallyâ€defined <i>α</i> â€synucleinopathy in REM sleep behavior disorder. Annals of Clinical and Translational Neurology, 2021, 8, 201-212. | 3.7 | 37 |
| 120 | Charcot-Marie-Tooth gene, SBF2, associated with taxane-induced peripheral neuropathy in African Americans. Oncotarget, 2016, 7, 82244-82253. | 1.8 | 35 |
| 121 | Saccadic Eye Movements Are Associated With a Family History of Alcoholism at Baseline and After Exposure to Alcohol. Alcoholism: Clinical and Experimental Research, 2002, 26, 1568-1573. | 2.4 | 34 |
| 122 | Combined Face–Brain Morphology and Associated Neurocognitive Correlates in Fetal Alcohol Spectrum Disorders. Alcoholism: Clinical and Experimental Research, 2018, 42, 1769-1782. | 2.4 | 34 |
| 123 | The Longitudinal Earlyâ€onset Alzheimer's Disease Study (LEADS): Framework and methodology. Alzheimer's and Dementia, 2021, 17, 2043-2055. | 0.8 | 34 |
| 124 | Multi-omics integration analysis identifies novel genes for alcoholism with potential overlap with neurodegenerative diseases. Nature Communications, 2021, 12, 5071. | 12.8 | 34 |
| 125 | Genetics of alcoholism. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2014, 125, 561-571. | 1.8 | 33 |
| 126 | Comprehensive Gene- and Pathway-Based Analysis of Depressive Symptoms in Older Adults. Journal of Alzheimer's Disease, 2015, 45, 1197-1206. | 2.6 | 33 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | A genetic risk score and diabetes predict development of alcohol-related cirrhosis in drinkers. Journal of Hepatology, 2022, 76, 275-282. | 3.7 | 33 |
| 128 | Lessons Learned from Whole Exome Sequencing in Multiplex Families Affected by a Complex Genetic Disorder, Intracranial Aneurysm. PLoS ONE, 2015, 10, e0121104. | 2.5 | 32 |
| 129 | Immunohistochemical Method and Histopathology Judging for the Systemic Synuclein Sampling Study (S4). Journal of Neuropathology and Experimental Neurology, 2018, 77, 793-802. | 1.7 | 32 |
| 130 | Persistent Changes in Stressâ€Regulatory Genes in Pregnant Women or Children Exposed Prenatally to Alcohol. Alcoholism: Clinical and Experimental Research, 2019, 43, 1887-1897. | 2.4 | 31 |
| 131 | Genomewide Association Studies of <scp><i>LRRK2</i></scp> Modifiers of Parkinson's Disease. Annals of Neurology, 2021, 90, 76-88. | 5.3 | 30 |
| 132 | Genome-wide association identifies the first risk loci for psychosis in Alzheimer disease. Molecular Psychiatry, 2021, 26, 5797-5811. | 7.9 | 30 |
| 133 | Spheroid body myopathy revisited. , 1997, 20, 1127-1136. | | 29 |
| 134 | Reliability of reported age at onset for Parkinson's disease. Movement Disorders, 2003, 18, 275-279. | 3.9 | 29 |
| 135 | Genome-wide survival analysis of age at onset of alcohol dependence in extended high-risk COGA families. Drug and Alcohol Dependence, 2014, 142, 56-62. | 3.2 | 29 |
| 136 | Brief Report: Genetics of Alcoholic Cirrhosisâ€" <scp>G</scp> enom <scp>ALC</scp> Multinational Study. Alcoholism: Clinical and Experimental Research, 2015, 39, 836-842. | 2.4 | 29 |
| 137 | Facial Curvature Detects and Explicates Ethnic Differences in Effects of Prenatal Alcohol Exposure. Alcoholism: Clinical and Experimental Research, 2017, 41, 1471-1483. | 2.4 | 28 |
| 138 | Association analysis of rare variants near the APOE region with CSF and neuroimaging biomarkers of Alzheimer's disease. BMC Medical Genomics, 2017, 10, 29. | 1.5 | 28 |
| 139 | Cancer outcomes among Parkinson's disease patients with leucine rich repeat kinase 2 mutations, idiopathic Parkinson's disease patients, and nonaffected controls. Movement Disorders, 2019, 34, 1392-1398. | 3.9 | 28 |
| 140 | An endophenotype approach to the genetics of alcohol dependence: a genome wide association study of fast beta EEG in families of African ancestry. Molecular Psychiatry, 2017, 22, 1767-1775. | 7.9 | 27 |
| 141 | A novel <i>SNCA</i> E83Q mutation in a case of dementia with Lewy bodies and atypical frontotemporal lobar degeneration. Neuropathology, 2020, 40, 620-626. | 1.2 | 27 |
| 142 | Genome screen in familial intracranial aneurysm. BMC Medical Genetics, 2009, 10, 3. | 2.1 | 26 |
| 143 | Allele-specific expression and high-throughput reporter assay reveal functional genetic variants associated with alcohol use disorders. Molecular Psychiatry, 2021, 26, 1142-1151. | 7.9 | 26 |
| 144 | Assessment of Blood Biomarker Profile After Acute Concussion During Combative Training Among US Military Cadets. JAMA Network Open, 2021, 4, e2037731. | 5.9 | 25 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 145 | Obesity, Diabetes, Coffee, Tea, and Cannabis Use Alter Risk for Alcohol-Related Cirrhosis in 2 Large Cohorts of High-Risk Drinkers. American Journal of Gastroenterology, 2021, 116, 106-115. | 0.4 | 25 |
| 146 | Linkage analyses in Caribbean Hispanic families identify novel loci associated with familial lateâ€onset Alzheimer's disease. Alzheimer's and Dementia, 2015, 11, 1397-1406. | 0.8 | 24 |
| 147 | Genomeâ€wide linkage analyses of nonâ€Hispanic white families identify novel loci for familial lateâ€onset Alzheimer's disease. Alzheimer's and Dementia, 2016, 12, 2-10. | 0.8 | 24 |
| 148 | Exome Sequencing Identifies Candidate Genetic Modifiers of Syndromic and Familial Thoracic Aortic Aneurysm Severity. Journal of Cardiovascular Translational Research, 2017, 10, 423-432. | 2.4 | 24 |
| 149 | Genetic Testing for Parkinson Disease. Neurology: Clinical Practice, 2021, 11, 69-77. | 1.6 | 24 |
| 150 | Impact of Genetic Ancestry on Outcomes in ECOG-ACRIN-5103. JCO Precision Oncology, 2017, 2017, 1-9. | 3.0 | 23 |
| 151 | Genomeâ€wide transcriptome analysis identifies novel dysregulated genes implicated in Alzheimer's pathology. Alzheimer's and Dementia, 2020, 16, 1213-1223. | 0.8 | 23 |
| 152 | Longitudinal Measurements of Glucocerebrosidase activity in Parkinson's patients. Annals of Clinical and Translational Neurology, 2020, 7, 1816-1830. | 3.7 | 23 |
| 153 | Plasma Total-Tau and Neurofilament Light Chain as Diagnostic Biomarkers of Alzheimer's Disease Dementia and Mild Cognitive Impairment in Adults with Down Syndrome. Journal of Alzheimer's Disease, 2021, 79, 671-681. | 2.6 | 23 |
| 154 | Mapping of QTL influencing saccharin consumption in the selectively bred alcohol-preferring and -nonpreferring rat lines. Behavior Genetics, 2002, 32, 57-67. | 2.1 | 22 |
| 155 | Relation Over Time Between Facial Measurements and Cognitive Outcomes in Fetal Alcoholâ€Exposed Children. Alcoholism: Clinical and Experimental Research, 2012, 36, 1634-1646. | 2.4 | 22 |
| 156 | A genome-wide association study of interhemispheric theta EEG coherence: implications for neural connectivity and alcohol use behavior. Molecular Psychiatry, 2021, 26, 5040-5052. | 7.9 | 22 |
| 157 | Biomarkers of neurodegeneration and glial activation validated in Alzheimer's disease assessed in longitudinal cerebrospinal fluid samples of Parkinson's disease. PLoS ONE, 2021, 16, e0257372. | 2.5 | 22 |
| 158 | Linkage of an alcoholism-related severity phenotype to chromosome 16. Alcoholism: Clinical and Experimental Research, 1998, 22, 2035-42. | 2.4 | 22 |
| 159 | Calcium-Sensing Receptor Genotype and Response to Cinacalcet in Patients Undergoing Hemodialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 1128-1138. | 4.5 | 21 |
| 160 | Alzheimer's Disease Sequencing Project discovery and replication criteria for cases and controls: Data from a communityâ€based prospective cohort study with autopsy followâ€up. Alzheimer's and Dementia, 2017, 13, 1410-1413. | 0.8 | 21 |
| 161 | Metaâ€Analysis of Genetic Influences on Initial Alcohol Sensitivity. Alcoholism: Clinical and Experimental Research, 2018, 42, 2349-2359. | 2.4 | 21 |
| 162 | Comprehensive cross-sectional and longitudinal analyses of plasma neurofilament light across FTD spectrum disorders. Cell Reports Medicine, 2022, 3, 100607. | 6.5 | 21 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 163 | Confirmation of alcohol preference quantitative trait loci in the replicate high alcohol drinking and low alcohol drinking rat lines. Psychiatric Genetics, 2003, 13, 155-161. | 1.1 | 20 |
| 164 | Adaptation of Subjective Responses to Alcohol is Affected by an Interaction of <i>GABRA2</i> Genotype and Recent Drinking. Alcoholism: Clinical and Experimental Research, 2015, 39, 1148-1157. | 2.4 | 20 |
| 165 | Integration of bioinformatics and imaging informatics for identifying rare PSEN1 variants in Alzheimer's disease. BMC Medical Genomics, 2016, 9, 30. | 1.5 | 20 |
| 166 | Genomeâ€wide association studies of the selfâ€rating of effects of ethanol (SRE). Addiction Biology, 2020, 25, e12800. | 2.6 | 20 |
| 167 | Hippocampal-subfield microstructures and their relation to plasma biomarkers in Alzheimer's disease. Brain, 2022, 145, 2149-2160. | 7.6 | 20 |
| 168 | Collagen COL22A1 maintains vascular stability and mutations in $\langle i \rangle$ COL22A1 $\langle i \rangle$ are potentially associated with intracranial aneurysms. DMM Disease Models and Mechanisms, 2018, 11, . | 2.4 | 19 |
| 169 | Genome screen for platelet monoamine oxidase (MAO) activity. , 1999, 88, 517-521. | | 18 |
| 170 | Ethanol treatment of lymphoblastoid cell lines from alcoholics and non-alcoholics causes many subtle changes in gene expression. Alcohol, 2014, 48, 603-610. | 1.7 | 18 |
| 171 | Ondansetron blocks wild-type and p.F503L variant small-conductance Ca ²⁺ -activated K ⁺ channels. American Journal of Physiology - Heart and Circulatory Physiology, 2018, 315, H375-H388. | 3.2 | 18 |
| 172 | Polygenic contributions to alcohol use and alcohol use disorders across population-based and clinically ascertained samples. Psychological Medicine, 2021, 51, 1147-1156. | 4.5 | 18 |
| 173 | Alcoholism Susceptibility Loci: Confirmation Studies in a Replicate Sample and Further Mapping. Alcoholism: Clinical and Experimental Research, 2000, 24, 933-945. | 2.4 | 18 |
| 174 | Protein phosphatase 2A and complement component 4 are linked to the protective effect of <i>APOE</i> É>2 for Alzheimer's disease. Alzheimer's and Dementia, 2022, 18, 2042-2054. | 0.8 | 18 |
| 175 | Linkage of type II and type III cystinuria to 19q13.1: Codominant inheritance of two cystinuric alleles at 19q13.1 produces an extreme stone-forming phenotype., 1999, 86, 134-139. | | 17 |
| 176 | Genome-wide polygenic scores for age at onset of alcohol dependence and association with alcohol-related measures. Translational Psychiatry, 2016, 6, e761-e761. | 4.8 | 17 |
| 177 | Genetic evaluation of dementia with Lewy bodies implicates distinct disease subgroups. Brain, 2022, 145, 1757-1762. | 7.6 | 17 |
| 178 | Role of Lysosomal Gene Variants in Modulating <scp><i>GBA</i></scp> â€Associated Parkinson's Disease Risk. Movement Disorders, 2022, 37, 1202-1210. | 3.9 | 17 |
| 179 | Novel recruitment strategy to enrich for <i> <scp>LRRK</scp> 2 </i> mutation carriers. Molecular Genetics & amp; Genomic Medicine, 2015, 3, 404-412. | 1.2 | 16 |
| 180 | A multivariate finite mixture latent trajectory model with application to dementia studies. Journal of Applied Statistics, 2016, 43, 2503-2523. | 1.3 | 16 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Feasibility and Safety of Multicenter Tissue and Biofluid Sampling for α-Synuclein in Parkinson's Disease: The Systemic Synuclein Sampling Study (S4). Journal of Parkinson's Disease, 2018, 8, 517-527. | 2.8 | 16 |
| 182 | Evaluating risk for alcohol use disorder: Polygenic risk scores and family history. Alcoholism: Clinical and Experimental Research, 2022, 46, 374-383. | 2.4 | 16 |
| 183 | Genomeâ€wide association study identifies loci associated with liability to alcohol and drug dependence that is associated with variability in rewardâ€related ventral striatum activity in African― and Europeanâ€Americans. Genes, Brain and Behavior, 2019, 18, e12580. | 2.2 | 15 |
| 184 | Cross-Sectional Exploration of Plasma Biomarkers of Alzheimer's Disease in Down Syndrome: Early Data from the Longitudinal Investigation for Enhancing Down Syndrome Research (LIFE-DSR) Study. Journal of Clinical Medicine, 2021, 10, 1907. | 2.4 | 15 |
| 185 | Genetic research: who is at risk for alcoholism. Alcohol Research, 2010, 33, 64-75. | 1.0 | 15 |
| 186 | Genes Associated With Alcohol Outcomes Show Enrichment of Effects With Broad Externalizing and Impulsivity Phenotypes in an Independent Sample. Journal of Studies on Alcohol and Drugs, 2015, 76, 38-46. | 1.0 | 14 |
| 187 | Genetic variants associated with susceptibility to psychosis inÂlate-onset Alzheimer's disease families. Neurobiology of Aging, 2015, 36, 3116.e9-3116.e16. | 3.1 | 14 |
| 188 | L1 coupling to ankyrin and the spectrinâ€actin cytoskeleton modulates ethanol inhibition of L1 adhesion and ethanol teratogenesis. FASEB Journal, 2018, 32, 1364-1374. | 0.5 | 14 |
| 189 | Telomere Shortening in the Alzheimer's Disease Neuroimaging Initiative Cohort. Journal of Alzheimer's Disease, 2019, 71, 33-43. | 2.6 | 14 |
| 190 | Polymorphisms in the bone morphogenetic protein 2 (BMP2) gene do not affect bone mineral density in white men or women. Osteoporosis International, 2006, 17, 587-592. | 3.1 | 13 |
| 191 | Association of Polygenic Liability for Alcohol Dependence and EEG Connectivity in Adolescence and Young Adulthood. Brain Sciences, 2019, 9, 280. | 2.3 | 13 |
| 192 | Genetic Influences on Plasma Homocysteine Levels in African Americans and Yoruba Nigerians. Journal of Alzheimer's Disease, 2016, 49, 991-1003. | 2.6 | 12 |
| 193 | Genome-wide association analysis identifies new candidate risk loci for familial intracranial aneurysm in the French-Canadian population. Scientific Reports, 2018, 8, 4356. | 3.3 | 12 |
| 194 | The association of polygenic risk for schizophrenia, bipolar disorder, and depression with neural connectivity in adolescents and young adults: examining developmental and sex differences. Translational Psychiatry, 2021, 11, 54. | 4.8 | 12 |
| 195 | Whole Exome Sequencing of Intracranial Aneurysm. Stroke, 2013, 44, S26-S28. | 2.0 | 11 |
| 196 | Fine mapping of bone structure and strength QTLs in heterogeneous stock rat. Bone, 2015, 81, 417-426. | 2.9 | 11 |
| 197 | Genomeâ€wide admixture mapping of <scp>DSMâ€W</scp> alcohol dependence, criterion count, and the selfâ€rating of the effects of ethanol in African American populations. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2021, 186, 151-161. | 1.7 | 11 |
| 198 | Suggestive evidence of a locus on chromosome 10p using the NIMH genetics initiative bipolar affective disorder pedigrees. American Journal of Medical Genetics Part A, 2000, 96, 18-23. | 2.4 | 11 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 199 | SIBLING family genes and bone mineral density: Association and allele-specific expression in humans. Bone, 2014, 64, 166-172. | 2.9 | 10 |
| 200 | Characteristics of Bipolar I patients grouped by externalizing disorders. Journal of Affective Disorders, 2015, 178, 206-214. | 4.1 | 10 |
| 201 | Psychosocial moderation of polygenic risk for cannabis involvement: the role of trauma exposure and frequency of religious service attendance. Translational Psychiatry, 2019, 9, 269. | 4.8 | 10 |
| 202 | Longitudinal Analysis of Multiple Neurotransmitter Metabolites in Cerebrospinal Fluid in Early Parkinson's Disease. Movement Disorders, 2021, 36, 1972-1978. | 3.9 | 10 |
| 203 | Outcomes of genetic test disclosure and genetic counseling in a large Parkinson's disease research study. Journal of Genetic Counseling, 2021, 30, 755-765. | 1.6 | 10 |
| 204 | Sibling Pair Linkage and Association Studies between Peak Bone Mineral Density and the Gene Locus for the Osteoclast-Specific Subunit (OC116) of the Vacuolar Proton Pump on Chromosome 11p12-13. Journal of Clinical Endocrinology and Metabolism, 2002, 87, 3819-3824. | 3.6 | 10 |
| 205 | Gene-based polygenic risk scores analysis of alcohol use disorder in African Americans. Translational Psychiatry, 2022, 12, . | 4.8 | 10 |
| 206 | Association studies of ALOX5 and bone mineral density in healthy adults. Osteoporosis International, 2008, 19, 637-643. | 3.1 | 9 |
| 207 | Steroid Pathway Genes and Neonatal Respiratory Distress After Betamethasone Use in Anticipated Preterm Birth. Reproductive Sciences, 2016, 23, 680-686. | 2.5 | 9 |
| 208 | A genome wide association study of fast beta EEG in families of European ancestry. International Journal of Psychophysiology, 2017, 115, 74-85. | 1.0 | 9 |
| 209 | Fibroblast Growth Factor 23 Genotype and Cardiovascular Disease in Patients Undergoing Hemodialysis. American Journal of Nephrology, 2019, 49, 125-132. | 3.1 | 9 |
| 210 | Genetics of Alcoholism., 1998, 282, 1265i-1265. | | 9 |
| 211 | Genes associated with alcohol outcomes show enrichment of effects with broad externalizing and impulsivity phenotypes in an independent sample. Journal of Studies on Alcohol and Drugs, 2015, 76, 38-46. | 1.0 | 9 |
| 212 | The National Institute on Aging Lateâ€Onset Alzheimer's Disease Family Based Study: A resource for genetic discovery. Alzheimer's and Dementia, 2022, 18, 1889-1897. | 0.8 | 9 |
| 213 | Translational research on aging: clinical epidemiology as a bridge between the sciences. Translational Research, 2014, 163, 439-445. | 5.0 | 8 |
| 214 | Detecting significant genotype–phenotype association rules in bipolar disorder: market research meets complex genetics. International Journal of Bipolar Disorders, 2018, 6, 24. | 2.2 | 8 |
| 215 | Michael J. Fox Foundation LRRK2 Consortium: geographical differences in returning genetic research data to study participants. Genetics in Medicine, 2014, 16, 644-645. | 2.4 | 7 |
| 216 | Efficient region-based test strategy uncovers genetic risk factors for functional outcome in bipolar disorder. European Neuropsychopharmacology, 2019, 29, 156-170. | 0.7 | 7 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 217 | A GABRA2 polymorphism improves a model for prediction of drinking initiation. Alcohol, 2017, 63, 1-8. | 1.7 | 5 |
| 218 | The Promise and Pitfalls of Facebook Advertising: a Genetic Counselor's Perspective. Journal of Genetic Counseling, 2018, 27, 326-328. | 1.6 | 5 |
| 219 | Angiotensin-related genetic determinants of cardiovascular disease in patients undergoing hemodialysis. Nephrology Dialysis Transplantation, 2018, 34, 1924-1931. | 0.7 | 5 |
| 220 | Exome-chip association analysis of intracranial aneurysms. Neurology, 2020, 94, e481-e488. | 1.1 | 5 |
| 221 | Chromosome 5 and Parkinson disease. European Journal of Human Genetics, 2006, 14, 1106-1110. | 2.8 | 4 |
| 222 | Metaâ€Analyses of Externalizing Disorders: Genetics or Prenatal Alcohol Exposure?. Alcoholism: Clinical and Experimental Research, 2018, 42, 162-172. | 2.4 | 4 |
| 223 | Genome-wide association study of stimulant dependence. Translational Psychiatry, 2021, 11, 363. | 4.8 | 4 |
| 224 | A Quantitative Trait Locus for Alcohol Consumption in Selectively Bred Rat Lines. Alcoholism: Clinical and Experimental Research, 1998, 22, 884. | 2.4 | 4 |
| 225 | Genetic variants in the $\langle i \rangle$ SHISA6 $\langle i \rangle$ gene are associated with delayed cognitive impairment in two family datasets. Alzheimer's and Dementia, 2023, 19, 611-620. | 0.8 | 4 |
| 226 | Genome-wide association study of serum iron phenotypes in premenopausal women of European descent. Blood Cells, Molecules, and Diseases, 2016, 57, 50-53. | 1.4 | 3 |
| 227 | [P1–142]: DNA METHYLATION DYNAMICS IN ALZHEIMER's DISEASE DIAGNOSIS AND PROGRESSION. Alzheimer's and Dementia, 2017, 13, P297. | 0.8 | 3 |
| 228 | The Alzheimer's disease sequencing project–follow up study (ADSPâ€FUS): Increasing ethnic diversity in Alzheimer's genetics research with addition of potential new cohorts. Alzheimer's and Dementia, 2020, 16, e046400. | 0.8 | 3 |
| 229 | Assessing the genetic risk for alcohol use disorders. , 2012, 34, 266-72. | | 3 |
| 230 | Amyloid and tau PET in sporadic earlyâ€onset Alzheimer's disease: Preliminary results from LEADS. Alzheimer's and Dementia, 2020, 16, e041613. | 0.8 | 2 |
| 231 | Sexâ€associated differences in pathology burden in earlyâ€onset Alzheimer's disease. Alzheimer's and Dementia, 2020, 16, e046532. | 0.8 | 2 |
| 232 | Genome wide association study for anthracycline-induced congestive heart failure Journal of Clinical Oncology, 2016, 34, 1017-1017. | 1.6 | 2 |
| 233 | Parkinson's Progression Markers Initiative brain autopsy program. Parkinsonism and Related Disorders, 2022, 101, 62-65. | 2.2 | 2 |
| 234 | Parametric Linkage Analysis and Disequilibrium Methods to Identify Loci for Complex Disease. Genetic Epidemiology, 2001, 21, S528-33. | 1.3 | 1 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 235 | O3-03-01: Genome-wide association study of CSF biomarkers amyloid beta 1-42, tau and tau phosphorylated at threonine 181 in the ADNI cohort. , 2010, 6, S129-S129. | | 1 |
| 236 | O4-06-02: Genetic variation in PLXNA4 associated with susceptibility of Alzheimer's disease through tau phosphorylation., 2013, 9, P692-P692. | | 1 |
| 237 | IC-P-042: Influence of rare reelin variants on quantitative PET imaging and CSF phenotypes in late-onset Alzheimer's disease., 2015, 11, P36-P36. | | 1 |
| 238 | P1-201: Genetic findings using ADNI multimodal quantitative phenotypes: A 2014 update. , 2015, 11, P426-P426. | | 1 |
| 239 | O3-13-04: Genome-wide rare variant analysis identifies candidate genes significantly associated with composite scores for memory., 2015, 11, P251-P252. | | 1 |
| 240 | Testing influences of APOE and BDNF genes and heart failure on cognitive function. Heart and Lung: Journal of Acute and Critical Care, 2021, 50, 51-58. | 1.6 | 1 |
| 241 | Stoppage: An issue for segregation analysis. Genetic Epidemiology, 2001, 20, 328-339. | 1.3 | 1 |
| 242 | NCRAD Family Study and NIA‣OAD brain tissue: A NCRAD resource. Alzheimer's and Dementia, 2021, 17, e056284. | 0.8 | 1 |
| 243 | Nonparametric linkage and family-based association studies of a simulated complex disorder. Genetic Epidemiology, 1999, 17, S627-S632. | 1.3 | 0 |
| 244 | P3-018: INFLUENCE OF RARE PSEN1 VARIANTS ON QUANTITATIVE STRUCTURAL IMAGING AND CSF PHENOTYPES IN LATE ONSET ALZHEIMER'S DISEASE. , 2014, 10, P633-P633. | | 0 |
| 245 | IC-P-177: GENETIC FINDINGS USING ADNI MULTIMODAL QUANTITATIVE PHENOTYPES: A REVIEW OF PAPERS PUBLISHED IN 2013. , 2014, 10, P99-P100. | | 0 |
| 246 | IC-P-174: RARE VARIANT IN PLD3 IS ASSOCIATED WITH ALZHEIMER'S PATTERN OF NEURODEGENERATIVE CHANGES., 2014, 10, P97-P97. | | 0 |
| 247 | P3-024: NEXT-GENERATION SEQUENCING OF THE BCHE LOCUS IDENTIFIES A FUNCTIONAL SNP ASSOCIATED WITH ALZHEIMER'S DISEASE BIOMARKERS AND AGE OF ONSET. , 2014, 10, P636-P636. | | 0 |
| 248 | P3-017: ASSOCIATION ANALYSIS OF RARE VARIANTS NEAR THE APOE REGION WITH CEREBROSPINAL FLUID (CSF) BIOMARKERS OF ALZHEIMER'S DISEASE. , 2014, 10, P632-P633. | | 0 |
| 249 | P1-141: GENETIC FINDINGS USING ADNI MULTIMODAL QUANTITATIVE PHENOTYPES: A REVIEW OF PAPERS PUBLISHED IN 2013., 2014, 10, P351-P351. | | 0 |
| 250 | P3-019: RARE VARIANT IN PLD3 IS ASSOCIATED WITH ALZHEIMER'S PATTERN OF NEURODEGENERATIVE CHANGES., 2014, 10, P634-P634. | | 0 |
| 251 | P3-011: Genome-wide association of plasma homocysteine in the indianapolis-ibadan dementia study cohort., 2015, 11, P623-P624. | | 0 |
| 252 | P3-014: Influence of rare RELN variants on quantitative PET imaging and CSF phenotypes in late-onset Alzheimer's disease., 2015, 11, P624-P625. | | 0 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 253 | P4-197: Gene expression profiling identifies altered networks in late-onset Alzheimer's disease: Immune response and mitochondrial process. , 2015, 11, P855-P856. | | O |
| 254 | O4-05-01: Gwas of longitudinal amyloid PET identifies IL1RAP as a new potential Alzheimer's disease target., 2015, 11, P277-P278. | | 0 |
| 255 | P2â€097: The Alzheimer's Disease Sequencing Project (ADSP): Data Production, Management, and Availability. Alzheimer's and Dementia, 2016, 12, P648. | 0.8 | O |
| 256 | ICâ€Pâ€072: Gene Expression Of ABCA7 Dysregulated in Peripheral Blood is Associated With Decreased Metabolic Activity in Hippocampus. Alzheimer's and Dementia, 2016, 12, P56. | 0.8 | O |
| 257 | ICâ€Pâ€074: Genomeâ€Wide Metaâ€Analysis of Transcriptome Profiling Identifies Novel Dysregulated Genes Implicated in Alzheimer's Disease. Alzheimer's and Dementia, 2016, 12, P58. | 0.8 | O |
| 258 | ICâ€Pâ€075: The Growth and Impact of ADNI Genetics Publications as Measured by Science Mapping. Alzheimer's and Dementia, 2016, 12, P60. | 0.8 | 0 |
| 259 | P1-348: Neuropathology of Familial Alzheimer's Disease Associated with a Presenilin 1 A396T Mutation Reveals The Coexistence of $\hat{Al^2}$, TAU, and A-Synuclein Proteinopathies., 2016, 12, P562-P563. | | O |
| 260 | P2â€⊋58: The Growth and Impact of ADNI Genetics Publications as Measured by Science Mapping. Alzheimer's and Dementia, 2016, 12, P725. | 0.8 | 0 |
| 261 | P3â€087: Gene Expression of <i>ABCA7</i> Dysregulated in Peripheral Blood is Associated With Decreased Metabolic Activity in Hippocampus. Alzheimer's and Dementia, 2016, 12, P851. | 0.8 | O |
| 262 | O2-06-02: Genome-Wide Meta-Analysis of Transcriptome Profiling Identifies Novel Dysregulated Genes Implicated in Alzheimer's Disease., 2016, 12, P238-P239. | | 0 |
| 263 | [P3–102]: GENETIC RISK FOR SCHIZOPHRENIA AND PSYCHOSIS IN ALZHEIMER DISEASE. Alzheimer's and Dementia, 2017, 13, P973. | 0.8 | O |
| 264 | [P3–098]: ALZHEIMER's DISEASE SEQUENCING PROJECT DISCOVERY AND REPLICATION CRITERIA FOR CASES AND CONTROLS: DATA FROM A COMMUNITYâ€BASED PROSPECTIVE COHORT STUDY WITH AUTOPSY FOLLOWâ€UP. Alzheimer's and Dementia, 2017, 13, P971. | 0.8 | 0 |
| 265 | [P1â€"254]: CHARACTERISTICS AND PROGRESS ON THE INITIAL 209 SUBJECTS IN THE LONGITUDINAL EVALUATION OF FAMILIAL FRONTOTEMPORAL DEMENTIA SUBJECTS (LEFFTDS) PROTOCOL. Alzheimer's and Dementia, 2017, 13, P345. | 0.8 | O |
| 266 | [P2â€"303]: ADVANCING RESEARCH AND TREATMENT IN FRONTOTEMPORAL LOBAR DEGENERATION (ARTFL) NORTH AMERICAN RARE DISEASE CLINICAL RESEARCH CONSORTIUM: PROGRESS AND CHARACTERIZATION OF INITIAL PARTICIPANTS. Alzheimer's and Dementia, 2017, 13, P733. | 0.8 | 0 |
| 267 | [P3–090]: THE ALZHEIMER's DISEASE SEQUENCING PROJECT (ADSP) DATA UPDATE 2017. Alzheimer's and Dementia, 2017, 13, P968. | 0.8 | O |
| 268 | P1â€433: GRAY MATTER DEFICITS IN SYMPTOMATIC AND PRESYMPTOMATIC <i>MAPT</i> MUTATION CARRIERS. Alzheimer's and Dementia, 2018, 14, P475. | 0.8 | 0 |
| 269 | P1â€597: AMYLOID NEUROIMAGING AND GENETICS INITIATIVE: IMPLEMENTING DNA COLLECTION USING NOVEL CONSENTING APPROACHES FOR AN IDEAS ADDâ€ON STUDY. Alzheimer's and Dementia, 2018, 14, P566. | 0.8 | O |
| 270 | P1â€149: THE ALZHEIMER'S DISEASE SEQUENCING PROJECT (ADSP) DATA UPDATE 2018. Alzheimer's and Dementia, 2018, 14, P333. | 0.8 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|--------------|-----------|
| 271 | O2â€14â€01: CHARACTERISTICS AND PROGRESS OF 320 SUBJECTS IN THE LONGITUDINAL EVALUATION OF FAM FRONTOTEMPORAL DEMENTIA SUBJECTS (LEFFTDS) PROTOCOL. Alzheimer's and Dementia, 2018, 14, P656. | ILIAL 0.8 | 0 |
| 272 | P1â€419: USING A BRAIN NETWORK APPROACH TO PREDICT GENETIC MUTATION IN INDIVIDUAL PATIENTS WITH FAMILIAL FRONTOTEMPORAL DEMENTIA. Alzheimer's and Dementia, 2018, 14, P465. | 0.8 | 0 |
| 273 | Webâ€based requisitioning, tracking and laboratory result reporting system for clinical trials using a central laboratory. Alzheimer's and Dementia, 2020, 16, e038627. | 0.8 | 0 |
| 274 | Plasma biomarkers of inflammation reflect disease state in autosomal dominant forms of familial frontotemporal dementia. Alzheimer's and Dementia, 2020, 16, e041533. | 0.8 | 0 |
| 275 | Associations of targeted genetic variants with Alzheimer's disease in African Americans and Nigerians. Alzheimer's and Dementia, 2020, 16, e042323. | 0.8 | 0 |
| 276 | Studying the natural history of frontotemporal lobar degeneration (FTLD): The ARTFL LEFFTDS longitudinal FTLD (ALLFTD) protocol. Alzheimer's and Dementia, 2020, 16, e045482. | 0.8 | 0 |
| 277 | Increased white matter MRI T1 hypointensity volume in youngâ€onset Alzheimer's disease patients is not accounted for by age or cardiovascular risk factors. Alzheimer's and Dementia, 2020, 16, e045577. | 0.8 | 0 |
| 278 | Plasma neurofilament light chain levels reflect caregiver burden and social cognition measures in familial frontotemporal lobar degeneration (FTLD). Alzheimer's and Dementia, 2020, 16, e046247. | 0.8 | 0 |
| 279 | Neurodegeneration in the Longitudinal Evaluation of Early Onset Alzheimer's Disease Study (LEADS) sample: Results from the MRI core. Alzheimer's and Dementia, 2020, 16, e046338. | 0.8 | 0 |
| 280 | The Contribution of Known Familial Cardiovascular Disease Genes to Sudden Cardiac Death in Patients Undergoing Hemodialysis. CardioRenal Medicine, 2021, 11, 174-183. | 1.9 | 0 |
| 281 | Can Salivary Innate Immune Molecules Provide Clue on Taste Dysfunction in COVID-19?. Frontiers in Microbiology, 2021, 12, 727430. | 3.5 | 0 |
| 282 | Prenatal Alcohol Exposure: Advancing Knowledge Through International Collaborations. Alcoholism: Clinical and Experimental Research, 2003, 27, 118-135. | 2.4 | 0 |
| 283 | Mutations disrupting PI3K signaling act as dominant enhancers of ethanol teratogenicity. FASEB Journal, 2013, 27, 962.5. | 0.5 | 0 |
| 284 | Association of Charcot-Marie-Tooth gene, SBF2, with taxane-induced peripheral neuropathy in African Americans Journal of Clinical Oncology, 2016, 34, 1026-1026. | 1.6 | 0 |
| 285 | Genetics of Parkinson disease. Neurotherapeutics, 2004, 1, 235-242. | 4.4 | 0 |
| 286 | Longitudinal Earlyâ€onset Alzheimer's Disease Study (LEADS) genetic screening: Initial results. Alzheimer's and Dementia, 2021, 17, e056493. | 0.8 | 0 |
| 287 | ADSP followâ€up study: NCRAD biospecimens. Alzheimer's and Dementia, 2021, 17, e056242. | 0.8 | 0 |
| 288 | Association of a locus on chromosome 17 with earlier age at onset of cognitive impairment in a familial Amish dataset. Alzheimer's and Dementia, 2021, 17, e056288. | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Cognitive, neuropsychiatric and imaging comparisons between earlyâ€onset and lateâ€onset Alzheimer's disease participants from LEADS and ADNI3. Alzheimer's and Dementia, 2021, 17, . | 0.8 | O |
| 290 | Establishing a centralized repository of human pluripotent stem cells for neurodegeneration research Alzheimer's and Dementia, 2021, 17 Suppl 3, e053911. | 0.8 | 0 |
| 291 | ADRC GWAS supplement: An NCRAD initiative Alzheimer's and Dementia, 2021, 17 Suppl 3, e056176. | 0.8 | O |