

Sandra T Davidge

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5057293/publications.pdf>

Version: 2024-02-01

252
papers

10,564
citations

22153

59
h-index

46799

89
g-index

282
all docs

282
docs citations

282
times ranked

10293
citing authors

#	ARTICLE	IF	CITATIONS
1	Programming of weight and obesity across the lifecourse by the maternal metabolic exposome: A systematic review. <i>Molecular Aspects of Medicine</i> , 2022, 87, 100986.	6.4	11
2	Long-Term Effects of Preeclampsia on Mothers and Offspring. , 2022, , 419-434.		0
3	Vascular Endothelial Cell Dysfunction in Preeclampsia. , 2022, , 187-218.		0
4	Sex-specific effects of prenatal hypoxia on the cardiac endothelin system in adult offspring. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2022, 322, H442-H450.	3.2	4
5	Chicken muscle hydrolysate reduces blood pressure in spontaneously hypertensive rats, upregulates ACE2, and ameliorates vascular inflammation, fibrosis, and oxidative stress. <i>Journal of Food Science</i> , 2022, 87, 1292-1305.	3.1	10
6	p63, a key regulator of Ago2, links to the microRNA-144 cluster. <i>Cell Death and Disease</i> , 2022, 13, 397.	6.3	3
7	Prenatal Hypoxia is Associated with Coronary Artery Endothelial Dysfunction in Male and Female Offspring. <i>FASEB Journal</i> , 2022, 36, .	0.5	1
8	Advanced Maternal Age Impairs Uterine Artery Remodelling in the Pregnant Rat. <i>FASEB Journal</i> , 2022, 36, .	0.5	0
9	The Effect of Tauroursodeoxycholic Acid (TUDCA) Treatment on Pregnancy Outcomes and Uterine Artery Function in a Rat Model of Advanced Maternal Age. <i>FASEB Journal</i> , 2022, 36, .	0.5	0
10	Chicken Muscle-Derived ACE2 Upregulating Peptide VVHPKESF Inhibits Angiotensin II-Stimulated Inflammation in Vascular Smooth Muscle Cells <i>via</i> the ACE2/Ang (1 α 7)/MasR Axis. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 6397-6406.	5.2	6
11	The Effect of Tauroursodeoxycholic Acid (TUDCA) Treatment on Pregnancy Outcomes and Vascular Function in a Rat Model of Advanced Maternal Age. <i>Antioxidants</i> , 2022, 11, 1275.	5.1	2
12	Early life risk and resiliency factors and their influences on developmental outcomes and disease pathways: a rapid evidence review of systematic reviews and meta-analyses. <i>Journal of Developmental Origins of Health and Disease</i> , 2021, 12, 357-372.	1.4	5
13	Preeclampsia is not associated with elevated muscle sympathetic reactivity. <i>Journal of Applied Physiology</i> , 2021, 130, 139-148.	2.5	6
14	Persistent Aortic Stiffness and Left Ventricular Hypertrophy in Children of Diabetic Mothers. <i>CJC Open</i> , 2021, 3, 345-353.	1.5	9
15	Nanoparticle-encapsulated antioxidant improves placental mitochondrial function in a sexually dimorphic manner in a rat model of prenatal hypoxia. <i>FASEB Journal</i> , 2021, 35, e21338.	0.5	17
16	Protocol for a cluster randomised trial evaluating a multifaceted intervention starting preconceptionally-“Early Interventions to Support Trajectories for Healthy Life in India (EINSTEIN): a Healthy Life Trajectories Initiative (HeLTI) Study. <i>BMJ Open</i> , 2021, 11, e045862.	1.9	12
17	Placental treatment improves cardiac tolerance to ischemia/reperfusion insult in adult male and female offspring exposed to prenatal hypoxia. <i>Pharmacological Research</i> , 2021, 165, 105461.	7.1	10
18	Altered Vascular Adaptations to Pregnancy in a Rat Model of Advanced Maternal Age. <i>Frontiers in Physiology</i> , 2021, 12, 718568.	2.8	4

#	ARTICLE	IF	CITATIONS
19	Optimising Women's Cardiovascular Health After Hypertensive Disorders of Pregnancy: A Translational Approach to Cardiovascular Disease Prevention. <i>Canadian Journal of Cardiology</i> , 2021, 37, 2056-2066.	1.7	10
20	Increased oxidative stress and endothelial activation in umbilical veins from pregnancies diagnosed with preeclampsia. <i>Pregnancy Hypertension</i> , 2021, 26, 87-90.	1.4	1
21	Mining Early Life Risk and Resiliency Factors and Their Influences in Human Populations from PubMed: A Machine Learning Approach to Discover DOHaD Evidence. <i>Journal of Personalized Medicine</i> , 2021, 11, 1064.	2.5	2
22	Physical Activity in Pregnancy Is Associated with Increased Flow-mediated Dilation. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 801-809.	0.4	5
23	Placenta-targeted treatment in hypoxic dams improves maturation and growth of fetal cardiomyocytes in vitro via the release of placental factors. <i>Experimental Physiology</i> , 2020, 105, 1507-1514.	2.0	6
24	Intrauterine exposure to chronic hypoxia in the rat leads to progressive diastolic function and increased aortic stiffness from early postnatal developmental stages. <i>Physiological Reports</i> , 2020, 8, e14327.	1.7	5
25	Placenta-targeted treatment strategies: An opportunity to impact fetal development and improve offspring health later in life. <i>Pharmacological Research</i> , 2020, 157, 104836.	7.1	24
26	Role of Lectin-like Oxidized LDL Receptor-1 and Syncytiotrophoblast Extracellular Vesicles in the Vascular Reactivity of Mouse Uterine Arteries During Pregnancy. <i>Scientific Reports</i> , 2020, 10, 6046.	3.3	6
27	Late-pregnancy uterine artery ligation increases susceptibility to postnatal Western diet-induced fat accumulation in adult female offspring. <i>Scientific Reports</i> , 2020, 10, 6926.	3.3	1
28	Developmental programming of cardiovascular function: a translational perspective. <i>Clinical Science</i> , 2020, 134, 3023-3046.	4.3	8
29	High-cholesterol diet during pregnancy induces maternal vascular dysfunction in mice: potential role for oxidized LDL-induced LOX-1 and AT1 receptor activation. <i>Clinical Science</i> , 2020, 134, 2295-2313.	4.3	5
30	Characterisation of the Selective Reduced Uteroplacental Perfusion (sRUPP) Model of Preeclampsia. <i>Scientific Reports</i> , 2019, 9, 9565.	3.3	29
31	Low altitude simulation without hypoxia improves left ventricular function after myocardial infarction by reducing ventricular afterload. <i>PLoS ONE</i> , 2019, 14, e0215814.	2.5	6
32	Sex-Specific Effects of Nanoparticle-Encapsulated MitoQ (nMitoQ) Delivery to the Placenta in a Rat Model of Fetal Hypoxia. <i>Frontiers in Physiology</i> , 2019, 10, 562.	2.8	39
33	Advanced maternal age and the impact on maternal and offspring cardiovascular health. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019, 317, H387-H394.	3.2	48
34	Blunted sympathetic neurovascular transduction during normotensive pregnancy. <i>Journal of Physiology</i> , 2019, 597, 3687-3696.	2.9	33
35	Sex Differences in Developmental Origins of Cardiovascular Disease. , 2019, , 253-289.		1
36	Egg white hydrolysate enhances insulin sensitivity in high-fat diet-induced insulin-resistant rats via Akt activation. <i>British Journal of Nutrition</i> , 2019, 122, 14-24.	2.3	20

#	ARTICLE	IF	CITATIONS
37	Egg White-Derived Antihypertensive Peptide IRW (Ile-Arg-Trp) Reduces Blood Pressure in Spontaneously Hypertensive Rats via the ACE2/Ang (1-7)/Mas Receptor Axis. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1900063.	3.3	60
38	Effect of High Dose Folic Acid Supplementation in Pregnancy on Pre-eclampsia (FACT): Double Blind, Phase III, Randomised Controlled, International, Multicentre Trial. <i>Obstetrical and Gynecological Survey</i> , 2019, 74, 68-70.	0.4	1
39	Advanced maternal age compromises fetal growth and induces sex-specific changes in placental phenotype in rats. <i>Scientific Reports</i> , 2019, 9, 16916.	3.3	29
40	Cardiovascular Health of Offspring of Diabetic Mothers From the Fetal Through Late-Infancy Stages. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 932-934.	5.3	12
41	Maternal Physical Activity Is Associated With Improved Blood Pressure Regulation During Late Pregnancy. <i>Canadian Journal of Cardiology</i> , 2018, 34, 485-491.	1.7	17
42	The role of the tumor necrosis factor (TNF)-related weak inducer of apoptosis (TWEAK) in offspring exposed to prenatal hypoxia. <i>Journal of Developmental Origins of Health and Disease</i> , 2018, 9, 661-669.	1.4	4
43	Foetal growth restriction in mice modifies postnatal airway responsiveness in an age and sex-dependent manner. <i>Clinical Science</i> , 2018, 132, 273-284.	4.3	24
44	Sex-specific effects of advanced maternal age on cardiovascular function in aged adult rat offspring. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018, 315, H1724-H1734.	3.2	10
45	Egg White-Derived Tripeptide IRW (Ile-Arg-Trp) Is an Activator of Angiotensin Converting Enzyme 2. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 11330-11336.	5.2	35
46	Alterations in vascular function by syncytiotrophoblast extracellular vesicles via lectin-like oxidized low-density lipoprotein receptor-1 in mouse uterine arteries. <i>Clinical Science</i> , 2018, 132, 2369-2381.	4.3	10
47	Activity of muscle sympathetic neurons during normotensive pregnancy. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018, 314, R153-R160.	1.8	16
48	Effect of high dose folic acid supplementation in pregnancy on pre-eclampsia (FACT): double blind, phase III, randomised controlled, international, multicentre trial. <i>BMJ: British Medical Journal</i> , 2018, 362, k3478.	2.3	69
49	Milk-Derived Tripeptides IPP (Ile-Pro-Pro) and VPP (Val-Pro-Pro) Enhance Insulin Sensitivity and Prevent Insulin Resistance in 3T3-F442A Preadipocytes. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 10179-10187.	5.2	24
50	Reduction in Regulatory T Cells in Early Pregnancy Causes Uterine Artery Dysfunction in Mice. <i>Hypertension</i> , 2018, 72, 177-187.	2.7	88
51	Maternal treatment with a placental-targeted antioxidant (MitoQ) impacts offspring cardiovascular function in a rat model of prenatal hypoxia. <i>Pharmacological Research</i> , 2018, 134, 332-342.	7.1	46
52	Increased susceptibility to cardiovascular disease in offspring born from dams of advanced maternal age. <i>Journal of Physiology</i> , 2018, 596, 5807-5821.	2.9	20
53	Milk-derived tripeptides IPP (Ile-Pro-Pro) and VPP (Val-Pro-Pro) differentially modulate angiotensin II effects on vascular smooth muscle cells. <i>Journal of Functional Foods</i> , 2017, 30, 151-158.	3.4	31
54	Pre-gravid predictors of new onset hypertension in pregnancy ~ Results from a pre-conception cohort study in China. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 214, 140-144.	1.1	3

#	ARTICLE	IF	CITATIONS
55	Increased heterogeneity of airway calibre in adult rats after hypoxia-induced intrauterine growth restriction. <i>Respirology</i> , 2017, 22, 1329-1335.	2.3	14
56	Postnatal resveratrol supplementation improves cardiovascular function in male and female intrauterine growth restricted offspring. <i>Physiological Reports</i> , 2017, 5, e13109.	1.7	20
57	Loss of smooth muscle cell disintegrin and metalloproteinase 17 transiently suppresses angiotensin II-induced hypertension and end-organ damage. <i>Journal of Molecular and Cellular Cardiology</i> , 2017, 103, 11-21.	1.9	32
58	Treating the placenta to prevent adverse effects of gestational hypoxia on fetal brain development. <i>Scientific Reports</i> , 2017, 7, 9079.	3.3	76
59	Cardiovascular susceptibility to <i>in vivo</i> ischemic myocardial injury in male and female rat offspring exposed to prenatal hypoxia. <i>Clinical Science</i> , 2017, 131, 2303-2317.	4.3	17
60	Muscle sympathetic nerve activity and volume-regulating factors in healthy pregnant and nonpregnant women. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017, 313, H782-H787.	3.2	19
61	Prenatal hypoxia and placental oxidative stress: linkages to developmental origins of cardiovascular disease. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017, 313, R395-R399.	1.8	50
62	Mechanisms of Uterine Artery Dysfunction in Pregnancy Complications. <i>Journal of Cardiovascular Pharmacology</i> , 2017, 69, 343-359.	1.9	19
63	Advanced Maternal Age Worsens Postpartum Vascular Function. <i>Frontiers in Physiology</i> , 2017, 8, 465.	2.8	14
64	The Effects of Myo-Inositol and B and D Vitamin Supplementation in the db/+ Mouse Model of Gestational Diabetes Mellitus. <i>Nutrients</i> , 2017, 9, 141.	4.1	23
65	Syncytiotrophoblast extracellular vesicles impair rat uterine vascular function via the lectin-like oxidized LDL receptor-1. <i>PLoS ONE</i> , 2017, 12, e0180364.	2.5	11
66	Egg white hydrolysate shows insulin mimetic and sensitizing effects in 3T3-F442A pre-adipocytes. <i>PLoS ONE</i> , 2017, 12, e0185653.	2.5	32
67	Maternal vascular responses to hypoxia in a rat model of intrauterine growth restriction. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R1068-R1075.	1.8	23
68	Egg white protein hydrolysate reduces blood pressure, improves vascular relaxation and modifies aortic angiotensin II receptors expression in spontaneously hypertensive rats. <i>Journal of Functional Foods</i> , 2016, 27, 667-673.	3.4	56
69	Modulatory Effects of Egg White Ovotransferrin-Derived Tripeptide IRW (Ile-Arg-Trp) on Vascular Smooth Muscle Cells against Angiotensin II Stimulation. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 7342-7347.	5.2	47
70	Mechanism of vascular dysfunction due to circulating factors in women with pre-eclampsia. <i>Clinical Science</i> , 2016, 130, 539-549.	4.3	25
71	Effect of resveratrol on metabolic and cardiovascular function in male and female adult offspring exposed to prenatal hypoxia and a high-fat diet. <i>Journal of Physiology</i> , 2016, 594, 1465-1482.	2.9	46
72	In Utero Origins of Hypertension: Mechanisms and Targets for Therapy. <i>Physiological Reviews</i> , 2016, 96, 549-603.	28.8	78

#	ARTICLE	IF	CITATIONS
73	Perinatal Resveratrol Supplementation to Spontaneously Hypertensive Rat Dams Mitigates the Development of Hypertension in Adult Offspring. <i>Hypertension</i> , 2016, 67, 1038-1044.	2.7	53
74	Antioxidant Peptides Identified from Ovotransferrin by the ORAC Method Did Not Show Anti-Inflammatory and Antioxidant Activities in Endothelial Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 113-119.	5.2	44
75	Analysis of G-Protein Coupled Receptor 30 (GPR30) on Endothelial Inflammation. <i>Methods in Molecular Biology</i> , 2016, 1366, 503-516.	0.9	10
76	Serum Folate Shows an Inverse Association with Blood Pressure in a Cohort of Chinese Women of Childbearing Age: A Cross-Sectional Study. <i>PLoS ONE</i> , 2016, 11, e0155801.	2.5	12
77	Postpartum Vascular Dysfunction in the Reduced Uteroplacental Perfusion Model of Preeclampsia. <i>PLoS ONE</i> , 2016, 11, e0162487.	2.5	28
78	Egg ovotransferrin-derived ACE inhibitory peptide IRW increases ACE2 but decreases proinflammatory genes expression in mesenteric artery of spontaneously hypertensive rats. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 1735-1744.	3.3	65
79	Sildenafil Therapy Normalizes the Aberrant Metabolomic Profile in the Comt ^{+/+} Mouse Model of Preeclampsia/Fetal Growth Restriction. <i>Scientific Reports</i> , 2015, 5, 18241.	3.3	26
80	Aerobic exercise training reduces cardiac function in adult male offspring exposed to prenatal hypoxia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R489-R498.	1.8	12
81	Reduced uterine perfusion pressure decreases functional capillary density in skeletal muscle. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 309, H2002-H2007.	3.2	8
82	Vascular effects of aerobic exercise training in rat adult offspring exposed to hypoxia-induced intrauterine growth restriction. <i>Journal of Physiology</i> , 2015, 593, 1913-1929.	2.9	17
83	The Vascular Effects of Sodium Tanshinone IIA Sulphonate in Rodent and Human Pregnancy. <i>PLoS ONE</i> , 2015, 10, e0121897.	2.5	19
84	Effect of Advanced Maternal Age on Pregnancy Outcomes and Vascular Function in the Rat. <i>Hypertension</i> , 2015, 65, 1324-1330.	2.7	46
85	Molecular mechanisms of maternal vascular dysfunction in preeclampsia. <i>Trends in Molecular Medicine</i> , 2015, 21, 88-97.	6.7	156
86	The Maternal Environment Programs Postnatal Weight Gain and Glucose Tolerance of Male Offspring, but Placental and Fetal Growth Are Determined by Fetal Genotype in the <i>Lepr^{db/db}</i> Model of Gestational Diabetes. <i>Endocrinology</i> , 2015, 156, 360-366.	2.8	15
87	Egg-derived ACE-inhibitory peptides IQW and LKP reduce blood pressure in spontaneously hypertensive rats. <i>Journal of Functional Foods</i> , 2015, 13, 50-60.	3.4	83
88	Effect of sodium tanshinone IIA sulfonate treatment in a rat model of preeclampsia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 308, R163-R172.	1.8	11
89	Endothelial Cell Dysfunction. , 2015, , 181-207.		6
90	The Reduced Uterine Perfusion Pressure (RUPP) Model of Preeclampsia Causes Decreased Capillary Perfusion in Skeletal Muscle. <i>FASEB Journal</i> , 2015, 29, LB551.	0.5	0

#	ARTICLE	IF	CITATIONS
91	Postpartum Endothelial Dysfunction in the Reduced Uteroplacental Perfusion Pressure (RUPP) Model. <i>FASEB Journal</i> , 2015, 29, 803.2.	0.5	0
92	Enhanced Trimethylation of Histone H3 Mediates Impaired Expression of Hepatic Glucose 6-Phosphatase Expression in Offspring From Rat Dams Exposed to Hypoxia During Pregnancy. <i>Reproductive Sciences</i> , 2014, 21, 112-121.	2.5	18
93	Vascular Dysfunction in Preeclampsia. <i>Microcirculation</i> , 2014, 21, 4-14.	1.8	126
94	Maternal exposure to the production of fireworks and reduced rate of new onset hypertension in pregnancy. <i>Hypertension in Pregnancy</i> , 2014, 33, 457-466.	1.1	1
95	Effect of Prenatal Hypoxia in Transgenic Mouse Models of Preeclampsia and Fetal Growth Restriction. <i>Reproductive Sciences</i> , 2014, 21, 492-502.	2.5	44
96	Mechanisms of Estrogen Effects on the Endothelium: An Overview. <i>Canadian Journal of Cardiology</i> , 2014, 30, 705-712.	1.7	112
97	Angiotensin-Converting Enzyme 2 Is a Critical Determinant of Angiotensin II-Induced Loss of Vascular Smooth Muscle Cells and Adverse Vascular Remodeling. <i>Hypertension</i> , 2014, 64, 157-164.	2.7	81
98	Coiled-coil domain containing 3 (CCDC3) represses tumor necrosis factor- α /nuclear factor κ B-induced endothelial inflammation. <i>Cellular Signalling</i> , 2014, 26, 2793-2800.	3.6	26
99	Beneficial Effects of Simulated Gastro-Intestinal Digests of Fried Egg and Its Fractions on Blood Pressure, Plasma Lipids and Oxidative Stress in Spontaneously Hypertensive Rats. <i>PLoS ONE</i> , 2014, 9, e115006.	2.5	33
100	Fibrocyte-Like Cells from Intrauterine Growth Restriction Placentas Have a Reduced Ability to Stimulate Angiogenesis. <i>American Journal of Pathology</i> , 2013, 183, 1025-1033.	3.8	4
101	Uterine Vasculature Remodeling in Human Pregnancy Involves Functional Macrochimerism by Endothelial Colony Forming Cells of Fetal Origin. <i>Stem Cells</i> , 2013, 31, 1363-1370.	3.2	25
102	Structure and Activity Study of Egg Protein Ovotransferrin Derived Peptides (IRW and IQW) on Endothelial Inflammatory Response and Oxidative Stress. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 2120-2129.	5.2	139
103	Inhibition of Lectin-Like Oxidized Low-Density Lipoprotein-1 Receptor Protects Against Plasma-Mediated Vascular Dysfunction Associated With Pre-Eclampsia. <i>American Journal of Hypertension</i> , 2013, 26, 279-286.	2.0	24
104	Prenatal Hypoxia Causes Long-Term Alterations in Vascular Endothelin-1 Function in Aged Male, but Not Female, Offspring. <i>Hypertension</i> , 2013, 62, 753-758.	2.7	64
105	Estradiol Modulates Tumor Necrosis Factor-Induced Endothelial Inflammation: Role of Tumor Necrosis Factor Receptor 2. <i>Journal of Vascular Research</i> , 2013, 50, 21-34.	1.4	11
106	Bioactive Natural Constituents from Food Sources—Potential Use in Hypertension Prevention and Treatment. <i>Critical Reviews in Food Science and Nutrition</i> , 2013, 53, 615-630.	10.3	127
107	Resveratrol prevents hypertension and cardiac hypertrophy in hypertensive rats and mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013, 1832, 1723-1733.	3.8	167
108	TIMP3 is the primary TIMP to regulate agonist-induced vascular remodelling and hypertension. <i>Cardiovascular Research</i> , 2013, 98, 360-371.	3.8	58

#	ARTICLE	IF	CITATIONS
109	Endothelial Colony-Forming Cells Derived From Pregnancies Complicated by Intrauterine Growth Restriction Are Fewer and Have Reduced Vasculogenic Capacity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 4953-4960.	3.6	29
110	Developmental programming of cardiovascular disease by prenatal hypoxia. <i>Journal of Developmental Origins of Health and Disease</i> , 2013, 4, 328-337.	1.4	147
111	Matrix Metalloproteinase Enhances Big-Endothelin-1 Constriction in Mesenteric Vessels of Pregnant Rats With Reduced Uterine Blood Flow. <i>Hypertension</i> , 2013, 61, 488-493.	2.7	52
112	Propofol Increases Vascular Relaxation in Aging Rats Chronically Treated with the Angiotensin-Converting Enzyme Inhibitor Captopril. <i>Anesthesia and Analgesia</i> , 2013, 116, 775-783.	2.2	13
113	Arterial Endothelium-derived Hyperpolarization. <i>Journal of Cardiovascular Pharmacology</i> , 2013, 61, 197-203.	1.9	21
114	Effects of Resveratrol in Pregnancy Using Murine Models with Reduced Blood Supply to the Uterus. <i>PLoS ONE</i> , 2013, 8, e64401.	2.5	68
115	Pleiotropic Actions of Forskolin Result in Phosphatidylserine Exposure in Primary Trophoblasts. <i>PLoS ONE</i> , 2013, 8, e81273.	2.5	16
116	Egg-Derived Tri-Peptide IRW Exerts Antihypertensive Effects in Spontaneously Hypertensive Rats. <i>PLoS ONE</i> , 2013, 8, e82829.	2.5	123
117	Prenatal Hypoxia Is Associated with Long-Term Retinal Dysfunction in Rats. <i>PLoS ONE</i> , 2013, 8, e61861.	2.5	7
118	Small arteries of gestational rats are less sensitive to relaxation induced by inhibition of rho-associated kinase (ROK). <i>FASEB Journal</i> , 2013, 27, 923.13.	0.5	0
119	Prenatal hypoxia causes long-term retina dysfunction in rats. <i>FASEB Journal</i> , 2013, 27, 1178.4.	0.5	0
120	Angiogenic imbalance and plasma lipid alterations in women with preeclampsia from a developing country. <i>Growth Factors</i> , 2012, 30, 158-166.	1.7	14
121	Sildenafil Citrate Rescues Fetal Growth in the Catechol-O-Methyl Transferase Knockout Mouse Model. <i>Hypertension</i> , 2012, 59, 1021-1028.	2.7	111
122	Altered Neuronal Nitric Oxide Synthase in the Aging Vascular System: Implications for Estrogens Therapy. <i>Endocrinology</i> , 2012, 153, 3940-3948.	2.8	8
123	Effect of the Anti-Oxidant Tempol on Fetal Growth in a Mouse Model of Fetal Growth Restriction1. <i>Biology of Reproduction</i> , 2012, 87, 25, 1-8.	2.7	45
124	Synergistic effects of prenatal hypoxia and postnatal high-fat diet in the development of cardiovascular pathology in young rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012, 303, R418-R426.	1.8	38
125	Lectin-Like Oxidized Low-Density Lipoprotein 1 Receptor in a Reduced Uteroplacental Perfusion Pressure Rat Model of Preeclampsia. <i>Hypertension</i> , 2012, 59, 1014-1020.	2.7	32
126	Administration of the PARP Inhibitor Pj34 Ameliorates the Impaired Vascular Function Associated With Enos-/- Mice. <i>Reproductive Sciences</i> , 2012, 19, 806-813.	2.5	7

#	ARTICLE	IF	CITATIONS
127	Neuronal nitric oxide synthase regulates endothelial inflammation. <i>Journal of Leukocyte Biology</i> , 2012, 91, 947-956.	3.3	43
128	Proteasome Inhibition Decreases Inflammation in Human Endothelial Cells Exposed to Lipopolysaccharide. <i>Journal of Cardiovascular Pharmacology</i> , 2012, 60, 381-389.	1.9	3
129	Effects of hypoxia-induced intrauterine growth restriction on cardiac siderosis and oxidative stress. <i>Journal of Developmental Origins of Health and Disease</i> , 2012, 3, 350-357.	1.4	23
130	The effect of hypoxia-induced intrauterine growth restriction on renal artery function. <i>Journal of Developmental Origins of Health and Disease</i> , 2012, 3, 333-341.	1.4	9
131	Influence of Constriction, Wall Tension, Smooth Muscle Activation and Cellular Deformation on Rat Resistance Artery Vasodilator Reactivity. <i>Cellular Physiology and Biochemistry</i> , 2012, 29, 883-892.	1.6	12
132	Estradiol attenuates high glucose-induced endothelial nitrotyrosine: role for neuronal nitric oxide synthase. <i>American Journal of Physiology - Cell Physiology</i> , 2012, 302, C666-C675.	4.6	6
133	Potential role of GPCRs as signal transducers in early programming of metabolic syndrome. <i>Drug Discovery Today: Disease Models</i> , 2012, 9, e79-e84.	1.2	0
134	G-Protein Coupled Receptor 30 (GPR30): A Novel Regulator of Endothelial Inflammation. <i>PLoS ONE</i> , 2012, 7, e52357.	2.5	91
135	Vascular Aging and Hemodynamic Stability in the Intraoperative Period. <i>Frontiers in Physiology</i> , 2012, 3, 74.	2.8	16
136	Role of endothelin-1 in the hyper-responsiveness to nitrovasodilators following acute NOS inhibition. <i>British Journal of Pharmacology</i> , 2012, 165, 1992-1999.	5.4	11
137	The characterization of fibrocyte-like cells: A novel fibroblastic cell of the placenta. <i>Placenta</i> , 2012, 33, 143-150.	1.5	8
138	Maternal resveratrol treatment during pregnancy improves adverse fetal outcomes in a rat model of severe hypoxia. <i>Placenta</i> , 2012, 33, 449-452.	1.5	64
139	Mechanisms of Endothelial Dysfunction in Resistance Arteries from Patients with End-Stage Renal Disease. <i>PLoS ONE</i> , 2012, 7, e36056.	2.5	33
140	ACE2 Deficiency Enhances Angiotensin II-Mediated Aortic Profilin-1 Expression, Inflammation and Peroxynitrite Production. <i>PLoS ONE</i> , 2012, 7, e38502.	2.5	73
141	Fetal Endothelial Colony Forming Cells from pregnancies complicated by intrauterine growth restriction have reduced vasculogenic capacity. <i>FASEB Journal</i> , 2012, 26, 683.1.	0.5	0
142	G-protein Coupled Receptor 30 (GPR30) in the Human Endothelium: New Roles for a Novel Estrogen Receptor. <i>FASEB Journal</i> , 2012, 26, 1129.4.	0.5	0
143	The interaction between endothelin-1 and nitric oxide in the vasculature: new perspectives. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011, 300, R1288-R1295.	1.8	169
144	Long-term effects of intrauterine growth restriction on cardiac metabolism and susceptibility to ischaemia/reperfusion. <i>Cardiovascular Research</i> , 2011, 90, 285-294.	3.8	94

#	ARTICLE	IF	CITATIONS
145	Hypoxia-Induced Intrauterine Growth Restriction Increases the Susceptibility of Rats to High-Fat Diet-Induced Metabolic Syndrome. <i>Diabetes</i> , 2011, 60, 507-516.	0.6	115
146	Continued Postnatal Administration of Resveratrol Prevents Diet-Induced Metabolic Syndrome in Rat Offspring Born Growth Restricted. <i>Diabetes</i> , 2011, 60, 2274-2284.	0.6	67
147	Role of Neuronal Nitric-Oxide Synthase in Estrogen-Induced Relaxation in Rat Resistance Arteries. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 339, 367-375.	2.5	40
148	Flow-mediated vasodilation is impaired in adult rat offspring exposed to prenatal hypoxia. <i>Journal of Applied Physiology</i> , 2011, 110, 1073-1082.	2.5	58
149	Effect of Gestational Diabetes on Maternal Artery Function. <i>Reproductive Sciences</i> , 2011, 18, 342-352.	2.5	32
150	The Early Origins of Cardiovascular Health and Disease: Who, When, and How. <i>Seminars in Reproductive Medicine</i> , 2011, 29, 197-210.	1.1	44
151	Effect of Exercise on Vascular Superoxide Dismutase Expression in High-Risk Pregnancy. <i>American Journal of Perinatology</i> , 2011, 28, 803-810.	1.4	27
152	Previous gestational diabetes impairs long-term endothelial function in a mouse model of complicated pregnancy. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010, 299, R862-R870.	1.8	10
153	Inhibition of Trophoblast-Induced Spiral Artery Remodeling Reduces Placental Perfusion in Rat Pregnancy. <i>Hypertension</i> , 2010, 56, 304-310.	2.7	64
154	Effect of Peroxynitrite Scavenging on Endothelial Cells Stimulated by Plasma from Women with Preeclampsia: A Proteomic Approach. <i>Hypertension in Pregnancy</i> , 2010, 29, 419-428.	1.1	4
155	Endothelin in the female vasculature: a role in aging?. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010, 298, R509-R516.	1.8	26
156	Calorie Restriction Prevents Hypertension and Cardiac Hypertrophy in the Spontaneously Hypertensive Rat. <i>Hypertension</i> , 2010, 56, 412-421.	2.7	109
157	Arginase contributes to endothelial cell oxidative stress in response to plasma from women with preeclampsia. <i>Cardiovascular Research</i> , 2010, 85, 194-203.	3.8	93
158	Tumor necrosis factor induces matrix metalloproteinases in cardiomyocytes and cardiofibroblasts differentially via superoxide production in a PI3K β -dependent manner. <i>American Journal of Physiology - Cell Physiology</i> , 2010, 298, C679-C692.	4.6	98
159	Restraint stress up-regulates lectin-like oxidized low-density lipoprotein receptor-1 in aorta of apolipoprotein E-deficient mice. <i>Stress</i> , 2010, 13, 454-460.	1.8	14
160	17 β -Estradiol induces protein S-nitrosylation in the endothelium. <i>Cardiovascular Research</i> , 2010, 85, 796-805.	3.8	46
161	Egg-Derived Peptide IRW Inhibits TNF α -Induced Inflammatory Response and Oxidative Stress in Endothelial Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 10840-10846.	5.2	95
162	TGF β ² and EGF synergistically induce a more invasive phenotype of epithelial ovarian cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2010, 401, 376-381.	2.1	46

#	ARTICLE	IF	CITATIONS
163	Ovariectomy in aged versus young rats augments matrix metalloproteinase-mediated vasoconstriction in mesenteric arteries. <i>Menopause</i> , 2010, 17, 516-523.	2.0	18
164	Estrogen is a modulator of Tumor Necrosis Factor responses in the human vascular endothelium. <i>FASEB Journal</i> , 2010, 24, 821.2.	0.5	0
165	EGCG reduces Ang II-induced NAD(P)H oxidase and NO synthase expression in HUVECs. <i>FASEB Journal</i> , 2010, 24, 960.1.	0.5	0
166	Evidence for Increased Methylglyoxal in the Vasculature of Women With Preeclampsia. <i>Hypertension</i> , 2009, 54, 897-904.	2.7	29
167	Effects of hypoxia-induced intrauterine growth restriction on cardiopulmonary structure and function during adulthood. <i>Cardiovascular Research</i> , 2009, 81, 713-722.	3.8	147
168	Maternal stress and development of atherosclerosis in the adult apolipoprotein E-deficient mouse offspring. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 296, R663-R671.	1.8	16
169	The effects of propofol on vascular function in mesenteric arteries of the aging rat. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 297, H466-H474.	3.2	36
170	Sodium tanshinone IIA sulfonate increased intestinal hemodynamics without systemic circulatory changes in healthy newborn piglets. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 297, H1217-H1224.	3.2	13
171	Increased Lectin-Like Oxidized Low-Density Lipoprotein Receptor-1 Expression in the Maternal Vasculature of Women With Preeclampsia. <i>Hypertension</i> , 2009, 53, 270-277.	2.7	75
172	Uterine artery function in a mouse model of pregnancy complicated by diabetes. <i>Vascular Pharmacology</i> , 2009, 50, 8-13.	2.1	15
173	The potential use of intralipid to minimize propofol's cardiovascular effects. <i>Canadian Journal of Anaesthesia</i> , 2009, 56, 170-171.	1.6	5
174	High glucose-induced oxidative stress alters estrogen effects on ER α and ER β in human endothelial cells: Reversal by AMPK activator. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2009, 117, 99-106.	2.5	39
175	Endothelial Cell Dysfunction and Oxidative Stress. , 2009, , 143-167.		5
176	Estrogen replacement increases matrix metalloproteinase contribution to vasoconstriction in a rat model of menopause. <i>Journal of Hypertension</i> , 2009, 27, 1602-1608.	0.5	24
177	Estrogen is a modulator of vascular inflammation. <i>IUBMB Life</i> , 2008, 60, 376-382.	3.4	87
178	A Comparison of Walking versus Stretching Exercises to Reduce the Incidence of Preeclampsia: A Randomized Clinical Trial. <i>Hypertension in Pregnancy</i> , 2008, 27, 113-130.	1.1	57
179	Epigallocatechin-3-O-gallate inhibits TNF α -induced monocyte chemotactic protein-1 production from vascular endothelial cells. <i>Life Sciences</i> , 2008, 82, 964-968.	4.3	59
180	Ovariectomy, but Not Estrogen Deficiency, Increases CYP4A Modulation of α 1-Adrenergic Vasoconstriction in Aging Female Rats. <i>American Journal of Hypertension</i> , 2008, 21, 685-690.	2.0	12

#	ARTICLE	IF	CITATIONS
181	Oxygen and Perinatal Origins of Adulthood Diseases. <i>Hypertension</i> , 2008, 52, 808-810.	2.7	13
182	Aging Increases Cytochrome P450 4A Modulation of β -1-Adrenergic Vasoconstriction in Mesenteric Arteries. <i>Journal of Cardiovascular Pharmacology</i> , 2008, 51, 327-330.	1.9	10
183	Hyperglycemia-induced reactive oxygen species are differentially regulated by estrogen in human endothelial cells. <i>FASEB Journal</i> , 2008, 22, 964.6.	0.5	0
184	Role of arginase in the pathophysiology of preeclampsia. <i>FASEB Journal</i> , 2008, 22, 758.5.	0.5	1
185	The differential effect of restraint stress on early markers of atherosclerosis in male and female Apolipoprotein E null mice. <i>FASEB Journal</i> , 2008, 22, 68-68.	0.5	0
186	Regulation of Vascular Tone During Pregnancy. <i>Hypertension</i> , 2007, 49, 328-333.	2.7	48
187	Induction of matrix metalloproteinase-2 enhances systemic arterial contraction after hypoxia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 292, H684-H693.	3.2	13
188	In Vitro Differentiation of Villous Trophoblasts from Pregnancies Complicated by Intrauterine Growth Restriction With and Without Pre-Eclampsia. <i>Placenta</i> , 2007, 28, 999-1003.	1.5	50
189	Preeclampsia: current understanding of the molecular basis of vascular dysfunction. <i>Expert Reviews in Molecular Medicine</i> , 2006, 8, 1-20.	3.9	120
190	Estrogen improves cardiac recovery after ischemia/reperfusion by decreasing tumor necrosis factor- β . <i>Cardiovascular Research</i> , 2006, 69, 836-844.	3.8	61
191	Age-associated impairment in vasorelaxation to fluid shear stress in the female vasculature is improved by TNF- β antagonism. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H1259-H1263.	3.2	48
192	Sphingosine-1-Phosphate Acts via Rho-Associated Kinase and Nitric Oxide to Regulate Human Placental Vascular Tone. <i>Biology of Reproduction</i> , 2006, 74, 88-94.	2.7	37
193	Tumor Necrosis Factor- β and Vascular Angiotensin II in Estrogen-Deficient Rats. <i>Hypertension</i> , 2006, 48, 497-503.	2.7	37
194	Hypoxia or nutrient restriction during pregnancy in rats leads to progressive cardiac remodeling and impairs postischemic recovery in adult male offspring. <i>FASEB Journal</i> , 2006, 20, 1251-1253.	0.5	163
195	The inhibition of TNF- α -induced monocyte chemoattractant protein-1 production by epigallocatechin-3-gallate in vascular endothelial cells. <i>FASEB Journal</i> , 2006, 20, A700.	0.5	0
196	Maternal hypoxia alternated expression of cardiac proteome and postischemic recovery in adult offspring rats. <i>FASEB Journal</i> , 2006, 20, A757.	0.5	0
197	Metabolites of progesterone and the pregnane X receptor: A novel pathway regulating uterine contractility in pregnancy?. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 1304-1313.	1.3	39
198	Effects of maternal hypoxia or nutrient restriction during pregnancy on endothelial function in adult male rat offspring. <i>Journal of Physiology</i> , 2005, 565, 125-135.	2.9	111

#	ARTICLE	IF	CITATIONS
199	Differential effects of maternal hypoxia or nutrient restriction on carotid and femoral vascular function in neonatal rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2005, 288, R360-R367.	1.8	83
200	Chronic Tumor Necrosis Factor- α Inhibition Enhances NO Modulation of Vascular Function in Estrogen-Deficient Rats. <i>Hypertension</i> , 2005, 46, 76-81.	2.7	88
201	Increased Myogenic Responses in Uterine but not Mesenteric Arteries from Pregnant Offspring of Diet-Restricted Rat Dams ¹ . <i>Biology of Reproduction</i> , 2005, 72, 997-1003.	2.7	22
202	Sphingosine-1-phosphate inhibition of placental trophoblast differentiation through a Gi-coupled receptor response. <i>Journal of Lipid Research</i> , 2005, 46, 1833-1839.	4.2	41
203	Maternal Nutrient Restriction Reduces Carotid Artery Constriction Without Increasing Nitric Oxide Synthesis in the Late Gestation Rat Fetus. <i>Pediatric Research</i> , 2005, 58, 840-844.	2.3	9
204	TRAIL-Induced Apoptosis in Human Vascular Endothelium Is Regulated by Phosphatidylinositol 3-Kinase/Akt through the Short Form of Cellular FLIP and Bcl-2. <i>Journal of Vascular Research</i> , 2005, 42, 337-347.	1.4	76
205	MMP-2 Levels are Elevated in the Plasma of Women Who Subsequently Develop Preeclampsia. <i>Hypertension in Pregnancy</i> , 2005, 24, 103-115.	1.1	92
206	Cardioprotection by chronic estrogen or superoxide dismutase mimetic treatment in the aged female rat. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 287, H165-H171.	3.2	46
207	Effects of chronic PGHS-2 inhibition on PGHS-dependent vasoconstriction in the aged female rat. <i>Cardiovascular Research</i> , 2004, 61, 333-338.	3.8	3
208	The Effects of Preeclampsia and Oxygen Environment on Endothelial Release of Matrix Metalloproteinase-2. <i>Hypertension in Pregnancy</i> , 2004, 23, 47-60.	1.1	35
209	Gender differences in myogenic tone in superoxide dismutase knockout mouse: animal model of oxidative stress. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 287, H40-H45.	3.2	35
210	The role of matrix metalloproteinases in vascular function: implications for normal pregnancy and pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 931-939.	2.3	49
211	Myogenic reactivity is enhanced in rat radial uterine arteries in a model of maternal undernutrition. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 191, 334-339.	1.3	25
212	Angiotensin II-induced MMP-2 release from endothelial cells is mediated by TNF- α . <i>American Journal of Physiology - Cell Physiology</i> , 2004, 286, C779-C784.	4.6	117
213	Sphingosine 1-phosphate-induced vasoconstriction is elevated in mesenteric resistance arteries from aged female rats. <i>British Journal of Pharmacology</i> , 2004, 143, 276-284.	5.4	46
214	The Receptor for Advanced Glycation End Products (RAGE) Is Elevated in Women with Preeclampsia. <i>Hypertension in Pregnancy</i> , 2003, 22, 173-184.	1.1	52
215	Pregnancy-Induced Alterations of Vascular Function in Mouse Mesenteric and Uterine Arteries ¹ . <i>Biology of Reproduction</i> , 2003, 68, 1072-1077.	2.7	66
216	Estrogen modulation of left ventricular remodeling in the aged heart. <i>Cardiovascular Research</i> , 2003, 57, 388-394.	3.8	100

#	ARTICLE	IF	CITATIONS
217	Endothelial-dependent vasodilation is reduced in mesenteric arteries from superoxide dismutase knockout mice. <i>Cardiovascular Research</i> , 2003, 60, 635-642.	3.8	47
218	Estrogen Reduces Angiotensin II-Induced Nitric Oxide Synthase and NAD(P)H Oxidase Expression in Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003, 23, 38-44.	2.4	103
219	Peroxynitrite increases iNOS through NF- κ B and decreases prostacyclin synthase in endothelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2002, 282, C395-C402.	4.6	167
220	Estrogen replacement reduces PGHS-2-dependent vasoconstriction in the aged rat. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H893-H898.	3.2	15
221	Vascular adaptations to pregnancy in mice: effects on myogenic tone. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H2226-H2233.	3.2	56
222	Endogenous estrogen mediates vascular reactivity and distensibility in pregnant rat mesenteric arteries. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001, 280, H956-H961.	3.2	16
223	A comparison of ovariectomy models for estrogen studies. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2001, 280, R904-R907.	1.8	41
224	Preeclampsia and Cerebral Palsy in Low-Birth-Weight and Preterm Infants: Implications for the Current "Ischemic Model" of Preeclampsia. <i>Hypertension in Pregnancy</i> , 2001, 20, 1-13.	1.1	16
225	Protection of vascular wall function in insulin-resistant rats from copper oxidative stress. <i>British Journal of Pharmacology</i> , 2001, 133, 477-484.	5.4	4
226	MATRIX METALLOPROTEINASE-2 IS ELEVATED IN THE PLASMA OF WOMEN WITH PREECLAMPSIA. <i>Hypertension in Pregnancy</i> , 2001, 20, 185-194.	1.1	86
227	Prostaglandin H Synthase and Vascular Function. <i>Circulation Research</i> , 2001, 89, 650-660.	4.5	209
228	Matrix metalloproteinases regulate neutrophil-endothelial cell adhesion through generation of endothelin-1 [1-32]. <i>FASEB Journal</i> , 2001, 15, 2230-2240.	0.5	120
229	Effect of Adrenomedullin on Placental Arteries in Normal and Preeclamptic Pregnancies. <i>Hypertension</i> , 2001, 37, 227-231.	2.7	40
230	Possible Beneficial Effect of Exercise, by Reducing Oxidative Stress, on the Incidence of Preeclampsia. <i>Journal of Women's Health and Gender-Based Medicine</i> , 2001, 10, 983-989.	1.5	24
231	PREECLAMPSIA AND CEREBRAL PALSY IN LOW-BIRTH-WEIGHT AND PRETERM INFANTS: IMPLICATIONS FOR THE CURRENT "ISCHEMIC MODEL" OF PREECLAMPSIA ¹ *. <i>Hypertension in Pregnancy</i> , 2001, 20, 1-13.	1.1	23
232	Role of matrix metalloproteinase-2 in thrombin-induced vasorelaxation of rat mesenteric arteries. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 278, H1473-H1479.	3.2	34
233	Vascular Matrix Metalloproteinase-2-Dependent Cleavage of Calcitonin Gene-Related Peptide Promotes Vasoconstriction. <i>Circulation Research</i> , 2000, 87, 670-676.	4.5	153
234	Aging Increases PGHS-2-Dependent Vasoconstriction in Rat Mesenteric Arteries. <i>Hypertension</i> , 2000, 35, 1242-1247.	2.7	52

#	ARTICLE	IF	CITATIONS
235	Estrogen Replacement Reduces Age-Associated Remodeling in Rat Mesenteric Arteries. Hypertension, 2000, 36, 970-974.	2.7	48
236	Vascular wall dysfunction in JCR:LA-cp rats: effects of age and insulin resistance. American Journal of Physiology - Cell Physiology, 1999, 277, C987-C993.	4.6	28
237	Estrogen Decreases Prostaglandin H Synthase Products From Endothelial Cells. Journal of the Society for Gynecologic Investigation, 1999, 6, 322-327.	1.7	7
238	Death Receptor Fas/Apo-1/CD95 Expressed by Human Placental Cytotrophoblasts Does Not Mediate Apoptosis1. Biology of Reproduction, 1999, 60, 1144-1150.	2.7	66
239	Evidence for Peroxynitrite Formation in the Vasculature of Women With Preeclampsia. Hypertension, 1999, 33, 83-89.	2.7	221
240	Vascular Matrix Metalloproteinase-2 Cleaves Big Endothelin-1 Yielding a Novel Vasoconstrictor. Circulation Research, 1999, 85, 906-911.	4.5	334
241	Estrogen replacement increases coronary artery distensibility in ovariectomized rats. Canadian Journal of Physiology and Pharmacology, 1999, 77, 75-78.	1.4	9
242	Biphasic stimulation of prostacyclin by endogenous nitric oxide (NO) in endothelial cells transfected with inducible NO synthase. General Pharmacology, 1999, 33, 383-387.	0.7	13
243	Vascular Function in the Vitamin Eâ€“Deprived Rat. Hypertension, 1998, 31, 830-835.	2.7	36
244	Estrogen Replacement Suppresses a Prostaglandin H Synthaseâ€“Dependent Vasoconstrictor in Rat Mesenteric Arteries. Circulation Research, 1998, 83, 388-395.	4.5	67
245	Urine but not plasma nitric oxide metabolites are decreased in women with preeclampsia. American Journal of Obstetrics and Gynecology, 1996, 174, 1008-1013.	1.3	153
246	Plasma of Preeclamptic Women Stimulates and Then Inhibits Endothelial Prostacyclin. Hypertension, 1996, 27, 56-61.	2.7	66
247	Plasma from preeclamptic women increases human endothelial cell prostacyclin production without changes in cellular enzyme activity or mass. American Journal of Obstetrics and Gynecology, 1995, 172, 976-985.	1.3	39
248	Plasma From Women With Preeclampsia Increases Endothelial Cell Nitric Oxide Production. Hypertension, 1995, 26, 244-248.	2.7	104
249	Nitric Oxide Produced by Endothelial Cells Increases Production of Eicosanoids Through Activation of Prostaglandin H Synthase. Circulation Research, 1995, 77, 274-283.	4.5	202
250	Pregnancy and lipid peroxide-induced alterations of eicosanoid-metabolizing enzymes in the aorta of the rat. American Journal of Obstetrics and Gynecology, 1993, 169, 1338-1344.	1.3	17
251	Endogenous modulation of the blunted adrenergic response in resistance-sized mesenteric arteries from the pregnant rat. American Journal of Obstetrics and Gynecology, 1992, 167, 1691-1698.	1.3	77
252	Intergenerational effects of prenatal hypoxia exposure on uterine artery adaptations to pregnancies in the female offspring. Journal of Developmental Origins of Health and Disease, 0, , 1-6.	1.4	2