List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5057659/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Gastric Cancer Risk in Patients With Premalignant Gastric Lesions: A Nationwide Cohort Study in the Netherlands. Gastroenterology, 2008, 134, 945-952.	1.3	649
2	Recent trends of cancer in Europe: A combined approach of incidence, survival and mortality for 17 cancer sites since the 1990s. European Journal of Cancer, 2008, 44, 1345-1389.	2.8	645
3	Changing epidemiology of malignant cutaneous melanoma in Europe 1953–1997: Rising trends in incidence and mortality but recent stabilizations in Western Europe and decreases in Scandinavia. International Journal of Cancer, 2003, 107, 119-126.	5.1	336
4	New common variants affecting susceptibility to basal cell carcinoma. Nature Genetics, 2009, 41, 909-914.	21.4	303
5	Global Burden of Cutaneous Melanoma in 2020 and Projections to 2040. JAMA Dermatology, 2022, 158, 495.	4.1	254
6	The advantage of women in cancer survival: An analysis of EUROCARE-4 data. European Journal of Cancer, 2009, 45, 1017-1027.	2.8	233
7	Predictions of skin cancer incidence in the Netherlands up to 2015. British Journal of Dermatology, 2005, 152, 481-488.	1.5	230
8	Cutaneous malignant melanoma in Europe. European Journal of Cancer, 2004, 40, 2355-2366.	2.8	223
9	Gender Differences in Melanoma Survival: Female Patients Have a Decreased Risk of Metastasis. Journal of Investigative Dermatology, 2011, 131, 719-726.	0.7	207
10	European Code against Cancer 4th Edition: 12 ways to reduce your cancer risk. Cancer Epidemiology, 2015, 39, S1-S10.	1.9	176
11	Trends in incidence and predictions of cutaneous melanoma across Europe up to 2015. Journal of the European Academy of Dermatology and Venereology, 2014, 28, 1170-1178.	2.4	174
12	Melanoma incidence and mortality in Europe: new estimates, persistent disparities. British Journal of Dermatology, 2012, 167, 1124-1130.	1.5	173
13	Prevalence of Actinic Keratosis and Its Risk Factors in the General Population: The Rotterdam Study. Journal of Investigative Dermatology, 2013, 133, 1971-1978.	0.7	168
14	Superior Outcome of Women With Stage I/II Cutaneous Melanoma: Pooled Analysis of Four European Organisation for Research and Treatment of Cancer Phase III Trials. Journal of Clinical Oncology, 2012, 30, 2240-2247.	1.6	158
15	Sex Is an Independent Prognostic Indicator for Survival and Relapse/Progression-Free Survival in Metastasized Stage III to IV Melanoma: A Pooled Analysis of Five European Organisation for Research and Treatment of Cancer Randomized Controlled Trials. Journal of Clinical Oncology, 2013, 31, 2337-2346.	1.6	150
16	Rapid and Continuous Increases in Incidence Rates of Basal Cell Carcinoma in the Southeast Netherlands Since 1973. Journal of Investigative Dermatology, 2004, 123, 634-638.	0.7	137
17	Known and potential new risk factors for skin cancer in European populations: a multicentre case-control study. British Journal of Dermatology, 2012, 167, 1-13.	1.5	132
18	Superior survival of females among 10 538 Dutch melanoma patients is independent of Breslow thickness, histologic type and tumor site. Annals of Oncology, 2008, 19, 583-589.	1.2	129

#	Article	IF	CITATIONS
19	Trends of cutaneous squamous cell carcinoma in the Netherlands: Increased incidence rates, but stable relative survival and mortality 1989–2008. European Journal of Cancer, 2012, 48, 2046-2053.	2.8	127
20	Trends in Basal Cell Carcinoma Incidence Rates: A 37-Year Dutch Observational Study. Journal of Investigative Dermatology, 2013, 133, 913-918.	0.7	124
21	Incidence, Prevalence and Future Trends of Primary Basal Cell Carcinoma in the Netherlands. Acta Dermato-Venereologica, 2011, 91, 24-30.	1.3	117
22	Trends of cutaneous melanoma in The Netherlands: increasing incidence rates among all Breslow thickness categories and rising mortality rates since 1989. Annals of Oncology, 2012, 23, 524-530.	1.2	109
23	Risk of subsequent cutaneous malignancy in patients with prior keratinocyte carcinoma: A systematic review and meta-analysis. European Journal of Cancer, 2013, 49, 2365-2375.	2.8	108
24	A multicentre epidemiological study on sunbed use and cutaneous melanoma in Europe. European Journal of Cancer, 2005, 41, 2141-2149.	2.8	107
25	Leukaemia incidence and survival in children and adolescents in Europe during 1978–1997. Report from the Automated Childhood Cancer Information System project. European Journal of Cancer, 2006, 42, 2019-2036.	2.8	106
26	Incidence and Trends of Cutaneous Malignancies in the Netherlands, 1989–2005. Journal of Investigative Dermatology, 2010, 130, 1807-1812.	0.7	104
27	Global burden of cutaneous melanoma attributable to ultraviolet radiation in 2012. International Journal of Cancer, 2018, 143, 1305-1314.	5.1	102
28	Increased risk of infectious disease requiring hospitalization among patients with psoriasis: AÂpopulation-based cohort. Journal of the American Academy of Dermatology, 2011, 65, 1135-1144.	1.2	100
29	Increased consumption of fruit and vegetables and future cancer incidence in selected European countries. European Journal of Cancer, 2010, 46, 2563-2580.	2.8	90
30	Risk factors for actinic keratosis in eight European centres: a case-control study. British Journal of Dermatology, 2012, 167, 36-42.	1.5	86
31	ls prevention of cancer by sun exposure more than just the effect of vitamin D? A systematic review of epidemiological studies. European Journal of Cancer, 2013, 49, 1422-1436.	2.8	85
32	European Code against Cancer 4th Edition: Ultraviolet radiation and cancer. Cancer Epidemiology, 2015, 39, S75-S83.	1.9	83
33	The Euromelanoma skin cancer prevention campaign in Europe: characteristics and results of 2009 and 2010. Journal of the European Academy of Dermatology and Venereology, 2011, 25, 1455-1465.	2.4	82
34	Risk Factors for Single and Multiple Basal Cell Carcinomas. Archives of Dermatology, 2010, 146, 848-55.	1.4	81
35	Decreased Risk of Prostate Cancer after Skin Cancer Diagnosis: A Protective Role of Ultraviolet Radiation?. American Journal of Epidemiology, 2007, 165, 966-972.	3.4	78
36	MelanomaPart 1: epidemiology, risk factors, and prevention. BMJ: British Medical Journal, 2008, 337, a2249-a2249.	2.3	76

#	Article	IF	CITATIONS
37	Skin cancer risk in outdoor workers: a European multicenter case–control study. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 5-11.	2.4	75
38	Descriptive epidemiology of malignant mucosal and uveal melanomas and adnexal skin carcinomas in Europe. European Journal of Cancer, 2012, 48, 1167-1175.	2.8	71
39	Excess of cancers in Europe: A study of eleven major cancers amenable to lifestyle change. International Journal of Cancer, 2007, 120, 1336-1343.	5.1	70
40	Euromelanoma: a dermatology-led European campaign against nonmelanoma skin cancer and cutaneous melanoma. Past, present and future. British Journal of Dermatology, 2012, 167, 99-104.	1.5	70
41	Cancer patterns and trends in Central and South America. Cancer Epidemiology, 2016, 44, S23-S42.	1.9	70
42	Does sunlight prevent cancer? A systematic review. European Journal of Cancer, 2006, 42, 2222-2232.	2.8	68
43	Marked improvements in survival of patients with rectal cancer in the Netherlands following changes in therapy, 1989–2006. European Journal of Cancer, 2010, 46, 1421-1429.	2.8	66
44	Oral contraceptive use in relation to age at menopause in the DOM cohort. Human Reproduction, 2001, 16, 1657-1662.	0.9	64
45	Sunlight, vitamin D and the prevention of cancer: a systematic review of epidemiological studies. European Journal of Cancer Prevention, 2009, 18, 458-475.	1.3	64
46	Risk of subsequent cutaneous malignancy in patients with prior melanoma: a systematic review and metaâ€analysis. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 1053-1062.	2.4	64
47	Primary Malignancy after Primary Female Breast Cancer in the South of the Netherlands, 1972–2001. Breast Cancer Research and Treatment, 2005, 93, 91-95.	2.5	62
48	Impact of a smoking and alcohol intervention programme on lung and breast cancer incidence in Denmark: An example of dynamic modelling with Prevent. European Journal of Cancer, 2010, 46, 2617-2624.	2.8	55
49	Reactive oxygen species and melanoma: an explanation for gender differences in survival?. Pigment Cell and Melanoma Research, 2010, 23, 352-364.	3.3	53
50	Progress in Standard of Care Therapy and Modest Survival Benefits in the Treatment of Non-small Cell Lung Cancer Patients in the Netherlands in the Last 20 Years. Journal of Thoracic Oncology, 2012, 7, 291-298.	1.1	53
51	Rising trends in the incidence of and mortality from cutaneous melanoma in the Netherlands: a Northwest to Southeast gradient?. European Journal of Cancer, 2003, 39, 1439-1446.	2.8	52
52	Lifestyle changes and reduction of colon cancer incidence in Europe: A scenario study of physical activity promotion and weight reduction. European Journal of Cancer, 2010, 46, 2605-2616.	2.8	51
53	Nonsolar occupational risk factors for cutaneous melanoma. International Journal of Dermatology, 2008, 47, 319-328.	1.0	50
54	Melanoma incidence has risen in Europe. BMJ: British Medical Journal, 2005, 331, 698.1.	2.3	50

#	Article	IF	CITATIONS
55	Skin cancer incidence and survival in European children and adolescents (1978–1997). Report from the Automated Childhood Cancer Information System project. European Journal of Cancer, 2006, 42, 2170-2182.	2.8	49
56	β-Blocker use and all-cause mortality of melanoma patients: Results from a population-based Dutch cohort study. European Journal of Cancer, 2013, 49, 3863-3871.	2.8	49
57	Cumulative risks and rates of subsequent basal cell carcinomas in the Netherlands. British Journal of Dermatology, 2011, 165, 874-881.	1.5	47
58	Up-to-date survival estimates and historical trends of cutaneous malignant melanoma in the south-east of The Netherlands. Annals of Oncology, 2007, 18, 1110-1116.	1.2	46
59	Increase in basal cell carcinoma incidence steepest in individuals with high socioeconomic status: results of a cancer registry study in the Netherlands. British Journal of Dermatology, 2009, 161, 840-845.	1.5	46
60	Prevalence of multiple malignancies in the Netherlands in 2007. International Journal of Cancer, 2011, 128, 1659-1667.	5.1	45
61	Intrahepatic cholangiocarcinoma in a low endemic area: rising incidence and improved survival. Hpb, 2012, 14, 777-781.	0.3	45
62	Migration from Mexico to the United States: A highâ€speed cancer transition. International Journal of Cancer, 2018, 142, 477-488.	5.1	45
63	Are Patients with Skin Cancer at Lower Risk of Developing Colorectal or Breast Cancer?. American Journal of Epidemiology, 2008, 167, 1421-1429.	3.4	44
64	European Code against Cancer 4th Edition: Ionising and non-ionising radiation and cancer. Cancer Epidemiology, 2015, 39, S93-S100.	1.9	44
65	Nationwide Improvement of Only Short-Term Survival After Resection for Pancreatic Cancer in The Netherlands. Pancreas, 2012, 41, 1063-1066.	1.1	43
66	Trends in therapy and survival of advanced stage epithelial ovarian cancer patients in the Netherlands. Gynecologic Oncology, 2012, 125, 649-654.	1.4	43
67	Advance care planning – a multi-centre cluster randomised clinical trial: the research protocol of the ACTION study. BMC Cancer, 2016, 16, 264.	2.6	43
68	Monitoring stage-specific trends in melanoma incidence across Europe reveals the need for more complete information on diagnostic characteristics. European Journal of Cancer Prevention, 2004, 13, 387-395.	1.3	42
69	Association of change in physical activity and body weight with quality of life and mortality in colorectal cancer: a systematic review and meta-analysis. Supportive Care in Cancer, 2015, 23, 1237-1250.	2.2	42
70	Progress against laryngeal cancer in The Netherlands between 1989 and 2010. International Journal of Cancer, 2014, 134, 674-681.	5.1	41
71	Risks of second primary breast and urogenital cancer following female breast cancer in the south of The Netherlands, 1972–2001. European Journal of Cancer, 2005, 41, 2331-2337.	2.8	40
72	Left-sided excess of invasive cutaneous melanoma in six countries. European Journal of Cancer, 2007, 43, 2634-2637.	2.8	40

#	Article	IF	CITATIONS
73	Gastric cancer survival and affiliation to health insurance in a middle-income setting. Cancer Epidemiology, 2015, 39, 91-96.	1.9	40
74	Population-Based Estimates of the Occurrence of Multiple vs First Primary Basal Cell Carcinomas in 4 European Regions. Archives of Dermatology, 2012, 148, 347.	1.4	38
75	Potential impact of interventions resulting in reduced exposure to ultraviolet (UV) radiation (UVA) Tj ETQq1 1 0. Dermatology, 2012, 167, 53-62.	.784314 rg 1.5	BT /Overlock 38
76	Risk of second primary <i>in situ</i> and invasive melanoma in a Dutch populationâ€based cohort: 1989–2008. British Journal of Dermatology, 2012, 167, 1321-1330.	1.5	37
77	Progress against cancer in the Netherlands since the late 1980s: An epidemiological evaluation. International Journal of Cancer, 2012, 130, 2981-2989.	5.1	37
78	Second Primary Cancers in Subsites of Colon and Rectum in Patients With Previous Colorectal Cancer. Diseases of the Colon and Rectum, 2013, 56, 158-168.	1.3	37
79	Increasing time trends of thin melanomas in The Netherlands: What are the explanations of recent accelerations?. European Journal of Cancer, 2015, 51, 2833-2841.	2.8	36
80	Public awareness about risk factors could pose problems for case-control studies: The example of sunbed use and cutaneous melanoma. European Journal of Cancer, 2005, 41, 2150-2154.	2.8	35
81	Seasonal variation in the occurrence of cutaneous melanoma in Europe: influence of latitude. An analysis using the EUROCARE group of registries. European Journal of Cancer, 2005, 41, 126-132.	2.8	34
82	Regular sun exposure benefits health. Medical Hypotheses, 2016, 97, 34-37.	1.5	34
83	Access to cancer care in Colombia, a middle-income country with universal health coverage. Journal of Cancer Policy, 2018, 15, 104-112.	1.4	33
84	Lower incidence rates but thicker melanomas in Eastern Europe before 1992. European Journal of Cancer, 2004, 40, 1045-1052.	2.8	32
85	Epidemiology of Extracutaneous Melanoma in the Netherlands. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1453-1459.	2.5	32
86	The proportion of postmenopausal breast cancer cases in the Netherlands attributable to lifestyle-related risk factors. Breast Cancer Research and Treatment, 2015, 152, 155-162.	2.5	32
87	Trends in inequalities in premature cancer mortality by educational level in Colombia, 1998–2007. Journal of Epidemiology and Community Health, 2015, 69, 408-415.	3.7	32
88	Sociodemographic factors and incidence of melanoma in the Netherlands, 1994–2005. European Journal of Cancer, 2011, 47, 1056-1060.	2.8	31
89	The burden of cutaneous melanoma and status of preventive measures in Central and South America. Cancer Epidemiology, 2016, 44, S100-S109.	1.9	29
90	Clinical assessment of skin phototypes: watch your words!. European Journal of Dermatology, 2017, 27, 615-619.	0.6	28

#	Article	IF	CITATIONS
91	Does yellow fever 17D vaccine protect against melanoma?. Vaccine, 2009, 27, 588-591.	3.8	26
92	Gallbladder Cancer in the Netherlands: Incidence, Treatment and Survival Patterns since 1989. Digestive Surgery, 2012, 29, 92-98.	1.2	26
93	Statin use and its effect on allâ€cause mortality of melanoma patients: a populationâ€based Dutch cohort study. Cancer Medicine, 2014, 3, 1284-1293.	2.8	25
94	Burden of disease caused by keratinocyte cancer has increased in The Netherlands since 1989. Journal of the American Academy of Dermatology, 2014, 71, 896-903.	1.2	25
95	Progress, challenges and ways forward supporting cancer surveillance in Latin America. International Journal of Cancer, 2021, 149, 12-20.	5.1	25
96	Explanations for worsening cancer survival. Nature Reviews Clinical Oncology, 2010, 7, 60-63.	27.6	24
97	Survival of acral lentiginous melanoma in the National Cancer Institute of Colombia. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 438-442.	2.4	24
98	Hepatocellular carcinoma in a low-endemic area. European Journal of Gastroenterology and Hepatology, 2012, 24, 1.	1.6	24
99	Inferior survival for young patients with contralateral compared to unilateral breast cancer: a nationwide population-based study in the Netherlands. Breast Cancer Research and Treatment, 2013, 139, 811-819.	2.5	23
100	Burden of disease due to cutaneous melanoma has increased in the Netherlands since 1991. British Journal of Dermatology, 2013, 169, 389-397.	1.5	23
101	Decreasing prevalence of oral cleft live births in the Netherlands, 1997-2006. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2011, 96, F212-F216.	2.8	22
102	Left-Sided Excess in the Laterality of Cutaneous Melanoma. Archives of Dermatology, 2008, 144, 556-8.	1.4	21
103	Assessing physicians' preferences on skin cancer treatment in Europe. British Journal of Dermatology, 2012, 167, 29-35.	1.5	21
104	Delayed diagnosis and underreporting of congenital anomalies associated with oral clefts in the Netherlands: A national validation study. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2012, 65, 780-790.	1.0	21
105	Conditional survival of malignant melanoma in The Netherlands: 1994–2008. European Journal of Cancer, 2014, 50, 602-610.	2.8	21
106	Childhood cancer in Latin America: from detection to palliative care and survivorship. Cancer Epidemiology, 2021, 71, 101837.	1.9	21
107	Decision making in the end-of-life care of patients who are terminally ill with cancer – a qualitative descriptive study with a phenomenological approach from the experience of healthcare workers. BMC Palliative Care, 2021, 20, 76.	1.8	21
108	Melanoma patients receive more followâ€up care than current guideline recommendations: a study of 546 patients from the general Dutch population. Journal of the European Academy of Dermatology and Venereology, 2012, 26, 1389-1395.	2.4	20

ESTHER DE VRIES

#	Article	IF	CITATIONS
109	Secular trend of dental development in Dutch children. American Journal of Physical Anthropology, 2014, 155, 91-98.	2.1	20
110	Incident cancer risk after the start of aspirin use: Results from a Dutch populationâ€based cohort study of low dose aspirin users. International Journal of Cancer, 2014, 135, 157-165.	5.1	20
111	Sex Differences in Melanoma Survival are Not Related to Mitotic Rate of the Primary Tumor. Annals of Surgical Oncology, 2015, 22, 1598-1603.	1.5	20
112	Patients' perception of the cause of their melanoma differs from that of epidemiologists. British Journal of Dermatology, 2002, 147, 388-388.	1.5	19
113	Frequency of nonâ€histologically diagnosed basal cell carcinomas in daily Dutch practice. Journal of the European Academy of Dermatology and Venereology, 2013, 27, 907-911.	2.4	19
114	Scenarios of future lung cancer incidence by educational level: Modelling study in Denmark. European Journal of Cancer, 2010, 46, 2625-2632.	2.8	18
115	Modest Improvements of Survival for Patients with Small Cell Lung Cancer Aged 45 to 59 Years Only, Diagnosed in the Netherlands, 1989 to 2008. Journal of Thoracic Oncology, 2012, 7, 227-232.	1.1	18
116	Health literacy, sunscreen and sunbed use: an uneasy association. British Journal of Dermatology, 2012, 167, 14-21.	1.5	18
117	Risks of different skin tumour combinations after a first melanoma, squamous cell carcinoma and basal cell carcinoma in Dutch populationâ€based cohorts: 1989–2009. Journal of the European Academy of Dermatology and Venereology, 2018, 32, 382-389.	2.4	18
118	Populationâ€based incidence and melanomaâ€specific survival of cutaneous malignant melanoma in a Colombian population 2000–2009. International Journal of Dermatology, 2018, 57, 21-27.	1.0	18
119	Basal cell carcinomas without histological confirmation and their treatment: an audit in four European regions. British Journal of Dermatology, 2012, 167, 22-28.	1.5	17
120	Time trends in educational inequalities in cancer mortality in Colombia, 1998–2012. BMJ Open, 2016, 6, e008985.	1.9	17
121	A Prime minister managed to attract elderly men in a Belgian Euromelanoma campaign. European Journal of Cancer, 2009, 45, 1532-1534.	2.8	16
122	Vitamin Dâ€binding protein polymorphisms are not associated with development of (multiple) basal cell carcinomas. Experimental Dermatology, 2010, 19, 1103-1105.	2.9	16
123	Validation of the Dutch Registry of Common Oral Clefts: Quality of Recording Specific Oral Cleft Features. Cleft Palate-Craniofacial Journal, 2012, 49, 609-617.	0.9	16
124	The patient journey: a report of skin cancer care across Europe. British Journal of Dermatology, 2012, 167, 43-52.	1.5	16
125	The beginning of the end of the lung cancer epidemic in Dutch women?. International Journal of Cancer, 2008, 123, 1472-1475.	5.1	15
126	Health inequities and cancer survival in Manizales, Colombia: a population-based study. , 2018, 49, 63-72.		15

#	Article	IF	CITATIONS
127	Left-Sided Excess in the Laterality of Cutaneous Melanoma. Archives of Dermatology, 2008, 144, 1235.	1.4	14
128	Sunny Holidays before and after Melanoma Diagnosis Are Respectively Associated with Lower Breslow Thickness and Lower Relapse Rates in Italy. PLoS ONE, 2013, 8, e78820.	2.5	13
129	Estimating the cost of operating cancer registries: Experience in Colombia. Cancer Epidemiology, 2016, 45, S13-S19.	1.9	12
130	Comparing survival of patients with single or multiple primary melanoma in the Netherlands: 1994–2009. British Journal of Dermatology, 2017, 176, 531-533.	1.5	12
131	Population education in preventing skin cancer: from childhood to adulthood. Journal of Drugs in Dermatology, 2010, 9, 112-6.	0.8	12
132	Management of Melanoma Patients: Benefit of Intense Follow-Up Schedule Is Not Demonstrated. Journal of Clinical Oncology, 2003, 21, 3707-3707.	1.6	11
133	Housing index, urbanisation level and lifetime prevalence of depressive and anxiety disorders: a cross-sectional analysis of the Colombian national mental health survey. BMJ Open, 2018, 8, e019065.	1.9	11
134	Non-compliance with the re-excision guidelines for cutaneous melanoma in The Netherlands does not influence survival. European Journal of Surgical Oncology, 2006, 32, 85-89.	1.0	9
135	Cutaneous melanoma attributable to solar radiation in Cali, Colombia. International Journal of Cancer, 2017, 140, 2070-2074.	5.1	9
136	Stagnation in Decreasing Gastric Cancer Incidence and Mortality in Quito: Time Trend Analysis, 1985–2013. Journal of Cancer Epidemiology, 2019, 2019, 1-10.	1.1	9
137	Knowledge of end-of-life wishes by physicians and family caregivers in cancer patients. BMC Palliative Care, 2021, 20, 140.	1.8	9
138	Self-reported early detection activities for breast cancer in Colombia in 2010: impact of socioeconomic and demographic characteristics. Salud Publica De Mexico, 2013, 55, 368.	0.4	9
139	Breast and cervical cancer survival at Instituto Nacional de CancerologÃa, Colombia. , 2018, 49, 102-108.		9
140	The financial impact of a terminal cancer on patient′s families in Colombia – A survey study. Journal of Cancer Policy, 2021, 28, 100272.	1.4	8
141	Excess weight among colorectal cancer survivors: target for intervention. Journal of Gastroenterology, 2012, 47, 999-1005.	5.1	7
142	Supervivencia global de pacientes con cáncer en el Instituto Nacional de CancerologÃa (INC). Revista Colombiana De CancerologÃa, 2017, 21, 12-18.	0.2	7
143	Re-emergence of educational inequalities in cervical cancer mortality, Colombia 1998–2015. Journal of Cancer Policy, 2018, 15, 37-44.	1.4	7
144	How many people need palliative care for cancer and non-cancer diseases in a middle-income country? Analysis of mortality data. Colombian Journal of Anesthesiology, 2020, Publish Ahead of Print, .	0.1	7

#	Article	IF	CITATIONS
145	Population attributable fractions for colorectal cancer and red and processed meats in Colombia - a macro-simulation study. Colombia Medica, 2017, 48, 64-69.	0.2	7
146	Cáncer en la Unidad de Cáncer del Hospital Departamental de Villavicencio, Colombia, 2006-2008. Revista Colombiana De CancerologÃa, 2015, 19, 125-132.	0.2	6
147	Discrepancias en manejo de cifras de cáncer en Colombia. Revista Colombiana De CancerologÃa, 2016, 20, 45-47.	0.2	6
148	Vigilancia de la supervivencia global por cáncer en Colombia: utilidad de los registros rutinarios. Revista Colombiana De CancerologÃa, 2015, 19, 81-89.	0.2	5
149	Lymph node ratio as a prognostic factor in melanoma: results from European Organization for Research and Treatment of Cancer 18871, 18952, and 18991 studies. Melanoma Research, 2018, 28, 222-229.	1.2	5
150	Medical decisions concerning the end of life for cancer patients in three Colombian hospitals – a survey study. BMC Palliative Care, 2021, 20, 161.	1.8	5
151	Burden of skin cancer in Colombia. International Journal of Dermatology, 2022, 61, 1003-1011.	1.0	5
152	Comprehensive assessment of population-based cancer registries: an experience in Colombia. Journal of Registry Management, 2014, 41, 128-34.	0.1	5
153	Re: Sun Exposure and Mortality From Melanoma. Journal of the National Cancer Institute, 2005, 97, 1159-1159.	6.3	4
154	Left-sided excess of invasive cutaneous melanoma. Journal of the American Academy of Dermatology, 2011, 65, 207-208.	1.2	4
155	Effect of β-Adrenergic Blockers and Other Antihypertensive Drugs on the Risk of Melanoma Recurrence and Death—II. Mayo Clinic Proceedings, 2014, 89, 1165-1167.	3.0	4
156	Access to diagnostic facilities in children with cancer in Colombia: Spotting opportunity and distance from a sample. Cancer Epidemiology, 2020, 64, 101645.	1.9	4
157	Breast cancer in Colombia: a growing challenge for the healthcare system. Breast Cancer Research and Treatment, 2021, 186, 15-24.	2.5	4
158	Palliative Care and Oncology in Colombia: The Potential of Integrated Care Delivery. Healthcare (Switzerland), 2021, 9, 789.	2.0	4
159	Importancia del acceso de los registros de calncer de base poblacional a las estadilsticas vitales: barreras identificadas en Colombia. Revista Colombiana De CancerologÃa, 2019, 23, 56-61.	0.2	4
160	Cancer as a Chronic Illness in Colombia: A Normative Consensus Approach to Improving Healthcare Services for those Living with and beyond Cancer and Its Treatment. Healthcare (Switzerland), 2021, 9, 1655.	2.0	4
161	Efficacy, cost-minimization, and budget impact of a personalized discharge letter for basal cell carcinoma patients to reduce low-value follow-up care. PLoS ONE, 2022, 17, e0260978.	2.5	4
162	Non-identifiability and the age period cohort model: Firm comprehension is an A Priori prerequisite. Annals of Epidemiology, 2004, 14, 304-305.	1.9	3

#	Article	IF	CITATIONS
163	Re: Sun Exposure and Mortality From Melanoma. Journal of the National Cancer Institute, 2005, 97, 1158-1159.	6.3	3
164	Did alcohol protect against death from breast cancer in Russia?. Lancet, The, 2009, 374, 975.	13.7	3
165	Trends in the risks of melanoma as a second primary cancer among cancer patients in the Netherlands, 1989–2008. Melanoma Research, 2013, 23, 206-212.	1.2	3
166	Treatment and frequency of followâ€up of <scp>BCC</scp> patients in the Netherlands. Journal of the European Academy of Dermatology and Venereology, 2018, 32, e351-e354.	2.4	3
167	Conocimientos acerca de la eutanasia en estudiantes universitarios en dos instituciones de educación superior en Colombia. Revista Universitas Medica, 2021, 62, .	0.1	3
168	Impact of the Management and Proportion of Lost to Follow-Up Cases on Cancer Survival Estimates for Small Population-Based Cancer Registries. Journal of Cancer Epidemiology, 2022, 2022, 1-10.	1.1	3
169	Percepciones médicas sobre la atención en el final de la vida en pacientes oncológicos. Revista Gerencia Y Politicas De Salud, 0, 21, .	0.2	3
170	Active Versus Passive Cancer Registry Methods Make the Difference: Case Report From Colombia. Journal of Global Oncology, 2018, 4, 1-3.	0.5	2
171	Theoretical reduction of the incidence of colorectal cancer in Colombia from reduction in the population exposure to tobacco, alcohol, excess weight and sedentary lifestyle: a modelling study. BMJ Open, 2020, 10, e037388.	1.9	2
172	Extra attention for melanoma among elderly men. Nature Reviews Clinical Oncology, 2010, 7, 1-2.	27.6	1
173	Author reply: A further caveat in interpreting cancer survival. Nature Reviews Clinical Oncology, 2010, 7, 1-1.	27.6	1
174	What do patients and dermatologists prefer regarding low-risk basal cell carcinoma follow-up care? A discrete choice experiment. PLoS ONE, 2021, 16, e0249298.	2.5	1
175	Cardiovascular Risk Prediction Models in People Living with HIV in Colombia. Revista De Investigacion Clinica, 2021, , .	0.4	1
176	End of life of the cancer patient: patient, family and physician perceptions. Colombian Journal of Anesthesiology, 0, , .	0.1	1
177	Regarding articles about Cali Cancer Registry 2. Salud Publica De Mexico, 2015, 57, 195.	0.4	1
178	Self-Reported Health Problems and Quality of Life in a Sample of Colombian Childhood Cancer Survivors: A Descriptive Cross-Sectional Study. Cancers, 2022, 14, 2999.	3.7	1
179	1208 POSTER Age variation in cancer avoidability among European adults. European Journal of Cancer, Supplement, 2007, 5, 163.	2.2	0
180	Response: Risk of prostate, breast and colorectal cancer after skin cancer diagnosis. International Journal of Cancer, 2009, 124, 1739-1740.	5.1	0

#	Article	IF	CITATIONS
181	105 Recent trends in the burden of cancer in Europe: a combined approach of incidence, survival and mortality for 17 major cancer sites since the 1990 s. European Journal of Cancer, Supplement, 2009, 7, 28.	2.2	0
182	3501 Progress against cancer in the Netherlands since the 1990 s: an epidemiological evaluation. European Journal of Cancer, Supplement, 2009, 7, 202.	2.2	0
183	P2-160 Right-side shifting of second colorectal cancer-implications for aetiology and clinical relevance. Journal of Epidemiology and Community Health, 2011, 65, A265-A265.	3.7	0
184	P2-161 Increased melanoma risk among melanoma patients. Journal of Epidemiology and Community Health, 2011, 65, A265-A265.	3.7	0
185	P2-159 Can the increased incidence of melanoma be explained solely by enhanced surveillance and awareness? A study using second melanoma as an indicator. Journal of Epidemiology and Community Health, 2011, 65, A264-A265.	3.7	0
186	Benefits of lifestyle interventions: precise input estimates needed. Lancet, The, 2012, 380, 973-974.	13.7	0
187	EORTC Melanoma Group achievements. European Journal of Cancer, Supplement, 2012, 10, 112-119.	2.2	0
188	Screening for second primary melanomas: is it efficient? Reply from authors. British Journal of Dermatology, 2013, 168, 1135-1135.	1.5	0
189	The incidence of skin cancer in dermatology: comment. Clinical and Experimental Dermatology, 2015, 40, 90-90.	1.3	0
190	Sobrevida de los tumores cerebrales primarios en Colombia. Revista Universitas Medica, 2020, 61, .	0.1	0
191	Cutaneous Malignant Melanoma. , 2010, , 79-110.		0
192	Supervivencia de pacientes con cÃ;ncer epitelial de ovario en el Instituto Nacional de CancerologÃa, resultados a partir del registro hospitalario de cáncer, (2005-2014). Revista Colombiana De CancerologÃa, 2019, 23, 82-91.	0.2	0
193	Impacto de la modificación de los factores de riesgo en la incidencia de cáncer de cavidad oral en Colombia al año 2050. Revista Colombiana De CancerologÃa, 2019, 23, 126-134.	0.2	0
194	Regarding articles about Cali Cancer Registry I. Salud Publica De Mexico, 2015, 57, 193-4.	0.4	0
195	Pacientes y profesionales de la salud colombianos frente al final de la vida. Revista De La Facultad De Ciencias De La Salud, 2021, 23, 12-16.	0.1	0
196	Fin de vida en pacientes con cáncer no curable. Percepciones de los pacientes sobre el sistema de salud. Revista Gerencia Y Politicas De Salud, 0, 21, .	0.2	0