

Suzi Alves Camey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5059531/publications.pdf>

Version: 2024-02-01

86
papers

2,121
citations

218677

26
h-index

289244

40
g-index

92
all docs

92
docs citations

92
times ranked

3590
citing authors

#	ARTICLE	IF	CITATIONS
1	Validation of the WHOQOL-Bref instrument in Brazilian sign language (Libras). Quality of Life Research, 2021, 30, 303-313.	3.1	9
2	Assessment of bias and associated factors for food portion quantification with photos in Brazil. Measurement Food, 2021, 3, 100007.	1.6	2
3	Association between diet quality index and cardiometabolic risk factors in adolescents: Study of Cardiovascular Risks in Adolescents (ERICA). Nutrition, 2021, 90, 111216.	2.4	5
4	Diet quality index for Brazilian adolescents: the ERICA study. European Journal of Nutrition, 2020, 59, 539-556.	3.9	19
5	Making Decisions and Motor Actions with Technical Biomechanical Classifications in Male Judo Weight Categories. Journal of Human Kinetics, 2020, 72, 241-252.	1.5	6
6	Performance of the Gail and Tyrer-Cuzick breast cancer risk assessment models in women screened in a primary care setting with the FHS-7 questionnaire. Genetics and Molecular Biology, 2019, 42, 232-237.	1.3	12
7	Subjects' Perception in Quantifying Printed and Digital Photos of Food Portions. Nutrients, 2019, 11, 501.	4.1	12
8	Suggestions for Judo Training with Pacing Strategy and Decision Making by Judo Championship Phases. Journal of Human Kinetics, 2018, 64, 219-232.	1.5	14
9	Electronic Version of the EQ-5D Quality-of-Life Questionnaire: Adaptation to a Brazilian Population Sample. Value in Health Regional Issues, 2018, 17, 88-93.	1.2	15
10	Effect of Diacerein on Metabolic Control and Inflammatory Markers in Patients with Type 2 Diabetes Using Antidiabetic Agents: A Randomized Controlled Trial. Journal of Diabetes Research, 2018, 2018, 1-8.	2.3	15
11	The progression rate of spinocerebellar ataxia type 2 changes with stage of disease. Orphanet Journal of Rare Diseases, 2018, 13, 20.	2.7	24
12	Cancer in Machado-Joseph disease patients: low frequency as a cause of death. Cancer Genetics, 2017, 212-213, 19-23.	0.4	6
13	Taurolidine Lock vs Heparin Lock in Children and Adolescents on Chronic Parenteral Nutrition. Transplantation, 2017, 101, S132.	1.0	1
14	Peripheral Oxidative Stress Biomarkers in Spinocerebellar Ataxia Type 3/Machado-Joseph Disease. Frontiers in Neurology, 2017, 8, 485.	2.4	47
15	BRCA1 and BRCA2 mutational profile and prevalence in hereditary breast and ovarian cancer (HBOC) probands from Southern Brazil: Are international testing criteria appropriate for this specific population?. PLoS ONE, 2017, 12, e0187630.	2.5	29
16	Agreement of dietary fiber and calorie intake values according to the choice of nutrient composition and household measure tables. Revista De Nutricao, 2017, 30, 233-244.	0.4	0
17	Contextual and individual factors associated with dissatisfaction with the Brazilian Unified National Health System, 2011-2012. Cadernos De Saude Publica, 2016, 32, e00065015.	1.0	7
18	Comparison of the ISU, NCI, MSM, and SPADE Methods for Estimating Usual Intake: A Simulation Study of Nutrients Consumed Daily. Nutrients, 2016, 8, 166.	4.1	53

#	ARTICLE	IF	CITATIONS
19	Comparisons: Technical-Tactical and Time-Motion Analysis of Mixed Martial Arts by Outcomes. <i>Journal of Strength and Conditioning Research</i> , 2016, 30, 1975-1984.	2.1	28
20	Commentary regarding Schayek et al., entitled "The rate of recurrent BRCA1, BRCA2, and TP53 mutations in the general population, and unselected ovarian cancer cases, in Belo Horizonte, Brazil". <i>Cancer Genetics</i> , 2016, 209, 282-283.	0.4	0
21	Time-motion analysis and Decision Making in Female Judo Athletes during Victory or Defeat at Olympic and Non-Olympic Events: Are Combat Actions Really Unpredictable?. <i>International Journal of Performance Analysis in Sport</i> , 2016, 16, 442-463.	1.1	18
22	Time-motion and tactical analysis of Olympic judo fighters. <i>International Journal of Performance Analysis in Sport</i> , 2016, 16, 133-142.	1.1	19
23	Brazilian Valuation of EQ-5D-3L Health States. <i>Medical Decision Making</i> , 2016, 36, 253-263.	2.4	76
24	Cytokines in Machado Joseph Disease/Spinocerebellar Ataxia 3. <i>Cerebellum</i> , 2016, 15, 518-525.	2.5	27
25	Development and validation of a time-motion judo combat model based on the Markovian Processes. <i>International Journal of Performance Analysis in Sport</i> , 2015, 15, 315-331.	1.1	28
26	Bayesian models as a unified approach to estimate relative risk (or prevalence ratio) in binary and polytomous outcomes. <i>Emerging Themes in Epidemiology</i> , 2015, 12, 8.	2.7	18
27	Adaptation of the Cognitive Estimation Test (CET) to brazilian portuguese. <i>Avaliacao Psicologica</i> , 2015, 14, 213-221.	0.1	0
28	Pediatric cancer and Li-Fraumeni/Li-Fraumeni-like syndromes: a review for the pediatrician. <i>Revista Da AssociaçãO MÃ©dica Brasileira</i> , 2015, 61, 282-289.	0.7	22
29	Vitamin D Status and VDR Genotype in NF1 Patients: A Case-Control Study from Southern Brazil. <i>International Journal of Endocrinology</i> , 2015, 2015, 1-9.	1.5	7
30	Development of a Healthy Eating Index for patients with type 2 diabetes. <i>Revista De Nutricao</i> , 2015, 28, 513-522.	0.4	2
31	Pharmacoepidemiology and thalidomide embryopathy surveillance in Brazil. <i>Reproductive Toxicology</i> , 2015, 53, 63-67.	2.9	17
32	Seasonal variation in food intake and the interaction effects of sex and age among adults in southern Brazil. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 1015-1022.	2.9	24
33	Planning future clinical trials in Machado Joseph disease: Lessons from a phase 2 trial. <i>Journal of the Neurological Sciences</i> , 2015, 358, 72-76.	0.6	28
34	Dietary patterns and hypertension: a population-based study with women from Southern Brazil. <i>Cadernos De Saude Publica</i> , 2014, 30, 961-971.	1.0	15
35	Bias of using odds ratio estimates in multinomial logistic regressions to estimate relative risk or prevalence ratio and alternatives. <i>Cadernos De Saude Publica</i> , 2014, 30, 21-29.	1.0	27
36	Apolipoprotein E genetic polymorphism, serum lipoprotein levels and breast cancer risk: A case-control study. <i>Molecular and Clinical Oncology</i> , 2014, 2, 1009-1015.	1.0	16

#	ARTICLE	IF	CITATIONS
37	A randomized, phase 2 clinical trial of lithium carbonate in Machado-Joseph disease. <i>Movement Disorders</i> , 2014, 29, 568-573.	3.9	65
38	The Brazilian Founder Mutation <i>TP53</i> p.R337H is Uncommon in Portuguese Women Diagnosed with Breast Cancer. <i>Breast Journal</i> , 2014, 20, 534-536.	1.0	6
39	Prevalence of the <i>TP53</i> p.R337H Mutation in Breast Cancer Patients in Brazil. <i>PLoS ONE</i> , 2014, 9, e99893.	2.5	49
40	Evaluation of the knowledge about breast cancer in Brazilian women seeking assistance in basic health care units. <i>Journal of Clinical Oncology</i> , 2014, 32, e20573-e20573.	1.6	0
41	A <i>TP53</i> founder mutation, p.R337H, is associated with phyllodes breast tumors in Brazil. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 463, 17-22.	2.8	22
42	Li-Fraumeni and Li-Fraumeni-like syndrome among children diagnosed with pediatric cancer in Southern Brazil. <i>Cancer</i> , 2013, 119, 4341-4349.	4.1	39
43	Gene-environment interaction in externalizing problems among adolescents: evidence from the Pelotas 1993 Birth Cohort Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2013, 54, 298-304.	5.2	33
44	Cross-Cultural Adaptation and Psychometric Testing of the Brazilian Version of the Self-Care of Heart Failure Index Version 6.2. <i>Nursing Research and Practice</i> , 2013, 2013, 1-6.	1.0	13
45	Fibre intake and evolution of BMI: from pre-pregnancy to postpartum. <i>Public Health Nutrition</i> , 2013, 16, 1403-1413.	2.2	10
46	Dietary patterns during pregnancy and the association with sociodemographic characteristics among women attending general practices in southern Brazil: the ECCAGE Study. <i>Cadernos De Saude Publica</i> , 2013, 29, 970-980.	1.0	28
47	Health-related quality of life in Brazil: normative data for the SF-36 in a general population sample in the south of the country. <i>Ciencia E Saude Coletiva</i> , 2013, 18, 1911-1921.	0.5	62
48	Índice de alimentao saudvel para gestantes: adaptao para uso em gestantes brasileiras. <i>Revista De Saude Publica</i> , 2013, 47, 20-28.	1.7	28
49	Protein Profiling in Hepatocellular Carcinoma by Label-Free Quantitative Proteomics in Two West African Populations. <i>PLoS ONE</i> , 2013, 8, e68381.	2.5	14
50	Mental disorders and sociodemographic variables in population assisted by the Family Health Program in Brazil. <i>Open Journal of Psychiatry</i> , 2013, 03, 32-40.	0.6	1
51	Dietary patterns during pregnancy and the association with sociodemographic characteristics among women attending general practices in southern Brazil: the ECCAGE Study. <i>Cadernos De Saude Publica</i> , 2013, 29, 970-980.	1.0	0
52	Prevalence of ER-397 PvuII C/T, ER-351 XbaI A/G and PGR PROGINS polymorphisms in Brazilian breast cancer-unaffected women. <i>Brazilian Journal of Medical and Biological Research</i> , 2012, 45, 891-897.	1.5	5
53	GSTM1, GSTT1, and GSTP1 polymorphisms, breast cancer risk factors and mammographic density in women submitted to breast cancer screening. <i>Revista Brasileira De Epidemiologia</i> , 2012, 15, 246-255.	0.8	20
54	Binge eating during pregnancy and birth outcomes: A cohort study in a disadvantaged population in Brazil. <i>International Journal of Eating Disorders</i> , 2012, 45, 827-831.	4.0	20

#	ARTICLE	IF	CITATIONS
55	Assessment of Executive Functions in a Brazilian Sample of Bipolar Subjects. Spanish Journal of Psychology, 2011, 14, 859-868.	2.1	2
56	Estimating the SF-6D Value Set for a Population-Based Sample of Brazilians. Value in Health, 2011, 14, S108-S114.	0.3	59
57	Prevalence of the STK15 F31I polymorphism and its relationship with mammographic density. Brazilian Journal of Medical and Biological Research, 2011, 44, 291-296.	1.5	6
58	P1-420 Fibre intake and evolution of body mass index: from prepregnancy to postpartum. Journal of Epidemiology and Community Health, 2011, 65, A183-A183.	3.7	0
59	Intensive practical lifestyle intervention improves endothelial function in metabolic syndrome independent of weight loss: a randomized controlled trial. Metabolism: Clinical and Experimental, 2011, 60, 1736-1740.	3.4	38
60	Prevalence of the BRCA1 founder mutation c.5266dupin Brazilian individuals at-risk for the hereditary breast and ovarian cancer syndrome. Hereditary Cancer in Clinical Practice, 2011, 9, 12.	1.5	34
61	Quality of life in Brazil: normative values for the Whoqol-bref in a southern general population sample. Quality of Life Research, 2011, 20, 1123-1129.	3.1	121
62	Violence during pregnancy and newborn outcomes: a cohort study in a disadvantaged population in Brazil. European Journal of Public Health, 2011, 21, 92-97.	0.3	41
63	Identification of patients at-risk for Lynch syndrome in a hospital-based colorectal surgery clinic. World Journal of Gastroenterology, 2011, 17, 766.	3.3	20
64	Violence and depressive symptoms during pregnancy: a primary care study in Brazil. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 983-988.	3.1	17
65	Progression Rate of Neurological Deficits in a 10-Year Cohort of SCA3 Patients. Cerebellum, 2010, 9, 419-428.	2.5	45
66	Prevalence and acquisition of MRSA amongst patients admitted to a tertiary-care hospital in Brazil. BMC Infectious Diseases, 2010, 10, 328.	2.9	25
67	Nutrition, mental health and violence: from pregnancy to postpartum Cohort of women attending primary care units in Southern Brazil - ECCAGE study. BMC Psychiatry, 2010, 10, 66.	2.6	34
68	Cost-Effectiveness of Implantable Cardioverter-Defibrillators in Brazil: Primary Prevention Analysis in the Public Sector. Value in Health, 2010, 13, 160-168.	0.3	19
69	Focused Principal Component Analysis: a graphical method for exploring dietary patterns. Cadernos De Saude Publica, 2010, 26, 2149-2156.	1.0	16
70	Socioeconomic, demographic and nutritional factors associated with maternal weight gain in general practices in Southern Brazil. Cadernos De Saude Publica, 2010, 26, 1024-1034.	1.0	38
71	Viabilidade da estimativa de QI a partir dos subtestes Vocabulário e Cubos da WAIS-III. Psico-USF, 2010, 15, 215-224.	0.2	4
72	Adherence to a Breast Cancer Screening Program and Its Predictors in Underserved Women in Southern Brazil. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2673-2679.	2.5	24

#	ARTICLE	IF	CITATIONS
73	A Prospective Study of SCA3 Gait Ataxia Described through a Markovian Method. <i>Neuroepidemiology</i> , 2010, 34, 163-170.	2.3	5
74	Population prevalence of hereditary breast cancer phenotypes and implementation of a genetic cancer risk assessment program in southern Brazil. <i>Genetics and Molecular Biology</i> , 2009, 32, 447-455.	1.3	17
75	Dietary fibre intake of pregnant women attending general practices in southern Brazil – The ECCAGE Study. <i>Public Health Nutrition</i> , 2009, 12, 1392-1398.	2.2	17
76	World Health Organization quality of life instrument-brief and Short Form-36 in patients with coronary artery disease: Do they measure similar quality of life concepts?. <i>Psychology, Health and Medicine</i> , 2009, 14, 619-628.	2.4	20
77	Development and validation of a simple questionnaire for the identification of hereditary breast cancer in primary care. <i>BMC Cancer</i> , 2009, 9, 283.	2.6	61
78	Pulse Pressure and QRS Width Evaluation as an Inexpensive Tool for Heart Failure Assessment. <i>Congestive Heart Failure</i> , 2009, 15, 222-227.	2.0	5
79	Inappropriate eating behaviors during pregnancy: Prevalence and associated factors among pregnant women attending primary care in southern Brazil. <i>International Journal of Eating Disorders</i> , 2009, 42, 387-393.	4.0	63
80	Consistency of self-reported first-degree family history of cancer in a population-based study. <i>Familial Cancer</i> , 2009, 8, 195-202.	1.9	19
81	Clustering of risk factors for cardiovascular disease among women in Southern Brazil: a population-based study. <i>Cadernos De Saude Publica</i> , 2008, 24, s285-s293.	1.0	31
82	Validação relativa de Questionário de Freqüência Alimentar em gestantes usuárias de serviços do Sistema Único de Saúde em dois municípios no Rio Grande do Sul, Brasil. <i>Revista Brasileira De Saude Materno Infantil</i> , 2008, 8, 445-454.	0.5	30
83	Prognostic value of serum biomarkers in association with TIMI risk score for acute coronary syndromes. <i>Clinical Cardiology</i> , 2006, 29, 405-410.	1.8	24
84	Abnormal eating behaviors in adolescent and young adult women from southern Brazil: Reassessment after four years. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 951-956.	3.1	8
85	A Cohort Study to Assess the Impact of Depression on Patients with Kidney Disease. <i>International Journal of Psychiatry in Medicine</i> , 2006, 36, 457-468.	1.8	27
86	Influência da percepção do peso e do Índice de massa corporal nos comportamentos alimentares anormais. <i>Revista Brasileira De Psiquiatria</i> , 2001, 23, 21-27.	1.7	66