

Ricardo Perez-Cuevas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5059785/publications.pdf>

Version: 2024-02-01

72
papers

2,522
citations

471509

17
h-index

206112

48
g-index

81
all docs

81
docs citations

81
times ranked

3459
citing authors

#	ARTICLE	IF	CITATIONS
1	Use of the Robson classification to assess caesarean section trends in 21 countries: a secondary analysis of two WHO multicountry surveys. <i>The Lancet Global Health</i> , 2015, 3, e260-e270.	6.3	795
2	Moving beyond essential interventions for reduction of maternal mortality (the WHO Multicountry) <i>Tj ETQq0 0 0 rgBT/Overlock 10 Tf 5</i>	13.7	549
3	An international trial of antioxidants in the prevention of preeclampsia (INTAPP). <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 239.e1-239.e10.	1.3	129
4	Antibiotic noncompliance and waste in upper respiratory infections and acute diarrhea. <i>Journal of Clinical Epidemiology</i> , 1997, 50, 1297-1304.	5.0	64
5	The family as a determinant of stunting in children living in conditions of extreme poverty: a case-control study. <i>BMC Public Health</i> , 2004, 4, 57.	2.9	61
6	Scaling up cancer care for children without medical insurance in developing countries: The case of Mexico. <i>Pediatric Blood and Cancer</i> , 2013, 60, 196-203.	1.5	59
7	Improving physician prescribing patterns to treat rhinopharyngitis. Intervention strategies in two health systems of Mexico. <i>Social Science and Medicine</i> , 1996, 42, 1185-1194.	3.8	50
8	Feasibility and impact of Creciendo Sanos, a clinic-based pilot intervention to prevent obesity among preschool children in Mexico City. <i>BMC Pediatrics</i> , 2014, 14, 77.	1.7	35
9	Attributes of patient-centered primary care associated with the public perception of good healthcare quality in Brazil, Colombia, Mexico and El Salvador. <i>Health Policy and Planning</i> , 2016, 31, 834-843.	2.7	34
10	Evaluating quality of care for patients with type 2 diabetes using electronic health record information in Mexico. <i>BMC Medical Informatics and Decision Making</i> , 2012, 12, 50.	3.0	32
11	Strengthening preventive care programs: a permanent challenge for healthcare systems; lessons from PREVENIMSS MÃ©xico. <i>BMC Public Health</i> , 2010, 10, 417.	2.9	27
12	Supportive care needs of Mexican adult cancer patients: validation of the Mexican version of the Short-Form Supportive Care Needs Questionnaire (SCNS-SFM). <i>Supportive Care in Cancer</i> , 2015, 23, 2711-2719.	2.2	27
13	Effects of the expansion of doctors' offices adjacent to private pharmacies in Mexico: secondary data analysis of a national survey. <i>BMJ Open</i> , 2014, 4, e004669.	1.9	24
14	Multimorbidity Patterns in Older Adults: An Approach to the Complex Interrelationships Among Chronic Diseases. <i>Archives of Medical Research</i> , 2017, 48, 121-127.	3.3	24
15	Access to healthcare and financial risk protection for older adults in Mexico: secondary data analysis of a national survey. <i>BMJ Open</i> , 2015, 5, e007877.	1.9	21
16	Assessing health system performance: effective coverage at the Mexican Institute of Social Security. <i>Health Policy and Planning</i> , 2019, 34, ii67-ii76.	2.7	21
17	Patient-centered primary care and self-rated health in 6 Latin American and Caribbean countries: Analysis of a public opinion cross-sectional survey. <i>PLoS Medicine</i> , 2018, 15, e1002673.	8.4	20
18	Acute Lymphoblastic Leukaemia Survival in Children Covered by Seguro Popular in Mexico: A National Comprehensive Analysis 2005-2017. <i>Health Systems and Reform</i> , 2021, 7, e1914897.	1.2	20

#	ARTICLE	IF	CITATIONS
19	Understanding public perception of the need for major change in Latin American healthcare systems. <i>Health Policy and Planning</i> , 2017, 32, 816-824.	2.7	19
20	Immunization promotion activities: are they effective in encouraging mothers to immunize their children?. <i>Social Science and Medicine</i> , 1999, 49, 921-932.	3.8	17
21	Frequency and Determinants of Vitamin A Deficiency in Children Under 5 Years of Age with Pneumonia. <i>Archives of Medical Research</i> , 2002, 33, 180-185.	3.3	17
22	Critical pathways for the management of preeclampsia and severe preeclampsia in institutionalised health care settings. <i>BMC Pregnancy and Childbirth</i> , 2003, 3, 6.	2.4	17
23	Satisfaction of patients suffering from type 2 diabetes and/or hypertension with care offered in family medicine clinics in Mexico. <i>Salud Publica De Mexico</i> , 2009, 51, 231-9.	0.4	17
24	Prevalence, Disparities, And Determinants Of Primary Cesarean Births Among First-Time Mothers In Mexico. <i>Health Affairs</i> , 2017, 36, 714-722.	5.2	16
25	Integrative health care model for climacteric stage women: design of the intervention. <i>BMC Women's Health</i> , 2011, 11, 6.	2.0	15
26	Evaluation of the quality of antenatal care using electronic health record information in family medicine clinics of Mexico City. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 168.	2.4	15
27	A social health services model to promote active ageing in Mexico: design and evaluation of a pilot programme. <i>Ageing and Society</i> , 2015, 35, 1457-1480.	1.7	15
28	Potential Savings In Mexico From Screening And Prevention For Early Diabetes And Hypertension. <i>Health Affairs</i> , 2010, 29, 2171-2179.	5.2	14
29	Linking quality of healthcare and health-related quality of life of patients with type 2 diabetes: an evaluative study in Mexican family practice. <i>International Journal for Quality in Health Care</i> , 2013, 25, 664-672.	1.8	14
30	Factors associated with regular physical exercise and consumption of fruits and vegetables among Mexican older adults. <i>BMC Public Health</i> , 2016, 16, 952.	2.9	14
31	Quality governance in a pluralistic health system: Mexican experience and challenges. <i>The Lancet Global Health</i> , 2018, 6, e1149-e1152.	6.3	14
32	Long-term effects of public health insurance on the health of children in Mexico: a retrospective study. <i>The Lancet Global Health</i> , 2019, 7, e1448-e1457.	6.3	14
33	Effects of an internet-based educational intervention to prevent high-risk sexual behavior in Mexican adolescents. <i>Health Education Research</i> , 2017, 32, 487-498.	1.9	13
34	Mexico's Seguro Popular Appears To Have Helped Reduce The Risk Of Preterm Delivery Among Women With Low Education. <i>Health Affairs</i> , 2016, 35, 80-87.	5.2	12
35	User experience and satisfaction with specialty consultations and surgical care in secondary and tertiary level hospitals in Mexico. <i>BMC Health Services Research</i> , 2019, 19, 872.	2.2	12
36	Critical Analysis of Deaths Due to Atypical Pneumonia during the Onset of the Influenza A (H1N1) Virus Epidemic. <i>Archives of Medical Research</i> , 2009, 40, 662-668.	3.3	11

#	ARTICLE	IF	CITATIONS
37	Quality of care for hip and knee osteoarthritis at family medicine clinics: lessons from Mexico. <i>International Journal for Quality in Health Care</i> , 2015, 27, 125-31.	1.8	11
38	Needs of caregivers of cancer patients: validation of the Mexican version of the Support Person Unmet Needs Survey (SPUNSA-SFM). <i>Supportive Care in Cancer</i> , 2015, 23, 2925-2935.	2.2	11
39	Percepci3n de los usuarios sobre la calidad de la atenci3n ambulatoria en servicios de salud en M3xico. <i>Salud Publica De Mexico</i> , 2013, 55, 100.	0.4	11
40	Supportive Care Needs and Association With Quality of Life of Mexican Adults With Solid Cancers. <i>Cancer Nursing</i> , 2018, 41, E1-E12.	1.5	10
41	Effectiveness of a medical education intervention to treat hypertension in primary care. <i>Journal of Evaluation in Clinical Practice</i> , 2012, 18, 420-425.	1.8	9
42	Internet-based educational intervention to prevent risky sexual behaviors in Mexican adolescents: study protocol. <i>BMC Public Health</i> , 2016, 16, 343.	2.9	9
43	Association of hypertension-related distress with lack of self-care among hypertensive patients. <i>Psychology, Health and Medicine</i> , 2017, 22, 51-64.	2.4	9
44	Barriers and opportunities to improve the foundations for high-quality healthcare in the Mexican Health System. <i>Health Policy and Planning</i> , 2018, 33, 1073-1082.	2.7	9
45	Association of supportive care needs and quality of patient-centered cancer care with depression in women with breast and cervical cancer in Mexico. <i>Psycho-Oncology</i> , 2021, 30, 591-601.	2.3	9
46	Quality of care and health-related quality of life of climacteric stage women cared for in family medicine clinics in Mexico. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 20.	2.4	8
47	Application of machine learning methodology to assess the performance of DIABETIMSS program for patients with type 2 diabetes in family medicine clinics in Mexico. <i>BMC Medical Informatics and Decision Making</i> , 2019, 19, 221.	3.0	8
48	Psychometric validation of a Patient-Centred Quality of Cancer Care Questionnaire in Mexico. <i>BMJ Open</i> , 2020, 10, e033114.	1.9	8
49	Social inequalities in supportive care needs and quality of patient-centered care of cancer patients in Mexico. <i>Supportive Care in Cancer</i> , 2021, 29, 1355-1367.	2.2	8
50	Development and Use of Quality of Care Indicators for Obstetric Care in Women with Preeclampsia, Severe Preeclampsia, and Severe Morbidity. <i>Hypertension in Pregnancy</i> , 2007, 26, 241-257.	1.1	7
51	Use of electronic health records to evaluate the quality of care for hypertensive patients in Mexican family medicine clinics. <i>Journal of Hypertension</i> , 2013, 31, 1714-1723.	0.5	7
52	Socio-demographic and clinical characteristics of type 1 diabetes patients associated with emergency room visits and hospitalizations in Mexico. <i>BMC Health Services Research</i> , 2018, 18, 602.	2.2	7
53	Cost-effectiveness of the use of the continuous subcutaneous insulin infusion pump versus daily multiple injections in type 1 diabetes adult patients at the Mexican Institute of Social Security. <i>Cost Effectiveness and Resource Allocation</i> , 2019, 17, 19.	1.5	7
54	Access to paediatric cancer care treatment in Mexico: responding to health system challenges and opportunities. <i>Health Policy and Planning</i> , 2020, 35, 291-301.	2.7	7

#	ARTICLE	IF	CITATIONS
55	Experiences with health care and health-related quality of life of patients with hematologic malignancies in Mexico. BMC Health Services Research, 2020, 20, 644.	2.2	7
56	A multifaceted education intervention for improving family physicians' case management. Family Medicine, 2009, 41, 277-84.	0.5	7
57	Tele-asistencia y tele-alarma para adultos mayores: experiencias preliminares en Mexico. Revista De Saude Publica, 2013, 47, 711-717.	1.7	6
58	Improvement of quality of life and menopausal symptoms in climacteric women treated with low-dose monthly parenteral formulations of non-polymeric microspheres of 17 β -estradiol/progesterone. Gynecological Endocrinology, 2016, 32, 831-834.	1.7	6
59	Adequate health literacy is associated with better health outcomes in people with type 2 diabetes in Mexico. Psychology, Health and Medicine, 2019, 24, 853-865.	2.4	5
60	Effects of two educational programmes aimed at improving the utilization of non- μ opioid analgesics in family medicine clinics in Mexico. Journal of Evaluation in Clinical Practice, 2010, 16, 716-723.	1.8	4
61	Preterm delivery among first-time Mexico-born mothers: a binational population-based comparison of deliveries in California and Mexico. Journal of Epidemiology and Community Health, 2015, 69, 35-40.	3.7	4
62	Quality of care for children with upper respiratory infections at Mexican family medicine clinics. BoletAn MÃ©dico Del Hospital Infantil De MÃ©xico, 2015, 72, 235-241.	0.3	4
63	Going further to measure improvements in health-care access and quality. Lancet, The, 2018, 391, 2190-2192.	13.7	4
64	Supportive care needs and quality of care of patients with lung cancer in Mexico: A cross-sectional study. European Journal of Oncology Nursing, 2020, 49, 101857.	2.1	4
65	Opportunities to Strengthen Childhood Obesity Prevention in Two Mexican Health Care Settings. International Journal of Person Centered Medicine, 2012, 2, 496-504.	0.2	4
66	Evaluating the quality of the processes of care and clinical outcomes of premature newborns admitted to neonatal intensive care units in Mexico. International Journal for Quality in Health Care, 2018, 30, 608-617.	1.8	3
67	Patient and health service factors associated with delays in cancer treatment for children without social security in Mexico. Pediatric Blood and Cancer, 2020, 67, e28331.	1.5	3
68	Factors associated with positive user experience with primary healthcare providers in Mexico: a multilevel modelling approach using national cross-sectional data. BMJ Open, 2020, 10, e029818.	1.9	3
69	Facility-based care for delivery and management of complications related to pregnancy and childbirth in Mexico. Salud Publica De Mexico, 2012, 54, 496-505.	0.4	3
70	Health care provider time in public primary care facilities in Lima, Peru: a cross-sectional time motion study. BMC Health Services Research, 2021, 21, 123.	2.2	2
71	Health Systems Research in Aging. , 2018, , 157-174.		0
72	Quality of health care and viral suppression among human immunodeficiency virus patients. Revista De Investigacion Clinica, 2020, 71, 330-338.	0.4	0