

Ying Han

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5064028/publications.pdf>

Version: 2024-02-01

64
papers

5,127
citations

218677

26
h-index

155660

55
g-index

68
all docs

68
docs citations

68
times ranked

8022
citing authors

#	ARTICLE	IF	CITATIONS
1	Mental Health and Psychosocial Problems of Medical Health Workers during the COVID-19 Epidemic in China. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 242-250.	8.8	1,108
2	The characterisation of subjective cognitive decline. <i>Lancet Neurology</i> , The, 2020, 19, 271-278.	10.2	627
3	The cost of Alzheimer's disease in China and re�estimation of costs worldwide. <i>Alzheimer's and Dementia</i> , 2018, 14, 483-491.	0.8	404
4	Frequency-dependent changes in the amplitude of low-frequency fluctuations in amnesic mild cognitive impairment: A resting-state fMRI study. <i>NeuroImage</i> , 2011, 55, 287-295.	4.2	399
5	Disrupted Functional Brain Connectome in Individuals at Risk for Alzheimer's Disease. <i>Biological Psychiatry</i> , 2013, 73, 472-481.	1.3	378
6	An open science resource for establishing reliability and reproducibility in functional connectomics. <i>Scientific Data</i> , 2014, 1, 140049.	5.3	349
7	The prevalence of dementia in urban and rural areas of China. <i>Alzheimer's and Dementia</i> , 2014, 10, 1-9.	0.8	322
8	The prevalence of mild cognitive impairment and its etiological subtypes�in elderly Chinese. <i>Alzheimer's and Dementia</i> , 2014, 10, 439-447.	0.8	144
9	Gradual Disturbances of the Amplitude of Low-Frequency Fluctuations (ALFF) and Fractional ALFF in Alzheimer Spectrum. <i>Frontiers in Neuroscience</i> , 2018, 12, 975.	2.8	135
10	Anatomical and Functional Deficits in Patients with Amnesic Mild Cognitive Impairment. <i>PLoS ONE</i> , 2012, 7, e28664.	2.5	75
11	Abnormal Changes of Multidimensional Surface Features Using Multivariate Pattern Classification in Amnesic Mild Cognitive Impairment Patients. <i>Journal of Neuroscience</i> , 2014, 34, 10541-10553.	3.6	72
12	Abnormal Resting-State Functional Connectivity Strength in Mild Cognitive Impairment and Its Conversion to Alzheimer�s Disease. <i>Neural Plasticity</i> , 2016, 2016, 1-12.	2.2	69
13	Prevalence, Risk Factors, and Complaints Screening Tool Exploration of Subjective Cognitive Decline in a Large Cohort of the Chinese Population. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 371-388.	2.6	62
14	Sino Longitudinal Study on Cognitive Decline (SILCODE): protocol for a Chinese longitudinal observational study to develop risk prediction models of conversion to mild cognitive impairment in individuals with subjective cognitive decline. <i>BMJ Open</i> , 2019, 9, e028188.	1.9	62
15	Corticosteroids for preventing postherpetic neuralgia. , 2013, , CD005582.		56
16	Cortical Inflammation is Increased in a DSS-Induced Colitis Mouse Model. <i>Neuroscience Bulletin</i> , 2018, 34, 1058-1066.	2.9	56
17	Altered Functional Connectivity of Insular Subregions in Alzheimer�s Disease. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 107.	3.4	56
18	Selective Changes of Resting-State Brain Oscillations in aMCI: An fMRI Study Using ALFF. <i>BioMed Research International</i> , 2014, 2014, 1-7.	1.9	52

#	ARTICLE	IF	CITATIONS
19	Subjective cognitive decline: preclinical manifestation of Alzheimer's disease. <i>Neurological Sciences</i> , 2019, 40, 41-49.	1.9	50
20	Alterations of White Matter Integrity and Hippocampal Functional Connectivity in Type 2 Diabetes Without Mild Cognitive Impairment. <i>Frontiers in Neuroanatomy</i> , 2018, 12, 21.	1.7	49
21	Chinese guidelines on the management of liver cirrhosis (abbreviated version). <i>World Journal of Gastroenterology</i> , 2020, 26, 7088-7103.	3.3	49
22	Disrupted Regional Cerebral Blood Flow, Functional Activity and Connectivity in Alzheimer's Disease: A Combined ASL Perfusion and Resting State fMRI Study. <i>Frontiers in Neuroscience</i> , 2019, 13, 738.	2.8	48
23	The level of Alzheimer-associated neuronal thread protein in urine may be an important biomarker of mild cognitive impairment. <i>Journal of Clinical Neuroscience</i> , 2015, 22, 649-652.	1.5	43
24	Subjective Cognitive Decline and Related Cognitive Deficits. <i>Frontiers in Neurology</i> , 2020, 11, 247.	2.4	42
25	Neuronal Specificity of Acupuncture in Alzheimer's Disease and Mild Cognitive Impairment Patients: A Functional MRI Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-10.	1.2	39
26	Multiparametric imaging hippocampal neurodegeneration and functional connectivity with simultaneous PET/MRI in Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2440-2452.	6.4	34
27	Glucose metabolism in the right middle temporal gyrus could be a potential biomarker for subjective cognitive decline: a study of a Han population. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 74.	6.2	33
28	Functional Connectivity Changes Across the Spectrum of Subjective Cognitive Decline, Amnesic Mild Cognitive Impairment and Alzheimer's Disease. <i>Frontiers in Neuroinformatics</i> , 2019, 13, 26.	2.5	31
29	Changes in Centrality Frequency of the Default Mode Network in Individuals With Subjective Cognitive Decline. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 118.	3.4	23
30	Development of a Novel Urine Alzheimer's Associated Neuronal Thread Protein ELISA Kit and Its Potential Use in the Diagnosis of Alzheimer's Disease. <i>Journal of Clinical Laboratory Analysis</i> , 2016, 30, 308-314.	2.1	21
31	White Matter Abnormalities in Two Different Subtypes of Amnesic Mild Cognitive Impairment. <i>PLoS ONE</i> , 2017, 12, e0170185.	2.5	20
32	Safety and Immunogenicity of Inactivated COVID-19 Vaccines Among People Living with HIV in China. <i>Infection and Drug Resistance</i> , 2022, Volume 15, 2091-2100.	2.7	18
33	Local-to-remote cortical connectivity in amnesic mild cognitive impairment. <i>Neurobiology of Aging</i> , 2017, 56, 138-149.	3.1	17
34	Plasma kinetics and biodistribution of water-soluble CdTe quantum dots in mice: a comparison between Cd and Te. <i>Journal of Nanoparticle Research</i> , 2011, 13, 5373-5380.	1.9	15
35	Middle Cerebral Artery Atherosclerotic Plaques in Recent Small Subcortical Infarction: A Three-Dimensional High-resolution MR Study. <i>BioMed Research International</i> , 2015, 2015, 1-7.	1.9	14
36	Regularity changes of the retinal nerve fiber layer and macular ganglion cell complex in patients with the amnesic mild cognitive impairment. <i>International Journal of Neuroscience</i> , 2018, 128, 849-853.	1.6	14

#	ARTICLE	IF	CITATIONS
37	Resting-state functional magnetic resonance imaging shows altered brain network topology in Type 2 diabetic patients without cognitive impairment. <i>Oncotarget</i> , 2017, 8, 104560-104570.	1.8	13
38	Abnormal global functional network connectivity and its relationship to medial temporal atrophy in patients with amnesic mild cognitive impairment. <i>PLoS ONE</i> , 2017, 12, e0179823.	2.5	13
39	Topological Properties of Large-Scale Cortical Networks Based on Multiple Morphological Features in Amnesic Mild Cognitive Impairment. <i>Neural Plasticity</i> , 2016, 2016, 1-14.	2.2	12
40	Urinary Alzheimer-Associated Neuronal Thread Protein is not Elevated in Patients with Subjective Cognitive Decline and Patients with Depressive State. <i>Journal of Alzheimer's Disease</i> , 2019, 71, 1115-1123.	2.6	10
41	The diagnosis of amnesic mild cognitive impairment by combining the characteristics of brain functional network and support vector machine classifier. <i>Journal of Neuroscience Methods</i> , 2021, 363, 109334.	2.5	10
42	White Matter Hyperintensities Relate to Basal Ganglia Functional Connectivity and Memory Performance in aMCI and SVMCI. <i>Frontiers in Neuroscience</i> , 2019, 13, 1204.	2.8	9
43	Combining Visual Rating Scales for Medial Temporal Lobe Atrophy and Posterior Atrophy to Identify Amnesic Mild Cognitive Impairment from Cognitively Normal Older Adults: Evidence Based on Two Cohorts. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 323-337.	2.6	9
44	Cognitive Reserve, Brain Reserve, APOE ϵ 4, and Cognition in Individuals with Subjective Cognitive Decline in the SILCODE Study. <i>Journal of Alzheimer's Disease</i> , 2020, 76, 249-260.	2.6	9
45	Cognition-tracking-based strategies for diagnosis and treatment of minimal hepatic encephalopathy. <i>Metabolic Brain Disease</i> , 2020, 35, 869-881.	2.9	8
46	Exploring brain glucose metabolic patterns in cognitively normal adults at risk of Alzheimer's disease: A cross-validation study with Chinese and ADNI cohorts. <i>NeuroImage: Clinical</i> , 2022, 33, 102900.	2.7	8
47	Relationship between Urinary Alzheimer-Associated Neuronal Thread Protein and Apolipoprotein Epsilon 4 Allele in the Cognitively Normal Population. <i>Neural Plasticity</i> , 2020, 2020, 1-10.	2.2	6
48	Loss of Wip1 aggravates brain injury after ischaemia/reperfusion by overactivating microglia. <i>Stroke and Vascular Neurology</i> , 2021, 6, 344-351.	3.3	6
49	Genomic Characteristics and Pan-Genome Analysis of <i>Rhodococcus equi</i> . <i>Frontiers in Cellular and Infection Microbiology</i> , 2022, 12, 807610.	3.9	6
50	Enhancing Working Memory Based on Mismatch Negativity Neurofeedback in Subjective Cognitive Decline Patients: A Preliminary Study. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 263.	3.4	5
51	The Impact of Study Setting on Clinical Characteristics in Older Chinese Adults with Subjective Cognitive Decline: Baseline Investigation of Convenience and Population-Based Samples. <i>BioMed Research International</i> , 2021, 2021, 1-9.	1.9	4
52	Inhibitor screening using microarray identifies the high capacity of neutralizing antibodies to Spike variants in SARS-CoV-2 infection and vaccination. <i>Theranostics</i> , 2022, 12, 2519-2534.	10.0	3
53	Short-term effect of PM2.5 on stroke in susceptible populations: A case-crossover study. <i>International Journal of Stroke</i> , 2023, 18, 312-321.	5.9	3
54	Close Homolog of L1 Deficiency Exacerbated Intestinal Epithelial Barrier Function in Mouse Model of Dextran Sulfate Sodium-Induced Colitis. <i>Frontiers in Physiology</i> , 2020, 11, 584508.	2.8	2

#	ARTICLE	IF	CITATIONS
55	Fluctuations of antimitochondrial antibodies and anti-gp210 antibody in a patient with primary biliary cholangitis and Sjögren syndrome with subsequent autoimmune hemolytic anemia. <i>Medicine (United States)</i> 2021, 100(14):e27319.	11.07843142	0
56	Feature level-based group lasso method for amnesic mild cognitive impairment diagnosis. <i>Computer Methods and Programs in Biomedicine</i> , 2021, 208, 106286.	4.7	1
57	Sulcal morphology differences between mild cognitive impairment patients and normal elderly subjects. , 2011, , .		0
58	[P2]: MULTIMODAL EVALUATION OF ALZHEIMER'S DISEASE BY USING JOINT ICA ANALYSIS OF FMRI AND DTI. <i>Alzheimer's and Dementia</i> , 2017, 13, P771.	0.8	0
59	[P3]: INTRINSIC BRAIN NETWORKS OF COGNITIVE COMPONENTS IN SUBJECTIVE COGNITIVE DECLINE. <i>Alzheimer's and Dementia</i> , 2017, 13, P1081.	0.8	0
60	[P1]: ABNORMAL BRAIN CONNECTIVITY DYNAMICS AND BRAIN ACTIVITY STATES IN ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P442.	0.8	0
61	[P4]: PREVALENCE, RISK FACTORS AND SCREENING TOOLS OF SUBJECTIVE COGNITIVE DECLINE IN BEIJING'S SHUNYI DISTRICT. <i>Alzheimer's and Dementia</i> , 2017, 13, P1563.	0.8	0
62	Can plasma amyloid-beta levels be considered as a potential biomarker to discriminate preclinical Alzheimer's disease?. <i>Alzheimer's and Dementia</i> , 2020, 16, e042319.	0.8	0
63	A New Medical Image Fusion Approach Using Spatial Attention and Weighted Local Energy. , 2021, , .		0
64	Pharmacokinetics and Bioequivalence of Misoprostol Tablets: An Open-Label, Randomized, Single-Dose, Crossover Study With Healthy Chinese Volunteers. <i>Clinical Pharmacology in Drug Development</i> , 2022, , .	1.6	0