

Tony Bruns

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5065597/publications.pdf>

Version: 2024-02-01

203
papers

4,809
citations

101543

36
h-index

114465

63
g-index

229
all docs

229
docs citations

229
times ranked

6646
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Antibiotics on Gut Microbiota. Digestive Diseases, 2016, 34, 260-268.	1.9	425
2	Epidemiology and Effects of Bacterial Infections in Patients With Cirrhosis Worldwide. Gastroenterology, 2019, 156, 1368-1380.e10.	1.3	296
3	The PREDICT study uncovers three clinical courses of acutely decompensated cirrhosis that have distinct pathophysiology. Journal of Hepatology, 2020, 73, 842-854.	3.7	282
4	Adverse effects of biologics used for treating IBD. Bailliere's Best Practice and Research in Clinical Gastroenterology, 2010, 24, 167-182.	2.4	175
5	PREDICT identifies precipitating events associated with the clinical course of acutely decompensated cirrhosis. Journal of Hepatology, 2021, 74, 1097-1108.	3.7	149
6	Induction of innate immune memory via microRNA targeting of chromatin remodelling factors. Nature, 2018, 559, 114-119.	27.8	145
7	Stratification of hepatocellular carcinoma risk in primary biliary cirrhosis: a multicentre international study. Gut, 2016, 65, 321-329.	12.1	139
8	Vedolizumab provides clinical benefit over 1 year in patients with active inflammatory bowel disease - a prospective multicenter observational study. Alimentary Pharmacology and Therapeutics, 2016, 44, 1199-1212.	3.7	137
9	Etiologies and Outcomes of Acute Liver Failure in Germany. Clinical Gastroenterology and Hepatology, 2012, 10, 664-669.e2.	4.4	120
10	Optimising risk stratification in primary biliary cirrhosis: AST/platelet ratio index predicts outcome independent of ursodeoxycholic acid response. Journal of Hepatology, 2014, 60, 1249-1258.	3.7	113
11	Risk factors and outcome of bacterial infections in cirrhosis. World Journal of Gastroenterology, 2014, 20, 2542.	3.3	102
12	Simultaneous operation of two soft x-ray free-electron lasers driven by one linear accelerator. New Journal of Physics, 2016, 18, 062002.	2.9	89
13	Loss of CD28 Expression by Liver-Infiltrating T Cells Contributes to Pathogenesis of Primary Sclerosing Cholangitis. Gastroenterology, 2014, 147, 221-232.e7.	1.3	81
14	External Ventricular Drain Infections: Risk Factors and Outcome. Interdisciplinary Perspectives on Infectious Diseases, 2014, 2014, 1-6.	1.4	76
15	Clinical features and evolution of bacterial infection-related acute-on-chronic liver failure. Journal of Hepatology, 2021, 74, 330-339.	3.7	76
16	Goals of Treatment for Improved Survival in Primary Biliary Cholangitis: Treatment Target Should Be Bilirubin Within the Normal Range and Normalization of Alkaline Phosphatase. American Journal of Gastroenterology, 2020, 115, 1066-1074.	0.4	74
17	Intestinal CCL25 expression is increased in colitis and correlates with inflammatory activity. Journal of Autoimmunity, 2016, 68, 98-104.	6.5	70
18	Granulocyte-colony stimulating factor (G-CSF) to treat acute-on-chronic liver failure: A multicenter randomized trial (GRAFT study). Journal of Hepatology, 2021, 75, 1346-1354.	3.7	69

#	ARTICLE	IF	CITATIONS
19	A prospective multicentre study of the epidemiology and outcomes of bloodstream infection in cirrhotic patients. <i>Clinical Microbiology and Infection</i> , 2018, 24, 546.e1-546.e8.	6.0	67
20	Fibrosis stage is an independent predictor of outcome in primary biliary cholangitis despite biochemical treatment response. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 1127-1136.	3.7	66
21	Major Hepatic Complications in Ursodeoxycholic Acid-Treated Patients With Primary Biliary Cholangitis: Risk Factors and Time Trends in Incidence and Outcome. <i>American Journal of Gastroenterology</i> , 2018, 113, 254-264.	0.4	64
22	<i>NOD2</i> gene variants are a risk factor for cultureâ€positive spontaneous bacterial peritonitis and monomicrobial bacterascites in cirrhosis. <i>Liver International</i> , 2012, 32, 223-230.	3.9	59
23	Emergence of spontaneous bacterial peritonitis due to enterococci â€ risk factors and outcome in a 12â€year retrospective study. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 35, 1199-1208.	3.7	57
24	Milder disease stage in patients with primary biliary cholangitis over a 44â€year period: A changing natural history. <i>Hepatology</i> , 2018, 67, 1920-1930.	7.3	55
25	Effects of Age and Sex of Response to Ursodeoxycholic Acid and Transplant-free Survival in Patients With Primary Biliary Cholangitis. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 2076-2084.e2.	4.4	54
26	Aspects of pulmonary drug delivery strategies for infections in cystic fibrosis â€ where do we stand?. <i>Expert Opinion on Drug Delivery</i> , 2015, 12, 1351-1374.	5.0	53
27	Vascular adhesion protein-1 is elevated in primary sclerosing cholangitis, is predictive of clinical outcome and facilitates recruitment of gut-tropic lymphocytes to liver in a substrate-dependent manner. <i>Gut</i> , 2018, 67, 1135-1145.	12.1	52
28	Medical and surgical therapy of inflammatory bowel disease in the elderly â€ Prospects and complications. <i>Journal of Crohn's and Colitis</i> , 2011, 5, 177-188.	1.3	51
29	Imbalance of von Willebrand factor and its cleaving protease <sc>ADAMTS</sc>13 during systemic inflammation superimposed on advanced cirrhosis. <i>Liver International</i> , 2015, 35, 37-45.	3.9	50
30	Identification of bacterial DNA in neutrocytic and nonâ€neutrocytic cirrhotic ascites by means of a multiplex polymerase chain reaction. <i>Liver International</i> , 2009, 29, 1206-1214.	3.9	48
31	Long-term impact of preventive UDCA therapy after transplantation for primary biliary cholangitis. <i>Journal of Hepatology</i> , 2020, 73, 559-565.	3.7	47
32	Recruitment mechanisms of primary and malignant B cells to the human liver. <i>Hepatology</i> , 2012, 56, 1521-1531.	7.3	45
33	Clinical relevance and cellular source of elevated soluble urokinase plasminogen activator receptor (su<sc>PAR</sc>) in acute liver failure. <i>Liver International</i> , 2014, 34, 1330-1339.	3.9	44
34	Between fear and courage: Attitudes, beliefs, and behavior of liver transplantation recipients and waiting list candidates during the COVID-19 pandemic. <i>American Journal of Transplantation</i> , 2020, 20, 3042-3050.	4.7	44
35	Soluble urokinase plasminogen activator receptor is compartmentally regulated in decompensated cirrhosis and indicates immune activation and shortâ€term mortality. <i>Journal of Internal Medicine</i> , 2013, 274, 86-100.	6.0	43
36	Low serum transferrin correlates with acuteâ€onâ€chronic organ failure and indicates shortâ€term mortality in decompensated cirrhosis. <i>Liver International</i> , 2017, 37, 232-241.	3.9	38

#	ARTICLE	IF	CITATIONS
37	Fungal Infections in Patients With Infected Pancreatic Necrosis and Pseudocysts. <i>Pancreas</i> , 2018, 47, 92-98.	1.1	38
38	<i>Candida albicans</i> Î ² -Glucan Differentiates Human Monocytes Into a Specific Subset of Macrophages. <i>Frontiers in Immunology</i> , 2018, 9, 2818.	4.8	38
39	The augmented neutrophil respiratory burst in response to <i>Escherichia coli</i> is reduced in liver cirrhosis during infection. <i>Clinical and Experimental Immunology</i> , 2011, 164, 346-356.	2.6	37
40	Bidirectional transendothelial migration of monocytes across hepatic sinusoidal endothelium shapes monocyte differentiation and regulates the balance between immunity and tolerance in liver. <i>Hepatology</i> , 2016, 63, 233-246.	7.3	36
41	The prognostic significance of bacterial DNA in patients with decompensated cirrhosis and suspected infection. <i>Liver International</i> , 2016, 36, 1133-1142.	3.9	36
42	Risk Factors for Multi-Drug Resistant Pathogens and Failure of Empiric First-Line Therapy in Acute Cholangitis. <i>PLoS ONE</i> , 2017, 12, e0169900.	2.5	35
43	Liver stiffness measurement by vibration-controlled transient elastography improves outcome prediction in primary biliary cholangitis. <i>Journal of Hepatology</i> , 2022, 77, 1545-1553.	3.7	33
44	Attenuated antigen-specific T cell responses in cirrhosis are accompanied by elevated serum interleukin-10 levels and down-regulation of HLA-DR on monocytes. <i>BMC Gastroenterology</i> , 2013, 13, 37.	2.0	30
45	Short-Term Isocaloric Intake of a Fructose-Rich but not Glucose-Rich Diet Affects Bacterial Endotoxin Concentrations and Markers of Metabolic Health in Normal Weight Healthy Subjects. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1800868.	3.3	30
46	Measurement of Gamma Glutamyl Transferase to Determine Risk of Liver Transplantation or Death in Patients With Primary Biliary Cholangitis. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1688-1697.e14.	4.4	30
47	Extended Infusion of Î ² -Lactams for Bloodstream Infection in Patients With Liver Cirrhosis: An Observational Multicenter Study. <i>Clinical Infectious Diseases</i> , 2019, 69, 1731-1739.	5.8	29
48	Circulating Bile Acids in Liver Failure Activate TGR5 and Induce Monocyte Dysfunction. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 12, 25-40.	4.5	29
49	Cholestatic hepatitis, acute acalculous cholecystitis, and hemolytic anemia: primary Epstein-Barr virus infection under azathioprine. <i>Inflammatory Bowel Diseases</i> , 2009, 15, 1613-1616.	1.9	28
50	Peritoneal Level of CD206 Associates With Mortality and an Inflammatory Macrophage Phenotype in Patients With Decompensated Cirrhosis and Spontaneous Bacterial Peritonitis. <i>Gastroenterology</i> , 2020, 158, 1745-1761.	1.3	26
51	Mucosal-Associated Invariant T Cells Redistribute to the Peritoneal Cavity During Spontaneous Bacterial Peritonitis and Contribute to Peritoneal Inflammation. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 9, 661-677.	4.5	24
52	Low ascitic fluid protein does not indicate an increased risk for spontaneous bacterial peritonitis in current cohorts. <i>Journal of Hepatology</i> , 2015, 63, 527-528.	3.7	23
53	Acid Sphingomyelinase Inhibition Prevents Development of Sepsis Sequelae in the Murine Liver. <i>Scientific Reports</i> , 2017, 7, 12348.	3.3	22
54	Mortality after urinary tract infections in patients with advanced cirrhosis – Relevance of acute kidney injury and comorbidities. <i>Liver International</i> , 2013, 33, 220-230.	3.9	19

#	ARTICLE	IF	CITATIONS
55	CMV infection of human sinusoidal endothelium regulates hepatic T cell recruitment and activation. <i>Journal of Hepatology</i> , 2015, 63, 38-49.	3.7	19
56	Low circulating chemerin levels correlate with hepatic dysfunction and increased mortality in decompensated liver cirrhosis. <i>Scientific Reports</i> , 2018, 8, 9242.	3.3	19
57	The detection of the cytomegalovirus DNA in the colonic mucosa of patients with ulcerative colitis is associated with increased long-term risk of proctocolectomy: results from an outpatient IBD clinic. <i>International Journal of Colorectal Disease</i> , 2019, 34, 393-400.	2.2	17
58	Factors Associated With Progression and Outcomes of Early Stage Primary Biliary Cholangitis. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 684-692.e6.	4.4	17
59	Subacute liver failure induced by adalimumab. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2011, 49, 38-40.	0.6	17
60	Autoimmune hepatitis in an HIV-infected patient: an intriguing association. <i>International Journal of STD and AIDS</i> , 2012, 23, 448-450.	1.1	16
61	Abnormal Glucose Tolerance: A Predictor Of 30-Day Mortality In Patients With Decompensated Liver Cirrhosis. <i>Zeitschrift Fur Gastroenterologie</i> , 2011, 49, 331-334.	0.5	15
62	A Shortcut from Metabolic-Associated Fatty Liver Disease (MAFLD) to Hepatocellular Carcinoma (HCC): c-MYC a Promising Target for Preventative Strategies and Individualized Therapy. <i>Cancers</i> , 2022, 14, 192.	3.7	15
63	Drug Monitoring in Inflammatory Bowel Disease: Helpful or Dispensable?. <i>Digestive Diseases</i> , 2009, 27, 394-403.	1.9	14
64	The INCA trial (Impact of NOD2 genotype-guided antibiotic prevention on survival in patients with liver) <i>Tj ETQq0 0,0rgBT /Oyerlock 10</i>	1.6	14
65	A Comparison of Prognostic Scores (Mayo, UK-PBC, and GLOBE) in Primary Biliary Cholangitis. <i>American Journal of Gastroenterology</i> , 2021, 116, 1514-1522.	0.4	14
66	Further evidence for the relevance of TLR2 gene variants in spontaneous bacterial peritonitis. <i>Journal of Hepatology</i> , 2012, 56, 1207-1208.	3.7	13
67	Microbial Spectrum of Intra-Abdominal Abscesses in Perforating Crohn's Disease: Results from a Prospective German Registry. <i>Journal of Crohn's and Colitis</i> , 2018, 12, 695-701.	1.3	13
68	Nonlinear Multimodal Imaging Characteristics of Early Septic Liver Injury in a Mouse Model of Peritonitis. <i>Analytical Chemistry</i> , 2019, 91, 11116-11121.	6.5	13
69	Influence of Core Cross-Linking and Shell Composition of Polymeric Micelles on Immune Response and Their Interaction with Human Monocytes. <i>Biomacromolecules</i> , 2020, 21, 1393-1406.	5.4	13
70	Current challenges and future needs of clinical and endoscopic training in gastroenterology: a European survey. <i>Endoscopy International Open</i> , 2020, 08, E525-E533.	1.8	13
71	A Multi-Omics Analysis of Mucosal-Associated-Invariant T Cells Reveals Key Drivers of Distinct Modes of Activation. <i>Frontiers in Immunology</i> , 2021, 12, 616967.	4.8	13
72	Dual-sugar tests of small intestinal permeability are poor predictors of bacterial infections and mortality in cirrhosis: A prospective study. <i>World Journal of Gastroenterology</i> , 2016, 22, 3275.	3.3	13

#	ARTICLE	IF	CITATIONS
73	Reply to: "AST/platelet ratio index associates with progression to hepatic failure and correlates with histological fibrosis stage in Japanese patients with primary biliary cirrhosis". <i>Journal of Hepatology</i> , 2014, 61, 1445-1446.	3.7	12
74	The <i>ATG16L1</i> gene variant rs2241880 (p.T300A) is associated with susceptibility to HCC in patients with cirrhosis. <i>Liver International</i> , 2019, 39, 2360-2367.	3.9	12
75	Balance between macrophage migration inhibitory factor and sCD74 predicts outcome in patients with acute decompensation of cirrhosis. <i>JHEP Reports</i> , 2021, 3, 100221.	4.9	12
76	Reticulocyte Count and Hemoglobin Concentration Predict Survival in Candidates for Liver Transplantation. <i>Transplantation</i> , 2014, 97, 463-469.	1.0	11
77	Blood group B is associated with azathioprine-induced acute pancreatitis in patients with IBD. <i>Gut</i> , 2017, 66, 1531-1532.	12.1	11
78	Genetic variants of TRAF6 modulate peritoneal immunity and the risk of spontaneous bacterial peritonitis in cirrhosis: A combined prospective-retrospective study. <i>Scientific Reports</i> , 2017, 7, 4914.	3.3	11
79	SARS-CoV-2 as an extrahepatic precipitator of acute-on-chronic liver failure. <i>Liver International</i> , 2020, 40, 1792-1793.	3.9	11
80	An Experimental DUAL Model of Advanced Liver Damage. <i>Hepatology Communications</i> , 2021, 5, 1051-1068.	4.3	11
81	"Nearly a stairway to heaven" severe dichromate intoxication in a young man. <i>Clinical Nephrology</i> , 2009, 71, 338-341.	0.7	11
82	Impaired Transmigration of Myeloid-Derived Suppressor Cells across Human Sinusoidal Endothelium Is Associated with Decreased Expression of CD13. <i>Journal of Immunology</i> , 2017, 199, 1672-1681.	0.8	10
83	COVID-19 mortality in cirrhosis is determined by cirrhosis-associated comorbidities and extrahepatic organ failure: Results from the multinational LEOSS registry. <i>United European Gastroenterology Journal</i> , 2022, 10, 409-424.	3.8	10
84	Mid-regional pro-adrenomedullin (MR-proADM): An even better prognostic biomarker than C-reactive protein to predict short-term survival in patients with decompensated cirrhosis at risk of infection?. <i>Journal of Hepatology</i> , 2012, 57, 1156-1158.	3.7	8
85	Motivation of patients with inflammatory bowel disease to participate in a clinical trial. <i>Zeitschrift Fur Gastroenterologie</i> , 2016, 54, 1123-1129.	0.5	8
86	The GLOBE score identifies PBC patients at increased risk of liver transplantation or death in different age-categories over time. <i>Journal of Hepatology</i> , 2017, 66, S543-S544.	3.7	8
87	Serum transferrin as a biomarker of hepatocyte nuclear factor 4 alpha activity and hepatocyte function in liver diseases. <i>BMC Medicine</i> , 2021, 19, 39.	5.5	8
88	Clinical characteristics and outcome of patients with enterococcal liver abscess. <i>Scientific Reports</i> , 2021, 11, 22265.	3.3	8
89	ROS-sensitive Polymer Micelles for Selective Degradation in Primary Human Monocytes from Patients with Active IBD. <i>Macromolecular Bioscience</i> , 2022, 22, e2100482.	4.1	8
90	Transcriptional Suppression of the NLRP3 Inflammasome and Cytokine Release in Primary Macrophages by Low-Dose Anthracyclines. <i>Cells</i> , 2020, 9, 79.	4.1	7

#	ARTICLE	IF	CITATIONS
91	Liver transplantation in malignant disease. <i>World Journal of Clinical Oncology</i> , 2021, 12, 623-645.	2.3	7
92	Hepatobiliary phenotype of individuals with chronic intestinal disorders. <i>Scientific Reports</i> , 2021, 11, 19954.	3.3	7
93	Hepatitis C Virus RNA Quantitation in Venous and Capillary Small-Volume Whole-Blood Samples. <i>Journal of Clinical Microbiology</i> , 2009, 47, 3231-3240.	3.9	6
94	Mortality in Patients With Genetic and Environmental Risk of Liver Disease. <i>American Journal of Gastroenterology</i> , 2021, 116, 1741-1745.	0.4	6
95	Genetic Variants in the Promoter Region of the Macrophage Migration Inhibitory Factor are Associated with the Severity of Hepatitis C Virus-Induced Liver Fibrosis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3753.	4.1	5
96	Serum keratin 19 (CYFRA21-1) links ductular reaction with portal hypertension and outcome of various advanced liver diseases. <i>BMC Medicine</i> , 2020, 18, 336.	5.5	5
97	Recurrent fever and bacteraemia after endoscopic variceal haemostasis with cyanoacrylate: a case report. <i>Infection</i> , 2012, 40, 351-353.	4.7	4
98	GS-18-Preventive administration of ursodeoxycholic acid after liver transplantation for primary biliary cholangitis prevents disease recurrence and prolongs graft survival. <i>Journal of Hepatology</i> , 2019, 70, e84.	3.7	4
99	Acute Hepatitis E is an Underreported Cause of Severe Acute Liver Injury. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1004-1006.	4.4	4
100	Thumb sucking or nail biting in childhood and adolescence is associated with an increased risk of Crohn's disease: results from a large case-control study. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 1028-1034.	1.5	4
101	Fat: Quality, or Quantity? What Matters Most for the Progression of Metabolic Associated Fatty Liver Disease (MAFLD). <i>Biomedicines</i> , 2021, 9, 1289.	3.2	4
102	A confocal view of the intestinal microcirculation in a patient with Crohn disease and portal vein thrombosis. <i>Endoscopy</i> , 2011, 43, E126-E127.	1.8	3
103	Calcineurin Inhibitors or Anti-TNF- α Agents in Severe Ulcerative Colitis: Available Options and Limitations. <i>Zeitschrift Fur Gastroenterologie</i> , 2012, 50, 396-406.	0.5	3
104	O132 EFFECTIVE STRATIFICATION OF HEPATOCELLULAR CARCINOMA RISK IN PRIMARY BILIARY CIRRHOSIS: RESULTS OF A MULTI-CENTRE INTERNATIONAL STUDY. <i>Journal of Hepatology</i> , 2014, 60, S55.	3.7	3
105	Acute-on-Chronic Liver Failure. <i>Visceral Medicine</i> , 2018, 34, 296-300.	1.3	3
106	Pulmonary co-infection with nocardia species and nontuberculous mycobacteria mimicking miliary tuberculosis in a patient with Crohn's disease under combined immunosuppressive therapy. <i>Zeitschrift Fur Gastroenterologie</i> , 2018, 56, 569-572.	0.5	3
107	Appendectomy in childhood—did it save my sibling from getting ulcerative colitis?. <i>International Journal of Colorectal Disease</i> , 2021, 36, 623-624.	2.2	3
108	Acute-on-Chronic Liver Failure with Complicating Pancreatitis After Autochthonous Hepatitis E Infection. <i>Hepatitis Monthly</i> , 2017, 17, .	0.2	3

#	ARTICLE	IF	CITATIONS
109	Acceptance of SARS-CoV-2 vaccines by liver transplant recipients and candidates. <i>Zeitschrift Fur Gastroenterologie</i> , 2021, 59, 1288-1296.	0.5	3
110	Activation of the Unfolded Protein Response (UPR) Is Associated with Cholangiocellular Injury, Fibrosis and Carcinogenesis in an Experimental Model of Fibropolycystic Liver Disease. <i>Cancers</i> , 2022, 14, 78.	3.7	3
111	Soluble mannose receptor CD206 and von Willebrand factor are early biomarkers to identify patients at risk for severe or necrotizing acute pancreatitis. <i>Journal of Intensive Care</i> , 2022, 10, .	2.9	3
112	Homozygous carrier of the <i>NOD2</i> 1007fs frameshift mutation presenting with refractory community-acquired spontaneous bacterial peritonitis and developing fatal pulmonary mucormycosis: A case report. <i>Hepatology Research</i> , 2011, 41, 1009-1014.	3.4	2
113	<i>NOD2</i> gene variants and spontaneous bacterial peritonitis. <i>Liver International</i> , 2012, 32, 521-521.	3.9	2
114	PTU-125...Biochemical Patterns Of Presentation In Primary Sclerosing Cholangitis: Younger Age At Onset Is Associated With A Lower Alp/ast Ratio. <i>Gut</i> , 2014, 63, A93.3-A94.	12.1	2
115	Letter: serum vitamin D levels in primary biliary cirrhosis. <i>Alimentary Pharmacology and Therapeutics</i> , 2015, 42, 633-634.	3.7	2
116	8. Mikrobiom und Lebererkrankungen. , 2016, , .		2
117	Letter: the therapeutic potential of targeting <i>CCL25</i> / <i>CCR9</i> in colonic inflammatory bowel disease – reading between the lines. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 44, 307-308.	3.7	2
118	<i>NOD2</i> Risk Variants and Pathological Bacterial Translocation in Decompensated Cirrhosis. <i>Digestive Diseases and Sciences</i> , 2016, 61, 2142-2144.	2.3	2
119	Letter: predicting azathioprine-associated pancreatitis in <i>IBD</i> – phenotype or genotype?. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 47, 1042-1043.	3.7	2
120	Continuous infusion of beta-lactam antibiotics in cirrhotic patients with bloodstream infection: results from a prospective multicentre observational study. <i>Journal of Hepatology</i> , 2018, 68, S44-S45.	3.7	2
121	Primed circulating monocytes are a source of IL-1 ^β in patients with cirrhosis and ascites. <i>Gut</i> , 2021, 70, 622-623.	12.1	2
122	Greenspace in Childhood: A New Avenue to Prevent Inflammatory Bowel Disease?. <i>American Journal of Gastroenterology</i> , 2021, 116, 1964-1965.	0.4	2
123	Splanchnic Vein Thrombosis With Thrombopenia in a Young Otherwise Healthy Patient. <i>Gastroenterology</i> , 2023, 164, 893-895.	1.3	2
124	Simplified care-pathway selection for nonspecialist practice. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, Publish Ahead of Print, .	1.6	2
125	Real-World Effectiveness of Piperacillin/Tazobactam with and without Linezolid for Spontaneous Bacterial Peritonitis. <i>Digestive Diseases</i> , 2022, 40, 777-786.	1.9	2
126	<i>NOD2</i> gene variants and spontaneous bacterial peritonitis: authors'™ reply. <i>Liver International</i> , 2012, 32, 521-522.	3.9	1

#	ARTICLE	IF	CITATIONS
127	A novel subset of functional interleukin-10 secreting CD8 regulatory T cells infiltrate human hepatocellular carcinoma. <i>Lancet, The</i> , 2013, 381, S64.	13.7	1
128	Risk factors for <scp>QT</scp> interval prolongation owing to acute gastrointestinal haemorrhage in patients with cirrhosis. <i>Liver International</i> , 2013, 33, 321-321.	3.9	1
129	P1312 : Alfapump system versus transjugular intrahepatic portosystemic shunt and paracentesis in the treatment of ascites. A multicentre randomised controlled study (AGUA-trial). <i>Journal of Hepatology</i> , 2015, 62, S846-S847.	3.7	1
130	P326 Efficacy of vedolizumab on patient-reported outcomes in ulcerative colitis patients: results from a prospective German observational study. <i>Journal of Crohn's and Colitis</i> , 2017, 11, S242-S243.	1.3	1
131	Regional variations in the development of acute-on-chronic liver failure (ACLF) in patients with cirrhosis and bacterial infections. <i>Journal of Hepatology</i> , 2018, 68, S236-S237.	3.7	1
132	FRI-046-Raising awareness and messaging risk in patients with primary biliary cholangitis: The rapid Global PBC Screening Test. <i>Journal of Hepatology</i> , 2019, 70, e404.	3.7	1
133	Development and validation of a simple and robust model to predict 30-day mortality in patients with <i>Clostridioides difficile</i>-associated enterocolitis. <i>BMJ Open Gastroenterology</i> , 2020, 7, e000468.	2.7	1
134	Immunomodulatory receptor VSIG4 is released during spontaneous bacterial peritonitis and predicts short-term mortality. <i>JHEP Reports</i> , 2021, 4, 100391.	4.9	1
135	The Augmented Neutrophil Resting Burst in Patients With Liver Cirrhosis is Further Increased in Presence of a NOD2 Mutation. <i>Gastroenterology</i> , 2011, 140, S-952.	1.3	0
136	PMO-138â€¦The molecular mechanisms of B cell and B cell lymphoma recruitment to the human liver. <i>Gut</i> , 2012, 61, A129.1-A129.	12.1	0
137	PMO-139â€¦Human cytomegalovirus infection of human hepatic sinusoidal endothelial cells promotes CD4 T cell adhesion and transmigration. <i>Gut</i> , 2012, 61, A129.2-A129.	12.1	0
138	616 STERILE PYURIA AND POLYRESISTANT URINARY TRACT INFECTIONS ARE BOTH ASSOCIATED WITH POOR PROGNOSIS IN ADVANCED CIRRHOSIS. <i>Journal of Hepatology</i> , 2012, 56, S244-S245.	3.7	0
139	676 INCREASING PREVALENCE OF ENTEROCOCCAL PERITONITIS IN CIRRHOSIS: A SINGLE-CENTER RETROSPECTIVE ANALYSIS OF ASCITIC FLUID CULTURES 1997-2011. <i>Journal of Hepatology</i> , 2012, 56, S267-S268.	3.7	0
140	772 HUMAN CYTOMEGALOVIRUS INFECTION OF HUMAN HEPATIC SINUSOIDAL ENDOTHELIAL CELLS PROMOTES LYMPHOCYTE ADHESION AND TRANSMIGRATION. <i>Journal of Hepatology</i> , 2012, 56, S303.	3.7	0
141	811 THE MOLECULAR MECHANISMS OF B CELL AND B CELL LYMPHOMA RECRUITMENT TO THE HUMAN LIVER. <i>Journal of Hepatology</i> , 2012, 56, S317.	3.7	0
142	368 TRANSMIGRATION AND REVERSE TRANSMIGRATION ACROSS HUMAN HEPATIC SINUSOIDAL ENDOTHELIUM SHAPES THE SUBSEQUENT FATE OF MONOCYTE SUBSETS. <i>Journal of Hepatology</i> , 2013, 58, S152.	3.7	0
143	1020 POOR AGREEMENT OF DIFFERENT APPROACHES TO ASSESS BACTERIAL TRANSLOCATION IN PATIENTS WITH DECOMPENSATED CIRRHOSIS. <i>Journal of Hepatology</i> , 2013, 58, S420.	3.7	0
144	Common lymphatic endothelial and vascular endothelial receptor-1 mediates the transmigration of regulatory T cells and B cells across hepatic sinusoidal endothelium. <i>Lancet, The</i> , 2013, 381, S99.	13.7	0

#	ARTICLE	IF	CITATIONS
145	978 LOW RISK FOR HEPATOCELLULAR CANCER (HCC) IN HEPATITIS B VIRUS (HBV) INFECTED ASIAN MIGRANTS: IMPLICATIONS FOR CANCER SURVEILLANCE. <i>Journal of Hepatology</i> , 2013, 58, S403.	3.7	0
146	1027 COMPARTMENTAL REGULATION OF suPAR IN PATIENTS WITH DECOMPENSATED CIRRHOSIS: EVALUATION OF ORIGIN, REGULATION AND PROGNOSTIC RELEVANCE. <i>Journal of Hepatology</i> , 2013, 58, S422-S423.	3.7	0
147	81 BACTERIAL INFECTIONS, ENDOTOXEMIA AND SYSTEMIC INFLAMMATION IN CIRRHOSIS ARE ASSOCIATED WITH AN IMBALANCE OF VON WILLEBRAND FACTOR (VWF) AND ITS CLEAVING PROTEASE ADAMTS13. <i>Journal of Hepatology</i> , 2013, 58, S36.	3.7	0
148	1059 THE INTERACTION OF HUMAN HEPATOCELLULAR CARCINOMA WITH DENDRITIC CELLS IS ABLE TO INDUCE A NOVEL SUBSET OF CD8+ REGULATORY T CELLS. <i>Journal of Hepatology</i> , 2013, 58, S434-S435.	3.7	0
149	PWE-113â€¦Lowâ€¦Risk for Hepatocellular Cancer (HCC) in Hepatitis B Virus (HBV) Infected Asian Migrants: Implications for Cancer Surveillance. <i>Gut</i> , 2013, 62, A176.3-A177.	12.1	0
150	PWE-125â€¦Stratificationâ€¦Of Hepatocellular Carcinoma Risk in Primary Biliary Cirrhosis by Biochemical Response to Treatment. <i>Gut</i> , 2013, 62, A181.2-A182.	12.1	0
151	OC-030â€¦Effective Stratification Of Hepatocellular Carcinoma Risk In Primary Biliary Cirrhosis: Results Of A Multi-centre International Study. <i>Gut</i> , 2014, 63, A15-A16.	12.1	0
152	P60 HUMAN HEPATOCELLULAR CARCINOMA DENDRITIC CELL INTERACTIONS INDUCE A NOVEL SUBSET OF CD8+REGULATORY T-CELLS WHICH MEDIATE IMMUNOSUPPRESSION THROUGH CD39. <i>Journal of Hepatology</i> , 2014, 60, S86-S87.	3.7	0
153	O134 IDENTIFYING APPROACHES TO INTERVENTION IN PRIMARY SCLEROSING CHOLANGITIS (PSC): EFFECTOR FUNCTIONS OF CD28 NEGATIVE T CELLS AND THEIR MODULATION BY VITAMIN D. <i>Journal of Hepatology</i> , 2014, 60, S56-S57.	3.7	0
154	O157 VIRUS INFECTION OF HEPATIC SINUSOIDAL ENDOTHELIAL CELLS REGULATES HEPATIC T CELL RECRUITMENT AND ACTIVATION. <i>Journal of Hepatology</i> , 2014, 60, S65.	3.7	0
155	P147 CD4+ T CELL EGRESS THROUGH HEPATIC EPITHELIA HAS PROFOUND IMPLICATIONS FOR PHENOTYPE AND FUNCTION. <i>Journal of Hepatology</i> , 2014, 60, S114-S115.	3.7	0
156	P0209 : A common polymorphism of tumor necrosis factor receptor-associated factor 6 (TRAF6) is associated with an increased risk for spontaneous bacterial peritonitis. <i>Journal of Hepatology</i> , 2015, 62, S384.	3.7	0
157	P1179 : Connecting the liver and gut in PSC: Intestinal CCL25 is increased in colitis, correlates with inflammatory activity and facilitates effector CCR9+ lymphocyte recruitment. <i>Journal of Hepatology</i> , 2015, 62, S796.	3.7	0
158	PTH-098â€¦Connecting liver and gut in psc: ccl25 expression is upregulated in colitis, correlates with inflammatory activity and facilitates effector ccr9+ lymphocyte recruitment. <i>Gut</i> , 2015, 64, A451.1-A451.	12.1	0
159	Hepatocellular carcinoma surveillance in hepatitis B virusâ€¦infected individuals: Who and how?. <i>Hepatology</i> , 2016, 63, 1394-1395.	7.3	0
160	Increase in age at diagnosis of Primary Biliary Cholangitis over the last 40 years. <i>Journal of Hepatology</i> , 2017, 66, S358.	3.7	0
161	Regulation of the NLRP3 inflammasome in monocytes and macrophages from patients with decompensated cirrhosis by low-dose genotoxic stress. <i>Journal of Hepatology</i> , 2017, 66, S585.	3.7	0
162	Serum metabolic signatures in patients with overt hepatic encephalopathy. <i>Journal of Hepatology</i> , 2017, 67, 1114-1115.	3.7	0

#	ARTICLE	IF	CITATIONS
163	19. Infektionen bei Leberzirrhose. , 2017, , .		0
164	Serum concentrations of Macrophage Migration Inhibitory Factor (MIF) and its soluble receptor CD74 predict transplant-free shortterm survival in patients with acute decompensation of liver cirrhosis. Journal of Hepatology, 2018, 68, S9-S10.	3.7	0
165	TLR9-mediated immune sensing of bacterial DNA in decompensated cirrhosis is stage-dependent. Journal of Hepatology, 2018, 68, S696.	3.7	0
166	A functional ATG16L1 (T300A) gene variant is associated with increased risk for hepatocellular carcinoma in cirrhosis. Journal of Hepatology, 2018, 68, S439-S440.	3.7	0
167	Mucosal invariant T (MAIT) cells are depleted from blood in advanced cirrhosis and accumulate in the peritoneal cavity during bacterial peritonitis. Journal of Hepatology, 2018, 68, S43-S44.	3.7	0
168	Histologic stage is a stronger predictor of transplant free survival than APRI and FIB-4 in patients with primary biliary cholangitis. Journal of Hepatology, 2018, 68, S219-S220.	3.7	0
169	Younger age is associated with lower transplant-free survival relative to a general population in patients with Primary Biliary Cholangitis. Journal of Hepatology, 2018, 68, S222-S223.	3.7	0
170	Stratification of hepatocellular carcinoma risk using the GLOBE score in patients with primary biliary cholangitisâ€” the Global PBC Study Group. Journal of Hepatology, 2018, 68, S229-S230.	3.7	0
171	Presence of IgA isotype F-actin is frequent in patients with cirrhosis and consitutes the risk of progressive disease course. Journal of Hepatology, 2018, 68, S810.	3.7	0
172	FRI-021-Comparing the predictive performance of the Mayo risk score and the GLOBE score in a large cohort of patients with primary biliary cholangitis. Journal of Hepatology, 2019, 70, e392-e393.	3.7	0
173	THU-032-Peritoneal CD206 links macrophage heterogeneity in decompensated cirrhosis with outcome of spontaneous bacterial peritonitis. Journal of Hepatology, 2019, 70, e173-e174.	3.7	0
174	SAT-417-Serum levels of keratin 19 fragments (CYFRA 21-1) are elevated in advanced liver disease and predict poor survival. Journal of Hepatology, 2019, 70, e818.	3.7	0
175	FRI-124-Increased prevalence of low-frequency and rare NOD2 variants in patients with liver cirrhosis. Journal of Hepatology, 2019, 70, e442.	3.7	0
176	SAT-373-Peritoneal mucosal-associated invariant T cells functionally differ from their exhausted circulating counterparts in decompensated cirrhosis. Journal of Hepatology, 2019, 70, e799-e800.	3.7	0
177	Serum keratin 19 (CYFRA 21-1) links ductal reaction with portal hypertension and outcome of advanced liver disease. Journal of Hepatology, 2020, 73, S780-S781.	3.7	0
178	Real-world effectiveness of piperacillin/tazobactam-based therapies for spontaneous bacterial peritonitis. Journal of Hepatology, 2020, 73, S763-S764.	3.7	0
179	Serum gamma-glutamyltransferase is a prognostic biomarker in primary biliary cholangitis and improves risk stratification based on alkaline phosphatase. Digestive and Liver Disease, 2020, 52, e4-e5.	0.9	0
180	Drug-induced Acute Pancreatitis: Anecdotal Evidence vs Prospective Evaluation. Gastroenterology, 2021, 160, 2627-2628.	1.3	0

#	ARTICLE	IF	CITATIONS
181	LÄrsliches CD206 und von-Willebrand Faktor identifizieren schwere und nekrotisierende Verläufe der akuten Pankreatitis bereits bei Aufnahme auf die Intensivstation. Zeitschrift Fur Gastroenterologie, 2021, 59, .	0.5	0
182	Biologicals for treatment of patients with inflammatory bowel diseases â€” quite in fashion or really necessary? . , 2008, , 26-43.		0
183	Guidelines for the Quantification of HIV and HCV in Small Volume Whole Blood Samples. Methods in Molecular Biology, 2012, 903, 35-50.	0.9	0
184	SteroidrefraktÄre Colitis ulcerosa: aktuelle Strategien der medikamentÄrsen Therapie. Verdauungskrankheiten, 2012, 30, 259-272.	0.0	0
185	Functional assessment of peritoneal mucosal associated invariant T (MAIT) cells in advanced cirrhosis. , 2019, 57, .		0
186	The ATG16L1 Gene Variant rs2241880 (p.T300A) Is Associated With Susceptibility to HCC In Patients with Cirrhosis. Zeitschrift Fur Gastroenterologie, 2019, 57, .	0.5	0
187	Serum CYFRA 21 â€” 1 levels are elevated in advanced liver disease and associate with poor survival. , 2019, 57, .		0
188	Hepatitis E is a frequent cause of severe acute liver injury â€” a tertiary referral center experience. Zeitschrift Fur Gastroenterologie, 2019, 57, .	0.5	0
189	PrÄdiktoren der 30 Tage-MortalitÄt bei Clostridioides difficile-assoziiertes Enterocolitis. Zeitschrift Fur Gastroenterologie, 2019, 57, .	0.5	0
190	Verläufe der HEV-Infektion bei Patienten mit medikamentÄrsen Immunsuppression. Zeitschrift Fur Gastroenterologie, 2019, 57, .	0.5	0
191	Marker der Makrophagenaktivierung und der Endothelaktivierung sind prognostische Marker fÄ¼r einen schweren Verlauf einer akuten Pankreatitis. , 2020, 58, .		0
192	Serum keratin 19 (CYFRA21-1) links ductular reaction with portal hypertension and outcome of various advanced liver diseases. Zeitschrift Fur Gastroenterologie, 2020, 58, .	0.5	0
193	Ängste und Verhaltensweisen von Lebertransplantationspatienten wÄhrend der COVID19-Pandemie in Deutschland. , 2020, 58, .		0
194	Daumenlutschen und NÄgelkauen in Kindheit und Jugend erhÄhen das Risiko fÄ¼r Morbus Crohn: Ergebnisse einer retrospektiven Fallkontrollstudie. , 2020, 58, .		0
195	Reply to: â€œC-CSF in acute-on-chronic liver failure â€” Art of â€”patient selectionâ€™ is paramount!â€ Journal of Hepatology, 2022, 76, 473-475.	3.7	0
196	Inflammatory peritoneal MAIT cells accumulate during the early phase of spontaneous bacterial peritonitis. , 2020, 58, .		0
197	Antibiotische Therapie von Leberabszessen: Enterokokken sind eine hÄufige Ursache fÄ¼r ein Therapieversagen. , 2020, 58, .		0
198	CD206 expression characterizes an inflammatory, resident human peritoneal macrophage subset in decompensated cirrhosis. Zeitschrift Fur Gastroenterologie, 2020, 58, .	0.5	0

#	ARTICLE	IF	CITATIONS
199	Die akute Cholangitis. <i>Verdauungskrankheiten</i> , 2020, 38, 155-161.	0.0	0
200	Vaccine-Preventable Diseases. <i>Hematologic Malignancies</i> , 2021, , 57-75.	0.2	0
201	Activation of the unfolded protein response (UPR) and fibrosis is associated with cholangiocellular injury in an experimental model of fibropolycystic liver disease. <i>Zeitschrift Fur Gastroenterologie</i> , 2022, 60, .	0.5	0
202	Gender-related differences in response to DUAL diet in murine model of steatohepatitis. <i>Zeitschrift Fur Gastroenterologie</i> , 2022, 60, .	0.5	0
203	Circulating miR-148a is a precipitant independent biomarker of acute-on-chronic liver failure (ACLF). <i>Zeitschrift Fur Gastroenterologie</i> , 2022, 60, .	0.5	0