

Yan Xu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/506700/publications.pdf>

Version: 2024-02-01

206
papers

4,475
citations

117625

34
h-index

175258

52
g-index

216
all docs

216
docs citations

216
times ranked

3400
citing authors

#	ARTICLE	IF	CITATIONS
1	Keggin unit supported transition metal complexes: hydrothermal synthesis and characterization of $[\text{Ni}(\text{2,2}'\text{-bipy})_3]1.5[\text{PW}_{12}\text{O}_{40}\text{Ni}(\text{2,2}'\text{-bipy})_2(\text{H}_2\text{O})] \cdot 0.5\text{H}_2\text{O}$ and $[\text{Co}(\text{1,10}'\text{-phen})_3]1.5[\text{PMo}_{12}\text{O}_{40}\text{Co}(\text{1,10}'\text{-phen})_2(\text{H}_2\text{O})] \cdot 0.5\text{H}_2\text{O}$. <i>Chemical Communications</i> , 2000, , 153-154.	4.1	173
2	A Large 24-Membered-Ring Germanate Zeolite-Type Open-Framework Structure with Three-Dimensional Intersecting Channels. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 2166-2168.	13.8	152
3	A photoluminescent microporous metal organic anionic framework for nitroaromatic explosive sensing. <i>Journal of Materials Chemistry A</i> , 2013, 1, 4525.	10.3	118
4	Exploring the Performance Improvement of Magnetocaloric Effect Based Gd-Exclusive Cluster Gd_{60} . <i>Journal of the American Chemical Society</i> , 2018, 140, 11219-11222.	13.7	116
5	Hydrothermal assembly and structural characterisation of one- and two-dimensional organic/inorganic hybrid materials constructed from diphosphopentamolybdate(VI) clusters and $\{\text{Cu}(\text{en})\}^{2+}$ complex groups. <i>Chemical Communications</i> , 1998, , 2733-2734.	4.1	98
6	Reversible $\text{SC} \leftrightarrow \text{C}$ Transformation involving [4+4] Cycloaddition of Anthracene: A Single-Molecule Magnet and Yellow-Green to Blue-White Emission. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 8577-8581.	13.8	97
7	Lewis Acid Dominant Windmill-Shaped V_{8} Clusters: A Bifunctional Heterogeneous Catalyst for CO_2 Cycloaddition and Oxidation of Sulfides. <i>Journal of the American Chemical Society</i> , 2019, 141, 19487-19497.	13.7	89
8	Studies on two interesting microporous polymeric clusters $\{[\text{Et}_4\text{N}]_2[\text{MS}_4\text{Cu}_4(\text{CN})_4]\}_n$ ($\text{M} = \dots = \text{Mo}$ or W) with three-dimensional open frameworks: synthesis, structural characterization, strong optical non-linearities and large optical limiting properties. <i>Dalton Transactions RSC</i> , 2000, , 2823-2829.	2.3	85
9	$\text{CoV}_2\text{O}_6 \cdot \text{V}_2\text{O}_5$ Coupled with Porous N-Doped Reduced Graphene Oxide Composite as a Highly Efficient Electrocatalyst for Oxygen Evolution. <i>ACS Energy Letters</i> , 2017, 2, 1327-1333.	17.4	84
10	$[\text{MoV}_2\text{MoVI}_6\text{VIV}_8\text{O}_{40}(\text{PO}_4)]_5^{7-}$: the first polyanion with a tetra-capped Keggin structure. <i>Chemical Communications</i> , 1999, , 787-788.	4.1	65
11	Syntheses of Exceptionally Stable Aluminum(III) Metal-Organic Frameworks: How to Grow High-Quality, Large, Single Crystals. <i>Chemistry - A European Journal</i> , 2017, 23, 15518-15528.	3.3	60
12	An Extra-Large-Pore Zeolite with Intersecting 18-, 12-, and 10-Membered Ring Channels. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 9592-9596.	13.8	57
13	Four MOFs with 2,2'-dimethoxy-4,4'-biphenyldicarboxylic acid: syntheses, structures, topologies and properties. <i>CrystEngComm</i> , 2014, 16, 784-796.	2.6	55
14	A novel 2-D coordination polymer constructed from high-nuclearity waist drum-like pure Ho_{48} clusters. <i>Chemical Communications</i> , 2013, 49, 9728.	4.1	53
15	Structural Diversity and Properties of Coordination Polymers Built from a Rigid Octadentate Carboxylic Acid. <i>Crystal Growth and Design</i> , 2012, 12, 6158-6164.	3.0	51
16	POM Constructed from Super-Sodalite Cage with Extra-Large 24-Membered Channels: Effective Sorbent for Uranium Adsorption. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 22088-22092.	8.0	51
17	The First Assembly of a Nest-Shaped Heterothiometallic Cluster and a Polyoxometalate Anion a^{\sim} Synthesis, Characterization, and Strong Third-Order Nonlinear Optical Response. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 55-64.	2.0	49
18	Large third-order optical nonlinearity of two cubane-like clusters containing oxotrithiometalate anions and silver: synthesis, characterization, reactivity, and NLO properties-structure correlation. <i>Journal of Materials Chemistry</i> , 2003, 13, 571-579.	6.7	47

#	ARTICLE	IF	CITATIONS
19	Enantiomerically Pure Lanthanide-Organic Polyoxometalates Exhibiting Two-Photon Absorption Properties. <i>Inorganic Chemistry</i> , 2014, 53, 3269-3271.	4.0	47
20	Two New Three-Dimensional Porous Polyoxometalates with Typical ACO Topological Open Frameworks: $\{[\text{Cu}_4\text{V}_2\text{I}_3\text{V}_5\text{VO}_4(\text{NO}_3)(\text{C}_3\text{H}_7\text{N}_2)_8] \cdot 10\text{H}_2\text{O}\}_n$ and $\{[\text{Cu}_4\text{V}_2\text{I}_3\text{V}_6\text{VO}_4(\text{SO}_4)(\text{C}_3\text{H}_7\text{N}_2)_8] \cdot 10\text{H}_2\text{O}\}_n$. <i>Crystal Growth and Design</i> , 2007, 7, 925-929.	3.0	45
21	Polyoxometalate-Based Well-Defined Rodlike Structural Multifunctional Materials: Synthesis, Structure, and Properties. <i>Inorganic Chemistry</i> , 2019, 58, 2463-2470.	4.0	44
22	An unprecedented 3D/3D hetero-interpenetrated MOF built from two different nodes, chemical composition, and topology of networks. <i>CrystEngComm</i> , 2012, 14, 5720.	2.6	43
23	Cation-induced assembly of the first mixed molybdenum-vanadium hexadecamer host shell cluster anions. <i>Dalton Transactions RSC</i> , 2001, , 772-773.	2.3	42
24	Hydrothermal synthesis, crystal structure and properties of 2-D and 3-D lanthanide sulfates. <i>Journal of Solid State Chemistry</i> , 2007, 180, 2020-2025.	2.9	42
25	Two 3D Coordination Frameworks Based on Nanosized Huge Ln_{26} ($\text{Ln} = \text{Dy}$ and Gd) Spherical Clusters. <i>Crystal Growth and Design</i> , 2010, 10, 2548-2552.	3.0	42
26	Hydrothermal Synthesis, Structure, and Optical Properties of Two Nanosized $\text{Ln}_{26} @ \text{CO}_3$ ($\text{Ln} = \text{Dy}$ and Tb) Cluster-Based Lanthanide-Transition Metal-Organic Frameworks (Ln MOFs). <i>Chemistry - A European Journal</i> , 2015, 21, 3234-3241.		42
27	Two photoluminescent metal-organic frameworks based on a BODIPY-derived bipyridine ligand. <i>CrystEngComm</i> , 2013, 15, 7315.	2.6	41
28	Two Distinct Supramolecular Motifs from Bis(2-methylimidazo-1-yl) Methane: An Infinite $[\text{n}]$ Catenane and A Discrete M_6 Metal-Organic Framework. <i>Crystal Growth and Design</i> , 2008, 8, 215-218.	3.0	40
29	Hydrothermal Synthesis and Structural Characterizations of Two New Germanates with a Novel Topological Framework and Unusual $\text{Ge}_4(\text{OH})_4$ Cubane. <i>Inorganic Chemistry</i> , 2006, 45, 7705-7708.	4.0	38
30	and $[\text{LnZn}(\text{IN})_3(\text{C}_2\text{H}_4\text{O}_2)_3]_n$ ($\text{Ln} = \text{Eu}, \text{Sm}, \text{and Gd}$): Chiral Enantiomerically 3D 3d-4f Coordination Polymers Constructed by Interesting Butterfly-like Building Units and $[\text{Ln-O-Zn}]_n$ Helices. <i>Inorganic Chemistry</i> , 2016, 55, 2048-2054.	4.0	38
31	Two novel organic-inorganic hybrid molybdenum-cobalt/nickel phosphate compounds based on isolated nanosized Mo/Co(Ni)/P cluster wheels. <i>Journal of Materials Chemistry C</i> , 2014, 2, 6554-6560.	5.5	37
32	A Pair of Rare Three-Dimensional Chiral Polyoxometalate-Based Metal-Organic Framework Enantiomers Featuring Superior Performance as the Anode of Lithium-Ion Battery. <i>ACS Applied Energy Materials</i> , 2018, 1, 4931-4938.	5.1	37
33	Novel 3D lanthanide-organic frameworks with an unusual infinite nanosized ribbon $[\text{Ln}_3(\frac{1}{4}\text{OH})_2(\text{CO}_2)_6]_n$ ($\text{Ln} = \text{Eu}, \text{Gd}, \text{Dy}$): syntheses, structures, luminescence, and magnetic properties. <i>CrystEngComm</i> , 2011, 13, 2586.	2.6	36
34	Organo-functionalized polyoxovanadates: crystal architecture and property aspects. <i>Dalton Transactions</i> , 2021, 50, 7871-7886.	3.3	36
35	Chiral $[\text{Mo}_8\text{O}_{26}]^{4-}$ Polyoxoanion-Induced Three-Dimensional Architectures With Homochiral Eight-Fold Interpenetrated Metal-Organic Frameworks. <i>Inorganic Chemistry</i> , 2017, 56, 9036-9043.	4.0	35
36	Chiral expression from molecular to macroscopic level via pH modulation in terbium coordination polymers. <i>Nature Communications</i> , 2017, 8, 2131.	12.8	35

#	ARTICLE	IF	CITATIONS
37	Lantern-shaped 3d ^{4f} high-nuclearity clusters with magnetocaloric effect. Dalton Transactions, 2017, 46, 9745-9749.	3.3	34
38	Two 3D metal-organic frameworks with different topologies, thermal stabilities and magnetic properties. CrystEngComm, 2012, 14, 5905.	2.6	33
39	A Stable Extra-Large-Pore Zeolite with Intersecting 14- and 10-Membered Ring Channels. Chemistry - A European Journal, 2016, 22, 14367-14372.	3.3	33
40	Two 2D Layered P ₄ Mo ₆ Clusters with Potential Bifunctional Properties: Proton Conduction and CO ₂ Photoreduction. Inorganic Chemistry, 2020, 59, 12876-12883.	4.0	33
41	(C ₂ H ₈ N) ₉ [Eu ₅ (SO ₄) ₁₂]·2H ₂ O: the first europium sulfate open-framework containing two kinds of intersecting extra-large 20-membered ring channels. CrystEngComm, 2010, 12, 694-696.	2.6	32
42	A Series of Lanthanide Metal-Organic Frameworks with Interesting Adjustable Photoluminescence Constructed by Helical Chains. Chemistry - A European Journal, 2015, 21, 10391-10399.	3.3	32
43	Incorporation of Silicon-Oxygen Tetrahedron into Novel High-Nuclearity Nanosized 3d ^{4f} Heterometallic Clusters. Inorganic Chemistry, 2018, 57, 4799-4802.	4.0	32
44	Solvothermal syntheses, crystal structures and luminescence properties of three new lanthanide sulfate fluorides. Dalton Transactions, 2010, 39, 3681.	3.3	31
45	(C ₄ N ₂ H ₁₂) ₃ [Ln ₃ (OH)(SO ₄) ₇] (Ln = Sm, Eu, and Tb): A Series of Honeycomb-like Open-Framework Lanthanide Sulfates with Extra-Large Channels Containing 24-Membered Rings. Inorganic Chemistry, 2013, 52, 3253-3258.	4.0	31
46	Highly Stable Mesoporous Zirconium Porphyrinic Frameworks with Distinct Flexibility. Chemistry - A European Journal, 2016, 22, 6268-6276.	3.3	31
47	Polyoxometalate-Based Metal-Organic Frameworks with Unique High-Nuclearity Water Clusters. ACS Applied Materials & Interfaces, 2020, 12, 57174-57181.	8.0	30
48	Two novel bi-functional hybrid materials constructed from POMs and a Schiff base with excellent third-order NLO and catalytic properties. Dalton Transactions, 2016, 45, 7947-7951.	3.3	29
49	Construction of lanthanide metal-organic frameworks with highly-connected topology based on a tetrapodal linker. CrystEngComm, 2013, 15, 6229.	2.6	27
50	3D Enantiomorphic Mg-Based Metal-Organic Frameworks as Chemical Sensor of Nitrobenzene and Efficient Catalyst for CO ₂ Cycloaddition. Chemistry - an Asian Journal, 2019, 14, 1949-1957.	3.3	26
51	Solvothermal Synthesis, Crystal Structure and Properties of a New Organic Templated Lanthanum Sulfate [C ₄ N ₃ H ₁₆][La(SO ₄) ₃ (H ₂ O)]. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2008, 634, 545-548.	1.2	25
52	Self-assembly of polyoxometalate/reduced graphene oxide composites induced by ionic liquids as a high-rate cathode for batteries: "killing two birds with one stone". Journal of Materials Chemistry A, 2018, 6, 1743-1750.	10.3	25
53	Cl ⁻ -Templated Assembly of Novel Peanut-like Ln ₄₀ Ni ₄₄ Heterometallic Clusters Exhibiting a Large Magnetocaloric Effect. Inorganic Chemistry, 2019, 58, 10883-10889.	4.0	25
54	A theoretical insight into furfural conversion catalyzed on the Ni(111) surface. Physical Chemistry Chemical Physics, 2019, 21, 23685-23696.	2.8	25

#	ARTICLE	IF	CITATIONS
55	<p>$[Ln(HCO_2)_2(SO_4)(H_2O)]$ (Ln = La, Tj) Helices. <i>Inorganic Chemistry</i>, 2012, 51, 13373-13379.</p>	4.0	24
56	Three novel polyoxoanion-supported compounds: confinement of polyoxoanions in Ni-containing rigid concave surfaces with enhanced NLO properties. <i>Dalton Transactions</i> , 2015, 44, 18347-18353.	3.3	24
57	Hydrothermal synthesis, crystal structure and strong blue fluorescence of a novel 3D coordination polymer containing copper and zinc centers linked by isonicotinic acid ligands. <i>Inorganic Chemistry Communication</i> , 2007, 10, 49-52.	3.9	23
58	Synthesis, crystal structure and magnetic property of the novel dinuclear nickel(II) complex with 4-(p-methoxyphenyl)-3,5-bis(pyridine-2-yl)-1,2,4-triazole. <i>Transition Metal Chemistry</i> , 2007, 32, 711-715.	1.4	23
59	Solvothermal Synthesis, Crystal Structure and Properties of the First Organic-templated Holmium Sulfate $[C_2N_2H_{10}]_3[Ho_2(SO_4)_6 \cdot 2H_2O]$. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009, 635, 572-576.	1.2	23
60	Syntheses, structures and magnetic properties of two unprecedented hybrid compounds constructed from open Wells Dawson anions and high-nuclear transition metal clusters. <i>Dalton Transactions</i> , 2013, 42, 8454.	3.3	23
61	Three 3D lanthanide-organic frameworks with sra topology: syntheses, structures, luminescence and magnetic properties. <i>CrystEngComm</i> , 2014, 16, 2779.	2.6	23
62	Two new hydrogen bond-supported supramolecular compounds assembly from polyoxovanadate and organoamines. <i>Journal of Solid State Chemistry</i> , 2007, 180, 1875-1881.	2.9	22
63	Two octamolybdate-based complexes: hydrothermal synthesis, structural characterization and properties. <i>CrystEngComm</i> , 2014, 16, 82-88.	2.6	22
64	Two novel mixed Eu^{3+}/Y^{3+} Ln MOFs: influence of pH on the topology, Eu/Y ratio and energy transfer. <i>CrystEngComm</i> , 2014, 16, 5681-5688.	2.6	22
65	Four 2D Fully Reduced Polyoxovanadates: Vanadium Oxide Clusters Encapsulating Different Guest Molecules. <i>Inorganic Chemistry</i> , 2014, 53, 10498-10505.	4.0	22
66	A rare three-dimensional POM-based inorganic metal polymer bonded by CO_2 with high catalytic performance for CO_2 cycloaddition. <i>Chemical Communications</i> , 2018, 54, 12808-12811.	4.1	22
67	A Series of Lanthanide Compounds Constructed from Ln_8 Rings Exhibiting Large Magnetocaloric Effect and Interesting Luminescence. <i>Inorganic Chemistry</i> , 2018, 57, 8608-8614.	4.0	22
68	Two Pairs of Chiral Tower-Like Ln_4Cr_4 (Ln=Gd, Dy) Clusters: Syntheses, Structure, and Magnetocaloric Effect. <i>Chemistry - A European Journal</i> , 2018, 24, 15295-15302.	3.3	21
69	A modified hydrophobic ion-pairing complex strategy for long-term peptide delivery with high drug encapsulation and reduced burst release from PLGA microspheres. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2019, 144, 217-229.	4.3	21
70	An unprecedented polyoxometalate-encapsulated organo-metallophosphate framework as a highly efficient cocatalyst for CO_2 photoreduction. <i>Journal of Materials Chemistry A</i> , 2022, 10, 3469-3477.	10.3	21
71	Hydrothermal Synthesis and Crystal Structure of a Novel 3-D Porous Lanthanum Sulfate. <i>Journal of Cluster Science</i> , 2006, 17, 627-636.	3.3	20
72	Three New Organically Templated 1D, 2D, and 3D Vanadates: Synthesis, Crystal Structures, and Characterizations. <i>Inorganic Chemistry</i> , 2008, 47, 567-571.	4.0	20

#	ARTICLE	IF	CITATIONS
73	Solvothermal synthesis, crystal structure and luminescence of the first organic amine templated europium sulfate. <i>Inorganica Chimica Acta</i> , 2009, 362, 2565-2568.	2.4	20
74	Synthesis, crystal structure, and magnetism of a dinuclear nickel(II) complex [Ni ₂ (MOBPT) ₂ (N ₃) ₄ ·2H ₂ O]. <i>Journal of Coordination Chemistry</i> , 2009, 62, 1809-1816.	2.2	20
75	Hydrothermal synthesis, structure, and properties of two new nanosized Ln ₂₆ (Ln = Ho, Er, Tm, Yb, Lu). <i>Inorganic Chemistry</i> , 2011, 50, 10784-10794.	2.2	20
76	[Ni(C ₁₇ H ₂₀ N ₄) ₄][H ₅ PMo ₈ V ₁₈ W ₄ O ₄₀ (VIVO) ₂]·8H ₂ O: confinement of heteropoly anions in Ni-containing rigid concave surfaces with high catalytic activity in the oxidation of styrene. <i>CrystEngComm</i> , 2012, 14, 5148.	2.6	20
77	Syntheses, Structures, Luminescence, and Magnetic Properties of a Series of Novel Coordination Polymers Constructed by Nanosized [Ln ₈ Fe ₄] Rings. <i>Crystal Growth and Design</i> , 2017, 17, 347-354.	3.0	20
78	Solvothermal synthesis, crystal structure and properties of a novel 1-D organic amine templated holmium sulfate. <i>Inorganica Chimica Acta</i> , 2009, 362, 3299-3302.	2.4	19
79	Syntheses, structures and properties of two new organic-inorganic hybrid materials based on Keggin units {μ ₃ -PMo ₃ V ₈ Mo ₄ V ₄ O ₄₀ ·x(OH) _x Zn ₄ }. <i>Dalton Transactions</i> , 2015, 44, 694-700.	3.8	19
80	A pair of new chiral polyoxovanadates with decent NLO properties. <i>Dalton Transactions</i> , 2018, 47, 6054-6058.	3.3	19
81	Three new high-nuclear transition-metal-substituted heteropolytungstates: syntheses, crystal structures, magnetic studies and NLO properties. <i>Dalton Transactions</i> , 2018, 47, 9504-9511.	3.3	19
82	A New Fully Reduced Polyoxovanadate Constructed from Nanosized Triangle-Shaped [V ^{III} ₃ V ^{IV} ₁₈ P ₆ O ₆₀ (DACH) ₃] ⁹⁻ Cluster Anions Exhibiting Ferrimagnetic Interactions. <i>Chemistry - A European Journal</i> , 2012, 18, 11909-11912.	3.3	18
83	A new strategy to construct metal-organic frameworks with ultrahigh chemical stability. <i>CrystEngComm</i> , 2014, 16, 8656-8659.	2.6	18
84	Proton conductivity resulting from different triazole-based ligands in two new bifunctional decavanadates. <i>RSC Advances</i> , 2018, 8, 18560-18566.	3.6	18
85	Largest 3d-4f 196-nuclear Gd ₁₅₈ Co ₃₈ clusters with excellent magnetic cooling. <i>Science China Chemistry</i> , 2022, 65, 1577-1583.	8.2	18
86	Syntheses and crystal structures of two novel Cu(II) and Co(II) complexes with 3-methyl-4-(p-bromophenyl)-5-(2-pyridyl)-1,2,4-triazole. <i>Structural Chemistry</i> , 2010, 21, 237-244.	2.0	17
87	Second structural directing agent induces the formation of 1D organic templated terbium sulfate. <i>CrystEngComm</i> , 2011, 13, 2714.	2.6	17
88	Solvothermal synthesis, crystal structure and luminescence property of a new 1D organic amine templated europium sulfate with helical chains. <i>Inorganic Chemistry Communication</i> , 2011, 14, 906-909.	3.9	17
89	An Unprecedented M ^{II} -O Cluster Constructed from Nanosized {[C ₅ NH ₅] ₉ [H ₃₁ Mo ₃ V ₁₂ O ₂₄ Co ₁₇] ¹⁷⁻ Anions Exhibiting Interesting Nonlinear-Optical Properties. <i>Inorganic Chemistry</i> , 2016, 55, 11621-11625.	4.5	17
90	Counteranion Modulated Crystal Growth and Function of One-Dimensional Homochiral Coordination Polymers: Morphology, Structures, and Magnetic Properties. <i>Inorganic Chemistry</i> , 2018, 57, 12143-12154.	4.0	17

#	ARTICLE	IF	CITATIONS
91	A Series Three-Dimensional Ln ₄ Cr ₄ (Ln = Gd, Tb, Er) Heterometallic Cluster-Based Coordination Polymers Containing Interesting Nanotubes Exhibiting High Magnetic Entropy. <i>Inorganic Chemistry</i> , 2020, 59, 5593-5599.	4.0	17
92	A cationic benzocorrole Cu(II) complex as a highly stable antiaromatic system. <i>Chemical Communications</i> , 2021, 57, 383-386.	4.1	17
93	Effects of organoamine template and transition metal coordination mode on the self-assembly of reduced polyoxomolybdenum phosphate. <i>CrystEngComm</i> , 2011, 13, 5133.	2.6	16
94	Syntheses, structures and properties of two 2-D layered hybrid organic-inorganic materials based on different V ₄ O ₁₂ building units. <i>Dalton Transactions</i> , 2014, 43, 865-871.	3.3	16
95	A new polyoxometalate-based Mo/V coordinated crystalline hybrid and its catalytic activity in aerobic hydroxylation of benzene. <i>RSC Advances</i> , 2014, 4, 45816-45822.	3.6	16
96	Chiral Silver-Lanthanide Metal-Organic Frameworks Comprised of One-Dimensional Triple Right-Handed Helical Chains Based on [Ln ₇ (μ ₃ -OH) ₈] ₁₃₊ Clusters. <i>Inorganic Chemistry</i> , 2018, 57, 995-1003.	4.0	16
97	Two Ni-Substituted Trilacunary Keggin-Type Polyoxometalates: Syntheses, Crystal Structures, NLO Studies, and Magnetic Properties. <i>Inorganic Chemistry</i> , 2021, 60, 13748-13755.	4.0	16
98	Title is missing!. <i>Transition Metal Chemistry</i> , 2001, 26, 345-350.	1.4	15
99	Hydrothermal synthesis, characterization and properties of bi-capping pseudo-Keggin type tungstovanadophosphate compound. <i>Inorganic Chemistry Communication</i> , 2006, 9, 329-331.	3.9	15
100	A 6-fold interpenetrated ThSi ₂ topological metal-organic framework from a nanosized tripodal aromatic acid. <i>CrystEngComm</i> , 2012, 14, 5166.	2.6	15
101	Hydrothermal synthesis, crystal structure and luminescence of two new 2D coordination polymers [Ln(IN)(CO ₃)(H ₂ O)] (LnLa, Eu) constructed by interesting flat lanthanide carbonate layers. <i>Inorganic Chemistry Communication</i> , 2012, 21, 80-83.	3.9	15
102	Isolation, structure and magnetic properties of two novel core-shell 3d-4f heterometallic nanoscale clusters. <i>Dalton Transactions</i> , 2017, 46, 643-646.	3.3	15
103	A huge novel polyoxometalate-based cluster Fe ₁₀ P ₄ W ₃₂ exhibiting prominent electrocatalytic activity for the oxygen evolution reaction and third-order NLO properties. <i>Chemical Communications</i> , 2019, 55, 9299-9302.	4.1	15
104	Two new isolated Zn-μ-Keggin clusters modified by conjugated organic ligands with decent electrocatalytic and third-order NLO properties. <i>Dalton Transactions</i> , 2020, 49, 14251-14257.	3.3	15
105	Racemic titanium(IV) complexes of salicylideneamino acids. <i>Transition Metal Chemistry</i> , 2001, 26, 700-703.	1.4	14
106	Solvothermal Synthesis, Crystal Structure, and Properties of a New Organic-Templated Holmium Sulfate with 1D Single Ladder Chains. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010, 636, 882-885.	1.2	14
107	Structural systematic design of organic templated samarium sulfates and their luminescence property. <i>RSC Advances</i> , 2012, 2, 217-225.	3.6	14
108	Homochiral metal-organic porous materials for enantioselective recognition and electrocatalysis. <i>CrystEngComm</i> , 2013, 15, 3288.	2.6	14

#	ARTICLE	IF	CITATIONS
109	Hydrothermal synthesis, structure and properties of two new phosphomolybdates based on Strandberg-type $\{P_2Mo_5O_{23}\}_6$ building units. <i>Inorganic Chemistry Communication</i> , 2015, 60, 33-36.	3.9	14
110	A single-ligand-protected Eu_6 - $Gd(Tb)_n$ cluster: a reasonable new approach to expand lanthanide aggregations. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 2072-2079.	6.0	14
111	Title is missing!. <i>Transition Metal Chemistry</i> , 2000, 25, 589-593.	1.4	13
112	Hydrothermal synthesis, characterization and magnetic properties of a new 2D arsenic-vanadate layers supported cobalt coordination complex: $[Co(en)_2(H_2O)]\{[Co(en)_2]_2As_8V_{14}O_{42}(SO_4)\}_n \cdot 3H_2O$. <i>Inorganic Chemistry Communication</i> , 2007, 10, 849-852.	3.9	13
113	Synthesis, characterization and luminescence of two unusual $4d-4f Ln-Ag$ coordination compounds. <i>Inorganic Chemistry Communication</i> , 2009, 12, 385-387.	3.9	13
114	Reversible $SC \leftrightarrow C$ Transformation involving [4+4] Cycloaddition of Anthracene: A Single-Molecule Magnet and Yellow-Green to Blue-White Emission. <i>Angewandte Chemie</i> , 2018, 130, 8713-8717.	2.0	13
115	Homochiral Erbium Coordination Polymers: Salt-Assisted Conversion from Triple to Quadruple Helices. <i>Crystal Growth and Design</i> , 2018, 18, 4045-4053.	3.0	13
116	Hydrothermal Synthesis, Structure Characterization, Catalytic Property of Four Inorganic-Organic Hybrid Phosphomolybdates. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009, 635, 2302-2308.	1.2	12
117	Hydrothermal synthesis and characterization of a Na^+ templated new 3-D lanthanum sulfate $Na[C_6H_{14}N_2][La_3(SO_4)_6(H_2O)_3]$ constructed from $La-O-S$ tubes and cubic cages. <i>Inorganic Chemistry Communication</i> , 2011, 14, 258-260.	3.9	12
118	Hydrothermal synthesis, structure characterization and catalytic property of a zigzag chain structural cluster compound built on the novel tetra-capped and centered by NiII. <i>Inorganic Chemistry Communication</i> , 2011, 14, 1314-1317.	3.9	12
119	A series of new rare earth sulfates based on lanthanide contraction and dual organic-amine templating effects. <i>CrystEngComm</i> , 2012, 14, 6627.	2.6	12
120	A new vanadium sulfate with ferrimagnetic and NLO properties constructed from novel discrete umbrella-like $[V_2(\frac{1}{4}3-O)_4V_4O_5(SO_4)_4(en)]_5$ anions. <i>Dalton Transactions</i> , 2015, 44, 8605-8608.	3.3	12
121	Multifunctional Polymolybdate-Based Metal-Organic Framework as an Efficient Catalyst for the CO_2 Cycloaddition and as the Anode of a Lithium-Ion Battery. <i>Inorganic Chemistry</i> , 2019, 58, 13058-13065.	4.0	12
122	Polyoxometalate-induced "cage-within-cage" metal-organic frameworks with high efficiency towards CO_2 photoreduction. <i>Sustainable Energy and Fuels</i> , 2021, 5, 3876-3883.	4.9	12
123	The chain-shaped coordination polymers based on the bowl-like $Ln_{18}Ni_{24}(23.5)$ clusters exhibiting favorable low-field magnetocaloric effect. <i>Chinese Chemical Letters</i> , 2021, 32, 3803-3806.	9.0	12
124	Two three-dimensional polyanionic clusters $[M(P_4Mo_6)_2]$ ($M = Tj$) <i>ETQqO O O rgBT /Overlock 10 Transactions</i> , 2021, 50, 9137-9143.	3.3	12
125	Controllable Macroscopic Chirality of Coordination Polymers through pH and Anion-Mediated Weak Interactions. <i>Chemistry - A European Journal</i> , 2021, 27, 16722-16734.	3.3	12
126	Formation and Structure of the Novel Heptanuclear Lead(II) Oxo Cluster $[Pb_7(\frac{1}{4}3-O)(\frac{1}{4}4-O)(\frac{1}{4}3-OMe)_4(\frac{1}{4}2-l)_4]_2$ with an Unprecedented Cage Structure. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 3210-3213.	2.0	11

#	ARTICLE	IF	CITATIONS
127	Hydrothermal synthesis, structure characterization and catalytic property of a new 1-D chain built on bi-capped Keggin type mix-valence molybdenum compound: $(\text{NH}_4)[\text{MoVI}_6\text{MoV}_6\text{O}_{36}(\text{AsVO}_4)\text{MoV}(\text{MoVO})]$. <i>Inorganica Chimica Acta</i> , 2010, 363, 2265-2268.	2.4	11
128	Syntheses, crystal structures, and spectral properties of Mn(II) and Co(II) complexes with 3-(p-chlorophenyl)-4-(p-methylphenyl)-5-(2-pyridyl)-1,2,4-triazole. <i>Journal of Coordination Chemistry</i> , 2011, 64, 942-951.	2.2	11
129	$\{[\text{VIV}_4\text{V}_4\text{O}_{42}(\text{H}_2\text{O})][\text{Ni}(\text{C}_4\text{N}_3\text{H}_{13})(\text{C}_4\text{N}_3\text{H}_{14})]_4(\text{H}_2\text{O})_6\}^{4+}$: a novel nanosized calix-type polyoxovanadate cation. <i>CrystEngComm</i> , 2011, 13, 2191.	2.6	11
130	Hydrothermal synthesis, characterization, and luminescence of two new arsenic-vanadium compounds with a $[\text{As}_8\text{V}_{14}\text{O}_{42}(\text{H}_2\text{O})_2]^{4-}$ anion. <i>Journal of Coordination Chemistry</i> , 2011, 64, 1198-1206.	2.2	11
131	Synthesis, structural characterization, and properties of two new polyoxovanadates based on decavanadate $[\text{V}_{10}\text{O}_{28}]^{6-}$. <i>Journal of Coordination Chemistry</i> , 2013, 66, 2434-2443.	2.2	11
132	Enantioenriched Cobalt Phosphonate Containing η^3 -Type Chains and Showing Slow Magnetization Relaxation. <i>Inorganic Chemistry</i> , 2016, 55, 9521-9523.	4.0	11
133	Design, synthesis and excellent third-order NLO properties of two new polyoxometalates constructed from Keggin polyanions bonded by a solvent molecule. <i>Dalton Transactions</i> , 2016, 45, 12717-12722.	3.3	11
134	Exploring the Magnetic Interaction of Asymmetric Structures Based on Chiral VIII8 Clusters. <i>Inorganic Chemistry</i> , 2019, 58, 2645-2651.	4.0	11
135	Synthesis, crystal and molecular structure and magnetic properties of an extended two-dimensional fumarato-bridged polymeric cobalt(II) complex $[\text{Co}(\eta^4\text{-fumarato})(\eta^3\text{-methylpyridine})_2(\text{H}_2\text{O})_2] \cdot \text{H}_2\text{O}$. <i>Transition Metal Chemistry</i> , 2005, 30, 376-379.	1.4	10
136	Reaction mechanism investigation of furfural conversion to 2-methylfuran on $\text{Cu}(111)$ surface. <i>Chemical Physics Letters</i> , 2018, 703, 1-7.	2.6	10
137	A new family of boat-shaped Ln8 clusters exhibiting the magnetocaloric effect and slow magnetic relaxation. <i>Dalton Transactions</i> , 2021, 50, 13925-13931.	3.3	10
138	Two POM-based compounds containing Zn-capped Keggin anions as decent heterogeneous catalysts for sulfur oxidation and CO_2 cycloaddition reactions. <i>Dalton Transactions</i> , 2022, 51, 3502-3511.	3.3	10
139	Hydrothermal Synthesis, Structural Characterization and Luminescent Property of a New 1-D Chain-like $[\text{Er}(\text{NC}_6\text{H}_4\text{O}_2)_3(\text{H}_2\text{O})_2]_n$. <i>Journal of Chemical Crystallography</i> , 2010, 40, 579-582.	1.1	9
140	Hydrothermal syntheses and crystal structures of two new phosphomolybdates based on an organoamine template. <i>Journal of Coordination Chemistry</i> , 2010, 63, 4215-4225.	2.2	9
141	Syntheses, crystal structures, and spectral characterization of two new Cu(II) and Co(II) complexes with an asymmetrical substituted triaryltriazole. <i>Journal of Coordination Chemistry</i> , 2011, 64, 3980-3991.	2.2	9
142	A series of color-tunable light-emitting open-framework lanthanide sulfates containing extra-large 36-membered ring channels. <i>CrystEngComm</i> , 2017, 19, 5989-5994.	2.6	9
143	Two Polyoxometalate-Based Hybrid Compounds Modified by Iron Schiff Base Complexes: Syntheses, Crystal structures, Cyclic Voltametric Studies and Nonlinear Optical Properties. <i>ChemPlusChem</i> , 2021, 86, 191-197.	2.8	9
144	Title is missing!. <i>Journal of Chemical Crystallography</i> , 2001, 31, 357-361.	1.1	8

#	ARTICLE	IF	CITATIONS
145	Hydrothermal Syntheses and Crystal Structures of Two New Vanadium Phosphates. <i>Journal of Cluster Science</i> , 2012, 23, 177-187.	3.3	8
146	Hydrothermal synthesis and structural characterization of three reduced phosphomolybdates. <i>Journal of Coordination Chemistry</i> , 2013, 66, 2669-2678.	2.2	8
147	Structural characterization and luminescence properties of two 4d-4f Ln-Ag coordination compounds based on dinuclear lanthanide clusters. <i>Chemical Research in Chinese Universities</i> , 2014, 30, 194-199.	2.6	8
148	Two hybrid polyoxometalates constructed from Preyssler P_5W_{30} clusters and Schiff base exhibiting interesting third-order NLO properties. <i>RSC Advances</i> , 2017, 7, 55427-55433.	3.6	8
149	Efficiently increasing low-field magnetic entropy by incorporating SO_3^{2-} into Gd_2Ni_2 clusters. <i>Dalton Transactions</i> , 2022, 51, 2669-2673.	3.3	8
150	Synthesis, Structure and Characterization of Two-dimensional Network Copper Complex $[Cu_3(NTA)_2(Azpy)_2(H_2O)_2] \cdot 6H_2O \cdot 0.9$ Chinese <i>Journal of Chemistry</i> , 2002, 20, 187-190.		7
151	$[NH_3(CH_2)_6NH_3][P_2V_5O_{17}] \cdot 3.83H_2O$ A new 3D Organic-templated Vanadophosphate with Extra-large 16-membered Ring Constructed from Nanosized $P_2O_7^{4-}$ Wheels. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010, 636, 1576-1579.	1.2	7
152	Hydrothermal syntheses, crystal structures, and properties of two new organic-inorganic hybrid compounds based on polyoxometalates and pyridyl imidazole. <i>Journal of Coordination Chemistry</i> , 2012, 65, 3821-3832.	2.2	7
153	Solvothermal synthesis, crystal structure and properties of three new 1D and 3D organically templated lanthanide sulfates. <i>Inorganica Chimica Acta</i> , 2012, 383, 112-117.	2.4	7
154	Synthesis, structure characterization, and luminescent properties of two novel three-dimensional 4d-4f Ln-Ag coordination polymers based on two mixed ligands and zigzag $[Ln_2]$ chains (Ln = Eu and Tb). <i>Journal of Coordination Chemistry</i> , 2014, 67, 1040-1047.	2.0	7
155	Two 3D POM-Based Inorganic-organic Hybrid Compounds Constructed from Different $\{VO_3\}_n$ Subunits and N-donor ligands: Syntheses, Structures, Electrocatalytic and Magnetic Properties. <i>ChemistrySelect</i> , 2016, 1, 6250-6256.	1.5	7
156	A Series of New Eu/Tb Mixed MOFs with Tunable Color Luminescence. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2018, 644, 43-49.	1.2	7
157	Two isolated Zn- μ -Keggin decorated by pyridine-imidazole with excellent electrocatalytic and third-order NLO properties. <i>Inorganica Chimica Acta</i> , 2019, 498, 119169.	2.4	7
158	Two 3D Mn-based coordination polymers: synthesis, structure and magnetocaloric effect. <i>RSC Advances</i> , 2020, 10, 33628-33634.	3.6	7
159	Three 3D Lanthanide coordination polymers: Synthesis, luminescence and magnetic properties. <i>Journal of Molecular Structure</i> , 2021, 1234, 130167.	3.6	7
160	Hydrothermal synthesis and structural characterization of two new reduced phosphomolybdates based on an organoamine template and copper ion. <i>Journal of Coordination Chemistry</i> , 2012, 65, 3674-3683.	2.2	6
161	Synthesis, structures and magnetic properties of two chiral mixed-valence iron(II,III) coordination networks. <i>Dalton Transactions</i> , 2017, 46, 16623-16630.	3.3	6
162	Synthesis, crystal structures and magnetic properties of two heterometallic $\{Ln_8Cr_4\}$ (Ln = Tb, Dy) <i>Journal of Coordination Chemistry</i> , 2010, 63, 1040-1047.	3.6	6

#	ARTICLE	IF	CITATIONS
163	Hydrothermal Synthesis and Characterization of a New Arsenicâ€“Vanadium Compound with a $[2-[\text{As}_8\text{V}_{14}\text{O}_{42}(\text{SO}_4)_6]^{6-}]$ anion. <i>Journal of Cluster Science</i> , 2007, 18, 388-395.	3.3	5
164	One-Dimensional Supramolecular Network Constructed by Germanium(IV) Complex of 4,11-Dihydro-5,7,12,14-tetramethyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecine through Intermolecular Hydrogen Bond: Synthesis, Structure and Conducting Property. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2011, 21, 91-96.	3.7	5
165	Hydrothermal synthesis, crystal structure and properties of two new coordination polymers structured by two mixed ligands and strict quadrangular $\{\text{Ln}_3\}_8$ Units (Ln=Er and Ho). <i>Inorganic Chemistry Communication</i> , 2012, 21, 182-185.	3.9	5
166	Two Pentavanadate-based Organic-inorganic Materials with Third-order NLO Properties. <i>Chemical Research in Chinese Universities</i> , 2019, 35, 1-4.	2.6	5
167	Application of temperature-controlled chiral hybrid structures constructed from copper(ii)-monosubstituted Keggin polyoxoanions and copper(ii)-organoamine complexes in enantioselective sensing of tartaric acid. <i>RSC Advances</i> , 2020, 10, 13759-13765.	3.6	5
168	Four novel Z-shaped hexanuclear vanadium oxide clusters as efficient heterogeneous catalysts for cycloaddition of CO ₂ and oxidative desulfurization reactions. <i>Chinese Chemical Letters</i> , 2023, 34, 106917.	9.0	5
169	Two SiO ₄ ⁴⁻ -Templated Ln ₂₃ Ni ₂₀ Clusters with Magnetic Cooling and Stability. <i>Inorganic Chemistry</i> , 2022, 61, 7180-7187.	4.0	5
170	Hydrothermal Synthesis and Structure of a New Threeâ€“Dimensional Inorganicâ€“Organic Hybrid Polyoxomolybdate Based on Keggin Cluster Units. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008, 634, 1197-1200.	1.2	4
171	Hydrothermal synthesis and characterization of two new arsenicâ€“vanadate compounds with the same cluster anion $[\text{As}_8\text{V}_{14}\text{O}_{42}(\text{H}_2\text{O})_4]^{4-}$. <i>Journal of Coordination Chemistry</i> , 2008, 61, 202-210.	2.2	4
172	Liquid Crystalline Thiadiazole Derivatives: Thiadiazole Derivatives Containing Pyridine Ring as Terminal Group. <i>Chinese Journal of Chemistry</i> , 2001, 19, 870-876.	4.9	4
173	Two new piperazine templated lanthanide sulfates with 2D corrugated layered crystal structures. <i>Chemical Research in Chinese Universities</i> , 2013, 29, 10-14.	2.6	4
174	Solvothermal Synthesis, Crystal Structure, and Strong Luminescence of the First Organicâ€“Templated Europium Sulfate Chloride. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013, 639, 947-951.	1.2	4
175	Two new POM-based compounds modified by lanthanideâ€“Schiff base complexes with interesting NLO properties. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2018, 74, 1370-1377.	0.5	4
176	Chirality and Magnetic Properties of Oneâ€“dimensional Ln (Ln = Gd, Dy) Polymers. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2020, 646, 463-468.	1.2	4
177	Exploring the influence of metal ions/ligands ratio for the structure of polyoxometalate-based host-guest compounds, exhibiting different magnetic phenomena. <i>Journal of Molecular Structure</i> , 2020, 1219, 128566.	3.6	4
178	An Unprecedented Bird Nest Molybdenum(V) Cobaltoâ€“Phosphate Nanosized Wheel Constructed from the $[\text{H}_{55}(\text{Mo}_{24}\text{O}_{48})(\text{Co}_4\text{O})_2\text{Co}_{16}(\text{PO}_4)_4\text{2}(\text{py})_6(\text{EtOH})_2(\text{H}_2\text{O})_{11}]^{3-}$ Anion. <i>Chemistry - A European Journal</i> , 2021, 27, 1301-1305.	3.3	4
179	Eight-membered ring petal-shaped V ₈ cluster: An efficient heterogeneous catalyst for selective sulfur oxidation. <i>Inorganica Chimica Acta</i> , 2021, 517, 120198.	2.4	4
180	A Purely Inorganic Quasiâ€“Keggin Polyoxometalate for Photocatalytic Conversion of Carbon Dioxide to Carbon Monoxide. <i>ChemPlusChem</i> , 2021, 86, 1014-1020.	2.8	4

#	ARTICLE	IF	CITATIONS
181	SYNTHESIS AND MOLECULAR STRUCTURE OF N,N'-BIS(2,2'-DIPYRIDYL)ISOPHTHALOYLAMIDE AS WELL AS ITS REACTION WITH COPPER(II) PERCHLORATE. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2002, 32, 127-141.	1.8	3
182	Synthesis of Tin(II) Phosphate Open Frameworks Using Isomers of 1,2-Diaminocyclohexane as Template. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 858-864.	2.0	3
183	Solvothermal Synthesis of a New Amine-Templated Vanadium Sulfate. <i>Journal of Cluster Science</i> , 2008, 19, 481-489.	3.3	3
184	Synthesis, Structure and High Thermal Stability of a Novel Three-dimensional Zinc(II) Complex with an Unsymmetrical Rigid-flexible Ligand. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010, 636, 1129-1132.	1.2	3
185	Hydrothermal Synthesis, Crystal Structure and Properties of Two Organic Amine Templated Lanthanide Sulfates. <i>Journal of Chemical Crystallography</i> , 2011, 41, 1737-1741.	1.1	3
186	A New 3D 4f La-Ag Coordination Polymer Constructed by Interesting [Ag ₂] ⁿ and Flat [La ₂ (IN) ₆ (CH ₃ COO)] ⁿ Layers. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2012, 638, 996-1000.	1.2	3
187	Synthesis, structure and properties of the first organic amine-templated vanadyl pyrophosphate containing two types of helical chains. <i>Inorganic Chemistry Communication</i> , 2014, 45, 120-123.	3.9	3
188	Synthesis and structural characterization of three 3-D aluminogermanates with different topologies. <i>CrystEngComm</i> , 2014, 16, 5103-5109.	2.6	3
189	Solvothermal Synthesis, Crystal Structure, and Luminescent Properties of Three Heterometallic Lanthanide-Transition-Metal Frameworks Constructed from Three Types of CuBr Motifs. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2017, 643, 1004-1010.	1.2	3
190	An isolated doughnut-like molybdenum(ν) cobalto-phosphate cluster exhibiting excellent photocatalytic performance for carbon dioxide conversion. <i>Dalton Transactions</i> , 2022, 51, 9616-9621.	3.3	3
191	Crystal structure of 25,27-bis[(2-cyanophenyl)methoxy] calix[4]arene. <i>Journal of Chemical Crystallography</i> , 2001, 31, 301-305.	1.1	2
192	Solvothermal synthesis, structural characterization and properties of two new layered lanthanide sulfates. <i>Chemical Research in Chinese Universities</i> , 2013, 29, 831-836.	2.6	2
193	Hydrothermal synthesis, structure and properties of a new phosphomolybdate based on novel [Co(H ₂ O) ₄ (HP ₂ Mo ₅ O ₂₃) ₈ - anions and [H ₈ (H ₂ O) ₁₆] ₈ ⁺ water cluster cations. <i>Chemical Research in Chinese Universities</i> , 2016, 32, 329-333.	2.6	2
194	Two nanosized cage-like Ln ₂₀ Ni ₂₁ clusters exhibiting antiferromagnetic properties. <i>Inorganic Chemistry Communication</i> , 2018, 90, 101-104.	3.9	2
195	A large 24-Membered Ring Germanate Zeolite-Type Open Framework Structure with Three-Dimensional Intersecting Channels This work was supported by the NSF of China (Grant No. 29873012 and 29925309), National Education Ministry, State Key Basic Research Program of PRC (G2000048001) Shanghai Science Foundation, and the Key Laboratory of Inorganic Hydrothermal Synthesis, Jilin University. We thank Prof. S. Feng and Dr. Z. Shi for invaluable discussions.. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 2115-2118.	13.8	2
196	Hydrothermal syntheses and crystal structures of two transition metal complexes supported by vanadate {V ₄ O ₁₂ }: {[M(dpa) ₂] ₂ V ₄ O ₁₂ } (M = Co, Ni. dpa = 2,2'-dipyridylamine). <i>Journal of Coordination Chemistry</i> , 2008, 61, 1475-1483.	2.2	1
197	Hydrothermal Synthesis, Crystal Structure and Properties of a New Porous Zinc Arsenite Zn ₃ As ₂ O ₆ with the Novel Helical Zn-O Chains. <i>Journal of Cluster Science</i> , 2009, 20, 651-660.	3.3	1
198	Solvothermal Synthesis and Structural Characterization of an Organic-Templated New Aluminogermanate with the GIS Topology. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009, 635, NA-NA.	1.2	1

#	ARTICLE	IF	CITATIONS
199	Synthesis, crystal structures, and magnetic properties of three new iron(II) complexes with pyrrolyl-substituted triaryltriazoles. <i>Journal of Coordination Chemistry</i> , 2016, 69, 2647-2655.	2.2	1
200	Polyoxovanadatogermanates-based photoelectric bifunctional materials: The ratio of V ₁₂ Ge ₈ and V ₂₄ Ge ₁₆ controlled by solvent. <i>Inorganica Chimica Acta</i> , 2018, 483, 544-549.	2.4	1
201	Three New Ln-Decorated Vanadates Materials: Synthesis, Structure, and Photoluminescent Sensing for Detection of Zn ²⁺ and Co ²⁺ . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2020, 646, 1315-1323.	1.2	1
202	3-D lanthanide-organic frameworks constructed by 2,2'-bipyridine-3,3'-dicarboxylic acid and oxalic acid: Structure, photoluminescence and luminescent sensing properties. <i>Journal of Molecular Structure</i> , 2020, 1209, 127947.	3.6	1
203	Bulky Cyclometalated Ruthenium Nitrates for Challenging <i>z</i> -Selective Metathesis: Efficient One-Step Access to α -Oxygenated Olefins from Acrylates and Allyl Alcohols. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	1
204	Exceptional structure flexibility and adaptive catalytic desulfurization of a cyclic decanuclear polyoxoalkoxyvanadate (â€¦). <i>Journal of Solid State Chemistry</i> , 2022, 314, 123361.	2.9	1
205	Frontispiece: Highly Stable Mesoporous Zirconium Porphyrinic Frameworks with Distinct Flexibility. <i>Chemistry - A European Journal</i> , 2016, 22, .	3.3	0
206	Two new Schiff-base modified vanadium complexes with third-order NLO properties. <i>Journal of Coordination Chemistry</i> , 2020, 73, 2763-2772.	2.2	0