

Luiz Juliano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5071577/publications.pdf>

Version: 2024-02-01

380
papers

11,795
citations

36691

53
h-index

68831

81
g-index

383
all docs

383
docs citations

383
times ranked

15212
citing authors

#	ARTICLE	IF	CITATIONS
1	Cationic Geminoid Peptide Amphiphiles Inhibit DENV2 Protease, Furin, and Viral Replication. <i>Molecules</i> , 2022, 27, 3217.	1.7	1
2	Semysynthetic biflavonoid Morelloflavone-7,4- ϵ^2 ,7- ϵ^3 ,3- ϵ^4 -penta-O-butanoyl is a more potent inhibitor of Proprotein Convertases Subtilisin/Kexin PC1/3 than Kex2 and Furin. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2021, 1865, 130016.	1.1	1
3	Evaluation of the milk clotting properties of an aspartic peptidase secreted by <i>Rhizopus microsporus</i> . <i>Preparative Biochemistry and Biotechnology</i> , 2020, 50, 226-233.	1.0	8
4	A Tropical Composting Operation Unit at São Paulo Zoo as a Source of Bacterial Proteolytic Enzymes. <i>Applied Biochemistry and Biotechnology</i> , 2019, 187, 282-297.	1.4	10
5	Can Cysteine Protease Cross-Class Inhibitors Achieve Selectivity?. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 10497-10525.	2.9	47
6	Comparison of standard and on-plate extraction protocols for identification of mastitis-causing bacteria by MALDI-TOF MS. <i>Brazilian Journal of Microbiology</i> , 2019, 50, 849-857.	0.8	25
7	Leishmania infantum nucleoside triphosphate diphosphohydrolase 1 (NTPDase 1) B-domain: Antibody antiproliferative effect on the promastigotes and IgG subclass responses in canine visceral leishmaniasis. <i>Veterinary Parasitology</i> , 2019, 271, 38-44.	0.7	2
8	Enkephalin related peptides are released from jejunum wall by orally ingested bromelain. <i>Peptides</i> , 2019, 115, 32-42.	1.2	6
9	Antitumor effect of chiral organotelluranes elicited in a murine melanoma model. <i>Bioorganic and Medicinal Chemistry</i> , 2019, 27, 2537-2545.	1.4	7
10	Biochemical Properties and Catalytic Specificity of a Novel Neutral Serine Peptidase Secreted by Fungus <i>Pyrenochaetopsis</i> sp.. <i>Applied Biochemistry and Biotechnology</i> , 2019, 187, 1158-1172.	1.4	9
11	Thermodynamic analysis of Kex2 activity: The acylation and deacylation steps are potassium- and substrate-dependent. <i>Biophysical Chemistry</i> , 2018, 235, 29-39.	1.5	3
12	Substrate specificity profiling of M32 metalloproteases from <i>Trypanosoma cruzi</i> and <i>Trypanosoma brucei</i> . <i>Molecular and Biochemical Parasitology</i> , 2018, 219, 10-16.	0.5	5
13	Identification of pathogenic and nonpathogenic <i>Leptospira</i> species of Brazilian isolates by Matrix Assisted Laser Desorption/Ionization and Time Flight mass spectrometry. <i>Brazilian Journal of Microbiology</i> , 2018, 49, 900-908.	0.8	2
14	Functional roles of C-terminal extension (CTE) of salt-dependent peptidase activity of the <i>Natrialba magadii</i> extracellular protease (NEP). <i>International Journal of Biological Macromolecules</i> , 2018, 113, 1134-1141.	3.6	4
15	Direct identification of bovine mastitis pathogens by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry in pre-incubated milk. <i>Brazilian Journal of Microbiology</i> , 2018, 49, 801-807.	0.8	12
16	Processing of metacaspase 2 from <i>Trypanosoma brucei</i> (TbMCA2) broadens its substrate specificity. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2017, 1865, 388-394.	1.1	15
17	Biochemical and milk-clotting properties and mapping of catalytic subsites of an extracellular aspartic peptidase from basidiomycete fungus <i>Phanerochaete chrysosporium</i> . <i>Food Chemistry</i> , 2017, 225, 45-54.	4.2	39
18	Activity of human kallikrein-related peptidase 6 (KLK6) on substrates containing sequences of basic amino acids. Is it a processing protease?. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2017, 1865, 558-564.	1.1	6

#	ARTICLE	IF	CITATIONS
19	Inositol phosphates and phosphoinositides activate insulin-degrading enzyme, while phosphoinositides also mediate binding to endosomes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E2826-E2835.	3.3	17
20	Cathepsin K cleavage of SDF-1 α inhibits its chemotactic activity towards glioblastoma stem-like cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017, 1864, 594-603.	1.9	39
21	An extracellular proteasome releases endostatin from human collagen XVIII. <i>Angiogenesis</i> , 2017, 20, 125-137.	3.7	14
22	Activity of a peptidase secreted by <i>Phanerochaete chrysosporium</i> depends on lysine to subsite Sâ€™ ¹ . <i>International Journal of Biological Macromolecules</i> , 2017, 94, 474-483.	3.6	14
23	Interface between breast cancer cells and the tumor microenvironment using platelet-rich plasma to promote tumor angiogenesis - influence of platelets and fibrin bundles on the behavior of breast tumor cells. <i>Oncotarget</i> , 2017, 8, 16851-16874.	0.8	26
24	Mast Cell Coupling to the Kallikreinâ€™Kinin System Fuels Intracardiac Parasitism and Worsens Heart Pathology in Experimental Chagas Disease. <i>Frontiers in Immunology</i> , 2017, 8, 840.	2.2	25
25	Positively Selected Sites at HCMV gB Furin Processing Region and Their Effects in Cleavage Efficiency. <i>Frontiers in Microbiology</i> , 2017, 8, 934.	1.5	17
26	Identification of <i>Candida haemulonii</i> Complex Species: Use of ClinProTools TM to Overcome Limitations of the Bruker Biotyper TM , VITEK MSTM IVD, and VITEK MSTM RUO Databases. <i>Frontiers in Microbiology</i> , 2016, 7, 940.	1.5	32
27	Cellulolytic and proteolytic ability of bacteria isolated from gastrointestinal tract and composting of a hippopotamus. <i>AMB Express</i> , 2016, 6, 17.	1.4	9
28	TLR4-mediated immunomodulatory properties of the bacterial metalloprotease arazyme in preclinical tumor models. <i>Oncolmmunology</i> , 2016, 5, e1178420.	2.1	10
29	Evaluation of the catalytic specificity, biochemical properties, and milk clotting abilities of an aspartic peptidase from <i>Rhizomucor miehei</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2016, 43, 1059-1069.	1.4	30
30	Specificity characterization of the α -mating factor hormone by Kex2 protease. <i>Biochimie</i> , 2016, 131, 149-158.	1.3	8
31	Capillary electrophoresis coupled to contactless conductivity detection for analysis of amino acids of agricultural interest in composting. <i>Electrophoresis</i> , 2016, 37, 2449-2457.	1.3	8
32	Purification and biochemical characterization of an extracellular serine peptidase from <i>Aspergillus terreus</i> . <i>Preparative Biochemistry and Biotechnology</i> , 2016, 46, 298-304.	1.0	17
33	New insights into the substrate specificity of macrophage elastase MMP-12. <i>Biological Chemistry</i> , 2016, 397, 469-484.	1.2	13
34	The natural flavone fukugetin as a mixed-type inhibitor for human tissue kallikreins. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 1485-1489.	1.0	12
35	Analysis of catalytic properties of tripeptidyl peptidase I (TTP-I), a serine carboxyl lysosomal protease, and its detection in tissue extracts using selective FRET peptide substrate. <i>Peptides</i> , 2016, 76, 80-86.	1.2	3
36	Does the Capsule Interfere with Performance of Matrix-Assisted Laser Desorption Ionizationâ€™Time of Flight Mass Spectrometry for Identification of <i>Cryptococcus neoformans</i> and <i>Cryptococcus gattii</i> ?. <i>Journal of Clinical Microbiology</i> , 2016, 54, 474-477.	1.8	9

#	ARTICLE	IF	CITATIONS
37	Analysis of the Specificity and Biochemical Characterization of Metalloproteases Isolated from <i>Eupenicillium javanicum</i> Using Fluorescence Resonance Energy Transfer Peptides. <i>Frontiers in Microbiology</i> , 2016, 7, 2141.	1.5	6
38	Halotolerant bacteria in the São Paulo Zoo composting process and their hydrolases and bioproducts. <i>Brazilian Journal of Microbiology</i> , 2015, 46, 347-354.	0.8	9
39	Synthesis, biological evaluation, and docking studies of PAR2-AP-derived pseudopeptides as inhibitors of kallikrein 5 and 6. <i>Biological Chemistry</i> , 2015, 396, 45-52.	1.2	4
40	Matrix-Assisted Laser Desorption Ionization-“Time of Flight Mass Spectrometry for Differentiation of the Dimorphic Fungal Species <i>Paracoccidioides brasiliensis</i> and <i>Paracoccidioides lutzii</i> . <i>Journal of Clinical Microbiology</i> , 2015, 53, 1383-1386.	1.8	29
41	The Serine Protease Pic From Enteroaggregative <i>Escherichia coli</i> Mediates Immune Evasion by the Direct Cleavage of Complement Proteins. <i>Journal of Infectious Diseases</i> , 2015, 212, 106-115.	1.9	41
42	Characterization of angiotensin I-converting enzyme from anterior gills of the mangrove crab <i>Ucides cordatus</i> . <i>International Journal of Biological Macromolecules</i> , 2015, 74, 304-309.	3.6	1
43	Antihypertensive therapy increases natural immunity response in hypertensive patients. <i>Life Sciences</i> , 2015, 143, 124-130.	2.0	14
44	Pharmacological Activities and Hydrolysis by Peptidases of [Phospho-Ser6]-Bradykinin (pS6-BK). <i>Biochemical Pharmacology</i> , 2015, 97, 203-214.	2.0	2
45	Substrate specificity of mitochondrial intermediate peptidase analysed by a support-bound peptide library. <i>FEBS Open Bio</i> , 2015, 5, 429-436.	1.0	3
46	Specific calpain activity evaluation in <i>Plasmodium</i> parasites. <i>Analytical Biochemistry</i> , 2015, 468, 22-27.	1.1	5
47	Specificity studies on Kallikrein-related peptidase 7 (KLK7) and effects of osmolytes and glycosaminoglycans on its peptidase activity. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2015, 1854, 73-83.	1.1	16
48	Determination of Specificity and Biochemical Characteristics of Neutral Protease Isolated from <i>Myceliophthora thermophila</i> . <i>Protein and Peptide Letters</i> , 2015, 22, 972-982.	0.4	8
49	A Natural Bacterial-Derived Product, the Metalloprotease Arazyme, Inhibits Metastatic Murine Melanoma by Inducing MMP-8 Cross-Reactive Antibodies. <i>PLoS ONE</i> , 2014, 9, e96141.	1.1	17
50	Ecotin-Like ISP of <i>L. major</i> Promastigotes Fine-Tunes Macrophage Phagocytosis by Limiting the Pericellular Release of Bradykinin from Surface-Bound Kininogens: A Survival Strategy Based on the Silencing of Proinflammatory G-Protein Coupled Kinin B ₂ and B ₁ Receptors. <i>Mediators of Inflammation</i> , 2014, 2014, 1-12.	1.4	10
51	P-I class metalloproteinase from <i>Bothrops moojeni</i> venom is a post-proline cleaving peptidase with kininogenase activity: Insights into substrate selectivity and kinetic behavior. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014, 1844, 545-552.	1.1	17
52	Peptidomic analysis of the neurolysin-knockout mouse brain. <i>Journal of Proteomics</i> , 2014, 111, 238-248.	1.2	25
53	Immune Evasion by Pathogenic <i>Leptospira</i> Strains: The Secretion of Proteases that Directly Cleave Complement Proteins. <i>Journal of Infectious Diseases</i> , 2014, 209, 876-886.	1.9	82
54	Fibronectin-Degrading Activity of <i>Trypanosoma cruzi</i> Cysteine Proteinase Plays a Role in Host Cell Invasion. <i>Infection and Immunity</i> , 2014, 82, 5166-5174.	1.0	16

#	ARTICLE	IF	CITATIONS
55	Foot-and-mouth disease virus leader proteinase: Structural insights into the mechanism of intermolecular cleavage. <i>Virology</i> , 2014, 468-470, 397-408.	1.1	12
56	Isomannide-Based Peptidomimetics as Inhibitors for Human Tissue Kallikreins 5 and 7. <i>ACS Medicinal Chemistry Letters</i> , 2014, 5, 128-132.	1.3	31
57	FRET Studies of Conformational Changes in Heparin-Binding Peptides. <i>Journal of Fluorescence</i> , 2014, 24, 885-894.	1.3	3
58	Enzyme specificity and effects of gyroxin, a serine protease from the venom of the South American rattlesnake <i>Crotalus durissus terrificus</i> , on protease-activated receptors. <i>Toxicon</i> , 2014, 79, 64-71.	0.8	7
59	Analysis of peptidase activities of a cathepsin B-like (TcoCBc1) from <i>Trypanosoma congolense</i> . <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014, 1844, 1260-1267.	1.1	1
60	Detection of carbapenemase activity directly from blood culture vials using MALDI-TOF MS: a quick answer for the right decision. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 2132-2136.	1.3	62
61	Improvement in ambulatory blood pressure and vascular function is associated with increase in igm anti-apob-d autoantibodies. <i>Atherosclerosis</i> , 2014, 235, e149-e150.	0.4	0
62	The Identification and Biochemical Properties of the Catalytic Specificity of a Serine Peptidase Secreted by <i>Aspergillus fumigatus</i> Fresenius. <i>Protein and Peptide Letters</i> , 2014, 21, 663-671.	0.4	21
63	An antigenic domain of the <i>Leishmania amazonensis</i> nucleoside triphosphate diphosphohydrolase (NTPDase 1) is associated with disease progression in susceptible infected mice. <i>Parasitology Research</i> , 2013, 112, 2773-2782.	0.6	13
64	CXCL12 N-terminal end is sufficient to induce chemotaxis and proliferation of neural stem/progenitor cells. <i>Stem Cell Research</i> , 2013, 11, 913-925.	0.3	40
65	<i>Mycoplasma hyopneumoniae</i> in vitro peptidase activities: Identification and cleavage of kallikrein-kinin system-like substrates. <i>Veterinary Microbiology</i> , 2013, 163, 264-273.	0.8	12
66	¹⁷ Î²-Estradiol and steady-state concentrations of H ₂ O ₂ : antiapoptotic effect in endometrial cells from patients with endometriosis. <i>Free Radical Biology and Medicine</i> , 2013, 60, 63-72.	1.3	24
67	Novel Family of Insect Salivary Inhibitors Blocks Contact Pathway Activation by Binding to Polyphosphate, Heparin, and Dextran Sulfate. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 2759-2770.	1.1	36
68	Oligopeptidases B from <i>Trypanosoma cruzi</i> and <i>Trypanosoma brucei</i> Inhibit Inflammatory Pain in Mice by Targeting Serotonergic Receptors. <i>Inflammation</i> , 2013, 36, 705-712.	1.7	2
69	Substrate specificity studies of the cysteine peptidases falcipain-2 and falcipain-3 from <i>Plasmodium falciparum</i> and demonstration of their kininogenase activity. <i>Molecular and Biochemical Parasitology</i> , 2013, 187, 111-116.	0.5	18
70	Studies on the peptidase activity of transthyretin (TTR). <i>Biochimie</i> , 2013, 95, 215-223.	1.3	13
71	Human tissue kallikreins 3 and 5 can act as plasminogen activator releasing active plasmin. <i>Biochemical and Biophysical Research Communications</i> , 2013, 433, 333-337.	1.0	14
72	Purification, Characterization, and Specificity Determination of a New Serine Protease Secreted by <i>Penicillium waksmanii</i> . <i>Applied Biochemistry and Biotechnology</i> , 2013, 169, 201-214.	1.4	25

#	ARTICLE	IF	CITATIONS
73	Substrate specificity and the effect of calcium on <i>Trypanosoma brucei</i> metacaspase 2. FEBS Journal, 2013, 280, 2608-2621.	2.2	22
74	Tick Heme-Binding Aspartic Proteinase. , 2013, , 108-109.		0
75	The route of antimicrobial resistance from the hospital effluent to the environment: focus on the occurrence of KPC-producing <i>Aeromonas</i> spp. and <i>Enterobacteriaceae</i> in sewage. Diagnostic Microbiology and Infectious Disease, 2013, 76, 80-85.	0.8	139
76	Obesity Modulates the Immune Response to Oxidized LDL in Hypertensive Patients. Cell Biochemistry and Biophysics, 2013, 67, 1451-1460.	0.9	10
77	The loops facing the active site of prolyl oligopeptidase are crucial components in substrate gating and specificity. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2013, 1834, 98-111.	1.1	29
78	An antigenic domain within a catalytically active <i>Leishmania infantum</i> nucleoside triphosphate diphosphohydrolase (NTPDase 1) is a target of inhibitory antibodies. Parasitology International, 2013, 62, 44-52.	0.6	15
79	Non-peptidic Cruzain Inhibitors with Trypanocidal Activity Discovered by Virtual Screening and In Vitro Assay. PLoS Neglected Tropical Diseases, 2013, 7, e2370.	1.3	63
80	Detection of SPM-1-Producing <i>Pseudomonas aeruginosa</i> and Class D β -Lactamase-Producing <i>Acinetobacter baumannii</i> Isolates by Use of Liquid Chromatography-Mass Spectrometry and Matrix-Assisted Laser Desorption Ionization- ² Time of Flight Mass Spectrometry. Journal of Clinical Microbiology, 2013, 51, 287-290.	1.8	56
81	Tropolysin. , 2013, , 515-518.		0
82	Metagenomic Analysis of a Tropical Composting Operation at the São Paulo Zoo Park Reveals Diversity of Biomass Degradation Functions and Organisms. PLoS ONE, 2013, 8, e61928.	1.1	91
83	Rescue of Amyloid-Beta-Induced Inhibition of Nicotinic Acetylcholine Receptors by a Peptide Homologous to the Nicotine Binding Domain of the Alpha 7 Subtype. PLoS ONE, 2013, 8, e67194.	1.1	11
84	Heparin Modulates the Endopeptidase Activity of <i>Leishmania mexicana</i> Cysteine Protease Cathepsin L-Like rCPB2.8. PLoS ONE, 2013, 8, e80153.	1.1	18
85	Investigation of Thrombin Activity with PAR 1-based Fluorogenic Peptides. Protein and Peptide Letters, 2013, 20, 1129-1135.	0.4	0
86	Transthyretin is a metallopeptidase with an inducible active site. Biochemical Journal, 2012, 443, 769-778.	1.7	40
87	<i>Leishmania (Viannia) braziliensis</i> nucleoside triphosphate diphosphohydrolase (NTPDase 1): Localization and in vitro inhibition of promastigotes growth by polyclonal antibodies. Experimental Parasitology, 2012, 132, 293-299.	0.5	17
88	Isomannide derivatives as new class of inhibitors for human kallikrein 7. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 6072-6075.	1.0	22
89	Foot and mouth disease leader protease (Lbpro): Investigation of prime side specificity allows the synthesis of a potent inhibitor. Biochimie, 2012, 94, 711-718.	1.3	6
90	Correlation between catalysis and tertiary structure arrangement in an archaeal halophilic subtilase. Biochimie, 2012, 94, 798-805.	1.3	11

#	ARTICLE	IF	CITATIONS
91	A motif within the N-terminal domain of TSP-1 specifically promotes the proangiogenic activity of endothelial colony-forming cells. <i>Biochemical Pharmacology</i> , 2012, 84, 1014-1023.	2.0	17
92	Kinetic characterization of gyroxin, a serine protease from <i>Crotalus durissus terrificus</i> venom. <i>Biochimie</i> , 2012, 94, 2791-2793.	1.3	8
93	Intracellular proteolysis of kininogen by malaria parasites promotes release of active kinins. <i>Malaria Journal</i> , 2012, 11, 156.	0.8	24
94	Extracellular ATP triggers proteolysis and cytosolic Ca ²⁺ rise in <i>Plasmodium berghei</i> and <i>Plasmodium yoelii</i> malaria parasites. <i>Malaria Journal</i> , 2012, 11, 69.	0.8	30
95	Measurement of Neutrophil Elastase, Proteinase 3, and Cathepsin G Activities using Intramolecularly Quenched Fluorogenic Substrates. <i>Methods in Molecular Biology</i> , 2012, 844, 125-138.	0.4	10
96	Kallikrein Protease Activated Receptor (PAR) Axis: An Attractive Target for Drug Development. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 6669-6686.	2.9	15
97	End-to-end Distance Distribution in Fluorescent Derivatives of Bradykinin in Interaction with Lipid Vesicles. <i>Journal of Fluorescence</i> , 2012, 22, 1151-1158.	1.3	8
98	Internally quenched fluorescent peptide libraries with randomized sequences designed to detect endopeptidases. <i>Analytical Biochemistry</i> , 2012, 421, 299-307.	1.1	27
99	Characterization of the M32 metalloprotease of <i>Trypanosoma brucei</i> : Differences and similarities with its orthologue in <i>Trypanosoma cruzi</i> . <i>Molecular and Biochemical Parasitology</i> , 2012, 184, 63-70.	0.5	15
100	<i>Leishmania (L.) amazonensis</i> peptidase activities inside the living cells and in their lysates. <i>Molecular and Biochemical Parasitology</i> , 2012, 184, 82-89.	0.5	9
101	A tellurium-based cathepsin B inhibitor: Molecular structure, modelling, molecular docking and biological evaluation. <i>Journal of Molecular Structure</i> , 2012, 1013, 11-18.	1.8	19
102	Cysteine 904 Is Required for Maximal Insulin Degrading Enzyme Activity and Polyanion Activation. <i>PLoS ONE</i> , 2012, 7, e46790.	1.1	4
103	Substrate specificity of kallikrein-related peptidase 13 activated by salts or glycosaminoglycans and a search for natural substrate candidates. <i>Biochimie</i> , 2011, 93, 1701-1709.	1.3	13
104	Yellow fever virus NS2B/NS3 protease: Hydrolytic Properties and Substrate Specificity. <i>Biochemical and Biophysical Research Communications</i> , 2011, 407, 640-644.	1.0	8
105	Hysteretic Behavior of Proprotein Convertase 1/3 (PC1/3). <i>PLoS ONE</i> , 2011, 6, e24545.	1.1	8
106	Immunostimulatory property of a synthetic peptide belonging to the soluble ATP diphosphohydro-lase isoform (SmATPDase 2) and immunolocalisation of this protein in the <i>Schistosoma mansoni</i> egg. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2011, 106, 808-813.	0.8	15
107	Identification of the Allosteric Regulatory Site of Insulysin. <i>PLoS ONE</i> , 2011, 6, e20864.	1.1	34
108	Mechanism of Heparin Acceleration of Tissue Inhibitor of Metalloproteases-1 (TIMP-1) Degradation by the Human Neutrophil Elastase. <i>PLoS ONE</i> , 2011, 6, e21525.	1.1	12

#	ARTICLE	IF	CITATIONS
109	Discriminating between the activities of human cathepsin G and chymase using fluorogenic substrates. <i>FEBS Journal</i> , 2011, 278, 2635-2646.	2.2	8
110	Purification and characterization of a new alkaline serine protease from the thermophilic fungus <i>Myceliophthora</i> sp.. <i>Process Biochemistry</i> , 2011, 46, 2137-2143.	1.8	50
111	FRET peptides reveal differential proteolytic activation in intraerythrocytic stages of the malaria parasites <i>Plasmodium berghei</i> and <i>Plasmodium yoelii</i> . <i>International Journal for Parasitology</i> , 2011, 41, 363-372.	1.3	12
112	Biological evaluation and docking studies of natural isocoumarins as inhibitors for human kallikrein 5 and 7. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 6112-6115.	1.0	45
113	Leviserpin: A Serine Peptidase Inhibitor (Serpine) from the Sugarcane Weevil <i>Sphenophorus levis</i> . <i>Protein Journal</i> , 2011, 30, 404-412.	0.7	6
114	Structure-activity relationships of hypervalent organochalcogenanes as inhibitors of cysteine cathepsins V and S. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 2009-2014.	1.4	27
115	Poliovirus 3C proteinase inhibition by organotelluranes. <i>Biological Chemistry</i> , 2011, 392, 587-91.	1.2	13
116	Amylolytic Microorganism from São Paulo Zoo Composting: Isolation, Identification, and Amylase Production. <i>Enzyme Research</i> , 2011, 2011, 1-8.	1.8	36
117	<i>Trypanosoma brucei</i> Metacaspase 4 Is a Pseudopeptidase and a Virulence Factor. <i>Journal of Biological Chemistry</i> , 2011, 286, 39914-39925.	1.6	61
118	Salt Effect on Substrate Specificity of a Subtilisin-Like Halophilic Protease. <i>Protein and Peptide Letters</i> , 2010, 17, 796-802.	0.4	5
119	Involvement of proteinase-activated receptors 1 and 2 in spreading and phagocytosis by murine adherent peritoneal cells: Modulation by the C-terminal of S100A9 protein. <i>European Journal of Pharmacology</i> , 2010, 628, 240-246.	1.7	11
120	The role of kinin B ₁ and B ₂ receptors in the scratching behaviour induced by proteinase-activated receptor agonists in mice. <i>British Journal of Pharmacology</i> , 2010, 159, 888-897.	2.7	27
121	Chemoenzymatic synthesis of organoselenium(IV) compounds and their evaluation as cysteine protease inhibitors. <i>Journal of the Brazilian Chemical Society</i> , 2010, 21, 2108-2118.	0.6	14
122	Increase of SARS-CoV 3CL peptidase activity due to macromolecular crowding effects in the milieu composition. <i>Biological Chemistry</i> , 2010, 391, 1461-8.	1.2	16
123	Cytochemical localization of ATP diphosphohydrolase from <i>Leishmania (Viannia) braziliensis</i> promastigotes and identification of an antigenic and catalytically active isoform. <i>Parasitology</i> , 2010, 137, 773-783.	0.7	15
124	Catalytic properties of thimet oligopeptidase H600A mutant. <i>Biochemical and Biophysical Research Communications</i> , 2010, 394, 429-433.	1.0	4
125	Substrate specificity and inhibition of human kallikrein-related peptidase 3 (KLK3 or PSA) activated with sodium citrate and glycosaminoglycans. <i>Archives of Biochemistry and Biophysics</i> , 2010, 498, 74-82.	1.4	19
126	Cruzain inhibition by hydroxymethylnitrofurazone and nitrofurazone: investigation of a new target in <i>Trypanosoma cruzi</i> . <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2010, 25, 62-67.	2.5	25

#	ARTICLE	IF	CITATIONS
127	Effects of magnesium ions on recombinant human furin: selective activation of hydrolytic activity upon substrates derived from virus envelope glycoprotein. <i>Biological Chemistry</i> , 2010, 391, 1105-12.	1.2	7
128	Studies on the Catalytic Mechanism of a Glutamic Peptidase. <i>Journal of Biological Chemistry</i> , 2010, 285, 21437-21445.	1.6	23
129	A glimpse on biological activities of tellurium compounds. <i>Anais Da Academia Brasileira De Ciencias</i> , 2009, 81, 393-407.	0.3	152
130	Characterization of unusual families of ATG8-like proteins and ATG12 in the protozoan parasite <i>Leishmania major</i> . <i>Autophagy</i> , 2009, 5, 159-172.	4.3	89
131	Structural Characterization of Mouse Neutrophil Serine Proteases and Identification of Their Substrate Specificities. <i>Journal of Biological Chemistry</i> , 2009, 284, 34084-34091.	1.6	52
132	Solvent Effects in Optical Spectra of ortho-Aminobenzoic Acid Derivatives. <i>Journal of Fluorescence</i> , 2009, 19, 1053-1060.	1.3	21
133	A multifunctional serine protease primes the malaria parasite for red blood cell invasion. <i>EMBO Journal</i> , 2009, 28, 725-735.	3.5	133
134	Analgesic properties of S100A9 C-terminal domain: a mechanism dependent on calcium channel inhibition. <i>Fundamental and Clinical Pharmacology</i> , 2009, 23, 427-438.	1.0	14
135	Kinetic analysis of salting activation of a subtilisin-like halophilic protease. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2009, 1794, 367-373.	1.1	16
136	Mammalian Pitrilysin: Substrate Specificity and Mitochondrial Targeting. <i>Biochemistry</i> , 2009, 48, 2868-2877.	1.2	21
137	Biochemical and Functional Characterization of a Metalloprotease from the Thermophilic Fungus <i>Thermoascus aurantiacus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 9210-9217.	2.4	30
138	Hydrolytic Properties and Substrate Specificity of the Foot-and-Mouth Disease Leader Protease. <i>Biochemistry</i> , 2009, 48, 7948-7958.	1.2	13
139	A study of human furin specificity using synthetic peptides derived from natural substrates, and effects of potassium ions. <i>Archives of Biochemistry and Biophysics</i> , 2009, 487, 105-114.	1.4	40
140	Irreversible inhibition of human cathepsins B, L, S and K by hypervalent tellurium compounds. <i>Biological Chemistry</i> , 2009, 390, 1205-1212.	1.2	33
141	The use of Fluorescence Resonance Energy Transfer (FRET) peptides for measurement of clinically important proteolytic enzymes. <i>Anais Da Academia Brasileira De Ciencias</i> , 2009, 81, 381-392.	0.3	23
142	Specificity of the Dynorphin-Processing Endoprotease: Comparison with Prohormone Convertases. <i>Journal of Neurochemistry</i> , 2008, 72, 2120-2126.	2.1	11
143	A minor β -structured conformation is the active state of a fusion peptide of vesicular stomatitis virus glycoprotein. <i>Journal of Peptide Science</i> , 2008, 14, 429-435.	0.8	3
144	The electronic delocalization in <i>para</i> -substituted nitrostyrenes probed by resonance Raman spectroscopy and quantum-chemical calculations. <i>Journal of Raman Spectroscopy</i> , 2008, 39, 453-459.	1.2	7

#	ARTICLE	IF	CITATIONS
145	Syndecanâ€4 contributes to endothelial tubulogenesis through interactions with two motifs inside the proâ€angiogenic Nâ€terminal domain of thrombospondinâ€1. <i>Journal of Cellular Physiology</i> , 2008, 214, 828-837.	2.0	51
146	Uncovering false positives on a virtual screening search for cruzain inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 350-354.	1.0	19
147	Evidence for the role of neurogenic inflammation components in trypsinâ€elicited scratching behaviour in mice. <i>British Journal of Pharmacology</i> , 2008, 154, 1094-1103.	2.7	82
148	Measuring elastase, proteinase 3 and cathepsin G activities at the surface of human neutrophils with fluorescence resonance energy transfer substrates. <i>Nature Protocols</i> , 2008, 3, 991-1000.	5.5	142
149	Mechanisms underlying the nociceptive and inflammatory responses induced by trypsin in the mouse paw. <i>European Journal of Pharmacology</i> , 2008, 581, 204-215.	1.7	34
150	Expression and substrate specificity of a recombinant cysteine proteinase B of <i>Leishmania braziliensis</i> . <i>Molecular and Biochemical Parasitology</i> , 2008, 161, 91-100.	0.5	9
151	Protective effect of the organotelluroxetane RF-07 in pilocarpine-induced status epilepticus. <i>Neurobiology of Disease</i> , 2008, 31, 120-126.	2.1	35
152	Kinin B2receptor regulates chemokines CCL2 and CCL5 expression and modulates leukocyte recruitment and pathology in experimental autoimmune encephalomyelitis (EAE) in mice. <i>Journal of Neuroinflammation</i> , 2008, 5, 49.	3.1	45
153	Interaction between dengue virus fusion peptide and lipid bilayers depends on peptide clustering. <i>Molecular Membrane Biology</i> , 2008, 25, 128-138.	2.0	30
154	Subsite substrate specificity of midgut insect chymotrypsins. <i>Insect Biochemistry and Molecular Biology</i> , 2008, 38, 628-633.	1.2	19
155	Antinociceptive effect of the C-terminus of murine S100A9 protein on experimental neuropathic pain. <i>Peptides</i> , 2008, 29, 1806-1814.	1.2	11
156	The critical interaction of the metallopeptidase PHEX with heparan sulfate proteoglycans. <i>International Journal of Biochemistry and Cell Biology</i> , 2008, 40, 2781-2792.	1.2	4
157	BYC, an atypical aspartic endopeptidase from <i>Rhipicephalus (Boophilus) microplus</i> eggs. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2008, 149, 599-607.	0.7	22
158	S ₁ and S ₂ subsite specificities of human plasma kallikrein and tissue kallikrein 1 for the hydrolysis of peptides derived from the bradykinin domain of human kininogen. <i>Biological Chemistry</i> , 2008, 389, 1487-1494.	1.2	8
159	Amyloid-Î² Binds to the Extracellular Cysteine-rich Domain of Frizzled and Inhibits Wnt/Î²-Catenin Signaling. <i>Journal of Biological Chemistry</i> , 2008, 283, 9359-9368.	1.6	214
160	Purification, Biochemical and Functional Characterization of Miliin, a New Thiol-Dependent Serine Protease Isolated from the Latex of <i>Euphorbia milii</i> . <i>Protein and Peptide Letters</i> , 2008, 15, 724-730.	0.4	14
161	Enzymatic Profiling of Tetanus and Botulinum Neurotoxins Based on Vesicle-Associated-Membrane Protein Derived Fluorogenic Substrates. <i>Protein and Peptide Letters</i> , 2008, 15, 1100-1106.	0.4	8
162	T-Cell Recognition of <i>Paracoccidioides brasiliensis</i> gp43-Derived Peptides in Patients with Paracoccidioidomycosis and Healthy Individuals. <i>Vaccine Journal</i> , 2007, 14, 474-476.	3.2	22

#	ARTICLE	IF	CITATIONS
163	Influence of Charge Distribution at the Active Site Surface on the Substrate Specificity of Human Neutrophil Protease 3 and Elastase. <i>Journal of Biological Chemistry</i> , 2007, 282, 1989-1997.	1.6	56
164	Neprilysin carboxydipeptidase specificity studies and improvement in its detection with fluorescence energy transfer peptides. <i>Biological Chemistry</i> , 2007, 388, 447-55.	1.2	22
165	The role of Tyr605 and Ala607 of thimet oligopeptidase and Tyr606 and Gly608 of neurolysin in substrate hydrolysis and inhibitor binding. <i>Biochemical Journal</i> , 2007, 404, 279-288.	1.7	19
166	Fluorescence resonance energy transfer (FRET) peptides and cycloretro-inverso peptides derived from bradykinin as substrates and inhibitors of prolyl oligopeptidase. <i>Peptides</i> , 2007, 28, 2146-2154.	1.2	13
167	In vitro and in vivo degradation of A β peptide by peptidases coupled to erythrocytes. <i>Peptides</i> , 2007, 28, 2348-2355.	1.2	20
168	Substrate specificity of recombinant dengue 2 virus NS2B-NS3 protease: Influence of natural and unnatural basic amino acids on hydrolysis of synthetic fluorescent substrates. <i>Archives of Biochemistry and Biophysics</i> , 2007, 457, 187-196.	1.4	36
169	Investigating the Substrate Specificity and Oligomerisation of the Leader Protease of Foot and Mouth Disease Virus using NMR. <i>Journal of Molecular Biology</i> , 2007, 373, 1071-1087.	2.0	16
170	Metacaspase 2 of <i>Trypanosoma brucei</i> is a calcium-dependent cysteine peptidase active without processing. <i>FEBS Letters</i> , 2007, 581, 5635-5639.	1.3	80
171	Controlled Peptide Solvation in Portion-Mixing Libraries of FRET Peptides: Improved Specificity Determination for Dengue 2 Virus NS2B-NS3 Protease and Human Cathepsin S. <i>ACS Combinatorial Science</i> , 2007, 9, 627-634.	3.3	18
172	Characterization of thimet oligopeptidase and neurolysin activities in B16F10-Nex2 tumor cells and their involvement in angiogenesis and tumor growth. <i>Molecular Cancer</i> , 2007, 6, 44.	7.9	43
173	Determination of angiotensin I-converting enzyme activity in cell culture using fluorescence resonance energy transfer peptides. <i>Analytical Biochemistry</i> , 2007, 363, 255-262.	1.1	13
174	Kosmotropic Salt Activation and Substrate Specificity of Poliovirus Protease 3C. <i>Biochemistry</i> , 2006, 45, 12083-12089.	1.2	28
175	Lytic Activity and Structural Differences of Amphipathic Peptides Derived from Trialysin. <i>Biochemistry</i> , 2006, 45, 1765-1774.	1.2	31
176	Charged residues are involved in membrane fusion mediated by a hydrophilic peptide located in vesicular stomatitis virus G protein. <i>Molecular Membrane Biology</i> , 2006, 23, 396-406.	2.0	7
177	Substrate specificity of insect trypsins and the role of their subsites in catalysis. <i>Insect Biochemistry and Molecular Biology</i> , 2006, 36, 130-140.	1.2	55
178	Effect of the C-terminus of murine S100A9 protein on experimental nociception. <i>Peptides</i> , 2006, 27, 2794-2802.	1.2	13
179	Mechanism of action and determination of the best substrate for a thrombin-like enzyme from <i>Lachesis muta muta</i> venom by regression analysis of the kinetic parameters determined with peptidyl p-nitroanilide substrates. <i>Toxicon</i> , 2006, 47, 453-458.	0.8	5
180	The substrate specificity of cruzipain 2, a cysteine protease isoform from <i>Trypanosoma cruzi</i> . <i>FEMS Microbiology Letters</i> , 2006, 259, 215-220.	0.7	29

#	ARTICLE	IF	CITATIONS
181	A continuous fluorescence resonance energy transfer angiotensin I-converting enzyme assay. <i>Nature Protocols</i> , 2006, 1, 1971-1976.	5.5	84
182	The C-terminus of murine S100A9 protein inhibits hyperalgesia induced by the agonist peptide of protease-activated receptor 2 (PAR2). <i>British Journal of Pharmacology</i> , 2006, 149, 374-384.	2.7	8
183	Spectroscopic characterization of 2-amino-N-hexadecyl-benzamide (AHBA), a new fluorescence probe for membranes. <i>Biophysical Chemistry</i> , 2006, 124, 125-133.	1.5	29
184	Angiotensin I-converting enzyme inhibitor peptides derived from the endostatin-containing NC1 fragment of human collagen XVIII. <i>Biological Chemistry</i> , 2006, 387, 611-6.	1.2	9
185	Probing the interaction between vesicular stomatitis virus and phosphatidylserine. <i>European Biophysics Journal</i> , 2006, 35, 145-154.	1.2	43
186	Preliminary Functional Characterization, Cloning and Primary Sequence of Fastuosain, a Cysteine Peptidase Isolated from Fruits of <i>Bromelia fastuosa</i> . <i>Protein and Peptide Letters</i> , 2006, 13, 83-89.	0.4	22
187	Substrate Specificity of Human Kallikrein 6. <i>Journal of Biological Chemistry</i> , 2006, 281, 3116-3126.	1.6	89
188	Human recombinant membrane-bound aminopeptidase P: production of a soluble form and characterization using novel, internally quenched fluorescent substrates. <i>Biochemical Journal</i> , 2005, 385, 389-397.	1.7	29
189	T cell epitope characterization in tandemly repetitive B13 protein. <i>Microbes and Infection</i> , 2005, 7, 1184-1195.	1.0	13
190	Characterization of arazyme, an exocellular metalloprotease isolated from <i>Serratia proteamaculans</i> culture medium. <i>Enzyme and Microbial Technology</i> , 2005, 37, 574-581.	1.6	32
191	Calcium modulates endopeptidase 24.15 (EC 3.4.24.15) membrane association, secondary structure and substrate specificity. <i>FEBS Journal</i> , 2005, 272, 2978-2992.	2.2	18
192	Cysteine-protease activity elicited by Ca ²⁺ stimulus in <i>Plasmodium</i> . <i>Molecular and Biochemical Parasitology</i> , 2005, 141, 71-79.	0.5	41
193	Specific negative charges in cysteine protease isoforms of <i>Leishmania mexicana</i> are highly influential on the substrate binding and hydrolysis. <i>Molecular and Biochemical Parasitology</i> , 2005, 144, 36-43.	0.5	13
194	Straightforward Synthesis of Non-Natural Selenium Containing Amino Acid Derivatives and Peptides. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 4260-4264.	1.2	54
195	The C-terminus of murine S100A9 inhibits spreading and phagocytic activity of adherent peritoneal cells. <i>Inflammation Research</i> , 2005, 54, 204-210.	1.6	17
196	Peptide Blockers of the Inhibition of Neuronal Nicotinic Acetylcholine Receptors by Amyloid β . <i>Journal of Biological Chemistry</i> , 2005, 280, 31085-31090.	1.6	42
197	Mutations of the PC2 Substrate Binding Pocket Alter Enzyme Specificity. <i>Journal of Biological Chemistry</i> , 2005, 280, 31850-31858.	1.6	5
198	Mutation of Active Site Residues of Insulin-degrading Enzyme Alters Allosteric Interactions. <i>Journal of Biological Chemistry</i> , 2005, 280, 17701-17706.	1.6	31

#	ARTICLE	IF	CITATIONS
199	Controlling Î²-Amyloid Oligomerization by the Use of Naphthalene Sulfonates. <i>Journal of Biological Chemistry</i> , 2005, 280, 34747-34754.	1.6	60
200	Inhibition of Neutrophil Elastase by Î±1-Protease Inhibitor at the Surface of Human Polymorphonuclear Neutrophils. <i>Journal of Immunology</i> , 2005, 175, 3329-3338.	0.4	53
201	Recombinant human cathepsin X is a carboxymonopeptidase only: a comparison with cathepsins B and L. <i>Biological Chemistry</i> , 2005, 386, 1191-5.	1.2	30
202	A possible alternative mechanism of kinin generation in vivo by cathepsin L. <i>Biological Chemistry</i> , 2005, 386, 699-704.	1.2	17
203	Tropolysin, a New Oligopeptidase from African Trypanosomes. <i>Biochemistry</i> , 2005, 44, 14658-14669.	1.2	10
204	T-cell molecular mimicry in Chagas disease: identification and partial structural analysis of multiple cross-reactive epitopes between <i>Trypanosoma cruzi</i> B13 and cardiac myosin heavy chain. <i>Journal of Autoimmunity</i> , 2005, 24, 111-117.	3.0	57
205	Natterins, a new class of proteins with kininogenase activity characterized from fish venom. <i>Biochimie</i> , 2005, 87, 687-699.	1.3	108
206	Defining the substrate specificity of mouse cathepsin P. <i>Archives of Biochemistry and Biophysics</i> , 2005, 435, 190-196.	1.4	9
207	Cathepsin D-mediated yolk protein degradation is blocked by acid phosphatase inhibitors. <i>Archives of Biochemistry and Biophysics</i> , 2005, 436, 246-253.	1.4	46
208	Cathepsin X binds to cell surface heparan sulfate proteoglycans. <i>Archives of Biochemistry and Biophysics</i> , 2005, 436, 323-332.	1.4	52
209	Characterization of thimet- and neurolysin-like activities in <i>Escherichia coli</i> M3A peptidases and description of a specific substrate. <i>Archives of Biochemistry and Biophysics</i> , 2005, 441, 25-34.	1.4	9
210	Effects of 'casoparan', a peptide isolated from casein hydrolysates with mastoparan-like properties. <i>Mediators of Inflammation</i> , 2004, 13, 263-268.	1.4	8
211	High molecular weight kininogen as substrate for cathepsin B. <i>Biological Chemistry</i> , 2004, 385, 551-5.	1.2	12
212	Design and Use of Highly Specific Substrates of Neutrophil Elastase and Proteinase 3. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2004, 30, 801-807.	1.4	64
213	ATP Effects on Insulin-degrading Enzyme Are Mediated Primarily through Its Triphosphate Moiety. <i>Journal of Biological Chemistry</i> , 2004, 279, 54216-54220.	1.6	59
214	Serpin Mechanism of Hepatitis C Virus Nonstructural 3 (NS3) Protease Inhibition. <i>Journal of Biological Chemistry</i> , 2004, 279, 10222-10227.	1.6	15
215	Carboxydipeptidase activities of recombinant cysteine peptidases. <i>FEBS Journal</i> , 2004, 271, 1046-1053.	0.2	25
216	Differences in substrate specificities between cysteine protease CPB isoforms of <i>Leishmania mexicana</i> are mediated by a few amino acid changes. <i>FEBS Journal</i> , 2004, 271, 3704-3714.	0.2	19

#	ARTICLE	IF	CITATIONS
217	Schistosoma mansoni histone acetyltransferase GCN5: linking histone acetylation to gene activation. <i>Molecular and Biochemical Parasitology</i> , 2004, 133, 131-135.	0.5	28
218	Kininogenase activity of <i>Thalassophryne nattereri</i> fish venom. <i>Biochemical Pharmacology</i> , 2004, 68, 2151-2157.	2.0	55
219	Cyclic, Linear, Cycloretro-Isomer, and Cycloretro-Inverso Peptides Derived from the C-Terminal Sequence of Bradykinin as Substrates or Inhibitors of Serine and Cysteine Proteases. <i>Protein Journal</i> , 2004, 23, 287-294.	0.7	6
220	Positional-scanning combinatorial libraries of fluorescence resonance energy transfer peptides to define substrate specificity of carboxydipeptidases: assays with human cathepsin B. <i>Analytical Biochemistry</i> , 2004, 335, 244-252.	1.1	89
221	Positional-Scanning Combinatorial Libraries of Fluorescence Resonance Energy Transfer Peptides for Defining Substrate Specificity of the Angiotensin I-Converting Enzyme and Development of Selective C-Domain Substrates. <i>Biochemistry</i> , 2004, 43, 15729-15736.	1.2	32
222	Specificity comparison of a serine endopeptidase (SH1) and a serine thiol endopeptidase (STH2) purified from human urine. <i>International Journal of Biochemistry and Cell Biology</i> , 2004, 36, 1933-1944.	1.2	3
223	Modeling the <i>Trypanosoma cruzi</i> Tc85-11 protein and mapping the laminin-binding site. <i>Biochemical and Biophysical Research Communications</i> , 2004, 325, 612-618.	1.0	26
224	The C-terminus of murine S100A9 inhibits hyperalgesia and edema induced by jararhagin. <i>Peptides</i> , 2004, 25, 81-89.	1.2	27
225	Comparative substrate specificity analysis of recombinant human cathepsin V and cathepsin L. <i>Archives of Biochemistry and Biophysics</i> , 2004, 430, 274-283.	1.4	60
226	Differences in substrate and inhibitor sequence specificity of human, mouse and rat tissue kallikreins. <i>Biochemical Journal</i> , 2004, 380, 775-781.	1.7	22
227	Tick heme-binding aspartic proteinase. , 2004, , 76-77.		0
228	Biochemical and Pharmacological Aspects of Two Bradykinin-Potentiating Peptides Obtained from Tryptic Hydrolysis of Casein. <i>The Protein Journal</i> , 2003, 22, 601-606.	1.1	53
229	Polycationic peptides as inhibitors of mast cell serine proteases. <i>Biochemical Pharmacology</i> , 2003, 65, 1171-1180.	2.0	9
230	Tryptophan as a probe for acid-base equilibria in peptides. <i>Biopolymers</i> , 2003, 71, 569-576.	1.2	14
231	A fluorimetric method for the determination of pepsin activity. <i>Analytical Biochemistry</i> , 2003, 316, 11-14.	1.1	13
232	Role of the bradykinin B2 receptor for the local and systemic inflammatory response that follows severe reperfusion injury. <i>British Journal of Pharmacology</i> , 2003, 139, 129-139.	2.7	39
233	Nardilysin Cleaves Peptides at Monobasic Sites. <i>Biochemistry</i> , 2003, 42, 2239-2244.	1.2	16
234	Arginine Vasopressin Inhibition of Cyclin D1 Gene Expression Blocks the Cell Cycle and Cell Proliferation in the Mouse Y1 Adrenocortical Tumor Cell Line. <i>Biochemistry</i> , 2003, 42, 2116-2121.	1.2	18

#	ARTICLE	IF	CITATIONS
235	A structure-based site-directed mutagenesis study on the neurolysin (EC 3.4.24.16) and thimet oligopeptidase (EC 3.4.24.15) catalysis. <i>FEBS Letters</i> , 2003, 541, 89-92.	1.3	23
236	Membrane Fusion Induced by Vesicular Stomatitis Virus Depends on Histidine Protonation. <i>Journal of Biological Chemistry</i> , 2003, 278, 13789-13794.	1.6	70
237	Substrate Activation of Insulin-degrading Enzyme (Insulysin). <i>Journal of Biological Chemistry</i> , 2003, 278, 49789-49794.	1.6	112
238	Electrostatic Environment at the Active Site of Prolyl Oligopeptidase Is Highly Influential during Substrate Binding. <i>Journal of Biological Chemistry</i> , 2003, 278, 48786-48793.	1.6	29
239	Specificity of S'1 and S'2 subsites of human tissue kallikrein using the reactive-centre loop of kallistatin: the importance of P'1 and P'2 positions in design of inhibitors. <i>Biochemical Journal</i> , 2003, 371, 1021-1025.	1.7	6
240	Human recombinant endopeptidase PHEX has a strict S1' specificity for acidic residues and cleaves peptides derived from fibroblast growth factor-23 and matrix extracellular phosphoglycoprotein. <i>Biochemical Journal</i> , 2003, 373, 271-279.	1.7	93
241	Subsite specificity (S3, S2, S1', S2' and S3') of oligopeptidase B from <i>Trypanosoma cruzi</i> and <i>Trypanosoma brucei</i> using fluorescent quenched peptides: comparative study and identification of specific carboxypeptidase activity. <i>Biochemical Journal</i> , 2003, 373, 933-939.	1.7	28
242	S3 to S3' subsite specificity of recombinant human cathepsin K and development of selective internally quenched fluorescent substrates. <i>Biochemical Journal</i> , 2003, 373, 981-986.	1.7	60
243	In Silico Prediction of Peptides Binding to Multiple HLA-DR Molecules Accurately Identifies Immunodominant Epitopes from gp43 of <i>Paracoccidioides brasiliensis</i> Frequently Recognized in Primary Peripheral Blood Mononuclear Cell Responses from Sensitized Individuals. <i>Molecular Medicine</i> , 2003, 9, 209-219.	1.9	75
244	In silico prediction of peptides binding to multiple HLA-DR molecules accurately identifies immunodominant epitopes from gp43 of <i>Paracoccidioides brasiliensis</i> frequently recognized in primary peripheral blood mononuclear cell responses from sensitized individuals. <i>Molecular Medicine</i> , 2003, 9, 209-19.	1.9	39
245	Heparan Sulfate Modulates Kinin Release by <i>Trypanosoma cruzi</i> through the Activity of Cruzipain. <i>Journal of Biological Chemistry</i> , 2002, 277, 5875-5881.	1.6	86
246	Design of Inhibitors for Human Tissue Kallikrein Using Non-Natural Aromatic and Basic Amino Acids. <i>Biological Chemistry</i> , 2002, 383, 853-857.	1.2	9
247	Cathepsin B carboxydipeptidase specificity analysis using internally quenched fluorescent peptides. <i>Biochemical Journal</i> , 2002, 368, 365-369.	1.7	39
248	Interaction of heparin with internally quenched fluorogenic peptides derived from heparin-binding consensus sequences, kallistatin and anti-thrombin III. <i>Biochemical Journal</i> , 2002, 366, 435-446.	1.7	18
249	Measurement of free and membrane-bound cathepsin G in human neutrophils using new sensitive fluorogenic substrates. <i>Biochemical Journal</i> , 2002, 366, 965-970.	1.7	34
250	Solid-Phase Library Synthesis, Screening, and Selection of Tight-Binding Reduced Peptide Bond Inhibitors of a Recombinant <i>Leishmania mexicana</i> Cysteine Protease B. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 1971-1982.	2.9	46
251	Subsites of Trypsin Active Site Favor Catalysis or Substrate Binding. <i>Biochemical and Biophysical Research Communications</i> , 2002, 290, 494-497.	1.0	20
252	Discriminating between the Activities of Human Neutrophil Elastase and Proteinase 3 Using Serpin-derived Fluorogenic Substrates. <i>Journal of Biological Chemistry</i> , 2002, 277, 39074-39081.	1.6	47

#	ARTICLE	IF	CITATIONS
253	Identification of bradykinins in solitary wasp venoms. <i>Toxicon</i> , 2002, 40, 309-312.	0.8	45
254	Role of kinins and sensory neurons in the rat pleural leukocyte migration induced by Phoneutria nigriventer spider venom. <i>Neuroscience Letters</i> , 2002, 318, 158-162.	1.0	16
255	Mapping of the Catalytic Groove Preferences of Factor Xa Reveals an Inadequate Selectivity for Its Macromolecule Substrates. <i>Journal of Biological Chemistry</i> , 2002, 277, 20527-20534.	1.6	55
256	Design of new and sensitive fluorogenic substrates for human kallikrein hK3 (prostate-specific) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62.	2.1	16
257	Amidolytic activity of prostatic acid phosphatase on human semenogelins and semenogelin-derived synthetic substrates. <i>FEBS Journal</i> , 2002, 269, 390-395.	0.2	26
258	Temperature and salts effects on the peptidase activities of the recombinant metallooligopeptidases neurolysin and thimet oligopeptidase. <i>FEBS Journal</i> , 2002, 269, 4326-4334.	0.2	17
259	Development of an operational synaptobrevin-based fluorescent substrate for tetanus neurotoxin quantification. <i>Biotechnology and Applied Biochemistry</i> , 2002, 36, 155.	1.4	5
260	Investigation of enzyme activity and inhibition in the interior of novel solid supports. , 2002, , 14-20.		0
261	A combinatorial approach to the identification of cysteine protease substrates and inhibitors by application of a solid-phase fluorescence quenching assay. , 2002, , 456-458.		0
262	Retro-inverso peptide analogues of Trypanosoma cruzi B13 protein epitopes fail to be recognized by human sera and peripheral blood mononuclear cells. <i>Peptides</i> , 2001, 22, 853-860.	1.2	17
263	Isolation and sequence determination of peptides in the venom of the spider wasp (Cyphononyx) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 147 spectrometry. <i>Toxicon</i> , 2001, 39, 1257-1260.	0.8	32
264	Substrate Specificity Characterization of Recombinant Metallo Oligo-Peptidases Thimet Oligopeptidase and Neurolysinâ€. <i>Biochemistry</i> , 2001, 40, 4417-4425.	1.2	77
265	Human Tissue Kallikrein S1Subsite Recognition of Non-Natural Basic Amino Acidsâ€. <i>Biochemistry</i> , 2001, 40, 5226-5232.	1.2	11
266	S1subsite specificity of a recombinant cysteine proteinase, CPB, ofLeishmania mexicanacompared with cruzain, human cathepsin L and papain using substrates containing non-natural basic amino acids. <i>FEBS Journal</i> , 2001, 268, 1206-1212.	0.2	19
267	Comparison of the specificity, stability and individual rate constants with respective activation parameters for the peptidase activity of cruzipain and its recombinant form, cruzain, fromTrypanosoma cruzi. <i>FEBS Journal</i> , 2001, 268, 6578-6586.	0.2	30
268	Selective Neurotensin-Derived Internally Quenched Fluorogenic Substrates for Neurolysin (EC) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 <i>Biochemistry</i> , 2001, 292, 257-265.	1.1	36
269	Synthesis and Hydrolysis by Cysteine and Serine Proteases of Short Internally Quenched Fluorogenic Peptides. <i>Analytical Biochemistry</i> , 2001, 293, 71-77.	1.1	39
270	Cysteine protease isoforms from Trypanosoma cruzi, cruzipain 2 and cruzain, present different substrate preference and susceptibility to inhibitors. <i>Molecular and Biochemical Parasitology</i> , 2001, 114, 41-52.	0.5	74

#	ARTICLE	IF	CITATIONS
271	Identification of peptides inhibitory to recombinant cysteine proteinase, CPB, of <i>Leishmania mexicana</i> . <i>Molecular and Biochemical Parasitology</i> , 2001, 114, 81-88.	0.5	22
272	Substrate specificity of recombinant cysteine proteinase, CPB, of <i>Leishmania mexicana</i> . <i>Molecular and Biochemical Parasitology</i> , 2001, 116, 1-9.	0.5	20
273	Characterization of two cysteine proteinases secreted by <i>Fasciola hepatica</i> and demonstration of their kininogenase activity. <i>Molecular and Biochemical Parasitology</i> , 2001, 116, 109-115.	0.5	18
274	Analysis of the S2 subsite specificities of the recombinant cysteine proteinases CPB of <i>Leishmania mexicana</i> , and cruzain of <i>Trypanosoma cruzi</i> , using fluorescent substrates containing non-natural basic amino acids. <i>Molecular and Biochemical Parasitology</i> , 2001, 117, 137-143.	0.5	26
275	Substrate specificity of human cathepsin D using internally quenched fluorescent peptides derived from reactive site loop of kallistatin. <i>BBA - Proteins and Proteomics</i> , 2001, 1544, 113-122.	2.1	36
276	Synthesis and hydrolysis by cathepsin B of fluorogenic substrates with the general structure benzoyl-X-ARG-MCA containing non-natural basic amino acids at position X. <i>BBA - Proteins and Proteomics</i> , 2001, 1547, 82-94.	2.1	23
277	Purification and characterization of active recombinant rat kallikrein rK9. <i>BBA - Proteins and Proteomics</i> , 2001, 1547, 387-396.	2.1	12
278	DNA Converts Cellular Prion Protein into the β^2 -Sheet Conformation and Inhibits Prion Peptide Aggregation. <i>Journal of Biological Chemistry</i> , 2001, 276, 49400-49409.	1.6	190
279	Identification of a Major Heparin-binding Site in Kallistatin. <i>Journal of Biological Chemistry</i> , 2001, 276, 1276-1284.	1.6	51
280	Infection by <i>Trypanosoma cruzi</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 19382-19389.	1.6	112
281	Cathepsin B Activity Regulation. <i>Journal of Biological Chemistry</i> , 2001, 276, 944-951.	1.6	169
282	Analysis of the Subsite Specificity of Rat Insulysin Using Fluorogenic Peptide Substrates. <i>Journal of Biological Chemistry</i> , 2001, 276, 1152-1155.	1.6	35
283	Probing the Substrate Specificity of Hepatitis C Virus Nonstructural 3 Protein Serine Protease by Intramolecularly Quenched Fluorogenic Peptide Substrates. , 2001, , 563-564.		1
284	Probing the specificity of cysteine proteinases at subsites remote from the active site: analysis of P4, P3, P2 ϵ^2 and P3 ϵ^2 variations in extended substrates. <i>Biochemical Journal</i> , 2000, 347, 123.	1.7	30
285	Expression and characterization of a recombinant cysteine proteinase of <i>Leishmania mexicana</i> . <i>Biochemical Journal</i> , 2000, 347, 383.	1.7	43
286	Probing the specificity of cysteine proteinases at subsites remote from the active site: analysis of P4, P3, P2 ϵ^2 and P3 ϵ^2 variations in extended substrates. <i>Biochemical Journal</i> , 2000, 347, 123-129.	1.7	63
287	Expression and characterization of a recombinant cysteine proteinase of <i>Leishmania mexicana</i> . <i>Biochemical Journal</i> , 2000, 347, 383-388.	1.7	66
288	Characterization of thiol-, aspartyl-, and thiol-metallo-peptidase activities in Madin-Darby canine kidney cells. <i>Journal of Cellular Biochemistry</i> , 2000, 76, 478-488.	1.2	11

#	ARTICLE	IF	CITATIONS
289	The Substrate Specificity of a Recombinant Cysteine Protease from <i>Leishmania mexicana</i> : Application of a Combinatorial Peptide Library Approach. <i>ChemBioChem</i> , 2000, 1, 115-122.	1.3	41
290	Biochemical characterization of human cathepsin X revealed that the enzyme is an exopeptidase, acting as carboxymono-peptidase or carboxydipeptidase. <i>FEBS Journal</i> , 2000, 267, 5404-5412.	0.2	70
291	Evidence for activation of the tissue kallikrein-kinin system in nociceptive transmission and inflammatory responses of mice using a specific enzyme inhibitor. <i>British Journal of Pharmacology</i> , 2000, 130, 1099-1107.	2.7	14
292	Crystal structure of cathepsin X: a flip-flop of the ring of His23 allows carboxy-mono-peptidase and carboxy-dipeptidase activity of the protease. <i>Structure</i> , 2000, 8, 305-313.	1.6	79
293	Altered expression of cruzipain and a cathepsin B-like target in a <i>Trypanosoma cruzi</i> cell line displaying resistance to synthetic inhibitors of cysteine-proteinases. <i>Molecular and Biochemical Parasitology</i> , 2000, 109, 47-59.	0.5	41
294	Hydrolysis by plasma kallikrein of fluorogenic peptides derived from prorenin processing site. <i>BBA - Proteins and Proteomics</i> , 2000, 1479, 83-90.	2.1	9
295	Specificity of cathepsin B to fluorescent substrates containing benzyl side-chain-substituted amino acids at P1 subsite. <i>The Protein Journal</i> , 2000, 19, 33-38.	1.1	18
296	Alpha1-antichymotrypsin and kallistatin hydrolysis by human cathepsin D. <i>The Protein Journal</i> , 2000, 19, 411-418.	1.1	20
297	Peptidase Specificity Characterization of C- and N-Terminal Catalytic Sites of Angiotensin I-Converting Enzyme. <i>Biochemistry</i> , 2000, 39, 8519-8525.	1.2	145
298	Studies on the Subsite Specificity of Rat Nardilysin (N-Arginine Dibasic Convertase). <i>Journal of Biological Chemistry</i> , 2000, 275, 19545-19551.	1.6	16
299	The Role of Glu192 in the Allosteric Control of the S2 and S3 Subsites of Thrombin. <i>Journal of Biological Chemistry</i> , 2000, 275, 809-816.	1.6	15
300	A Heme-binding Aspartic Proteinase from the Eggs of the Hard Tick <i>Boophilus microplus</i> . <i>Journal of Biological Chemistry</i> , 2000, 275, 28659-28665.	1.6	66
301	Hydrolysis by Cathepsin B of Fluorescent Peptides Derived From Human Prorenin. <i>Hypertension</i> , 2000, 35, 1278-1283.	1.3	12
302	Host Cell Invasion by <i>TRYPANOSOMA CRUZI</i> Is Potentiated by Activation of Bradykinin B2 Receptors. <i>Journal of Experimental Medicine</i> , 2000, 192, 1289-1300.	4.2	216
303	Characterization of the Cell Adhesion Site of <i>Trypanosoma cruzi</i> Metacyclic Stage Surface Glycoprotein gp82. <i>Infection and Immunity</i> , 2000, 68, 478-484.	1.0	39
304	Structure-Function Analysis of the 7B2 CT Peptide. <i>Biochemical and Biophysical Research Communications</i> , 2000, 267, 940-942.	1.0	24
305	End-to-end distance distribution in bradykinin observed by Förster resonance energy transfer. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2000, 1474, 251-261.	1.1	35
306	Characterization of a prolyl endopeptidase (kininase) from human urine using fluorogenic quenched substrates. <i>International Journal of Biochemistry and Cell Biology</i> , 2000, 32, 1161-1172.	1.2	12

#	ARTICLE	IF	CITATIONS
307	Simple Modifications of the Serpin Reactive Site Loop Convert SCCA2 into a Cysteine Proteinase Inhibitor: A Critical Role for the P3 Proline in Facilitating RSL Cleavage. <i>Biochemistry</i> , 2000, 39, 7081-7091.	1.2	47
308	Development of a peptide-based ELISA for the detection of oxidized low density lipoprotein (oxLDL) with various degrees of oxidative modifications. <i>Atherosclerosis</i> , 2000, 151, 222.	0.4	0
309	Specificity of human tissue kallikrein towards substrates containing Phe-Phe pair of amino acids. <i>Biochemical Journal</i> , 1999, 339, 473-479.	1.7	23
310	Cysteine Proteinase Activity Regulation. <i>Journal of Biological Chemistry</i> , 1999, 274, 30433-30438.	1.6	51
311	A 36-Residue Peptide Contains All of the Information Required for 7B2-mediated Activation of Prohormone Convertase 2. <i>Journal of Biological Chemistry</i> , 1999, 274, 21471-21477.	1.6	30
312	Characterization of a kinin inactivating serine endopeptidase H2 (kininase) from human urine using fluorogenic substrates. <i>Immunopharmacology</i> , 1999, 45, 223-228.	2.0	4
313	Comparison of human and porcine tissue kallikrein substrate specificities. <i>Immunopharmacology</i> , 1999, 45, 151-157.	2.0	6
314	New Fluorogenic Substrates for N-Arginine Dibasic Convertase. <i>Analytical Biochemistry</i> , 1999, 269, 149-154.	1.1	20
315	New, Sensitive Fluorogenic Substrates for Human Cathepsin G Based on the Sequence of Serpin-reactive Site Loops. <i>Journal of Biological Chemistry</i> , 1999, 274, 13810-13817.	1.6	43
316	Fluorescence-Quenched Solid Phase Combinatorial Libraries in the Characterization of Cysteine Protease Substrate Specificity. <i>ACS Combinatorial Science</i> , 1999, 1, 509-523.	3.3	92
317	Kinetic Analysis of Spermine Binding to NRD Convertase. <i>Archives of Biochemistry and Biophysics</i> , 1999, 362, 291-300.	1.4	11
318	Thimet Oligopeptidase and the Stability of MHC Class I Epitopes in Macrophage Cytosol. <i>Biochemical and Biophysical Research Communications</i> , 1999, 255, 596-601.	1.0	50
319	Specificity of human tissue kallikrein towards substrates containing Phe-Phe pair of amino acids. <i>Biochemical Journal</i> , 1999, 339, 473.	1.7	16
320	Endocytic delivery of intramolecularly quenched substrates and inhibitors to the intracellular yeast Kex2 protease1. <i>Biochemical Journal</i> , 1999, 341, 445-452.	1.7	10
321	Endocytic delivery of intramolecularly quenched substrates and inhibitors to the intracellular yeast Kex2 protease1. <i>Biochemical Journal</i> , 1999, 341, 445.	1.7	2
322	Internally quenched fluorogenic substrates for angiotensin I-converting enzyme. <i>Journal of Hypertension</i> , 1999, 17, 665-672.	0.3	24
323	Title is missing!. <i>International Journal of Peptide Research and Therapeutics</i> , 1998, 5, 19-28.	0.1	2
324	Inhibition of cruzipain visualized in a fluorescence quenched solid-phase inhibitor library assay. D-Amino Acid Inhibitors for cruzipain, cathepsin B and cathepsin L. , 1998, 4, 83-91.		46

#	ARTICLE	IF	CITATIONS
325	Fluorescent properties of amino acids labeled with ortho-aminobenzoic acid. , 1998, 4, 395-402.		41
326	Reduction of ortho-aminobenzoyl-proline fluorescence and formation of pyrrolobenzodiazepine-5,11-dione. International Journal of Peptide Research and Therapeutics, 1998, 5, 19-28.	0.1	2
327	Ortho-aminobenzoic acid as a fluorescent probe for the interaction between peptides and micelles. Biophysical Chemistry, 1998, 73, 217-225.	1.5	38
328	Specificity of Prohormone Convertase 2 on Proenkephalin and Proenkephalin-related Substrates. Journal of Biological Chemistry, 1998, 273, 22672-22680.	1.6	100
329	Serpin-derived Peptide Substrates for Investigating the Substrate Specificity of Human Tissue Kallikreins hK1 and hK2. Journal of Biological Chemistry, 1997, 272, 29590-29595.	1.6	49
330	Kininogenase Activity by the Major Cysteiny Proteinase (Cruzipain) from Trypanosoma cruzi. Journal of Biological Chemistry, 1997, 272, 25713-25718.	1.6	107
331	Isolation and sequence analysis of a human cDNA clone (XPNPEPL) homologous to X-prolyl aminopeptidase (aminopeptidase P). Cytogenetic and Genome Research, 1997, 78, 275-280.	0.6	11
332	Structural features that make oligopeptides susceptible substrates for hydrolysis by recombinant thimet oligopeptidase. Biochemical Journal, 1997, 324, 517-522.	1.7	63
333	Design of kallidin-releasing tissue kallikrein inhibitors based on the specificities of the enzyme's binding subsites. Biochemical Journal, 1997, 323, 167-171.	1.7	13
334	Characterization of the substrate specificity of the major cysteine protease (cruzipain) from <i>Trypanosoma cruzi</i> using a portion-mixing combinatorial library and fluorogenic peptides. Biochemical Journal, 1997, 323, 427-433.	1.7	90
335	Hydrolysis of somatostatin by human tissue kallikrein after the amino acid pair Phe-Phe. Biochemical Journal, 1997, 327, 27-30.	1.7	17
336	Major Increase in Endopeptidase Activity of Human Cathepsin B upon Removal of Occluding Loop Contacts. Biochemistry, 1997, 36, 12608-12615.	1.2	165
337	Plasma Leakage Induced in Postcapillary Venules by the Major Cysteine-Proteinase from <i>Trypanosoma cruzi</i> and Its Modulation by H1-Blocker Mepyramin. Microvascular Research, 1997, 54, 93-97.	1.1	12
338	Distribution of tonin- and kallikrein-like activities in rat brain. Brain Research, 1997, 769, 152-157.	1.1	8
339	A comparison of the enzymatic properties of the major cysteine proteinases from <i>Trypanosoma congolense</i> and <i>Trypanosoma cruzi</i> . Molecular and Biochemical Parasitology, 1997, 88, 85-94.	0.5	38
340	Inhibition of angiotensin converting enzyme and potentiation of bradykinin by retro-inverso analogues of short peptides and sequences related to angiotensin I and bradykinin. Biochemical Pharmacology, 1996, 51, 1051-1060.	2.0	14
341	Investigation of the substrate specificity of cruzipain, the major cysteine proteinase of <i>Trypanosoma cruzi</i> , through the use of cystatin-derived substrates and inhibitors. Biochemical Journal, 1996, 313, 951-956.	1.7	74
342	Identification of a domain of <i>Trypanosoma cruzi</i> metacyclic trypomastigote surface molecule gp82 required for attachment and invasion of mammalian cells. Molecular and Biochemical Parasitology, 1996, 78, 209-216.	0.5	36

#	ARTICLE	IF	CITATIONS
343	Cross examination of the conformational spaces of a set of peptide chains: Study of oligopeptidase action. <i>International Journal of Quantum Chemistry</i> , 1996, 60, 1815-1827.	1.0	2
344	A Highly Selective Assay for Neutral Endopeptidase Based on the Cleavage of a Fluorogenic Substrate Related to Leu-Enkephalin. <i>Analytical Biochemistry</i> , 1996, 237, 167-173.	1.1	24
345	Met-Lys-Bradykinin-Ser, the kinin released from human kininogen by human pepsin. <i>Immunopharmacology</i> , 1996, 32, 76-79.	2.0	4
346	Pharmacological characterization of novel tissue kallikrein inhibitors in vivo. <i>Immunopharmacology</i> , 1996, 32, 111-114.	2.0	4
347	Liver bradykinin-inactivating-endopeptidase is similar to the metalloendopeptidase (EC 3.4.24.15). <i>Immunopharmacology</i> , 1996, 32, 176-179.	2.0	9
348	Conserved cystatin segments as models for designing specific substrates and inhibitors of cysteine proteinases. <i>The Protein Journal</i> , 1995, 14, 645-653.	1.1	19
349	Internally quenched fluorogenic protease substrates: Solid-phase synthesis and fluorescence spectroscopy of peptides containing ortho-aminobenzoyl/dinitrophenyl groups as donor-acceptor pairs. <i>International Journal of Peptide Research and Therapeutics</i> , 1995, 1, 299-308.	0.1	166
350	Purification and Characterization of a Dynorphin-processing Endopeptidase. <i>Journal of Biological Chemistry</i> , 1995, 270, 23845-23850.	1.6	19
351	Proteolytic specificity of two hemorrhagic factors, LHF-I and LHF-II, isolated from the venom of the bushmaster snake (<i>Lachesis muta muta</i>). <i>Toxicon</i> , 1995, 33, 1061-1069.	0.8	27
352	Interaction of Enantiomers of Lysyl-7-Azatriptophyl-Lysine with Acidic Phospholipid Vesicles: A Fluorescence Study. <i>Applied Spectroscopy</i> , 1995, 49, 51-59.	1.2	12
353	Isolation and characterization of a new bradykinin potentiating octapeptide from \hat{I}^3 -casein. <i>Canadian Journal of Physiology and Pharmacology</i> , 1995, 73, 85-91.	0.7	19
354	Calcium Channel Blockers as Inhibitors of Angiotensin \hat{I}^{ϵ} -Converting Enzyme. <i>Hypertension</i> , 1995, 26, 1145-1148.	1.3	19
355	Structural requirements of bioactive peptides for interaction with endopeptidase 22.19. <i>Neuropeptides</i> , 1994, 26, 281-287.	0.9	22
356	New substrates of papain, based on the conserved sequence of natural inhibitors of the cystatin family. <i>Biochimie</i> , 1994, 76, 153-158.	1.3	20
357	Further characterization of bothropain, a cysteine peptidase from the plasma of the snake <i>Bothrops Jararaca</i> . <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1993, 104, 599-606.	0.2	0
358	A New, Sensitive Fluorogenic Substrate for Papain Based on the Sequence of the Cystatin Inhibitory Site. <i>Archives of Biochemistry and Biophysics</i> , 1993, 306, 304-308.	1.4	25
359	Dynorphin-Derived Peptides Reveal the Presence of a Critical Cysteine for the Activity of Brain Endo-oligopeptidase A. <i>Biochemical and Biophysical Research Communications</i> , 1993, 197, 501-507.	1.0	11
360	Substrate specificities of tissue kallikrein and T-kininogenase: their possible role in kininogen processing. <i>Biochemistry</i> , 1992, 31, 4969-4974.	1.2	47

#	ARTICLE	IF	CITATIONS
361	Inhibitors of the major cysteinyl proteinase (GP57/51) impair host cell invasion and arrest the intracellular development of <i>Trypanosoma cruzi</i> in vitro. <i>Molecular and Biochemical Parasitology</i> , 1992, 52, 175-184.	0.5	212
362	Intramolecularly quenched fluorogenic peptide substrates for human renin. <i>Analytical Biochemistry</i> , 1992, 203, 39-46.	1.1	54
363	Intramolecularly quenched fluorogenic tetrapeptide substrates for tissue and plasma kallikreins. <i>Analytical Biochemistry</i> , 1991, 192, 419-425.	1.1	133
364	Synthesis of human angiotensinogen (1â€7) containing one of the putative glycosylation binding sites and its hydrolysis by human renin and porcine pepsin. <i>International Journal of Peptide and Protein Research</i> , 1991, 38, 298-307.	0.1	14
365	A selective assay for endooligopeptidase a based on the cleavage of fluorogenic substrate structurally related to enkephalin. <i>Biochemical and Biophysical Research Communications</i> , 1990, 173, 647-652.	1.0	39
366	Functional and antigenic properties of the major cysteine proteinase (GP57/51) of <i>Trypanosoma cruzi</i> . <i>Memorias Do Instituto Oswaldo Cruz</i> , 1990, 85, 533-538.	0.8	10
367	Amino acids and peptides. XVI. Synthesis of NG-tosylarginyl peptide derivatives-observation of lactam formation of arginyl residue.. <i>Chemical and Pharmaceutical Bulletin</i> , 1987, 35, 2550-2553.	0.6	19
368	Substrate activation of porcine pancreatic kallikrein by N.alpha. derivatives of arginine 4-nitroanilides. <i>Biochemistry</i> , 1987, 26, 5032-5035.	1.2	19
369	Tetrapeptide Substrates for the Discrimination among Kallikreins and other Trypsin-Like Serine Proteinases. <i>Biological Chemistry Hoppe-Seyler</i> , 1986, 367, 199-206.	1.4	18
370	Ionization constants and thermodynamic parameters of histidine and derivatives. <i>Bioorganic Chemistry</i> , 1983, 12, 34-44.	2.0	25
371	Inhibition of renin by conformationally restricted analogues of angiotensinogen. <i>Biochemical Journal</i> , 1982, 205, 43-47.	1.7	17
372	Reactivity with p-nitrophenyl acetate and interaction between the amino and imidazole groups of histidine and related compounds. <i>Bioorganic Chemistry</i> , 1982, 11, 383-393.	2.0	5
373	Titration and fluorometric studies of the tyrosine side chain of angiotensin II and related peptides. <i>Biopolymers</i> , 1979, 18, 1793-1807.	1.2	6
374	Conformations of synthetic tetradecapeptide renin substrate and of angiotensin I in aqueous solution. <i>Biochemistry</i> , 1977, 16, 2606-2611.	1.2	25
375	Ionization of methyl derivatives of imidazole, histidine, thyrotropin releasing factor, and related compounds. <i>Journal of the American Chemical Society</i> , 1976, 98, 7645-7648.	6.6	46
376	Interaction of angiotensin peptides and of amino acids with p-nitrophenyl acetate. <i>Biochemistry</i> , 1974, 13, 4263-4267.	1.2	7
377	Angiotensin-like and antagonistic activities of N-terminal modified [8-leucine]-angiotensin II peptides. <i>Journal of Medicinal Chemistry</i> , 1974, 17, 238-241.	2.9	39
378	Conformation of angiotensin II in aqueous solutions. Titration of several peptide analogs and homologs. <i>Biochemistry</i> , 1974, 13, 2445-2450.	1.2	55

#	ARTICLE	IF	CITATIONS
379	The effect of pH on tachyphylaxis to angiotensin peptides in the isolated guinea pig ileum and rat uterus. <i>European Journal of Pharmacology</i> , 1974, 25, 191-196.	1.7	26
380	Compost produced from residues of a zoo park improves soil fertility and increases the growth and production of plants. <i>Biomass Conversion and Biorefinery</i> , 0, , 1.	2.9	5