

Keith A Young

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/507323/publications.pdf>

Version: 2024-02-01

42
papers

2,631
citations

279798

23
h-index

276875

41
g-index

42
all docs

42
docs citations

42
times ranked

4605
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2022, 91, 626-636.	1.3	21
2	Matthew J. Friedman and the VA National PTSD Brain Bank: New Transcriptomic Insight into PTSD Pathophysiology. <i>Psychiatry (New York)</i> , 2022, 85, 171-182.	0.7	0
3	Transcriptomic organization of the human brain in post-traumatic stress disorder. <i>Nature Neuroscience</i> , 2021, 24, 24-33.	14.8	106
4	Utility of oxcarbazepine in the treatment of childhood and adolescent psychiatric symptoms. <i>Baylor University Medical Center Proceedings</i> , 2021, 34, 34-39.	0.5	3
5	STRONG STAR and the Consortium to Alleviate PTSD: Shaping the future of combat PTSD and related conditions in military and veteran populations. <i>Contemporary Clinical Trials</i> , 2021, 110, 106583.	1.8	15
6	Psychiatric Presentation of Probable Seronegative Autoimmune Encephalitis in a Late Middle-Aged Woman With Ovarian Teratoma. <i>Psychosomatics</i> , 2020, 61, 288-295.	2.5	3
7	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. <i>Sleep</i> , 2020, 43, .	1.1	32
8	Psychiatric Prodrome in Anti-NMDAR-Associated Encephalopathy. primary care companion for CNS disorders, <i>The</i> , 2020, 22, .	0.6	1
9	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019, 10, 4558.	12.8	363
10	Frontal Lobe Circuitry in Posttraumatic Stress Disorder. <i>Chronic Stress</i> , 2019, 3, 247054701985016.	3.4	17
11	5-HTTLPR and DISC1 risk genotypes for elevated PTSD symptoms in US military veterans. <i>World Psychiatry</i> , 2017, 16, 109-110.	10.4	4
12	Do Child Abuse and Maternal Care Interact to Predict Military Sexual Trauma?. <i>Journal of Clinical Psychology</i> , 2015, 71, 378-386.	1.9	9
13	An examination of the broader effects of warzone experiences on returning Iraq/Afghanistan veterans's psychiatric health. <i>Psychiatry Research</i> , 2015, 226, 78-83.	3.3	26
14	BA11 FKBP5 expression levels correlate with dendritic spine density in postmortem PTSD and controls. <i>Neurobiology of Stress</i> , 2015, 2, 67-72.	4.0	59
15	Effect of the 5-HTTLPR polymorphism on posttraumatic stress disorder, depression, anxiety, and quality of life among Iraq and Afghanistan veterans. <i>Anxiety, Stress and Coping</i> , 2015, 28, 456-466.	2.9	23
16	The functional connectivity of the human caudate: An application of meta-analytic connectivity modeling with behavioral filtering. <i>NeuroImage</i> , 2012, 60, 117-129.	4.2	222
17	Neuropsychological Sequelae of PTSD and TBI Following War Deployment among OEF/OIF Veterans. <i>Neuropsychology Review</i> , 2012, 22, 21-34.	4.9	109
18	Psychopathic traits predict startle habituation but not modulation in an emotional faces task. <i>Personality and Individual Differences</i> , 2011, 50, 712-716.	2.9	10

#	ARTICLE	IF	CITATIONS
19	High Psychopathic Trait Females Exhibit Reduced Startle Potentiation and Increased P3 Amplitude. Behavioral Sciences and the Law, 2011, 29, 649-666.	0.8	29
20	PSAPP mice exhibit regionally selective reductions in gliosis and plaque deposition in response to S100B ablation. Journal of Neuroinflammation, 2010, 7, 78.	7.2	35
21	<i>Centella asiatica</i> extract selectively decreases amyloid β levels in hippocampus of Alzheimer's disease animal model. Phytotherapy Research, 2009, 23, 14-19.	5.8	147
22	Major depression, 5HTTLPR genotype, suicide and antidepressant influences on thalamic volume. British Journal of Psychiatry, 2008, 192, 285-289.	2.8	65
23	5HTTLPR Polymorphism and Enlargement of the Pulvinar: Unlocking the Backdoor to the Limbic System. Biological Psychiatry, 2007, 61, 813-818.	1.3	72
24	Neuroprotective mechanisms of ayurvedic antidementia botanical <i>Bacopa monniera</i> . Phytotherapy Research, 2007, 21, 965-969.	5.8	127
25	Galantamine Improves Cognition in Schizophrenic Patients Stabilized on Risperidone. Biological Psychiatry, 2006, 60, 530-533.	1.3	133
26	<i>Bacopa monniera</i> extract reduces amyloid levels in PSAPP mice. Journal of Alzheimer's Disease, 2006, 9, 243-251.	2.6	160
27	Clozapine and the mitogen-activated protein kinase signal transduction pathway: Implications for antipsychotic actions. Biological Psychiatry, 2005, 57, 617-623.	1.3	65
28	Elevated Neuron Number in the Limbic Thalamus in Major Depression. American Journal of Psychiatry, 2004, 161, 1270-1277.	7.2	141
29	Linkage of chromosome 13q32 to schizophrenia in a large veterans affairs cooperative study sample. American Journal of Medical Genetics Part A, 2002, 114, 598-604.	2.4	30
30	N100 evoked potential latency variation and startle in schizophrenia. NeuroReport, 2001, 12, 767-773.	1.2	12
31	Examination of genetic linkage of chromosome 15 to schizophrenia in a large Veterans Affairs Cooperative Study sample. American Journal of Medical Genetics Part A, 2001, 105, 662-668.	2.4	75
32	Antagonism at 5-HT _{2A} receptors potentiates the effect of haloperidol in a conditioned avoidance response task in rats. Pharmacology Biochemistry and Behavior, 2001, 68, 363-370.	2.9	47
33	Subthalamic nucleus microinjections of 5-HT ₂ receptor antagonists suppress stereotypy in rats. NeuroReport, 2000, 11, 267-270.	1.2	29
34	Reduced number of mediodorsal and anterior thalamic neurons in schizophrenia. Biological Psychiatry, 2000, 47, 944-953.	1.3	273
35	Effects of local application of 5-hydroxytryptamine into the dorsal or median raphe nuclei on haloperidol-induced catalepsy in the rat. Neuropharmacology, 1999, 38, 151-156.	4.1	32
36	Enhancement of antipsychoticlike properties of raclopride in rats using the selective serotonin _{2A} receptor antagonist MDL 100,907. Biological Psychiatry, 1998, 44, 508-515.	1.3	38

#	ARTICLE	IF	CITATIONS
37	Further evidence for a role of the 5-HT _{2A} receptor in the mediation of antipsychotic activity. <i>Schizophrenia Research</i> , 1997, 24, 83.	2.0	3
38	A novel computer-controlled conditioned avoidance apparatus for rats. <i>Journal of Pharmacological and Toxicological Methods</i> , 1997, 38, 211-215.	0.7	17
39	Startle and sensorimotor correlates of ventral thalamic dopamine and GABA in rodents. <i>NeuroReport</i> , 1995, 6, 2495-2499.	1.2	23
40	Effects of serotonergic agents on apomorphine-induced locomotor activity. <i>Psychopharmacology</i> , 1993, 110, 97-102.	3.1	22
41	Characterization of D ₂ receptors and dopamine levels in the thalamus of the rat. <i>Life Sciences</i> , 1991, 48, 1845-1852.	4.3	16
42	Dose and time response analysis of apomorphine's effect on prepulse inhibition of acoustic startle. <i>Behavioural Brain Research</i> , 1991, 42, 43-48.	2.2	17