Jian-Dong Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5073323/publications.pdf

Version: 2024-02-01

		1307594	1720034	
9	327	7	7	
papers	citations	h-index	g-index	
9	9	9	449	
all docs	docs citations	times ranked	citing authors	

#	Article	IF	CITATIONS
1	Curcumin Inhibits NTHi-Induced MUC5AC Mucin Overproduction in Otitis Media via Upregulation of MAPK Phosphatase MKP-1. International Journal of Inflammation, 2017, 2017, 1-9.	1.5	8
2	Receptor Interacting Protein-2 acts as negative regulator for nontypeable Haemophilus influenzae-induced mucin MUC5AC expression. Integrative Molecular Medicine, 2017, 4, .	0.3	0
3	Curcumin suppresses NTHi-induced CXCL5 expression via inhibition of positive IKK \hat{I}^2 pathway and up-regulation of negative MKP-1 pathway. Scientific Reports, 2016, 6, 31695.	3.3	12
4	cAMP-dependent protein kinase A acts as a negative regulator for nontypeable Haemophilus influenzae-induced GM-CSF expression via inhibition of MEK-ERK signaling pathway. Integrative Molecular Medicine, 2016, 3, .	0.3	0
5	Vinpocetine Inhibits <i>Streptococcus pneumoniae–</i> Induced Upregulation of Mucin MUC5AC Expression via Induction of MKP-1 Phosphatase in the Pathogenesis of Otitis Media. Journal of Immunology, 2015, 194, 5990-5998.	0.8	16
6	Phosphodiesterase 4B Mediates Extracellular Signal-regulated Kinase-dependent Up-regulation of Mucin MUC5AC Protein by Streptococcus pneumoniae by Inhibiting cAMP-protein Kinase A-dependent MKP-1 Phosphatase Pathway. Journal of Biological Chemistry, 2012, 287, 22799-22811.	3.4	30
7	Differential regulation of Streptococcus pneumoniae-induced human MUC5AC mucin expression through distinct MAPK pathways. American Journal of Translational Research (discontinued), 2009, 1, 300-11.	0.0	11
8	Nontypeable Haemophilus influenzae lipoprotein P6 induces MUC5AC mucin transcription via TLR2–TAK1-dependent p38 MAPK-AP1 and IKKβ-lήBα-NF-ήB signaling pathways. Biochemical and Biophysical Research Communications, 2004, 324, 1087-1094.	2.1	122
9	Inhibition of p38 MAPK by Glucocorticoids via Induction of MAPK Phosphatase-1 Enhances Nontypeable Haemophilus influenzae-induced Expression of Toll-like Receptor 2. Journal of Biological Chemistry, 2002, 277, 47444-47450.	3.4	128