

Jens D Hove

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5076907/publications.pdf>

Version: 2024-02-01

49
papers

2,316
citations

471509

17
h-index

214800

47
g-index

49
all docs

49
docs citations

49
times ranked

3435
citing authors

#	ARTICLE	IF	CITATIONS
1	Albiglutide and cardiovascular outcomes in patients with type 2 diabetes and cardiovascular disease (Harmony Outcomes): a double-blind, randomised placebo-controlled trial. <i>Lancet</i> , The, 2018, 392, 1519-1529.	13.7	1,179
2	Cirrhotic cardiomyopathy: pathogenesis and clinical relevance. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2014, 11, 177-186.	17.8	205
3	Coronary CT Angiography in Patients With Non-ST-Segment Elevation Acute Coronary Syndrome. <i>Journal of the American College of Cardiology</i> , 2020, 75, 453-463.	2.8	123
4	New insights into cirrhotic cardiomyopathy. <i>International Journal of Cardiology</i> , 2013, 167, 1101-1108.	1.7	89
5	Quantification of MRI measured myocardial perfusion reserve in healthy humans: A comparison with positron emission tomography. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 27, 818-824.	3.4	80
6	Long-Term Clinical Impact of Coronary CT Angiography in Patients With Recent Acute-Onset Chest Pain. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 1404-1413.	5.3	65
7	Diagnosis of Unstable Angina Pectoris Has Declined Markedly with the Advent of More Sensitive Troponin Assays. <i>American Journal of Medicine</i> , 2015, 128, 852-860.	1.5	50
8	Value of Myocardial Perfusion Assessment With Coronary Computed Tomography Angiography in Patients With Recent Acute-Onset Chest Pain. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 1611-1621.	5.3	34
9	An update on cirrhotic cardiomyopathy. <i>Expert Review of Gastroenterology and Hepatology</i> , 2019, 13, 497-505.	3.0	33
10	Myocardial extracellular volume quantified by magnetic resonance is increased in cirrhosis and related to poor outcome. <i>Liver International</i> , 2018, 38, 1614-1623.	3.9	30
11	Diastolic dysfunction in cirrhosis. <i>Heart Failure Reviews</i> , 2016, 21, 599-610.	3.9	28
12	Cardiac remodelling and function with primary mitral valve insufficiency studied by magnetic resonance imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 863-870.	1.2	27
13	Prognostic Value of Coronary CT Angiography in Patients With Non-ST-Segment Elevation Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2021, 77, 1044-1052.	2.8	26
14	Exhaled nitric oxide measure using multiple flows in clinically relevant subgroups of COPD. <i>Respiratory Medicine</i> , 2011, 105, 1338-1344.	2.9	21
15	Relationship between patient presentation and morphology of coronary atherosclerosis by quantitative multidetector computed tomography. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 1221-1230.	1.2	21
16	Prediction of clinical outcome by myocardial CT perfusion in patients with low-risk unstable angina pectoris. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 261-270.	1.5	20
17	Patterns of myocardial perfusion in humans evaluated with contrast-enhanced 320 multidetector computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1739-1747.	1.5	19
18	Automated oxygen control with O2matic [®] during admission with exacerbation of COPD. <i>International Journal of COPD</i> , 2018, Volume 13, 3997-4003.	2.3	19

#	ARTICLE	IF	CITATIONS
19	Cardiac dysfunction in cirrhosis: a 2-yr longitudinal follow-up study using advanced cardiac imaging. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 317, G253-G263.	3.4	19
20	Absolute quantitation of left ventricular wall and cavity parameters using ECG-gated PET. <i>Journal of Nuclear Cardiology</i> , 2004, 11, 38-46.	2.1	17
21	Cardiac imaging in patients with chronic liver disease. <i>Clinical Physiology and Functional Imaging</i> , 2017, 37, 347-356.	1.2	16
22	Fibrogenesis and inflammation contribute to the pathogenesis of cirrhotic cardiomyopathy. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 340-350.	3.7	16
23	Myocardial perfusion in type 2 diabetes with left ventricular hypertrophy: normalisation by acute angiotensin-converting enzyme inhibition. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 362-368.	6.4	15
24	Coronary CT angiography in clinical triage of patients at high risk of coronary artery disease. <i>Scandinavian Cardiovascular Journal</i> , 2017, 51, 28-34.	1.2	14
25	Total bile acid levels are associated with left atrial volume and cardiac output in patients with cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2018, 30, 392-397.	1.6	13
26	Left atrial versus left ventricular input function for quantification of the myocardial blood flow with nitrogen-13 ammonia and positron emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 71-76.	6.4	12
27	Low whole-body insulin sensitivity in patients with ischaemic heart disease is associated with impaired myocardial glucose uptake predictive of poor outcome after revascularisation. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002, 29, 991-998.	6.4	11
28	Left atrial volume changes assessed by real time 3-dimensional echocardiography in relation to liver function and prognosis in patients with cirrhosis. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 2121-2127.	1.5	10
29	Relationship between regional 18F-fluorodeoxyglucose and 13N ammonia uptake in normal myocardium assessed by positron emission tomography: patterns of mismatch and effects of aging. <i>International Journal of Cardiovascular Imaging</i> , 2001, 17, 361-370.	0.6	9
30	Supraorbital cutaneous blood flow rate during carotid endarterectomy. <i>Clinical Physiology and Functional Imaging</i> , 2006, 26, 323-327.	1.2	9
31	Importance of Risk Assessment in Timing of Invasive Coronary Evaluation and Treatment of Patients With Non-ST-Elevation Acute Coronary Syndrome: Insights From the VERDICT Trial. <i>Journal of the American Heart Association</i> , 2021, 10, e022333.	3.7	9
32	Quantitation of the regional blood flow in the interventricular septum using positron emission tomography and nitrogen-13 ammonia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 109-116.	6.4	8
33	Assessment of systolic function in the evaluation of patients with cirrhosis. <i>Hepatology</i> , 2017, 65, 1799-1802.	7.3	8
34	Pronounced Coronary Arteriosclerosis in Cirrhosis: Influence on Cardiac Function and Survival?. <i>Digestive Diseases and Sciences</i> , 2018, 63, 1355-1362.	2.3	8
35	Reproducibility of quantitative coronary computed tomography angiography in asymptomatic individuals and patients with acute chest pain. <i>PLoS ONE</i> , 2018, 13, e0207980.	2.5	8
36	Fluorodeoxyglucose uptake in dysfunctional myocardium subtended by an occluded coronary artery. Relation to dobutamine contractile reserve and Sestamibi uptake. <i>International Journal of Cardiovascular Imaging</i> , 1998, 14, 97-104.	0.6	5

