

# Motoko Y Kimura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5080299/publications.pdf>

Version: 2024-02-01

57  
papers

4,905  
citations

159585

30  
h-index

149698

56  
g-index

65  
all docs

65  
docs citations

65  
times ranked

6992  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | The cellular and molecular basis of CD69 function in anti-tumor immunity. <i>International Immunology</i> , 2022, 34, 555-561.   | 4.0  | 11        |
| 2  | Clinical and Histological Effects of Partial Blood Flow Impairment in Vascularized Lymph Node Transfer. <i>Journal of Clinical Medicine</i> , 2022, 11, 4052.                            | 2.4  | 0         |
| 3  | CD4+ T cells in inflammatory diseases: pathogenic T-helper cells and the CD69-Myl9 system. <i>International Immunology</i> , 2021, 33, 699-704.  | 4.0  | 5         |
| 4  | IFN $\beta$ suppresses the expression of GFI1 and thereby inhibits Th2 cell proliferation. <i>PLoS ONE</i> , 2021, 16, e0260204.   | 2.5  | 1         |
| 5  | Essential Role for CD30-Transglutaminase 2 Axis in Memory Th1 and Th17 Cell Generation. <i>Frontiers in Immunology</i> , 2020, 11, 1536.   | 4.8  | 5         |
| 6  | Myosin Light Chain 9/12 Regulates the Pathogenesis of Inflammatory Bowel Disease. <i>Frontiers in Immunology</i> , 2020, 11, 594297.   | 4.8  | 10        |
| 7  | Activated invariant natural killer T cells directly recognize leukemia cells in a CD1d-independent manner. <i>Cancer Science</i> , 2020, 111, 2223-2233.                                 | 3.9  | 10        |
| 8  | Survival of Na $\beta$ ve T Cells Requires the Expression of Let-7 miRNAs. <i>Frontiers in Immunology</i> , 2019, 10, 955.   | 4.8  | 19        |
| 9  | A new therapeutic target: the CD69-Myl9 system in immune responses. <i>Seminars in Immunopathology</i> , 2019, 41, 349-358.  | 6.1  | 31        |
| 10 | Ezh2 controls development of natural killer T cells, which cause spontaneous asthma-like pathology. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 549-560.e10.          | 2.9  | 21        |
| 11 | Differentiation of Pathogenic Th17 Cells Is Negatively Regulated by Let-7 MicroRNAs in a Mouse Model of Multiple Sclerosis. <i>Frontiers in Immunology</i> , 2019, 10, 3125.             | 4.8  | 34        |
| 12 | CD69 prevents PLZFhi innate precursors from prematurely exiting the thymus and aborting NKT2 cell differentiation. <i>Nature Communications</i> , 2018, 9, 3749.                         | 12.8 | 10        |
| 13 | Crucial role of CD69 in anti-tumor immunity through regulating the exhaustion of tumor-infiltrating T cells. <i>International Immunology</i> , 2018, 30, 559-567.                        | 4.0  | 73        |
| 14 | Crucial role for CD69 in allergic inflammatory responses: CD69-Myl9 system in the pathogenesis of airway inflammation. <i>Immunological Reviews</i> , 2017, 278, 87-100.                 | 6.0  | 66        |
| 15 | Timing and duration of MHC I positive selection signals are adjusted in the thymus to prevent lineage errors. <i>Nature Immunology</i> , 2016, 17, 1415-1423.                            | 14.5 | 19        |
| 16 | Myosin light chains 9 and 12 are functional ligands for CD69 that regulate airway inflammation. <i>Science Immunology</i> , 2016, 1, eaaf9154.   | 11.9 | 61        |
| 17 | Let-7 microRNAs target the lineage-specific transcription factor PLZF to regulate terminal NKT cell differentiation and effector function. <i>Nature Immunology</i> , 2015, 16, 517-524. | 14.5 | 137       |
| 18 | Methylation of Gata3 Protein at Arg-261 Regulates Transactivation of the Il5 Gene in T Helper 2 Cells. <i>Journal of Biological Chemistry</i> , 2015, 290, 13095-13103.                  | 3.4  | 28        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | The transcription factor ThPOK suppresses Runx3 and imposes CD4+ lineage fate by inducing the SOCS suppressors of cytokine signaling. <i>Nature Immunology</i> , 2014, 15, 638-645.  | 14.5 | 58        |
| 20 | Lck Availability during Thymic Selection Determines the Recognition Specificity of the T Cell Repertoire. <i>Cell</i> , 2013, 154, 1326-1341.  | 28.9 | 99        |
| 21 | IL-7 signaling must be intermittent, not continuous, during CD8+ T cell homeostasis to promote cell survival instead of cell death. <i>Nature Immunology</i> , 2013, 14, 143-151.  | 14.5 | 117       |
| 22 | Foxp3 Transcription Factor Is Proapoptotic and Lethal to Developing Regulatory T Cells unless Counterbalanced by Cytokine Survival Signals. <i>Immunity</i> , 2013, 38, 1116-1128.   | 14.3 | 196       |
| 23 | Coreceptor gene imprinting governs thymocyte lineage fate. <i>EMBO Journal</i> , 2012, 31, 366-377.  | 7.8  | 24        |
| 24 | Signaling by intrathymic cytokines, not T cell antigen receptors, specifies CD8 lineage choice and promotes the differentiation of cytotoxic-lineage T cells. <i>Nature Immunology</i> , 2010, 11, 257-264.                              | 14.5 | 1,811     |
| 25 | <i>Polycomb</i> Group Gene Product Ring1B Regulates Th2-Driven Airway Inflammation through the Inhibition of Bim-Mediated Apoptosis of Effector Th2 Cells in the Lung. <i>Journal of Immunology</i> , 2010, 184, 4510-4520.              | 0.8  | 22        |
| 26 | Memory Th1/Th2 Cell Generation Controlled by Schnurri-2. <i>Advances in Experimental Medicine and Biology</i> , 2010, 684, 1-10.   | 1.6  | 16        |
| 27 | Schnurri-2 Controls Memory Th1 and Th2 Cell Numbers In Vivo. <i>Journal of Immunology</i> , 2007, 178, 4926-4936.  | 0.8  | 22        |
| 28 | Schnurri-2 regulates Th2-dependent airway inflammation and airway hyperresponsiveness. <i>International Immunology</i> , 2007, 19, 755-762.  | 4.0  | 16        |
| 29 | Chromatin remodeling at the Th2 cytokine gene loci in human type 2 helper T cells. <i>Molecular Immunology</i> , 2007, 44, 2249-2256.  | 2.2  | 31        |
| 30 | Hyperresponsive TH2 cells with enhanced nuclear factor- $\kappa$ B activation induce atopic dermatitis-like skin lesions in Nishiki-nezumi Cinnamon/Nagoya mice. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 118, 725-733. | 2.9  | 24        |
| 31 | Crucial Role of MLL for the Maintenance of Memory T Helper Type 2 Cell Responses. <i>Immunity</i> , 2006, 24, 611-622.   | 14.3 | 134       |
| 32 | Regulation of Th2 Cell Development by <i>Polycomb</i> Group Gene <i>bmi-1</i> through the Stabilization of GATA3. <i>Journal of Immunology</i> , 2006, 177, 7656-7664.   | 0.8  | 52        |
| 33 | Regulation of allergic airway inflammation through Toll-like receptor 4-mediated modification of mast cell function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 2286-2291.      | 7.1  | 136       |
| 34 | Impaired GATA3-Dependent Chromatin Remodeling and Th2 Cell Differentiation Leading to Attenuated Allergic Airway Inflammation in Aging Mice. <i>Journal of Immunology</i> , 2006, 176, 2546-2554.  | 0.8  | 23        |
| 35 | Ras-ERK MAPK Cascade Regulates GATA3 Stability and Th2 Differentiation through Ubiquitin-Proteasome Pathway. <i>Journal of Biological Chemistry</i> , 2005, 280, 29409-29419.  | 3.4  | 141       |
| 36 | Prolonged skin allograft survival by IL-10 gene-introduced CD4 T cell administration. <i>International Immunology</i> , 2005, 17, 759-768.   | 4.0  | 8         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Regulation of T helper type 2 cell differentiation by murine Schnurri-2. <i>Journal of Experimental Medicine</i> , 2005, 201, 397-408.   | 8.5  | 56        |
| 38 | Differentiation of NK1 and NK2 Cells. <i>Critical Reviews in Immunology</i> , 2005, 25, 361-374.   | 0.5  | 26        |
| 39 | STAT6-Dependent Differentiation and Production of IL-5 and IL-13 in Murine NK2 Cells. <i>Journal of Immunology</i> , 2004, 173, 4967-4975.   | 0.8  | 39        |
| 40 | CD28 Costimulation Controls Histone Hyperacetylation of the Interleukin 5 Gene Locus in Developing Th2 Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 23123-23133.   | 3.4  | 38        |
| 41 | Essential Role of GATA3 for the Maintenance of Type 2 Helper T (Th2) Cytokine Production and Chromatin Remodeling at the Th2 Cytokine Gene Loci. <i>Journal of Biological Chemistry</i> , 2004, 279, 26983-26990.      | 3.4  | 133       |
| 42 | Interleukin (IL)-4-independent Maintenance of Histone Modification of the IL-4 Gene Loci in Memory Th2 Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 39454-39464.   | 3.4  | 55        |
| 43 | TH1-biased immunity induced by exposure to Antarctic winter. <i>Journal of Allergy and Clinical Immunology</i> , 2003, 111, 1353-1360.   | 2.9  | 36        |
| 44 | Mesenchymal expression of Foxl1, a winged helix transcriptional factor, regulates generation and maintenance of gut-associated lymphoid organs. <i>Developmental Biology</i> , 2003, 255, 278-289.                     | 2.0  | 24        |
| 45 | CD8 T Cell-Specific Downregulation of Histone Hyperacetylation and Gene Activation of the IL-4 Gene Locus by ROG, Repressor of GATA. <i>Immunity</i> , 2003, 19, 281-294.  | 14.3 | 79        |
| 46 | CD69 $\alpha$ null mice protected from arthritis induced with anti $\alpha$ type II collagen antibodies. <i>International Immunology</i> , 2003, 15, 987-992.  | 4.0  | 59        |
| 47 | src homology 2 domain $\alpha$ containing tyrosine phosphatase SHP-1 controls the development of allergic airway inflammation. <i>Journal of Clinical Investigation</i> , 2003, 111, 109-119.                          | 8.2  | 90        |
| 48 | The Generation of Mature, Single-Positive Thymocytes In Vivo Is Dysregulated by CD69 Blockade or Overexpression. <i>Journal of Immunology</i> , 2002, 168, 87-94.  | 0.8  | 101       |
| 49 | Identification of a Conserved GATA3 Response Element Upstream Proximal from the Interleukin-13 Gene Locus. <i>Journal of Biological Chemistry</i> , 2002, 277, 42399-42408.  | 3.4  | 157       |
| 50 | Th1/Th2 cell differentiation of developing CD4 single-positive thymocytes. <i>International Immunology</i> , 2002, 14, 943-951.  | 4.0  | 9         |
| 51 | Ras Activation in T Cells Determines the Development of Antigen-Induced Airway Hyperresponsiveness and Eosinophilic Inflammation. <i>Journal of Immunology</i> , 2002, 169, 2134-2140.                                 | 0.8  | 33        |
| 52 | T Cell Hyporesponsiveness Induced by Oral Administration of Ovalbumin Is Associated with Impaired NFAT Nuclear Translocation and p27 <sup>kip1</sup> Degradation. <i>Journal of Immunology</i> , 2002, 169, 4723-4731. | 0.8  | 39        |
| 53 | Regulation of Th2 Cell Differentiation by mel-18, a Mammalian Polycomb Group Gene. <i>Immunity</i> , 2001, 15, 275-287.  | 14.3 | 107       |
| 54 | Progression of T cell lineage restriction in the earliest subpopulation of murine adult thymus visualized by the expression of Ick proximal promoter activity. <i>International Immunology</i> , 2001, 13, 105-117.    | 4.0  | 78        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Impaired Ca/calceinurin pathway in in vivo anergized CD4 T cells. <i>International Immunology</i> , 2000, 12, 817-824.   | 4.0 | 25        |
| 56 | T Cell Receptor-Induced Calcineurin Activation Regulates T Helper Type 2 Cell Development by Modifying the Interleukin 4 Receptor Signaling Complex. <i>Journal of Experimental Medicine</i> , 2000, 191, 1869-1880. | 8.5 | 97        |
| 57 | Inhibition of T Helper Cell Type 2 Cell Differentiation and Immunoglobulin E Response by Ligand-Activated V $\alpha$ 14 Natural Killer T Cells. <i>Journal of Experimental Medicine</i> , 1999, 190, 783-792.        | 8.5 | 153       |