

Jean Philippe Chaput

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5080332/publications.pdf>

Version: 2024-02-01

383
papers

28,401
citations

9428

76
h-index

8433

152
g-index

389
all docs

389
docs citations

389
times ranked

24530
citing authors

#	ARTICLE	IF	CITATIONS
1	World Health Organization 2020 guidelines on physical activity and sedentary behaviour. <i>British Journal of Sports Medicine</i> , 2020, 54, 1451-1462.	3.1	4,050
2	Letter to the Editor: Standardized use of the terms "sedentary" and "sedentary behaviours". <i>Applied Physiology, Nutrition and Metabolism</i> , 2012, 37, 540-542.	0.9	1,500
3	Systematic review of the relationships between objectively measured physical activity and health indicators in school-aged children and youth. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, S197-S239.	0.9	1,282
4	Canadian 24-Hour Movement Guidelines for Children and Youth: An Integration of Physical Activity, Sedentary Behaviour, and Sleep. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, S311-S327.	0.9	1,099
5	Systematic review of sedentary behaviour and health indicators in school-aged children and youth: an update. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, S240-S265.	0.9	817
6	Systematic review of the relationships between sleep duration and health indicators in school-aged children and youth. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, S266-S282.	0.9	546
7	2020 WHO guidelines on physical activity and sedentary behaviour for children and adolescents aged 5–17 years: summary of the evidence. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 141.	2.0	454
8	Short Sleep Duration is Associated with Reduced Leptin Levels and Increased Adiposity: Results from the Quebec Family Study. <i>Obesity</i> , 2007, 15, 253-261.	1.5	420
9	Alcohol Consumption and Obesity: An Update. <i>Current Obesity Reports</i> , 2015, 4, 122-130.	3.5	401
10	Canadian 24-Hour Movement Guidelines for the Early Years (0–4 years): An Integration of Physical Activity, Sedentary Behaviour, and Sleep. <i>BMC Public Health</i> , 2017, 17, 874.	1.2	382
11	Combinations of physical activity, sedentary behaviour and sleep: relationships with health indicators in school-aged children and youth. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, S283-S293.	0.9	347
12	Canadian 24-Hour Movement Guidelines for Adults aged 18–64 years and Adults aged 65 years or older: an integration of physical activity, sedentary behaviour, and sleep. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S57-S102.	0.9	346
13	Sleep patterns, diet quality and energy balance. <i>Physiology and Behavior</i> , 2014, 134, 86-91.	1.0	339
14	The Association Between Sleep Duration and Weight Gain in Adults: A 6-Year Prospective Study from the Quebec Family Study. <i>Sleep</i> , 2008, 31, 517-523.	0.6	319
15	Relationship between short sleeping hours and childhood overweight/obesity: results from the Quebec en Forme™ Project. <i>International Journal of Obesity</i> , 2006, 30, 1080-1085.	1.6	294
16	Compositional data analysis for physical activity, sedentary time and sleep research. <i>Statistical Methods in Medical Research</i> , 2018, 27, 3726-3738.	0.7	273
17	Importance of All Movement Behaviors in a 24 Hour Period for Overall Health. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 12575-12581.	1.2	268
18	Associations between sleep duration, sedentary time, physical activity, and health indicators among Canadian children and youth using compositional analyses. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, S294-S302.	0.9	265

#	ARTICLE	IF	CITATIONS
19	The International Study of Childhood Obesity, Lifestyle and the Environment (ISCOLE): design and methods. <i>BMC Public Health</i> , 2013, 13, 900.	1.2	264
20	Active Video Games and Health Indicators in Children and Youth: A Systematic Review. <i>PLoS ONE</i> , 2013, 8, e65351.	1.1	264
21	Systematic review of the relationships between sleep duration and health indicators in the early years (0â€“4Âyears). <i>BMC Public Health</i> , 2017, 17, 855.	1.2	246
22	Sedentary Behaviour as an Emerging Risk Factor for Cardiometabolic Diseases in Children and Youth. <i>Canadian Journal of Diabetes</i> , 2014, 38, 53-61.	0.4	238
23	Proportion of children meeting recommendations for 24-hour movement guidelines and associations with adiposity in a 12-country study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 123.	2.0	224
24	Correlates of Total Sedentary Time and Screen Time in 9â€“11 Year-Old Children around the World: The International Study of Childhood Obesity, Lifestyle and the Environment. <i>PLoS ONE</i> , 2015, 10, e0129622.	1.1	211
25	Modern sedentary activities promote overconsumption of food in our current obesogenic environment. <i>Obesity Reviews</i> , 2011, 12, e12-20.	3.1	210
26	Sleeping hours: what is the ideal number and how does age impact this?. <i>Nature and Science of Sleep</i> , 2018, Volume 10, 421-430.	1.4	189
27	Sedentary behaviour and health in adults: an overview of systematic reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S197-S217.	0.9	187
28	Association of sleep duration with type 2 diabetes and impaired glucose tolerance. <i>Diabetologia</i> , 2007, 50, 2298-2304.	2.9	186
29	Sleep duration as a risk factor for the development of type 2 diabetes or impaired glucose tolerance: Analyses of the Quebec Family Study. <i>Sleep Medicine</i> , 2009, 10, 919-924.	0.8	183
30	Video game playing increases food intake in adolescents: a randomized crossover study. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 1196-1203.	2.2	179
31	Short sleep duration and large variability in sleep duration are independently associated with dietary risk factors for obesity in Danish school children. <i>International Journal of Obesity</i> , 2014, 38, 32-39.	1.6	172
32	Physical Activity, Sedentary Time, and Obesity in an International Sample of Children. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 2062-2069.	0.2	171
33	Health associations with meeting new 24-hour movement guidelines for Canadian children and youth. <i>Preventive Medicine</i> , 2017, 95, 7-13.	1.6	168
34	Advancing the global physical activity agenda: recommendations for future research by the 2020 WHO physical activity and sedentary behavior guidelines development group. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 143.	2.0	166
35	Improving wear time compliance with a 24-hour waist-worn accelerometer protocol in the International Study of Childhood Obesity, Lifestyle and the Environment (ISCOLE). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 11.	2.0	161
36	Combinations of physical activity, sedentary time, and sleep duration and their associations with depressive symptoms and other mental health problems in children and adolescents: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 72.	2.0	160

#	ARTICLE	IF	CITATIONS
37	Lack of sleep as a contributor to obesity in adolescents: impacts on eating and activity behaviors. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 103.	2.0	157
38	Associations between 24 hour movement behaviours and global cognition in US children: a cross-sectional observational study. <i>The Lancet Child and Adolescent Health</i> , 2018, 2, 783-791.	2.7	154
39	Proportion of preschool-aged children meeting the Canadian 24-Hour Movement Guidelines and associations with adiposity: results from the Canadian Health Measures Survey. <i>BMC Public Health</i> , 2017, 17, 829.	1.2	153
40	Associations of Sedentary Behavior, Sedentary Bouts and Breaks in Sedentary Time with Cardiometabolic Risk in Children with a Family History of Obesity. <i>PLoS ONE</i> , 2013, 8, e79143.	1.1	148
41	Recent developments in calcium-related obesity research. <i>Obesity Reviews</i> , 2008, 9, 428-445.	3.1	141
42	Introduction to the Canadian 24-Hour Movement Guidelines for Children and Youth: An Integration of Physical Activity, Sedentary Behaviour, and Sleep. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, iii-iv.	0.9	141
43	Identifying Children's Nocturnal Sleep Using 24-h Waist Accelerometry. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 937-943.	0.2	139
44	Development of a consensus statement on the role of the family in the physical activity, sedentary, and sleep behaviours of children and youth. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 74.	2.0	130
45	Sleep timing, sleep consistency, and health in adults: a systematic review. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S232-S247.	0.9	129
46	Birth weight and childhood obesity: a 12-country study. <i>International Journal of Obesity Supplements</i> , 2015, 5, S74-S79.	12.5	128
47	Risk Factors for Adult Overweight and Obesity in the Quebec Family Study: Have We Been Barking Up the Wrong Tree?. <i>Obesity</i> , 2009, 17, 1964-1970.	1.5	125
48	Pokémon Go: A game changer for the physical inactivity crisis?. <i>Preventive Medicine</i> , 2017, 101, 235-237.	1.6	124
49	Relationship between lifestyle behaviors and obesity in children ages 9-11: Results from a 12-country study. <i>Obesity</i> , 2015, 23, 1696-1702.	1.5	120
50	Seasonal variation in objectively measured physical activity, sedentary time, cardio-respiratory fitness and sleep duration among 8-11-year-old Danish children: a repeated-measures study. <i>BMC Public Health</i> , 2013, 13, 808.	1.2	114
51	The association between low physical fitness and high body mass index or waist circumference is increasing with age in children: the Québec en Forme Project. <i>International Journal of Obesity</i> , 2007, 31, 637-643.	1.6	112
52	Fatness predicts decreased physical activity and increased sedentary time, but not vice versa: support from a longitudinal study in 8- to 11-year-old children. <i>International Journal of Obesity</i> , 2014, 38, 959-965.	1.6	112
53	Low Physical Activity Level and Short Sleep Duration Are Associated with an Increased Cardio-Metabolic Risk Profile: A Longitudinal Study in 8-11 Year Old Danish Children. <i>PLoS ONE</i> , 2014, 9, e104677.	1.1	112
54	Management of Antipsychotic-Induced Weight Gain: Prospective Naturalistic Study of the Effectiveness of a Supervised Exercise Programme. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007, 41, 980-989.	1.3	111

#	ARTICLE	IF	CITATIONS
55	Sleep and cardiometabolic risk in children and adolescents. <i>Sleep Medicine Reviews</i> , 2016, 29, 76-100.	3.8	106
56	Sleep duration and health in adults: an overview of systematic reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S218-S231.	0.9	105
57	Physical Activity Plays an Important Role in Body Weight Regulation. <i>Journal of Obesity</i> , 2011, 2011, 1-11.	1.1	103
58	A systematic review of compositional data analysis studies examining associations between sleep, sedentary behaviour, and physical activity with health outcomes in adults. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S248-S257.	0.9	99
59	The Association between Short Sleep Duration and Weight Gain Is Dependent on Disinhibited Eating Behavior in Adults. <i>Sleep</i> , 2011, 34, 1291-1297.	0.6	95
60	Short Sleep Duration Is Independently Associated With Overweight and Obesity in Quebec Children. <i>Canadian Journal of Public Health</i> , 2011, 102, 369-374.	1.1	93
61	Acute Sleep Restriction Reduces Insulin Sensitivity in Adolescent Boys. <i>Sleep</i> , 2013, 36, 1085-1090.	0.6	92
62	Maternal gestational diabetes and childhood obesity at age 9–11: results of a multinational study. <i>Diabetologia</i> , 2016, 59, 2339-2348.	2.9	92
63	Health-Related Quality of Life and Lifestyle Behavior Clusters in School-Aged Children from 12 Countries. <i>Journal of Pediatrics</i> , 2017, 183, 178-183.e2.	0.9	92
64	The glucostatic theory of appetite control and the risk of obesity and diabetes. <i>International Journal of Obesity</i> , 2009, 33, 46-53.	1.6	91
65	Interactions between sleep, movement and other non-movement behaviours in the pathogenesis of childhood obesity. <i>Obesity Reviews</i> , 2017, 18, 7-14.	3.1	91
66	Screen time and problem behaviors in children: exploring the mediating role of sleep duration. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 105.	2.0	90
67	Acute effects of knowledge-based work on feeding behavior and energy intake. <i>Physiology and Behavior</i> , 2007, 90, 66-72.	1.0	89
68	Inadequate Sleep as a Contributor to Obesity and Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2013, 37, 103-108.	0.4	89
69	Impact of the COVID-19 pandemic on elementary schoolers' physical activity, sleep, screen time and diet: A quasi-experimental interrupted time series study. <i>Pediatric Obesity</i> , 2022, 17, e12846.	1.4	88
70	Influence of sleep on developing brain functions and structures in children and adolescents: A systematic review. <i>Sleep Medicine Reviews</i> , 2018, 42, 184-201.	3.8	87
71	Glycemic Instability and Spontaneous Energy Intake: Association With Knowledge-Based Work. <i>Psychosomatic Medicine</i> , 2008, 70, 797-804.	1.3	86
72	Relationships between Parental Education and Overweight with Childhood Overweight and Physical Activity in 9–11 Year Old Children: Results from a 12-Country Study. <i>PLoS ONE</i> , 2016, 11, e0147746.	1.1	86

#	ARTICLE	IF	CITATIONS
73	Sleep duration estimates of Canadian children and adolescents. <i>Journal of Sleep Research</i> , 2016, 25, 541-548.	1.7	86
74	Short sleep duration as a risk factor for the development of the metabolic syndrome in adults. <i>Preventive Medicine</i> , 2013, 57, 872-877.	1.6	85
75	Associations between sleep patterns and lifestyle behaviors in children: an international comparison. <i>International Journal of Obesity Supplements</i> , 2015, 5, S59-S65.	12.5	85
76	Measure of sleep and physical activity by a single accelerometer: Can a waist-worn Actigraph adequately measure sleep in children?. <i>Sleep and Biological Rhythms</i> , 2012, 10, 328-335.	0.5	83
77	Combined associations between moderate to vigorous physical activity and sedentary behaviour with cardiometabolic risk factors in children. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013, 38, 477-483.	0.9	79
78	Sleep restriction is not associated with a positive energy balance in adolescent boys. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 240-248.	2.2	78
79	Temporal and bi-directional associations between sleep duration and physical activity/sedentary time in children: An international comparison. <i>Preventive Medicine</i> , 2018, 111, 436-441.	1.6	78
80	Adaptive thermogenesis can make a difference in the ability of obese individuals to lose body weight. <i>International Journal of Obesity</i> , 2013, 37, 759-764.	1.6	77
81	Adiposity and the isotemporal substitution of physical activity, sedentary time and sleep among school-aged children: a compositional data analysis approach. <i>BMC Public Health</i> , 2018, 18, 311.	1.2	76
82	Short sleep duration and its association with energy metabolism. <i>Obesity Reviews</i> , 2012, 13, 565-577.	3.1	75
83	Longer sleep duration associates with lower adiposity gain in adult short sleepers. <i>International Journal of Obesity</i> , 2012, 36, 752-756.	1.6	74
84	Obesity: a disease or a biological adaptation? An update. <i>Obesity Reviews</i> , 2012, 13, 681-691.	3.1	74
85	Physical activity vs. sedentary time: independent associations with adiposity in children. <i>Pediatric Obesity</i> , 2012, 7, 251-258.	1.4	74
86	Psychobiological impact of a progressive weight loss program in obese men. <i>Physiology and Behavior</i> , 2005, 86, 224-232.	1.0	72
87	Findings from the Quebec Family Study on the Etiology of Obesity: Genetics and Environmental Highlights. <i>Current Obesity Reports</i> , 2014, 3, 54-66.	3.5	71
88	Milk supplementation facilitates appetite control in obese women during weight loss: a randomised, single-blind, placebo-controlled trial. <i>British Journal of Nutrition</i> , 2011, 105, 133-143.	1.2	70
89	Currently Available Drugs for the Treatment of Obesity: Sibutramine and Orlistat. <i>Mini-Reviews in Medicinal Chemistry</i> , 2007, 7, 3-10.	1.1	68
90	Inadequate sleep as a contributor to type 2 diabetes in children and adolescents. <i>Nutrition and Diabetes</i> , 2017, 7, e266-e266.	1.5	68

#	ARTICLE	IF	CITATIONS
91	Associations between meeting combinations of 24-h movement guidelines and health-related quality of life in children from 12 countries. <i>Public Health</i> , 2017, 153, 16-24.	1.4	68
92	Sleep duration and consumption of sugar-sweetened beverages and energy drinks among adolescents. <i>Nutrition</i> , 2018, 48, 77-81.	1.1	67
93	Do all sedentary activities lead to weight gain: sleep does not. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010, 13, 601-607.	1.3	65
94	Insufficient Sleep as a Contributor to Weight Gain: An Update. <i>Current Obesity Reports</i> , 2012, 1, 245-256.	3.5	65
95	Short sleep duration is associated with greater alcohol consumption in adults. <i>Appetite</i> , 2012, 59, 650-655.	1.8	65
96	Increased Food Intake by Insufficient Sleep in Humans: Are We Jumping the Gun on the Hormonal Explanation?. <i>Frontiers in Endocrinology</i> , 2014, 5, 116.	1.5	65
97	Are We Driving Our Kids to Unhealthy Habits? Results of the Active Healthy Kids Canada 2013 Report Card on Physical Activity for Children and Youth. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 6009-6020.	1.2	64
98	Associations between meeting combinations of 24-hour movement recommendations and dietary patterns of children: A 12-country study. <i>Preventive Medicine</i> , 2019, 118, 159-165.	1.6	63
99	The epidemiological transition and the global childhood obesity epidemic. <i>International Journal of Obesity Supplements</i> , 2015, 5, S3-S8.	12.5	62
100	A novel interaction between dietary composition and insulin secretion: effects on weight gain in the Quebec Family Study. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 303-309.	2.2	61
101	Correlates of objectively measured sedentary time and self-reported screen time in Canadian children. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 38.	2.0	61
102	Relationship between Food Insecurity and Body Composition in Ugandans Living in Urban Kampala. <i>Journal of the American Dietetic Association</i> , 2007, 107, 1978-1982.	1.3	59
103	Prolonged sitting and markers of cardiometabolic disease risk in children and youth: A randomized crossover study. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 1423-1428.	1.5	58
104	Use of social media is associated with short sleep duration in a doseâ€“response manner in students aged 11 to 20 years. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018, 107, 694-700.	0.7	58
105	Results From Canadaâ€™s 2016 ParticipACTION Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2016, 13, S110-S116.	1.0	57
106	Psychobiological effects observed in obese men experiencing body weight loss plateau. <i>Depression and Anxiety</i> , 2007, 24, 518-521.	2.0	56
107	Socioeconomic status and dietary patterns in children from around the world: different associations by levels of country human development?. <i>BMC Public Health</i> , 2017, 17, 457.	1.2	56
108	The adiposity of children is associated with their lifestyle behaviours: a cluster analysis of schoolâ€“aged children from 12 nations. <i>Pediatric Obesity</i> , 2018, 13, 111-119.	1.4	56

#	ARTICLE	IF	CITATIONS
109	Social Media Use, School Connectedness, and Academic Performance Among Adolescents. <i>Journal of Primary Prevention</i> , 2019, 40, 189-211.	0.8	56
110	Sleeping Habits Predict the Magnitude of Fat Loss in Adults Exposed to Moderate Caloric Restriction. <i>Obesity Facts</i> , 2012, 5, 561-566.	1.6	55
111	Active school transport and weekday physical activity in 9-11-year-old children from 12 countries. <i>International Journal of Obesity Supplements</i> , 2015, 5, S100-S106.	12.5	55
112	Daily energy balance in children and adolescents. Does energy expenditure predict subsequent energy intake?. <i>Appetite</i> , 2013, 60, 58-64.	1.8	54
113	Mid-upper arm circumference as a screening tool for identifying children with obesity: a 12-country study. <i>Pediatric Obesity</i> , 2017, 12, 439-445.	1.4	53
114	Sleep patterns and sugar-sweetened beverage consumption among children from around the world. <i>Public Health Nutrition</i> , 2018, 21, 2385-2393.	1.1	53
115	Physical Education Classes, Physical Activity, and Sedentary Behavior in Children. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 995-1004.	0.2	53
116	The effect of topiramate on energy balance in obese men: a 6-month double-blind randomized placebo-controlled study with a 6-month open-label extension. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 123-134.	0.8	52
117	Adaptive reduction in thermogenesis and resistance to lose fat in obese men. <i>British Journal of Nutrition</i> , 2009, 102, 488.	1.2	52
118	Risk Factors for Adult Overweight and Obesity: The Importance of Looking Beyond the "Big Two". <i>Obesity Facts</i> , 2010, 3, 2-2.	1.6	52
119	Change in sleep duration and visceral fat accumulation over 6 years in adults. <i>Obesity</i> , 2014, 22, E9-12.	1.5	52
120	At the Mercy of the Gods: Associations Between Weather, Physical Activity, and Sedentary Time in Children. <i>Pediatric Exercise Science</i> , 2016, 28, 152-163.	0.5	51
121	Obesity and Physical Inactivity: The Relevance of Reconsidering the Notion of Sedentariness. <i>Obesity Facts</i> , 2009, 2, 3-3.	1.6	50
122	No relation between sleep duration and adiposity indicators in 9-36 months old children: the SKOT cohort. <i>Pediatric Obesity</i> , 2013, 8, e14-8.	1.4	49
123	Does short sleep duration favor abdominal adiposity in children?. <i>Pediatric Obesity</i> , 2007, 2, 188-191.	3.2	48
124	Compositional analyses of the associations between sedentary time, different intensities of physical activity, and cardiometabolic biomarkers among children and youth from the United States. <i>PLoS ONE</i> , 2019, 14, e0220009.	1.1	48
125	Meeting the. <i>Health Reports</i> , 2017, 28, 3-7.	0.6	48
126	Objectively measured physical activity, sedentary time and sleep duration: independent and combined associations with adiposity in canadian children. <i>Nutrition and Diabetes</i> , 2014, 4, e117-e117.	1.5	47

#	ARTICLE	IF	CITATIONS
127	An international comparison of dietary patterns in 9â€“11-year-old children. <i>International Journal of Obesity Supplements</i> , 2015, 5, S17-S21.	12.5	47
128	Objectivelyâ€measured sleep and its association with adiposity and physical activity in a sample of <sc>C</sc>anadian children. <i>Journal of Sleep Research</i> , 2015, 24, 131-139.	1.7	47
129	International Study of Childhood Obesity, Lifestyle and the Environment (ISCOLE): Contributions to Understanding the Global Obesity Epidemic. <i>Nutrients</i> , 2019, 11, 848.	1.7	47
130	Breastfeeding and childhood obesity: A 12â€country study. <i>Maternal and Child Nutrition</i> , 2020, 16, e12984.	1.4	47
131	Relationship between Soft Drink Consumption and Obesity in 9â€“11 Years Old Children in a Multi-National Study. <i>Nutrients</i> , 2016, 8, 770.	1.7	46
132	Association between genetic variants of the clock gene and obesity and sleep duration. <i>Journal of Physiology and Biochemistry</i> , 2015, 71, 855-860.	1.3	45
133	Socioâ€demographic patterning of objectively measured physical activity and sedentary behaviours in eight Latin American countries: Findings from the ELANS study. <i>European Journal of Sport Science</i> , 2020, 20, 670-681.	1.4	45
134	Dairy beverages and energy balance. <i>Physiology and Behavior</i> , 2010, 100, 67-75.	1.0	44
135	Seven to Eight Hours of Sleep a Night Is Associated with a Lower Prevalence of the Metabolic Syndrome and Reduced Overall Cardiometabolic Risk in Adults. <i>PLoS ONE</i> , 2013, 8, e72832.	1.1	44
136	Are the correlates of active school transport context-specific?. <i>International Journal of Obesity Supplements</i> , 2015, 5, S89-S99.	12.5	44
137	Associations between the use of social networking sites and unhealthy eating behaviours and excess body weight in adolescents. <i>British Journal of Nutrition</i> , 2015, 114, 1941-1947.	1.2	44
138	Relationships between active school transport and adiposity indicators in school-age children from low-, middle- and high-income countries. <i>International Journal of Obesity Supplements</i> , 2015, 5, S107-S114.	12.5	44
139	Use of social networking sites and alcohol consumption among adolescents. <i>Public Health</i> , 2016, 139, 88-95.	1.4	44
140	Duration and quality of sleep among Canadians aged 18 to 79. <i>Health Reports</i> , 2017, 28, 28-33.	0.6	44
141	Human development index, childrenâ€™s health-related quality of life and movement behaviors: a compositional data analysis. <i>Quality of Life Research</i> , 2018, 27, 1473-1482.	1.5	43
142	Electronic screens in childrenâ€™s bedrooms and adiposity, physical activity and sleep: Do the number and type of electronic devices matter?. <i>Canadian Journal of Public Health</i> , 2014, 105, e273-e279.	1.1	42
143	24-Hour Movement Behaviors and Impulsivity. <i>Pediatrics</i> , 2019, 144, .	1.0	41
144	Glucose homeostasis predicts weight gain: prospective and clinical evidence. <i>Diabetes/Metabolism Research and Reviews</i> , 2008, 24, 123-129.	1.7	40

#	ARTICLE	IF	CITATIONS
145	Change in sleep duration and proposed dietary risk factors for obesity in Danish school children. <i>Pediatric Obesity</i> , 2014, 9, e156-9.	1.4	40
146	Resistance training and health in adults: an overview of systematic reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S165-S179.	0.9	39
147	Results from Canada's 2014 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2014, 11, S26-S32.	1.0	38
148	Association between home and school food environments and dietary patterns among 9-11-year-old children in 12 countries. <i>International Journal of Obesity Supplements</i> , 2015, 5, S66-S73.	12.5	38
149	Reliability of accelerometer-determined physical activity and sedentary behavior in school-aged children: a 12-country study. <i>International Journal of Obesity Supplements</i> , 2015, 5, S29-S35.	12.5	38
150	Bullying involvement, psychological distress, and short sleep duration among adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 1371-1380.	1.6	38
151	Emotional Eating, Health Behaviours, and Obesity in Children: A 12-Country Cross-Sectional Study. <i>Nutrients</i> , 2019, 11, 351.	1.7	37
152	Associations between duration and type of electronic screen use and cognition in US children. <i>Computers in Human Behavior</i> , 2020, 108, 106312.	5.1	37
153	Is sleep deprivation a contributor to obesity in children?. <i>Eating and Weight Disorders</i> , 2016, 21, 5-11.	1.2	36
154	Correlates of compliance with recommended levels of physical activity in children. <i>Scientific Reports</i> , 2017, 7, 16507.	1.6	35
155	Are obstructive sleep apnea and sleep improved in response to multidisciplinary weight loss interventions in youth with obesity? A systematic review and meta-analysis. <i>International Journal of Obesity</i> , 2020, 44, 753-770.	1.6	35
156	Relationship between sleep and obesity among U.S. and South Korean college students. <i>BMC Public Health</i> , 2020, 20, 96.	1.2	35
157	Are Post-Exercise Appetite Sensations and Energy Intake Coupled in Children and Adolescents?. <i>Sports Medicine</i> , 2014, 44, 735-741.	3.1	34
158	A cross-sectional examination of socio-demographic and school-level correlates of children's school travel mode in Ottawa, Canada. <i>BMC Public Health</i> , 2014, 14, 497.	1.2	34
159	Modern Sedentary Behaviors Favor Energy Consumption in Children and Adolescents. <i>Current Obesity Reports</i> , 2013, 2, 50-57.	3.5	33
160	Independent and combined associations of total sedentary time and television viewing time with food intake patterns of 9- to 11-year-old Canadian children. <i>Applied Physiology, Nutrition and Metabolism</i> , 2014, 39, 937-943.	0.9	33
161	Mediating role of television time, diet patterns, physical activity and sleep duration in the association between television in the bedroom and adiposity in 10-year-old children. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 60.	2.0	33
162	Brain on Fire: Incentive Saliency, Hedonic Hot Spots, Dopamine, Obesity, and Other Hunger Games. <i>Annual Review of Nutrition</i> , 2017, 37, 183-205.	4.3	32

#	ARTICLE	IF	CITATIONS
163	Cardiorespiratory fitness is associated with physical literacy in a large sample of Canadian children aged 8 to 12 years. <i>BMC Public Health</i> , 2018, 18, 1041.	1.2	32
164	Associations between domains of physical literacy by weight status in 8- to 12-year-old Canadian children. <i>BMC Public Health</i> , 2018, 18, 1043.	1.2	32
165	About unsuspected potential determinants of obesity. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008, 33, 791-796.	0.9	31
166	Associations between breakfast frequency and adiposity indicators in children from 12 countries. <i>International Journal of Obesity Supplements</i> , 2015, 5, S80-S88.	12.5	30
167	Sedentary Behaviour, Visceral Fat Accumulation and Cardiometabolic Risk in Adults: A 6-Year Longitudinal Study from the Quebec Family Study. <i>PLoS ONE</i> , 2013, 8, e54225.	1.1	29
168	Use of social networking sites and perception and intentions regarding body weight among adolescents. <i>Obesity Science and Practice</i> , 2016, 2, 32-39.	1.0	29
169	Results from Canada's 2018 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2018, 15, S328-S330.	1.0	29
170	Development and validation of the Child Three-Factor Eating Questionnaire (CTFEQr17). <i>Public Health Nutrition</i> , 2018, 21, 2558-2567.	1.1	29
171	Inequality in physical activity, sedentary behaviour, sleep duration and risk of obesity in children: a 12-country study. <i>Obesity Science and Practice</i> , 2018, 4, 229-237.	1.0	28
172	The integration of pediatric sleep health into public health in Canada. <i>Sleep Medicine</i> , 2019, 56, 4-8.	0.8	28
173	Prevalence and correlates of adherence to movement guidelines among urban and rural children in Mozambique: a cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 94.	2.0	28
174	Adherence to 24-hour movement guidelines and academic performance in adolescents. <i>Public Health</i> , 2020, 183, 8-14.	1.4	28
175	Sleep duration and the associated cardiometabolic risk scores in adults. <i>Sleep Health</i> , 2017, 3, 195-203.	1.3	26
176	Prevalence of insomnia for Canadians aged 6 to 79. <i>Health Reports</i> , 2018, 29, 16-20.	0.6	26
177	Increase in depression symptoms with weight loss: association with glucose homeostasis and thyroid function. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008, 33, 86-92.	0.9	25
178	Impact of adopting a vegan diet or an olestra supplementation on plasma organochlorine concentrations: results from two pilot studies. <i>British Journal of Nutrition</i> , 2010, 103, 1433-1441.	1.2	25
179	Children and youth do not compensate for an imposed bout of prolonged sitting by reducing subsequent food intake or increasing physical activity levels: a randomised cross-over study. <i>British Journal of Nutrition</i> , 2014, 111, 747-754.	1.2	25
180	Facilitators and Barriers to Noninvasive Ventilation Adherence in Youth with Nocturnal Hypoventilation Secondary to Obesity or Neuromuscular Disease. <i>Journal of Clinical Sleep Medicine</i> , 2015, 11, 1409-1416.	1.4	25

#	ARTICLE	IF	CITATIONS
181	Factors associated with sleep duration across life stages: results from the Canadian Health Measures Survey. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2018, 38, 404-418.	0.8	25
182	Correlates of nocturnal sleep duration, nocturnal sleep variability, and nocturnal sleep problems in toddlers: results from the GET UP! Study. <i>Sleep Medicine</i> , 2019, 53, 124-132.	0.8	25
183	24-hour movement guidelines and suicidality among adolescents. <i>Journal of Affective Disorders</i> , 2020, 274, 372-380.	2.0	25
184	Comparison of 150-mm versus 100-mm visual analogue scales in free living adult subjects. <i>Appetite</i> , 2010, 54, 583-586.	1.8	24
185	Active video games and energy balance in male adolescents: a randomized crossover trial. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 1126-1134.	2.2	24
186	Perceptions and attitudes about body weight and adherence to the physical activity recommendation among adolescents: the moderating role of body mass index. <i>Public Health</i> , 2017, 146, 75-83.	1.4	24
187	Associations of Sleep with Food Cravings, Diet, and Obesity in Adolescence. <i>Nutrients</i> , 2019, 11, 2899.	1.7	24
188	Sleep characteristics and health-related quality of life in 9- to 11-year-old children from 12 countries. <i>Sleep Health</i> , 2020, 6, 4-14.	1.3	24
189	Striking the Right Balance: Evidence to Inform Combined Physical Activity and Sedentary Behavior Recommendations. <i>Journal of Physical Activity and Health</i> , 2021, 18, 631-637.	1.0	24
190	Active Healthy Kids Canada's Position on Active Video Games for Children and Youth. <i>Paediatrics and Child Health</i> , 2013, 18, 529-532.	0.3	23
191	The Potential Value of Sleep Hygiene for a Healthy Pregnancy: A Brief Review. <i>ISRN Family Medicine</i> , 2014, 2014, 1-7.	0.4	23
192	Eating behavior traits and sleep as determinants of weight loss in overweight and obese adults. <i>Nutrition and Diabetes</i> , 2014, 4, e140-e140.	1.5	23
193	Short sleep duration preferentially increases abdominal adiposity in adults: preliminary evidence. <i>Clinical Obesity</i> , 2011, 1, 141-146.	1.1	22
194	The mediating role of energy intake on the relationship between screen time behaviour and body mass index in adolescents with obesity: The HEARTY study. <i>Appetite</i> , 2016, 107, 437-444.	1.8	22
195	24-Hour Movement Behaviors and Internalizing and Externalizing Behaviors Among Youth. <i>Journal of Adolescent Health</i> , 2021, 68, 969-977.	1.2	22
196	Association between physical activity, screen time activities, diet patterns and daytime sleepiness in a sample of Brazilian adolescents. <i>Sleep Medicine</i> , 2021, 78, 1-6.	0.8	22
197	Short Sleep Duration Promoting Overconsumption of Food: A Reward-Driven Eating Behavior?. <i>Sleep</i> , 2010, 33, 1135-1136.	0.6	21
198	Adequate sleep to improve the treatment of obesity. <i>Cmaj</i> , 2012, 184, 1975-1976.	0.9	21

#	ARTICLE	IF	CITATIONS
199	Movement behaviors and their association with depressive symptoms in Brazilian adolescents: A cross-sectional study. <i>Journal of Sport and Health Science</i> , 2022, 11, 252-259.	3.3	21
200	Current and novel approaches to the drug therapy of obesity. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 793-803.	0.8	20
201	Obesity: The allostatic load of weight loss dieting. <i>Physiology and Behavior</i> , 2012, 106, 16-21.	1.0	20
202	Short sleep duration is associated with a lower mean satiety quotient in overweight and obese men. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 1328-1330.	1.3	20
203	Sex and Racial/Ethnic Differences in Suicidal Consideration and Suicide Attempts among US College Students, 2011-2015. <i>American Journal of Health Behavior</i> , 2020, 44, 214-231.	0.6	20
204	Is physical activity in weight management more about "calories in" than "calories out"? <i>British Journal of Nutrition</i> , 2011, 106, 1768-1769.	1.2	19
205	Combined Physical Activity/Sedentary Behavior Associations With Indices of Adiposity in 8- to 10-Year-Old Children. <i>Journal of Physical Activity and Health</i> , 2015, 12, 20-29.	1.0	19
206	Association between body mass index and body fat in 9-11-year-old children from countries spanning a range of human development. <i>International Journal of Obesity Supplements</i> , 2015, 5, S43-S46.	12.5	19
207	Cognitive restriction accentuates the increased energy intake response to a 10-month multidisciplinary weight loss program in adolescents with obesity. <i>Appetite</i> , 2019, 134, 125-134.	1.8	19
208	Public health guidelines on sedentary behaviour are important and needed: a provisional benchmark is better than no benchmark at all. <i>British Journal of Sports Medicine</i> , 2020, 54, 308-309.	3.1	19
209	Effects of Classroom Active Desks on Children and Adolescents' Physical Activity, Sedentary Behavior, Academic Achievements and Overall Health: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2828.	1.2	19
210	Balance and functional training and health in adults: an overview of systematic reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S180-S196.	0.9	19
211	Muscular Fitness and Cardiometabolic Variables in Children and Adolescents: A Systematic Review. <i>Sports Medicine</i> , 2022, 52, 1555-1575.	3.1	19
212	Is energy intake altered by a 10-week aerobic exercise intervention in obese adolescents?. <i>Physiology and Behavior</i> , 2014, 135, 130-134.	1.0	18
213	A model for presenting accelerometer paradata in large studies: ISCOLE. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 52.	2.0	18
214	Long duration of stressful homework as a potential obesogenic factor in children: A QUALITY study. <i>Obesity</i> , 2015, 23, 815-822.	1.5	18
215	Comparison of ActiGraph GT3X+ and Actical accelerometer data in 9-11-year-old Canadian children. <i>Journal of Sports Sciences</i> , 2016, 35, 1-8.	1.0	18
216	Household-level correlates of children's physical activity levels in and across 12 countries. <i>Obesity</i> , 2016, 24, 2150-2157.	1.5	18

#	ARTICLE	IF	CITATIONS
217	Participation frequency in physical education classes and physical activity and sitting time in Brazilian adolescents. <i>PLoS ONE</i> , 2019, 14, e0213785.	1.1	18
218	Associations between the Canadian 24 h movement guidelines and different types of bullying involvement among adolescents. <i>Child Abuse and Neglect</i> , 2020, 108, 104638.	1.3	18
219	The Canadian 24-hour movement guidelines and self-rated physical and mental health among adolescents. <i>Canadian Journal of Public Health</i> , 2022, 113, 312-321.	1.1	18
220	Sleep timing and health indicators in children and adolescents: a systematic review. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2022, 42, 150-169.	0.8	18
221	Examining the influence of a text message-based sleep and physical activity intervention among young adult smokers in the United States. <i>BMC Public Health</i> , 2015, 15, 671.	1.2	17
222	Are Canadian children and adolescents sleep deprived?. <i>Public Health</i> , 2016, 141, 126-129.	1.4	17
223	Food intake response to exercise and active video gaming in adolescents: effect of weight status. <i>British Journal of Nutrition</i> , 2016, 115, 547-553.	1.2	17
224	Associations among self-perceived work and life stress, trouble sleeping, physical activity, and body weight among Canadian adults. <i>Preventive Medicine</i> , 2017, 96, 16-20.	1.6	17
225	Association between breakfast frequency and physical activity and sedentary time: a cross-sectional study in children from 12 countries. <i>BMC Public Health</i> , 2019, 19, 222.	1.2	17
226	Association between Lifestyle Behaviors and Health-Related Quality of Life in a Sample of Brazilian Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7133.	1.2	17
227	Widespread misconceptions about obesity. <i>Canadian Family Physician</i> , 2014, 60, 973-5, 981-4.	0.1	17
228	Timing of physical activity within the 24-hour day and its influence on health: a systematic review. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2022, 42, 129-138.	0.8	17
229	No difference in insulin sensitivity between healthy postmenopausal women with or without sarcopenia: a pilot study. <i>Applied Physiology, Nutrition and Metabolism</i> , 2007, 32, 426-433.	0.9	16
230	Workplace standing time and the incidence of obesity and type 2 diabetes: a longitudinal study in adults. <i>BMC Public Health</i> , 2015, 15, 111.	1.2	16
231	Physical Activity, Sedentary Time, and Sleep and the Association With Inflammatory Markers and Adiponectin in 8- to 11-Year-Old Danish Children. <i>Journal of Physical Activity and Health</i> , 2016, 13, 733-739.	1.0	16
232	Scientific sinkhole: The pernicious price of formatting. <i>PLoS ONE</i> , 2019, 14, e0223116.	1.1	16
233	Joint associations between weekday and weekend physical activity or sedentary time and childhood obesity. <i>International Journal of Obesity</i> , 2019, 43, 691-700.	1.6	16
234	Comparing measures of free-living sleep in school-aged children. <i>Sleep Medicine</i> , 2019, 60, 197-201.	0.8	16

#	ARTICLE	IF	CITATIONS
235	Sex differences in the relationship between social media use, short sleep duration, and body mass index among adolescents. <i>Sleep Health</i> , 2020, 6, 601-608.	1.3	16
236	Past-Users of HRT are Osteopenic Four Months After Discontinuation: An Observational and Cross-Sectional Study. <i>Journal of Women and Aging</i> , 2006, 18, 19-29.	0.5	15
237	Is overweight/obesity associated with short sleep duration in older women?. <i>Aging Clinical and Experimental Research</i> , 2007, 19, 290-294.	1.4	15
238	Unhealthy Weight Control Practices: Culprits and Clinical Recommendations. <i>Clinical Medicine Insights: Endocrinology and Diabetes</i> , 2015, 8, CMED.S23060.	1.0	15
239	Development and reliability of an audit tool to assess the school physical activity environment across 12 countries. <i>International Journal of Obesity Supplements</i> , 2015, 5, S36-S42.	12.5	15
240	Nocturnal sleep-related variables from 24-h free-living waist-worn accelerometry: International Study of Childhood Obesity, Lifestyle and the Environment. <i>International Journal of Obesity Supplements</i> , 2015, 5, S47-S52.	12.5	15
241	Are Children Like Werewolves? Full Moon and Its Association with Sleep and Activity Behaviors in an International Sample of Children. <i>Frontiers in Pediatrics</i> , 2016, 4, 24.	0.9	15
242	Associations of neighborhood social environment attributes and physical activity among 9-11 year old children from 12 countries. <i>Health and Place</i> , 2017, 46, 183-191.	1.5	15
243	Influence of the relative age effect on children's scores obtained from the Canadian assessment of physical literacy. <i>BMC Public Health</i> , 2018, 18, 1040.	1.2	15
244	School start time changes in the COMPASS study: associations with youth sleep duration, physical activity, and screen time. <i>Sleep Medicine</i> , 2019, 56, 16-22.	0.8	15
245	Socio-demographic patterns of public, private and active travel in Latin America: Cross-sectional findings from the ELANS study. <i>Journal of Transport and Health</i> , 2020, 16, 100788.	1.1	15
246	Combinations of physical activity and screen time recommendations and their association with overweight/obesity in adolescents. <i>Canadian Journal of Public Health</i> , 2020, 111, 515-522.	1.1	15
247	Physical activity, screen time and sleep duration: Combined associations with psychosocial health among Canadian children and youth. <i>Health Reports</i> , 2020, 31, 9-16.	0.6	15
248	Handgrip strength asymmetry is associated with slow gait speed and poorer standing balance in older Americans. <i>Archives of Gerontology and Geriatrics</i> , 2022, 102, 104716.	1.4	15
249	The Maintenance of Energy Balance Is Compromised after Weight Loss. <i>Canadian Journal of Diabetes</i> , 2013, 37, 121-127.	0.4	14
250	Television viewing and food intake during television viewing in normal-weight, overweight and obese 9- to 11-year-old Canadian children: a cross-sectional analysis. <i>Journal of Nutritional Science</i> , 2015, 4, e8.	0.7	14
251	Sleep duration modifies effects of free ad libitum school meals on adiposity and blood pressure. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 33-40.	0.9	14
252	Consumption of sugar-sweetened beverages and energy drinks and adherence to physical activity and screen time recommendations among adolescents. <i>International Journal of Adolescent Medicine and Health</i> , 2017, 29, .	0.6	14

#	ARTICLE	IF	CITATIONS
253	No evidence for an epidemiological transition in sleep patterns among children: a 12-country study. <i>Sleep Health</i> , 2018, 4, 87-95.	1.3	14
254	Energy drink consumption, psychological distress, and suicidality among middle and high school students. <i>Journal of Affective Disorders</i> , 2020, 268, 102-108.	2.0	14
255	Outdoor time and dietary patterns in children around the world. <i>Journal of Public Health</i> , 2018, 40, e493-e501.	1.0	13
256	Cannabis use among middle and high school students in Ontario: a school-based cross-sectional study. <i>CMAJ Open</i> , 2018, 6, E50-E56.	1.1	13
257	Routinely assessing patients' sleep health is time well spent. <i>Preventive Medicine Reports</i> , 2019, 14, 100851.	0.8	13
258	Relationships Between Outdoor Time, Physical Activity, Sedentary Time, and Body Mass Index in Children: A 12-Country Study. <i>Pediatric Exercise Science</i> , 2019, 31, 118-129.	0.5	13
259	Energy Drink Consumption and Substance Use among Middle and High School Students. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3110.	1.2	13
260	Outdoor physical activity, compliance with the physical activity, screen time, and sleep duration recommendations, and excess weight among adolescents. <i>Obesity Science and Practice</i> , 2020, 6, 196-206.	1.0	13
261	Sex and racial/ethnic differences in the prevalence of overweight and obesity among U.S. college students, 2011-2015. <i>Journal of American College Health</i> , 2021, 69, 413-421.	0.8	13
262	Longitudinal association between movement behaviours and depressive symptoms among adolescents using compositional data analysis. <i>PLoS ONE</i> , 2021, 16, e0256867.	1.1	13
263	Sex Differences in the Effects of Mental Work and Moderate-Intensity Physical Activity on Energy Intake in Young Adults. <i>ISRN Nutrition</i> , 2013, 2013, 1-6.	1.7	13
264	Metabolic and behavioral vulnerability related to weight regain in reduced-obese men might be prevented by an adequate diet-exercise intervention. <i>Appetite</i> , 2007, 49, 691-695.	1.8	12
265	The Canadian 24-Hour Movement Guidelines and Psychological Distress among Adolescents: Les Directives canadiennes en matière de mouvement sur 24 heures et la détresse psychologique chez les adolescents. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 624-633.	0.9	12
266	Use of Social Networking Sites and Adherence to Physical Activity and Screen Time Recommendations in Adolescents. <i>Journal of Physical Activity and Health</i> , 2016, 13, 474-480.	1.0	11
267	Joint association of birth weight and physical activity/sedentary behavior with obesity in children ages 9-11 years from 12 countries. <i>Obesity</i> , 2017, 25, 1091-1097.	1.5	11
268	Estimating sleep efficiency in 10- to- 13-year-olds using a waist-worn accelerometer. <i>Sleep Health</i> , 2018, 4, 110-115.	1.3	11
269	Epidemiological Transition in Physical Activity and Sedentary Time in Children. <i>Journal of Physical Activity and Health</i> , 2019, 16, 518-524.	1.0	11
270	Influence of physical activity, screen time and sleep on inmates' body weight during incarceration in Canadian federal penitentiaries: a retrospective cohort study. <i>Canadian Journal of Public Health</i> , 2019, 110, 198-209.	1.1	11

#	ARTICLE	IF	CITATIONS
271	Meeting Canadian 24-Hour Movement Guideline recommendations and risk of all-cause mortality. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021, 46, 1487-1494.	0.9	11
272	A Good Night's Sleep for a Healthier Population. <i>American Journal of Preventive Medicine</i> , 2010, 38, 349.	1.6	10
273	Insulin secretion and its association with physical activity, fitness and screen time in children. <i>Obesity</i> , 2014, 22, 504-511.	1.5	10
274	Are participant characteristics from ISCOLE study sites comparable to the rest of their country?. <i>International Journal of Obesity Supplements</i> , 2015, 5, S9-S16.	12.5	10
275	Energy intake adaptations to acute isoenergetic active video games and exercise are similar in obese adolescents. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 1267-1271.	1.3	10
276	Screen time associated with adolescent obesity and obesity risk factors. <i>Journal of Pediatrics</i> , 2017, 186, 209-212.	0.9	10
277	Canadian federal penitentiaries as obesogenic environments: a retrospective cohort study. <i>CMAJ Open</i> , 2018, 6, E347-E352.	1.1	10
278	Sex and racial/ethnic differences in sleep quality and its relationship with body weight status among US college students. <i>Journal of American College Health</i> , 2020, 68, 704-711.	0.8	10
279	Prevalence and sociodemographic factors associated with meeting the 24-hour movement guidelines in a sample of Brazilian adolescents. <i>PLoS ONE</i> , 2020, 15, e0239833.	1.1	10
280	Development and application of an outcome-centric approach for conducting overviews of reviews. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, S151-S164.	0.9	10
281	Gender differences in the effects of methylphenidate on energy intake in young adults: a preliminary study. <i>Applied Physiology, Nutrition and Metabolism</i> , 2011, 36, 1009-1013.	0.9	9
282	Relationship between sleep duration and dietary intake in 4- to 14-year-old Danish children. <i>Journal of Nutritional Science</i> , 2013, 2, e38.	0.7	9
283	Sources of variability in childhood obesity indicators and related behaviors. <i>International Journal of Obesity</i> , 2018, 42, 108-110.	1.6	9
284	An exploration of reported food intake among inmates who gained body weight during incarceration in Canadian federal penitentiaries. <i>PLoS ONE</i> , 2018, 13, e0208768.	1.1	9
285	Cyberbullying involvement and short sleep duration among adolescents. <i>Sleep Health</i> , 2022, 8, 183-190.	1.3	9
286	A Sound Mind in a Sound Bod. <i>Obesity</i> , 2009, 17, 631-631.	1.5	8
287	Sleep restriction and appetite control: waking to a problem?. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 822-823.	2.2	8
288	Is obesity prevention as simple as turning off the television and having a nap?. <i>British Journal of Nutrition</i> , 2012, 108, 946-947.	1.2	8

#	ARTICLE	IF	CITATIONS
289	Physical Activity in Children and Youth May Have Greater Impact on Energy Intake Than Energy Expenditure. <i>Journal of Nutrition Education and Behavior</i> , 2013, 45, e1.	0.3	8
290	Lean adolescents achieve higher intensities but not higher energy expenditure while playing active video games compared with obese ones. <i>Pediatric Obesity</i> , 2016, 11, 102-106.	1.4	8
291	Racial/ethnic differences in body weight perception among U.S. college students. <i>Journal of American College Health</i> , 2018, 66, 429-437.	0.8	8
292	How did the tobacco ban increase inmates' body weight during incarceration in Canadian federal penitentiaries? A cohort study. <i>BMJ Open</i> , 2019, 9, e024552.	0.8	8
293	Prevalence and correlates of objectively measured weight status among urban and rural Mozambican primary schoolchildren: A cross-sectional study. <i>PLoS ONE</i> , 2020, 15, e0228592.	1.1	8
294	Nonmedical use of prescription opioids, psychological distress, and suicidality among adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 783-791.	1.6	8
295	Economic burden of insufficient sleep duration in Canadian adults. <i>Sleep Health</i> , 2022, 8, 298-302.	1.3	8
296	Are Active Video Games Useful in Increasing Physical Activity and Addressing Obesity in Children?. <i>JAMA Pediatrics</i> , 2013, 167, 677.	3.3	7
297	Reliability of a food menu to measure energy and macronutrient intake in adolescents. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 104-108.	1.3	7
298	Integrating sedentary behavior in the theoretical model linking childhood to adulthood activity and health? An updated framework. <i>Physiology and Behavior</i> , 2018, 196, 33-35.	1.0	7
299	Validation of a child version of the Three-Factor Eating Questionnaire in a Canadian sample: a psychometric tool for the evaluation of eating behaviour. <i>Public Health Nutrition</i> , 2019, 22, 431-443.	1.1	7
300	Association between screen time and accelerometer-measured 24-h movement behaviors in a sample of Brazilian adolescents. <i>Public Health</i> , 2021, 195, 32-38.	1.4	7
301	Results From the 2019 ParticipACTION Report Card on Physical Activity for Adults. <i>Journal of Physical Activity and Health</i> , 2020, 17, 995-1002.	1.0	7
302	Pokemon GO: snake oil or miracle cure for physical inactivity?. <i>Annals of Translational Medicine</i> , 2017, 5, S3-S3.	0.7	7
303	Prevalence and Associated Factors of Excessive Recreational Screen Time Among Colombian Children and Adolescents. <i>International Journal of Public Health</i> , 2022, 67, 1604217.	1.0	7
304	Timing of sedentary behaviour and access to sedentary activities in the bedroom and their association with sleep quality and duration in children and youth: a systematic review. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2022, 42, 139-149.	0.8	7
305	School bus travel is associated with bullying victimization among Canadian male, but not female, middle and high school students. <i>Child Abuse and Neglect</i> , 2016, 58, 141-148.	1.3	6
306	Correlates of nonmedical use of prescription opioids among a cohort of adolescents in Ontario, Canada. <i>Journal of Psychiatric Research</i> , 2020, 120, 175-184.	1.5	6

#	ARTICLE	IF	CITATIONS
307	Is sleeping more and working less a new way to control our appetite?. European Journal of Clinical Nutrition, 2010, 64, 1032-1033.	1.3	5
308	Time Spent Sedentary and Active and Cardiometabolic Risk Factors in Children. JAMA - Journal of the American Medical Association, 2012, 307, 2024; author reply 2024-5.	3.8	5
309	Is Exergaming a Viable Tool in the Fight against Childhood Obesity?. Journal of Obesity, 2014, 2014, 1-2.	1.1	5
310	No clear evidence that exergames can prevent obesity. Obesity Reviews, 2014, 15, 692-693.	3.1	5
311	Investigation of New Correlates of Physical Literacy in Children. Health Behavior and Policy Review, 2016, 3, 110-122.	0.3	5
312	Urbanisation and fitness: worrying trends from China. The Lancet Child and Adolescent Health, 2019, 3, 837-839.	2.7	5
313	Body mass index and movement behaviors among schoolchildren from 13 countries across a continuum of human development indices: A multinational cross-sectional study. American Journal of Human Biology, 2020, 32, e23341.	0.8	5
314	Prevalence and Correlates of Meeting Physical Activity Guidelines Among Colombian Children and Adolescents. Journal of Physical Activity and Health, 2021, 18, 400-417.	1.0	5
315	Sociodemographic Factors Associated With Meeting the Canadian 24-Hour Movement Guidelines Among Adults: Findings From the Canadian Health Measures Survey. Journal of Physical Activity and Health, 2022, 19, 194-202.	1.0	5
316	Obesity and Cardiovascular Physiology: Impact of some Pharmacological Agents. Current Vascular Pharmacology, 2005, 3, 185-193.	0.8	4
317	Do active video games increase food intake?. American Journal of Clinical Nutrition, 2011, 94, 1155.	2.2	4
318	Sleeping more to improve appetite and body weight control: dream or reality?. American Journal of Clinical Nutrition, 2015, 101, 5-6.	2.2	4
319	Combinations of Physical Activity, Sedentary Behaviour and Sleep. Medicine and Science in Sports and Exercise, 2016, 48, 912.	0.2	4
320	Relationships between Objectively Measured Physical Activity and Health Indicators in School-Aged Children and Youth. Medicine and Science in Sports and Exercise, 2016, 48, 235-236.	0.2	4
321	Thresholds of physical activity associated with obesity by level of sedentary behaviour in children. Pediatric Obesity, 2018, 13, 450-457.	1.4	4
322	Gender and Racial/Ethnic Differences in the Association Between Alcohol Drinking Patterns and Body Mass Index—the National Health and Nutrition Examination Survey, 1999–2010. Journal of Racial and Ethnic Health Disparities, 2019, 6, 301-311.	1.8	4
323	Associations between Sociodemographic, Dietary, and Substance Use Factors with Self-Reported 24-Hour Movement Behaviors in a Sample of Brazilian Adolescents. International Journal of Environmental Research and Public Health, 2021, 18, 2527.	1.2	4
324	Propionate: Hypophagic Effects Observed in Animal Models Might be Transposed to the Human Obesity Management. Current Nutrition and Food Science, 2006, 2, 375-379.	0.3	3

#	ARTICLE	IF	CITATIONS
325	Well-being of obese individuals: therapeutic perspectives. <i>Future Medicinal Chemistry</i> , 2010, 2, 1729-1733.	1.1	3
326	Reply to L Bennedsen et al. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 446-447.	2.2	3
327	Obese Children Do Not Need to Increase Their Physical Activity Any More than Their Lean Counterparts Do. <i>Frontiers in Pediatrics</i> , 2016, 4, 35.	0.9	3
328	Participation In Physical Education Classes And Physical Activity And Sedentary Behavior In Children. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 452.	0.2	3
329	24-h Movement Guidelines and Substance Use among Adolescents: A School-Based Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3309.	1.2	3
330	Weight Gain and Mental Health in the Canadian Prison Population. <i>Journal of Correctional Health Care</i> , 2021, 27, 51-57.	0.2	3
331	NORMATIVE REFERENCE VALUES FOR ACTIGRAPHY-MEASURED TOTAL NOCTURNAL SLEEP TIME IN THE US POPULATION. <i>American Journal of Epidemiology</i> , 2022, 191, 360-362.	1.6	3
332	Problem Technology Use, Academic Performance, and School Connectedness among Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2337.	1.2	3
333	The two sides of sedentary behavior. <i>Journal of Physical Education (Maringa)</i> , 2022, 33, .	0.1	3
334	About the appetite-related effects of topiramate. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 893-893.	0.8	2
335	Energy expenditure and respiratory diseases: is there a link?. <i>Expert Review of Respiratory Medicine</i> , 2008, 2, 495-503.	1.0	2
336	Intelligence and obesity: does the intensity of mental workload matter?. <i>Obesity Reviews</i> , 2010, 11, 548-549.	3.1	2
337	Metabolic Effects of Propionic Acid-Enriched Breads. , 2011, , 475-484.		2
338	Discussion of "Influence of netball-based exercise on energy intake, subjective appetite and plasma acylated ghrelin in adolescent girls". <i>Applied Physiology, Nutrition and Metabolism</i> , 2013, 38, 1170-1170.	0.9	2
339	Metabolically Healthy Overweight and Obesity. <i>Annals of Internal Medicine</i> , 2014, 160, 513.	2.0	2
340	More on Current Status and Needed Research in G4H for Children "The Challenge. <i>Games for Health Journal</i> , 2016, 5, 13-14.	1.1	2
341	Accuracy and inequalities in physical activity research. <i>The Lancet Global Health</i> , 2019, 7, e185.	2.9	2
342	Association of eating behaviour with clock gene polymorphism 3111 T > C in children based on nutritional status. <i>Annals of Human Biology</i> , 2020, 47, 76-80.	0.4	2

#	ARTICLE	IF	CITATIONS
343	Prevalence and Correlates of Active Transportation to School Among Colombian Children and Adolescents. <i>Journal of Physical Activity and Health</i> , 2021, 18, 1299-1309.	1.0	2
344	First sleep health guidelines for Canadian adults: implications for clinicians. <i>Sleep Medicine</i> , 2021, 79, 117-118.	0.8	2
345	Association between sociodemographic, dietary, and substance use factors and accelerometer-measured 24-hour movement behaviours in Brazilian adolescents. <i>European Journal of Pediatrics</i> , 2021, 180, 3297-3305.	1.3	2
346	Does sleep restriction increase eating in the absence of hunger? Maybe!. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 1270-1271.	2.2	2
347	Obesity-related Behaviors of Students at Historically Black Colleges and Universities and Students at non- Historically Black Colleges and Universities. <i>Health Behavior and Policy Review</i> , 2020, 7, 570-583.	0.3	2
348	Bioenergetics of Obesity: Is Fat Gain a Problem or a Solution?. <i>Bioenergetics: Open Access</i> , 2012, 01, .	0.1	2
349	Canadian Physical Activity and Screen Time Guidelines: Do Children Know?. <i>Health Behavior and Policy Review</i> , 2016, 3, 444-454.	0.3	2
350	Prevalence and correlates of highly caffeinated beverage consumption among Korean adolescents. <i>Osong Public Health and Research Perspectives</i> , 2021, , .	0.7	2
351	Addressing the obesity epidemic: what is the dentist's role?. <i>Journal of the Canadian Dental Association</i> , 2007, 73, 707-9.	0.6	2
352	Toward a Romanian version of the Three-Factor Eating Questionnaire-R21 for children and adolescents (CTFEQ-R21): Preliminary psychometric analysis and relation with body composition. <i>Medycyna Wieku Rozwojowego</i> , 2019, 23, 45-53.	0.2	2
353	Canadian 24-h Movement Guidelines, Life Stress, and Self-Esteem Among Adolescents. <i>Frontiers in Public Health</i> , 2022, 10, 702162.	1.3	2
354	Combined Physical Activity/Sedentary Behavior Associations with Indices of Adiposity in 8- to 10-Year-Old Children. <i>Journal of Physical Activity and Health</i> , 2015, 12, 20-29.	1.0	2
355	Sleep behaviours among Canadian adults: Findings from the 2020 Canadian Community Health Survey healthy living rapid response module.. <i>Health Reports</i> , 2022, 33, 3-14.	0.6	2
356	Timing of 24-hour movement behaviours: implications for practice, policy and research. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2022, 42, 170-174.	0.8	2
357	Learning from missing data: examining nonreporting patterns of height, weight, and BMI among Canadian youth. <i>International Journal of Obesity</i> , 2022, 46, 1598-1607.	1.6	2
358	Mental Work Influences Cardiovascular Responses Through a Reduction in Cardiac Parasympathetic Modulation in Healthy Adults. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 747.	0.2	1
359	Influence of Sleeping Habits on Adaptive Thermogenesis during Weight Loss in Adults. <i>Bioenergetics: Open Access</i> , 2012, 01, .	0.1	1
360	RE: "THE RELATIONSHIP BETWEEN OCCUPATIONAL STANDING AND SITTING AND INCIDENT HEART DISEASE OVER A 12-YEAR PERIOD IN ONTARIO, CANADA". <i>American Journal of Epidemiology</i> , 2018, 187, 399-400.	1.6	1

#	ARTICLE	IF	CITATIONS
361	Watching television or listening to music while exercising failed to affect post-exercise food intake or energy expenditure in male adolescents. <i>Appetite</i> , 2018, 127, 266-273.	1.8	1
362	Effect of Acute Exercise and Cycling Desk on Energy Intake and Appetite Response to Mental Work: The CORTEX Study. <i>Journal of Physical Activity and Health</i> , 2021, 18, 433-439.	1.0	1
363	Sex differences in weight perception and weight gain among Black college students in the USA. <i>Osong Public Health and Research Perspectives</i> , 2021, 12, 96-104.	0.7	1
364	Translation and validation of the Child Three-Factor Eating Questionnaire (CTFEQr17) in French-speaking Canadian children and adolescents. <i>Public Health Nutrition</i> , 2022, 25, 543-553.	1.1	1
365	How do adolescents with short sleep duration spend their extra waking hours? A device-based analysis of physical activity and sedentary behaviour in a Brazilian sample. <i>Sleep Science</i> , 2021, 14, 163-166.	0.4	1
366	Depression and weight loss: opposite outcome for surgery and rimonabant?. <i>Obesity Reviews</i> , 2008, 9, 504-507.	3.1	0
367	Sleep and Metabolic Fitness. <i>Sleep</i> , 2010, 33, 861-861.	0.6	0
368	Biopsychological Factors and Body Weight Stability. , 2010, , 179-189.		0
369	Reply to M-E Mathieu and L Kakinami. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1151-1152.	2.2	0
370	Reply to VB Paravidino et al.. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1616-1617.	2.2	0
371	Diabetes risk increased between spouses. <i>Evidence-based Nursing</i> , 2015, 18, 28-28.	0.1	0
372	When Harry Tweeted Sally and Other Modern Day Stories. <i>Canadian Journal of Diabetes</i> , 2015, 39, S8-S9.	0.4	0
373	New Information on Population Activity Patterns Revealed by Objective Monitoring. <i>Springer Series on Epidemiology and Public Health</i> , 2016, , 159-179.	0.5	0
374	Relationships Between Objective Measures Of The Built Environment And Children's Active Transportation And Physical Activity. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1064.	0.2	0
375	Response letter: Effect of multidisciplinary weight loss interventions on obstructive sleep apnea in youth with obesity. Need for more clinical trials. <i>International Journal of Obesity</i> , 2020, 44, 1539-1540.	1.6	0
376	Influence of Propionate on Appetite Control and Metabolism. <i>Current Nutrition and Food Science</i> , 2012, 8, 304-310.	0.3	0
377	Le manque de sommeil fait-il engraisser?. <i>Revue De L'Université De Moncton</i> , 0, 43, 205-215.	0.0	0
378	Effectiveness of obesity interventions among South Korean children and adolescents and importance of the type of intervention component: a meta-analysis. <i>Clinical and Experimental Pediatrics</i> , 2021, , .	0.9	0

#	ARTICLE	IF	CITATIONS
379	Scientific sinkhole: The pernicious price of formatting. , 2019, 14, e0223116.		0
380	Scientific sinkhole: The pernicious price of formatting. , 2019, 14, e0223116.		0
381	Scientific sinkhole: The pernicious price of formatting. , 2019, 14, e0223116.		0
382	Scientific sinkhole: The pernicious price of formatting. , 2019, 14, e0223116.		0
383	Designing, Implementing, and Evaluating a Home-Based, Multidisciplinary, Family-Centered Pediatric Obesity Intervention: The ProxOb Program. Children, 2022, 9, 737.	0.6	0