## Jettanong Klaewsongkram

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/508724/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Generalized bullous fixed drug eruption after Oxford–AstraZeneca (ChAdOx1 nCoVâ€19) vaccination. Clinical and Experimental Dermatology, 2022, 47, 428-432.	0.6	14
2	Cutaneous adverse reactions from 35,229 doses of Sinovac and AstraZeneca COVIDâ€19 vaccination: a prospective cohort study in healthcare workers. Journal of the European Academy of Dermatology and Venereology, 2022, 36, .	1.3	17
3	Effect of Hatha yoga training on rhinitis symptoms and cytokines in allergic rhinitis patients. Asian Pacific Journal of Allergy and Immunology, 2022, , .	0.2	6
4	Safety and Immunogenicity of Standard and Double Doses of Hepatitis B Vaccine in Children after Liver Transplantation: An Open-Label, Randomised Controlled Trial. Vaccines, 2022, 10, 92.	2.1	3
5	Whole genome sequencing identifies genetic variants associated with co-trimoxazole hypersensitivity in Asians. Journal of Allergy and Clinical Immunology, 2021, 147, 1402-1412.	1.5	46
6	Clinical Characteristics, Urinary Leukotriene E4 Levels, and Aspirin Desensitization Results in Patients With NSAID-Induced Blended Reactions. Allergy, Asthma and Immunology Research, 2021, 13, 229.	1.1	5
7	Characterization of T-Cell Responses to SMX and SMX-NO in Co-Trimoxazole Hypersensitivity Patients Expressing HLA-B*13:01. Frontiers in Immunology, 2021, 12, 658593.	2.2	14
8	HLA-B*13 :01 Is a Predictive Marker of Dapsone-Induced Severe Cutaneous Adverse Reactions in Thai Patients. Frontiers in Immunology, 2021, 12, 661135.	2.2	29
9	Spectrum of cutaneous adverse reactions to aromatic antiepileptic drugs and human leukocyte antigen genotypes in Thai patients and meta-analysis. Pharmacogenomics Journal, 2021, 21, 682-690.	0.9	15
10	Glutathione Whitening Pills Induced Toxic Epidermal Necrolysis. Dermatitis, 2021, Publish Ahead of Print, e115-e117.	0.8	1
11	Acute urticaria alone after CoronaVac COVIDâ€19 vaccination should not be contraindicated for revaccination. Clinical and Experimental Dermatology, 2021, , .	0.6	9
12	Clinical parameters and biological markers associated with acute severe ocular complications in Stevens-Johnson syndrome and toxic epidermal necrolysis. Scientific Reports, 2021, 11, 20275.	1.6	4
13	The Role of <i>In Vitro</i> Detection of Drug-Specific Mediator-Releasing Cells to Diagnose Different Phenotypes of Severe Cutaneous Adverse Reactions. Allergy, Asthma and Immunology Research, 2021, 13, 896.	1.1	8
14	Development of Prototype Kit for Portable Drug Allergy Testing. Procedia Manufacturing, 2020, 51, 975-980.	1.9	0
15	In vitro immune responses of human peripheral blood mononuclear cells to silk fibroin: IL-10 stimulated anti-inflammatory and hypoallergenic properties. Materials Today Communications, 2020, 24, 101044.	0.9	3
16	Genetic Association of Coâ€Trimoxazoleâ€Induced Severe Cutaneous Adverse Reactions Is Phenotypeâ€Specific: HLA Class I Genotypes and Haplotypes. Clinical Pharmacology and Therapeutics, 2020, 108, 1078-1089.	2.3	34
17	Genetic and clinical risk factors associated with phenytoinâ€induced cutaneous adverse drug reactions in Thai population. Pharmacoepidemiology and Drug Safety, 2020, 29, 565-574.	0.9	23
18	Interferon-gamma ELISpot assay facilitates safe drug rechallenge in severe cutaneous adverse reactions caused by anti-tuberculosis drugs. Journal of Allergy and Clinical Immunology, 2020, 145, AR97	1.5	0

#	Article	IF	CITATIONS
19	Analysis of HLA-B Allelic Variation and IFN-Î <sup>3</sup> ELISpot Responses in Patients with Severe Cutaneous Adverse Reactions Associated with Drugs. Journal of Allergy and Clinical Immunology: in Practice, 2019, 7, 219-227.e4.	2.0	36
20	The Appropriate Cut-Off Value of Interferon-Gamma ELISpot Assay for Drug Hypersensitivity Diagnosis in Clinical Practice. Journal of Allergy and Clinical Immunology, 2019, 143, AB26.	1.5	0
21	Hypersensitivity reactions to antituberculosis drugs confirmed by interferon gamma enzyme-linked Immunospot assay. Journal of Allergy and Clinical Immunology, 2019, 143, AB26.	1.5	0
22	In vitro detection of drug-induced granzyme B, interferon-gamma, and interleukin-22 releasing cells in different phenotypes of severe cutaneous adverse reactions. Journal of Allergy and Clinical Immunology, 2019, 143, AB208.	1.5	0
23	Reliability and validity of the Thai Drug Hypersensitivity Quality of Life Questionnaire: a multi-center study. International Journal for Quality in Health Care, 2019, 31, 527-534.	0.9	8
24	Effects of aerobic exercise and vitamin C supplementation on rhinitis symptoms in allergic rhinitis patients. Asian Pacific Journal of Allergy and Immunology, 2019, 36, 222-231.	0.2	11
25	The measurement of drugâ€induced interferon γâ€releasing cells and lymphocyte proliferation in severe cutaneous adverse reactions. Journal of the European Academy of Dermatology and Venereology, 2018, 32, 992-998.	1.3	30
26	Allergic Sensitization and Asthma Severity. Journal of Allergy and Clinical Immunology, 2018, 141, AB107.	1.5	1
27	Association between HLA-B Alleles and Carbamazepine-Induced Maculopapular Exanthema and Severe Cutaneous Reactions in Thai Patients. Journal of Immunology Research, 2018, 2018, 1-11.	0.9	55
28	Skin Manifestations in Patients with Adult-onset Immunodeficiency due to Anti-interferon-gamma Autoantibody: A Relationship with Systemic Infections. Acta Dermato-Venereologica, 2018, 98, 742-747.	0.6	27
29	Humoral Immune Response after a Four-Site Intradermal Rabies Booster Vaccination in Previously Rabies Immunized HIV-Infected Adults. Journal of Allergy and Clinical Immunology, 2017, 139, AB207.	1.5	0
30	Cytokine Release from Peripheral Blood Mononuclear Cells upon Stimulation with the Culprit Drugs during Acute Stage of Severe Cutaneous Adverse Reactions. Journal of Allergy and Clinical Immunology, 2017, 139, AB43.	1.5	0
31	Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis Standard Reporting and Evaluation Guidelines. JAMA Dermatology, 2017, 153, 587.	2.0	30
32	Dapsone-induced severe cutaneous adverse drug reactions are strongly linked with HLA-B*13. Pharmacogenetics and Genomics, 2017, 27, 429-437.	0.7	87
33	Association of HLA-A and HLA-B Alleles with Lamotrigine-Induced Cutaneous Adverse Drug Reactions in the Thai Population. Frontiers in Pharmacology, 2017, 8, 879.	1.6	44
34	HLA-B*58:01 for Allopurinol-Induced Cutaneous Adverse Drug Reactions: Implication for Clinical Interpretation in Thailand. Frontiers in Pharmacology, 2016, 7, 186.	1.6	54
35	Evaluated the Diagnostic Utility of Interferon-Gamma Enzyme-Linked Immunospot (ELISPOT) Assays in 117 Patients with Non-Immediate Drug Hypersensitivity Reactions. Journal of Allergy and Clinical Immunology, 2016, 137, AB36.	1.5	2
36	Etiologies and Clinical Characteristics of 97 Patients Diagnosed with Severe Cutaneous Adverse Reactions from Six Tertiary Medical Centers in Thailand. Journal of Allergy and Clinical Immunology, 2016, 137, AB45.	1.5	2

#	Article	IF	CITATIONS
37	Drug-induced hypersensitivity syndrome/drug reaction with eosinophilia and systemic symptoms (DIHS/DRESS): 11 years retrospective study in Thailand. Allergology International, 2016, 65, 432-438.	1.4	60
38	Slow desensitization of imatinib-induced nonimmediate reactions and dynamic changes of drug-specific CD4+CD25+CD134+ lymphocytes. Annals of Allergy, Asthma and Immunology, 2016, 117, 514-519.	0.5	10
39	<i>In vitro</i> test to confirm diagnosis of allopurinol-induced severe cutaneous adverse reactions. British Journal of Dermatology, 2016, 175, 994-1002.	1.4	27
40	Extranasal symptoms of allergic rhinitis are difficult to treat and affect quality of life. Allergology International, 2016, 65, 199-203.	1.4	37
41	Chitosan-phenylalanine-mPEG nanoparticles: From a single step water-based conjugation to the potential allergen delivery system. Carbohydrate Polymers, 2016, 141, 41-53.	5.1	17
42	Clinical characteristics and treatment outcome of Stevens-Johnson syndrome and toxic epidermal necrolysis. Experimental and Therapeutic Medicine, 2015, 10, 519-524.	0.8	28
43	Chronic cough: an Asian perspective. Part 1: Epidemiology. Asia Pacific Allergy, 2015, 5, 136-144.	0.6	16
44	Jackfruit anaphylaxis in a latex allergic patient. Asian Pacific Journal of Allergy and Immunology, 2015, 33, 65-8.	0.2	3
45	Special features of allergic and immunological disorders in tropical Asia. Asian Pacific Journal of Allergy and Immunology, 2015, 33, 171-2.	0.2	Ο
46	Lamotrigine-induced toxic epidermal necrolysis confirmed by in vitro granulysin and cytokine assays. Asia Pacific Allergy, 2014, 4, 253-256.	0.6	6
47	Reactivity of allergy skin test in healthy volunteers. Singapore Medical Journal, 2014, 55, 34-6.	0.3	9
48	The Differences and Similarities between Allergists and Non-Allergists for Penicillin Allergy Management. Journal of Allergy, 2014, 2014, 1-8.	0.7	4
49	Atypical Symptoms Of Chronic Rhinitis and The Impact On Quality Of Life. Journal of Allergy and Clinical Immunology, 2014, 133, AB135.	1.5	1
50	Acute respiratory failure secondary to eosinophilic pneumonia following influenza vaccination in an elderly man with chronic obstructive pulmonary disease. International Journal of Infectious Diseases, 2014, 26, 14-16.	1.5	18
51	Non-IgE aspects of allergic diseases and contributing roles of IgE in autoimmunity. Asian Pacific Journal of Allergy and Immunology, 2014, 32, 193-4.	0.2	Ο
52	Associated Immunological Disorders and Cellular Immune Dysfunction in Thymoma: A Study of 87 Cases from Thailand. Archivum Immunologiae Et Therapiae Experimentalis, 2013, 61, 85-93.	1.0	14
53	The Potential of Using Enzyme-linked Immunospot to Diagnose Cephalosporin-induced Maculopapular Exanthems. Acta Dermato-Venereologica, 2013, 93, 66-69.	0.6	34
54	Interleukin-2 levels in exhaled breath condensates, asthma severity, and asthma control in nonallergic asthma. Allergy and Asthma Proceedings, 2013, 34, 35-41.	1.0	20

#	Article	IF	CITATIONS
55	A Case of Sulfasalazine-Induced Hypersensitivity Syndrome Confirmed by Enzyme-Linked Immunospot Assay. Allergy, Asthma and Immunology Research, 2013, 5, 415.	1.1	15
56	Alkali-treated penicillin G solution is a better option than penicillin G as an alternative source of minor determinants for penicillin skin test. Allergy and Asthma Proceedings, 2012, 33, 152-159.	1.0	2
57	The values of nasal provocation test and basophil activation test in the different patterns of ASA/NSAID hypersensitivity. Allergologia Et Immunopathologia, 2012, 40, 156-163.	1.0	11
58	The Potential of Using ELISPOT to Diagnose Cephalosporin-induced Maculopapular Exanthems. Journal of Allergy and Clinical Immunology, 2012, 129, AB101.	1.5	0
59	Krüppelâ€like factor 4 (KLF4) directly regulates proliferation in thymocyte development and ILâ€17 expression during Th17 differentiation. FASEB Journal, 2011, 25, 3634-3645.	0.2	63
60	The diagnostic value of basophil activation test in patients with an immediate hypersensitivity reaction to radiocontrast media. Annals of Allergy, Asthma and Immunology, 2011, 106, 387-393.	0.5	60
61	The Comparison of Cytokine Levels in Exhaled Breath Condensate between Patients with Allergic Asthma and Non-Allergic Asthma and the Correlation With % FEV1 and Asthma Control Test Scores. Journal of Allergy and Clinical Immunology, 2011, 127, AB6-AB6.	1.5	4
62	A Comparison of Aged Solution of Alkali-Treated Penicillin and Commercial Penicillin Skin Testing Kit in the Diagnosis of Patients with a History of Penicillin Allergy. Journal of Allergy and Clinical Immunology, 2010, 125, AB154.	1.5	0
63	Adverse Reaction to Anti-tuberculosis Drugs. Journal of Allergy and Clinical Immunology, 2010, 125, AB154.	1.5	1
64	A role of snake antivenom skin test from the allergist's point of view. Acta Tropica, 2009, 109, 84-85.	0.9	5
65	Skin Testing for the Diagnosis of Immediate Hypersensitivity Reaction to Iodinated Contrast Media. Journal of Allergy and Clinical Immunology, 2009, 123, S240-S240.	1.5	0
66	Asthma Research Performance in Asia-Pacific: A Bibliometric Analysis by Searching PubMed Database. Journal of Asthma, 2009, 46, 1013-1020.	0.9	7
67	KruÌ^ppel-Like Factor 4 Regulates B Cell Number and Activation-Induced B Cell Proliferation. Journal of Immunology, 2007, 179, 4679-4684.	0.4	46
68	Increased Interleukin-17 Production Both in Helper T Cell Subset Th17 And CD4-Negative T Cells in Human Immunodeficiency Virus Infection. Viral Immunology, 2007, 20, 66-75.	0.6	72
69	Eosinophil Count in Nasal Mucosa Is More Suitable than the Number of ICAM-1-Positive Nasal Epithelial Cells to Evaluate the Severity of House Dust Mite-Sensitive Allergic Rhinitis: A Clinical Correlation Study, International Archives of Allergy and Immunology, 2003, 132, 68-75	0.9	12