

Tyrone D Cannon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5092131/publications.pdf>

Version: 2024-02-01

382
papers

35,338
citations

4103

90
h-index

4983

173
g-index

396
all docs

396
docs citations

396
times ranked

27104
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterizing sustained social anxiety in individuals at clinical high risk for psychosis: trajectory, risk factors, and functional outcomes. <i>Psychological Medicine</i> , 2023, 53, 3644-3651.	2.7	5
2	Intelligence, educational attainment, and brain structure in those at familial high risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2022, 43, 414-430.	1.9	14
3	North American Prodrome Longitudinal Study (NAPLS 3): Methods and baseline description. <i>Schizophrenia Research</i> , 2022, 243, 262-267.	1.1	39
4	Life Event Stress and Reduced Cortical Thickness in Youth at Clinical High Risk for Psychosis and Healthy Control Subjects. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 171-179.	1.1	2
5	Sleep Disturbance in Individuals at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 111-121.	2.3	15
6	Individualized Prediction of Prodromal Symptom Remission for Youth at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 395-404.	2.3	7
7	Structural Brain Volumes of Individuals at Clinical High Risk for Psychosis: A Meta-analysis. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 147-152.	1.0	10
8	Development of a probability calculator for psychosis risk in children, adolescents, and young adults. <i>Psychological Medicine</i> , 2022, 52, 3159-3167.	2.7	9
9	Bullying in clinical high risk for psychosis participants from the NAPLS-3 cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1379-1388.	1.6	4
10	The associations between area-level residential instability and gray matter volumes from the North American Prodrome Longitudinal Study (NAPLS) consortium. <i>Schizophrenia Research</i> , 2022, 241, 1-9.	1.1	8
11	Developing a novel assessment of interpretation flexibility: Reliability, validity and clinical implications. <i>Personality and Individual Differences</i> , 2022, 190, 111548.	1.6	13
12	Longitudinal impact of trauma in the North American Prodrome Longitudinal Study. <i>Microbial Biotechnology</i> , 2022, 16, 1211-1216.	0.9	0
13	Psychosis, schizophrenia, and states vs. traits. <i>Schizophrenia Research</i> , 2022, 242, 12-14.	1.1	6
14	Family history of psychosis in youth at clinical high risk: A replication study. <i>Psychiatry Research</i> , 2022, 311, 114480.	1.7	3
15	Contribution of astrocytes to familial risk and clinical manifestation of schizophrenia. <i>Glia</i> , 2022, 70, 650-660.	2.5	12
16	P583. Morphometric Similarity Network Alterations in Youth at Clinical High Risk for Psychosis. <i>Biological Psychiatry</i> , 2022, 91, S325.	0.7	0
17	P535. Neighborhood Poverty and Hippocampal Volume Among Individuals at Clinical High Risk for Psychosis: The Moderating Role of Social Engagement. <i>Biological Psychiatry</i> , 2022, 91, S305.	0.7	0
18	Mismatch Negativity in Response to Auditory Deviance and Risk for Future Psychosis in Youth at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2022, 79, 780.	6.0	21

#	ARTICLE	IF	CITATIONS
19	The Association Between Neighborhood Poverty and Hippocampal Volume Among Individuals at Clinical High-Risk for Psychosis: The Moderating Role of Social Engagement. <i>Schizophrenia Bulletin</i> , 2022, 48, 1032-1042.	2.3	9
20	Belief in fake news, responsiveness to cognitive conflict, and analytic reasoning engagement. <i>Thinking and Reasoning</i> , 2021, 27, 510-535.	2.1	6
21	Associations between childhood adversity, cognitive schemas and attenuated psychotic symptoms. <i>Microbial Biotechnology</i> , 2021, 15, 818-827.	0.9	10
22	Functional connectome-wide associations of schizophrenia polygenic risk. <i>Molecular Psychiatry</i> , 2021, 26, 2553-2561.	4.1	53
23	Depression, family interaction and family intervention in adolescents at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 360-366.	0.9	1
24	Cross-paradigm connectivity: reliability, stability, and utility. <i>Brain Imaging and Behavior</i> , 2021, 15, 614-629.	1.1	7
25	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021, 227, 10-17.	1.1	28
26	Selection for psychosocial treatment for youth at clinical high risk for psychosis based on the North American Prodrome Longitudinal Study individualized risk calculator. <i>Microbial Biotechnology</i> , 2021, 15, 96-103.	0.9	9
27	Variants in regulatory elements of PDE4D associate with major mental illness in the Finnish population. <i>Molecular Psychiatry</i> , 2021, 26, 816-824.	4.1	8
28	Depression: An actionable outcome for those at clinical high-risk. <i>Schizophrenia Research</i> , 2021, 227, 38-43.	1.1	7
29	Identifying neural signatures mediating behavioral symptoms and psychosis onset: High-dimensional whole brain functional mediation analysis. <i>NeuroImage</i> , 2021, 226, 117508.	2.1	4
30	Social decline in the psychosis prodrome: Predictor potential and heterogeneity of outcome. <i>Schizophrenia Research</i> , 2021, 227, 44-51.	1.1	12
31	Concordance and factor structure of subthreshold positive symptoms in youth at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2021, 227, 72-77.	1.1	4
32	Incorporating cortisol into the NAPLS2 individualized risk calculator for prediction of psychosis. <i>Schizophrenia Research</i> , 2021, 227, 95-100.	1.1	17
33	Discriminatory experiences predict neuroanatomical changes and anxiety among healthy individuals and those at clinical high risk for psychosis. <i>NeuroImage: Clinical</i> , 2021, 31, 102757.	1.4	8
34	Abnormally Large Baseline P300 Amplitude Is Associated With Conversion to Psychosis in Clinical High Risk Individuals With a History of Autism: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 591127.	1.3	10
35	Distinct and temporally associated neural mechanisms underlying concurrent, postsuccess, and posterror cognitive controls: Evidence from a stop signal task. <i>Human Brain Mapping</i> , 2021, 42, 2677-2690.	1.9	7
36	Social cognition in 22q11.2 deletion syndrome and idiopathic developmental neuropsychiatric disorders. <i>Journal of Neurodevelopmental Disorders</i> , 2021, 13, 15.	1.5	13

#	ARTICLE	IF	CITATIONS
37	Inflexible Interpretations of Ambiguous Social Situations: A Novel Predictor of Suicidal Ideation and the Beliefs That Inspire It. <i>Clinical Psychological Science</i> , 2021, 9, 879-899.	2.4	14
38	Paranoia is associated with impaired novelty detection and overconfidence in recognition memory judgments.. <i>Journal of Abnormal Psychology</i> , 2021, 130, 273-285.	2.0	7
39	Visual cortical plasticity and the risk for psychosis: An interim analysis of the North American Prodrome Longitudinal Study. <i>Schizophrenia Research</i> , 2021, 230, 26-37.	1.1	4
40	Identifying nootropic drug targets via large-scale cognitive GWAS and transcriptomics. <i>Neuropsychopharmacology</i> , 2021, 46, 1788-1801.	2.8	12
41	White matter changes in psychosis risk relate to development and are not impacted by the transition to psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 6833-6844.	4.1	15
42	Molecular signaling pathways underlying schizophrenia. <i>Schizophrenia Research</i> , 2021, 232, 33-41.	1.1	14
43	Toward Generalizable and Transdiagnostic Tools for Psychosis Prediction: An Independent Validation and Improvement of the NAPLS-2 Risk Calculator in the Multisite PRONIA Cohort. <i>Biological Psychiatry</i> , 2021, 90, 632-642.	0.7	32
44	Family-focused therapy for individuals at high clinical risk for psychosis: A confirmatory efficacy trial. <i>Microbial Biotechnology</i> , 2021, , .	0.9	1
45	Do the Benefits of Early Intervention Services for Psychosis Generalize and Persist in the Real World?. <i>American Journal of Psychiatry</i> , 2021, 178, 890-892.	4.0	2
46	Anxiety in youth at clinical high-risk for psychosis: A two-year follow-up. <i>Schizophrenia Research</i> , 2021, 236, 87-88.	1.1	1
47	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 943-952.	1.6	5
48	Genetic and clinical analyses of psychosis spectrum symptoms in a large multiethnic youth cohort reveal significant link with ADHD. <i>Translational Psychiatry</i> , 2021, 11, 80.	2.4	11
49	Confident memory errors and disrupted reality testing in early psychosis. <i>Schizophrenia Research</i> , 2021, 238, 170-177.	1.1	4
50	Association between residential instability at individual and area levels and future psychosis in adolescents at clinical high risk from the North American Prodrome Longitudinal Study (NAPLS) consortium. <i>Schizophrenia Research</i> , 2021, 238, 137-144.	1.1	7
51	A randomized Phase II trial evaluating efficacy, safety, and tolerability of oral BI 409306 in attenuated psychosis syndrome: Design and rationale. <i>Microbial Biotechnology</i> , 2021, 15, 1315-1325.	0.9	7
52	Prediction and Prevention in the Clinical High-Risk for Psychosis Paradigm: A Review of the Current Status and Recommendations for Future Directions of Inquiry. <i>Frontiers in Psychiatry</i> , 2021, 12, 770774.	1.3	17
53	Depression Predicts Global Functional Outcomes in Individuals at Clinical High Risk for Psychosis. <i>Psychiatric Research and Clinical Practice</i> , 2021, 3, 163-171.	1.3	4
54	Progressive reconfiguration of resting-state brain networks as psychosis develops: Preliminary results from the North American Prodrome Longitudinal Study (NAPLS) consortium. <i>Schizophrenia Research</i> , 2020, 226, 30-37.	1.1	36

#	ARTICLE	IF	CITATIONS
55	Stress perception following childhood adversity: Unique associations with adversity type and sex. <i>Development and Psychopathology</i> , 2020, 32, 343-356.	1.4	25
56	Characterizing Covariant Trajectories of Individuals at Clinical High Risk for Psychosis Across Symptomatic and Functional Domains. <i>American Journal of Psychiatry</i> , 2020, 177, 164-171.	4.0	34
57	Twin study shows association between monocyte chemoattractant protein-1 and kynurenic acid in cerebrospinal fluid. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 933-938.	1.8	4
58	When negative interpretations persist, positive emotions don't! Inflexible negative interpretations encourage depression and social anxiety by dampening positive emotions. <i>Behaviour Research and Therapy</i> , 2020, 124, 103510.	1.6	50
59	Discovery and Validation of Prediction Algorithms for Psychosis in Youths at Clinical High Risk. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 738-747.	1.1	13
60	Polygenic Risk Score Contribution to Psychosis Prediction in a Target Population of Persons at Clinical High Risk. <i>American Journal of Psychiatry</i> , 2020, 177, 155-163.	4.0	90
61	New Evidence Supporting a Role of Hippocampus in the Development of Psychosis. <i>Biological Psychiatry</i> , 2020, 87, 200-201.	0.7	5
62	Predictive validity of conversion from the clinical high risk syndrome to frank psychosis. <i>Schizophrenia Research</i> , 2020, 216, 184-191.	1.1	22
63	Duration of the psychosis prodrome. <i>Schizophrenia Research</i> , 2020, 216, 443-449.	1.1	16
64	Evidence of Slow Neural Processing, Developmental Differences and Sensitivity to Cannabis Effects in a Sample at Clinical High Risk for Psychosis From the NAPLS Consortium Assessed With the Human Startle Paradigm. <i>Frontiers in Psychiatry</i> , 2020, 11, 833.	1.3	4
65	Delivering on the public health promise of the psychosis risk paradigm. <i>World Psychiatry</i> , 2020, 19, 391-392.	4.8	1
66	Memory Impairments and Psychosis Prediction: A Scoping Review and Theoretical Overview. <i>Neuropsychology Review</i> , 2020, 30, 521-545.	2.5	16
67	The Current State of the Clinical High Risk for Psychosis Research Paradigm. <i>Biological Psychiatry</i> , 2020, 88, 284-286.	0.7	8
68	Reliability of mismatch negativity event-related potentials in a multisite, traveling subjects study. <i>Clinical Neurophysiology</i> , 2020, 131, 2899-2909.	0.7	6
69	Stressor-Cortisol Concordance Among Individuals at Clinical High-Risk for Psychosis: Novel Findings from the NAPLS Cohort. <i>Psychoneuroendocrinology</i> , 2020, 115, 104649.	1.3	21
70	Stability of mismatch negativity event-related potentials in a multisite study. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, e1819.	1.1	10
71	Cytokine concentrations throughout pregnancy and risk for psychosis in adult offspring: a longitudinal case-control study. <i>Lancet Psychiatry</i> , 2020, 7, 254-261.	3.7	64
72	Deficits in auditory predictive coding in individuals with the psychosis risk syndrome: Prediction of conversion to psychosis. <i>Journal of Abnormal Psychology</i> , 2020, 129, 599-611.	2.0	15

#	ARTICLE	IF	CITATIONS
73	SNP Variants at 16p13.11 Clarify the Role of the NDE1/miR-484 Locus in Major Mental Illness in Finland. Schizophrenia Bulletin Open, 2020, 1, .	0.9	1
74	The schizophrenia and bipolar twin study in Sweden (STAR). Schizophrenia Research, 2019, 204, 183-192.	1.1	11
75	Social vs. non-social measures of learning potential for predicting community functioning across phase of illness in schizophrenia. Schizophrenia Research, 2019, 204, 104-110.	1.1	6
76	Neurocognitive profiles in the prodrome to psychosis in NAPLS-1. Schizophrenia Research, 2019, 204, 311-319.	1.1	30
77	Association Between P300 Responses to Auditory Oddball Stimuli and Clinical Outcomes in the Psychosis Risk Syndrome. JAMA Psychiatry, 2019, 76, 1187.	6.0	59
78	Pleiotropic Meta-Analysis of Cognition, Education, and Schizophrenia Differentiates Roles of Early Neurodevelopmental and Adult Synaptic Pathways. American Journal of Human Genetics, 2019, 105, 334-350.	2.6	86
79	Evidence for cerebello-thalamo-cortical hyperconnectivity as a heritable trait for schizophrenia. Translational Psychiatry, 2019, 9, 192.	2.4	23
80	Cerebellar Dysfunction and Schizophrenia: From “Cognitive Dysmetria” to a Potential Therapeutic Target. American Journal of Psychiatry, 2019, 176, 498-500.	4.0	31
81	Schizophrenia. New England Journal of Medicine, 2019, 381, 1753-1761.	13.9	267
82	Sleep problems and attenuated psychotic symptoms in youth at clinical high-risk for psychosis. Psychiatry Research, 2019, 282, 112492.	1.7	24
83	Sex-specific transcriptional and proteomic signatures in schizophrenia. Nature Communications, 2019, 10, 3933.	5.8	41
84	A population-based heritability estimate of bipolar disorder “ In a Swedish twin sample. Psychiatry Research, 2019, 278, 180-187.	1.7	75
85	Cortical abnormalities in youth at clinical high-risk for psychosis: Findings from the NAPLS2 cohort. NeuroImage: Clinical, 2019, 23, 101862.	1.4	48
86	Dual-process theory, conflict processing, and delusional belief. Clinical Psychology Review, 2019, 72, 101748.	6.0	27
87	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. Biological Psychiatry, 2019, 86, 545-556.	0.7	67
88	Resting-state brain information flow predicts cognitive flexibility in humans. Scientific Reports, 2019, 9, 3879.	1.6	26
89	Impact of childhood adversity on corticolimbic volumes in youth at clinical high-risk for psychosis. Schizophrenia Research, 2019, 213, 48-55.	1.1	21
90	Adding a neuroanatomical biomarker to an individualized risk calculator for psychosis: A proof-of-concept study. Schizophrenia Research, 2019, 208, 41-43.	1.1	15

#	ARTICLE	IF	CITATIONS
91	S190. Does Cannabis Use Interact With Neurophysiological Vulnerability in the Early Expression of Psychosis and Conversion Status in Clinical High-Risk (CHR) Individuals?. <i>Biological Psychiatry</i> , 2019, 85, S370-S371.	0.7	0
92	Clinical and functional characteristics of youth at clinical high-risk for psychosis who do not transition to psychosis. <i>Psychological Medicine</i> , 2019, 49, 1670-1677.	2.7	74
93	Altered Brain Activation During Memory Retrieval Precedes and Predicts Conversion to Psychosis in Individuals at Clinical High Risk. <i>Schizophrenia Bulletin</i> , 2019, 45, 924-933.	2.3	14
94	Pathways to paranoia: Analytic thinking and belief flexibility. <i>Behaviour Research and Therapy</i> , 2019, 113, 18-24.	1.6	19
95	The Global Functioning: Social and Role Scalesâ€”Further Validation in a Large Sample of Adolescents and Young Adults at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 763-772.	2.3	55
96	Tobacco use and psychosis risk in persons at clinical high risk. <i>Microbial Biotechnology</i> , 2019, 13, 1173-1181.	0.9	11
97	Association of baseline inflammatory markers and the development of negative symptoms in individuals at clinical high risk for psychosis. <i>Brain, Behavior, and Immunity</i> , 2019, 76, 268-274.	2.0	48
98	Metabolic abnormalities and low dietary Omega 3 are associated with symptom severity and worse functioning prior to the onset of psychosis: Findings from the North American Prodrome Longitudinal Studies Consortium. <i>Schizophrenia Research</i> , 2019, 204, 96-103.	1.1	31
99	The role of a family history of psychosis for youth at clinical high risk of psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 251-256.	0.9	10
100	Changes in symptom content from a clinical highâ€”risk state to conversion to psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 257-263.	0.9	7
101	Toward Leveraging Human Connectomic Data in Large Consortia: Generalizability of fMRI-Based Brain Graphs Across Sites, Sessions, and Paradigms. <i>Cerebral Cortex</i> , 2019, 29, 1263-1279.	1.6	55
102	Belief in fake news is associated with delusionality, dogmatism, religious fundamentalism, and reduced analytic thinking.. <i>Journal of Applied Research in Memory and Cognition</i> , 2019, 8, 108-117.	0.7	105
103	Can a Framework Be Established for the Safe Use of Ketamine?. <i>American Journal of Psychiatry</i> , 2018, 175, 587-589.	4.0	23
104	Measuring bias against disconfirmatory evidence: An evaluation of BADE task scoring methods and the case for a novel method. <i>Psychiatry Research</i> , 2018, 261, 535-540.	1.7	12
105	Lack of Diagnostic Pluripotentiality in Patients at Clinical High Risk for Psychosis: Specificity of Comorbidity Persistence and Search for Pluripotential Subgroups. <i>Schizophrenia Bulletin</i> , 2018, 44, 254-263.	2.3	51
106	Looking Through Tinted Glasses: Depression and Social Anxiety Are Related to Both Interpretation Biases and Inflexible Negative Interpretations. <i>Clinical Psychological Science</i> , 2018, 6, 517-528.	2.4	99
107	Latent class cluster analysis of symptom ratings identifies distinct subgroups within the clinical high risk for psychosis syndrome. <i>Schizophrenia Research</i> , 2018, 197, 522-530.	1.1	22
108	Multivariate Pattern Analysis of Genotypeâ€”Phenotype Relationships in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 1045-1052.	2.3	15

#	ARTICLE	IF	CITATIONS
109	Treatment Precedes Positive Symptoms in North American Adolescent and Young Adult Clinical High Risk Cohort. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2018, 47, 69-78.	2.2	17
110	Depression and clinical high-risk states: Baseline presentation of depressed vs. non-depressed participants in the NAPLS-2 cohort. <i>Schizophrenia Research</i> , 2018, 192, 357-363.	1.1	45
111	Potentially important periods of change in the development of social and role functioning in youth at clinical high risk for psychosis. <i>Development and Psychopathology</i> , 2018, 30, 39-47.	1.4	31
112	Episodic Memory for Dynamic Social Interaction Across Phase of Illness in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 620-630.	2.3	6
113	Reliability of an fMRI paradigm for emotional processing in a multisite longitudinal study: Clarification and implications for statistical power. <i>Human Brain Mapping</i> , 2018, 39, 599-601.	1.9	9
114	Exploration of clinical high-risk dropouts. <i>Schizophrenia Research</i> , 2018, 195, 579-580.	1.1	15
115	Complement Gene Expression Correlates with Superior Frontal Cortical Thickness in Humans. <i>Neuropsychopharmacology</i> , 2018, 43, 525-533.	2.8	32
116	Psychosis risk screening in different populations using the Prodromal Questionnaire: A systematic review. <i>Microbial Biotechnology</i> , 2018, 12, 3-14.	0.9	70
117	Family communication with teens at clinical high-risk for psychosis or bipolar disorder.. <i>Journal of Family Psychology</i> , 2018, 32, 507-516.	1.0	15
118	O3.2. BRAIN HYPERACTIVATION DURING MEMORY RETRIEVAL PRECEDES AND PREDICTS CONVERSION TO PSYCHOSIS IN INDIVIDUALS AT CLINICAL HIGH RISK. <i>Schizophrenia Bulletin</i> , 2018, 44, S79-S79.	2.3	2
119	Cerebello-thalamo-cortical hyperconnectivity as a state-independent functional neural signature for psychosis prediction and characterization. <i>Nature Communications</i> , 2018, 9, 3836.	5.8	156
120	F202. Atypical P300 Amplitude Differentiates Conversion Patterns in Psychosis Prodrome When Autism Spectrum Disorder is Comorbid. <i>Biological Psychiatry</i> , 2018, 83, S317-S318.	0.7	2
121	Connectivity-enhanced diffusion analysis reveals white matter density disruptions in first episode and chronic schizophrenia. <i>NeuroImage: Clinical</i> , 2018, 18, 608-616.	1.4	40
122	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. <i>Nature Communications</i> , 2018, 9, 2098.	5.8	484
123	Genome-wide association meta-analysis in 269,867 individuals identifies new genetic and functional links to intelligence. <i>Nature Genetics</i> , 2018, 50, 912-919.	9.4	893
124	Use of Machine Learning to Determine Deviance in Neuroanatomical Maturity Associated With Future Psychosis in Youths at Clinically High Risk. <i>JAMA Psychiatry</i> , 2018, 75, 960.	6.0	114
125	Multi-Trait Analysis of GWAS and Biological Insights Into Cognition: A Response to Hill (2018). <i>Twin Research and Human Genetics</i> , 2018, 21, 394-397.	0.3	3
126	Reduced Analytic and Actively Open-Minded Thinking Help to Explain the Link between Belief in Fake News and Delusionality, Dogmatism, and Religious Fundamentalism. <i>SSRN Electronic Journal</i> , 2018, , .	0.4	3

#	ARTICLE	IF	CITATIONS
127	Age-related trajectories of social cognition in youth at clinical high risk for psychosis: An exploratory study. <i>Schizophrenia Research</i> , 2018, 201, 130-136.	1.1	13
128	Prenatal inflammation and risk for schizophrenia: A role for immune proteins in neurodevelopment. <i>Development and Psychopathology</i> , 2018, 30, 1157-1178.	1.4	29
129	Networks of blood proteins in the neuroimmunology of schizophrenia. <i>Translational Psychiatry</i> , 2018, 8, 112.	2.4	16
130	Prior exposure increases perceived accuracy of fake news.. <i>Journal of Experimental Psychology: General</i> , 2018, 147, 1865-1880.	1.5	602
131	Anxiety in youth at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 480-487.	0.9	56
132	Evaluation of verbal list learning as a predictor of psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 171-176.	0.9	3
133	Using neuroimaging to help predict the onset of psychosis. <i>NeuroImage</i> , 2017, 145, 209-217.	2.1	54
134	Suicidality, self-harm and psychotic-like symptoms in a general adolescent psychiatric sample. <i>Microbial Biotechnology</i> , 2017, 11, 113-122.	0.9	21
135	Ventricular enlargement and progressive reduction of cortical gray matter are linked in prodromal youth who develop psychosis. <i>Schizophrenia Research</i> , 2017, 189, 169-174.	1.1	32
136	Cerebrospinal fluid microglia and neurodegenerative markers in twins concordant and discordant for psychotic disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 391-402.	1.8	16
137	The Role of microRNA Expression in Cortical Development During Conversion to Psychosis. <i>Neuropsychopharmacology</i> , 2017, 42, 2188-2195.	2.8	12
138	Multisite reliability of MR-based functional connectivity. <i>NeuroImage</i> , 2017, 146, 959-970.	2.1	140
139	Comorbid diagnoses for youth at clinical high risk of psychosis. <i>Schizophrenia Research</i> , 2017, 190, 90-95.	1.1	95
140	Perceptual abnormalities in clinical high risk youth and the role of trauma, cannabis use and anxiety. <i>Psychiatry Research</i> , 2017, 258, 462-468.	1.7	6
141	Mistiming of thought and perception predicts delusionality. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10791-10796.	3.3	12
142	Large-Scale Cognitive GWAS Meta-Analysis Reveals Tissue-Specific Neural Expression and Potential Nootropic Drug Targets. <i>Cell Reports</i> , 2017, 21, 2597-2613.	2.9	103
143	Reliability of functional magnetic resonance imaging activation during working memory in a multisite study: Clarification and implications for statistical power. <i>NeuroImage</i> , 2017, 163, 456-458.	2.1	3
144	868. Early Intervention in Attenuated Psychosis Syndrome: A Phase II Study Evaluating Efficacy, Safety, and Tolerability of Oral BI 409306. <i>Biological Psychiatry</i> , 2017, 81, S351.	0.7	2

#	ARTICLE	IF	CITATIONS
145	Kynurenic acid and psychotic symptoms and personality traits in twins with psychiatric morbidity. <i>Psychiatry Research</i> , 2017, 247, 105-112.	1.7	18
146	Both bias against disconfirmatory evidence and political orientation partially explain the relationship between dogmatism and racial prejudice. <i>Personality and Individual Differences</i> , 2017, 105, 89-94.	1.6	5
147	The <i>NDE1</i> genomic locus can affect treatment of psychiatric illness through gene expression changes related to microRNA-484. <i>Open Biology</i> , 2017, 7, 170153.	1.5	13
148	Disrupted Working Memory Circuitry in Adolescent Psychosis. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 394.	1.0	4
149	Bias against Disconfirmatory Evidence in a large Nonclinical Sample: Associations with Schizotypy and Delusional Beliefs. <i>Journal of Experimental Psychopathology</i> , 2017, 8, 288-302.	0.4	15
150	Cognitive endophenotypes inform genome-wide expression profiling in schizophrenia.. <i>Neuropsychology</i> , 2016, 30, 40-52.	1.0	18
151	An Individualized Risk Calculator for Research in Prodromal Psychosis. <i>American Journal of Psychiatry</i> , 2016, 173, 980-988.	4.0	458
152	The relations of age and pubertal development with cortisol and daily stress in youth at clinical risk for psychosis. <i>Schizophrenia Research</i> , 2016, 172, 29-34.	1.1	15
153	Traumatic brain injury in individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2016, 174, 77-81.	1.1	12
154	Core Schemas in Youth at Clinical High Risk for Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 203-213.	0.9	25
155	Functional Capacity Assessed by the Map Task in Individuals at Clinical High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 1234-1242.	2.3	17
156	Hippocampal volume in subjects at clinical high-risk for psychosis: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 71, 680-690.	2.9	38
157	Association of Neurocognition With Transition to Psychosis. <i>JAMA Psychiatry</i> , 2016, 73, 1239.	6.0	205
158	The Violent Content in Attenuated Psychotic Symptoms. <i>Psychiatry Research</i> , 2016, 242, 61-66.	1.7	14
159	Relation between cannabis use and subcortical volumes in people at clinical high risk of psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2016, 254, 3-9.	0.9	8
160	Family-focused therapy for individuals at clinical high risk for psychosis: treatment fidelity within a multisite randomized trial. <i>Microbial Biotechnology</i> , 2016, 10, 137-143.	0.9	28
161	Cross-trial prediction of treatment outcome in depression: a machine learning approach. <i>Lancet Psychiatry</i> , 2016, 3, 243-250.	3.7	469
162	Social cognition over time in individuals at clinical high risk for psychosis: Findings from the NAPLS-2 cohort. <i>Schizophrenia Research</i> , 2016, 171, 176-181.	1.1	55

#	ARTICLE	IF	CITATIONS
163	Brain Biomarkers of Vulnerability and Progression to Psychosis. Schizophrenia Bulletin, 2016, 42, S127-S132.	2.3	32
164	Elevated maternal cytokine levels at birth and risk for psychosis in adult offspring. Schizophrenia Research, 2016, 172, 41-45.	1.1	53
165	Healthy adolescent performance on the MATRICS Consensus Cognitive Battery (MCCB): Developmental data from two samples of volunteers. Schizophrenia Research, 2016, 172, 106-113.	1.1	20
166	Early traumatic experiences, perceived discrimination and conversion to psychosis in those at clinical high risk for psychosis. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 497-503.	1.6	60
167	Microglial Activation and the Onset of Psychosis. American Journal of Psychiatry, 2016, 173, 3-4.	4.0	11
168	Deciphering the Genetic Complexity of Schizophrenia. JAMA Psychiatry, 2016, 73, 5.	6.0	8
169	Coping Styles in Twins Discordant for Schizophrenia, Bipolar Disorder, and Depression. Clinical Psychological Science, 2016, 4, 216-228.	2.4	10
170	Genetics and neuropsychology: A merger whose time has come.. Neuropsychology, 2016, 30, 1-5.	1.0	10
171	Schizophrenia. Nature Reviews Disease Primers, 2015, 1, 15067.	18.1	724
172	Decreases in perceived maternal criticism predict improvement in subthreshold psychotic symptoms in a randomized trial of family-focused therapy for individuals at clinical high risk for psychosis.. Journal of Family Psychology, 2015, 29, 945-951.	1.0	25
173	Evaluating the impact of cannabis use on thalamic connectivity in youth at clinical high risk of psychosis. BMC Psychiatry, 2015, 15, 276.	1.1	18
174	Perceptions of family criticism and warmth and their link to symptom expression in racially/ethnically diverse adolescents and young adults at clinical high risk for psychosis. Microbial Biotechnology, 2015, 9, 476-486.	0.9	10
175	Brain Imaging During the Transition from Psychosis Prodrome to Schizophrenia. Journal of Nervous and Mental Disease, 2015, 203, 336-341.	0.5	84
176	North American Prodrome Longitudinal Study (NAPLS 2). Journal of Nervous and Mental Disease, 2015, 203, 328-335.	0.5	189
177	Negative symptoms and impaired social functioning predict later psychosis in Latino youth at clinical high risk in the North American prodromal longitudinal studies consortium. Microbial Biotechnology, 2015, 9, 467-475.	0.9	26
178	Prodromal Symptom Severity Predicts Accelerated Gray Matter Reduction and Third Ventricle Expansion among Clinically High-Risk Youth Developing Psychotic Disorders. Molecular Neuropsychiatry, 2015, 1, 13-22.	3.0	27
179	Evaluating the relationship between cannabis use and IQ in youth and young adults at clinical high risk of psychosis. Psychiatry Research, 2015, 230, 878-884.	1.7	13
180	Functional connectivity in BOLD and CBF data: Similarity and reliability of resting brain networks. NeuroImage, 2015, 106, 111-122.	2.1	102

#	ARTICLE	IF	CITATIONS
181	Theory of mind, emotion recognition and social perception in individuals at clinical high risk for psychosis: Findings from the NAPLS-2 cohort. <i>Schizophrenia Research: Cognition</i> , 2015, 2, 133-139.	0.7	46
182	Contributions of Feature Binding During Encoding and Functional Connectivity of the Medial Temporal Lobe Structures to Episodic Memory Deficits Across the Prodromal and First-Episode Phases of Schizophrenia. <i>Clinical Psychological Science</i> , 2015, 3, 159-174.	2.4	21
183	Striatal D ₁ - and D ₂ -type Dopamine Receptors Are Linked to Motor Response Inhibition in Human Subjects. <i>Journal of Neuroscience</i> , 2015, 35, 5990-5997.	1.7	77
184	Network Dysconnectivity: A Psychosis-Triggering Mechanism?. <i>Biological Psychiatry</i> , 2015, 77, 927-928.	0.7	6
185	Reliability of an fMRI paradigm for emotional processing in a multisite longitudinal study. <i>Human Brain Mapping</i> , 2015, 36, 2558-2579.	1.9	63
186	Association of Thalamic Dysconnectivity and Conversion to Psychosis in Youth and Young Adults at Elevated Clinical Risk. <i>JAMA Psychiatry</i> , 2015, 72, 882.	6.0	284
187	How Schizophrenia Develops: Cognitive and Brain Mechanisms Underlying Onset of Psychosis. <i>Trends in Cognitive Sciences</i> , 2015, 19, 744-756.	4.0	163
188	Specificity of Incident Diagnostic Outcomes in Patients at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 1066-1075.	2.3	71
189	Severity of thought disorder predicts psychosis in persons at clinical high-risk. <i>Schizophrenia Research</i> , 2015, 169, 169-177.	1.1	43
190	Memory systems in schizophrenia: Modularity is preserved but deficits are generalized. <i>Schizophrenia Research</i> , 2015, 168, 223-230.	1.1	7
191	Demographic correlates of attenuated positive psychotic symptoms. <i>Schizophrenia Research</i> , 2015, 166, 31-36.	1.1	17
192	Progressive Reduction in Cortical Thickness as Psychosis Develops: A Multisite Longitudinal Neuroimaging Study of Youth at Elevated Clinical Risk. <i>Biological Psychiatry</i> , 2015, 77, 147-157.	0.7	516
193	Towards a Psychosis Risk Blood Diagnostic for Persons Experiencing High-Risk Symptoms: Preliminary Results From the NAPLS Project. <i>Schizophrenia Bulletin</i> , 2015, 41, 419-428.	2.3	195
194	Predicting risky choices from brain activity patterns. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 2470-2475.	3.3	137
195	Decomposing Decision Components in the Stop-signal Task: A Model-based Approach to Individual Differences in Inhibitory Control. <i>Journal of Cognitive Neuroscience</i> , 2014, 26, 1601-1614.	1.1	77
196	Dysbindin-1 loss compromises NMDAR-dependent synaptic plasticity and contextual fear conditioning. <i>Hippocampus</i> , 2014, 24, 204-213.	0.9	28
197	Perceived discrimination in those at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2014, 8, 77-81.	0.9	27
198	The Relationship of Neurocognition and Negative Symptoms to Social and Role Functioning Over Time in Individuals at Clinical High Risk in the First Phase of the North American Prodrome Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 1452-1461.	2.3	137

#	ARTICLE	IF	CITATIONS
199	Reliability of neuroanatomical measurements in a multisite longitudinal study of youth at risk for psychosis. <i>Human Brain Mapping</i> , 2014, 35, 2424-2434.	1.9	76
200	Enhanced Neurocognitive Functioning and Positive Temperament in Twins Discordant for Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2014, 171, 1191-1198.	4.0	29
201	Neural activation during response inhibition in adult attention-deficit/hyperactivity disorder: Preliminary findings on the effects of medication and symptom severity. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 17-28.	0.9	39
202	Functional development in clinical high risk youth: Prediction of schizophrenia versus other psychotic disorders. <i>Psychiatry Research</i> , 2014, 215, 52-60.	1.7	18
203	Stress exposure and sensitivity in the clinical high-risk syndrome: Initial findings from the North American Prodrome Longitudinal Study (NAPLS). <i>Schizophrenia Research</i> , 2014, 160, 104-109.	1.1	66
204	Predicting psychosis in a general adolescent psychiatric sample. <i>Schizophrenia Research</i> , 2014, 158, 1-6.	1.1	30
205	Maternal complement C1q and increased odds for psychosis in adult offspring. <i>Schizophrenia Research</i> , 2014, 159, 14-19.	1.1	66
206	Predicting psychosis and psychiatric hospital care among adolescent psychiatric patients with the Prodromal Questionnaire. <i>Schizophrenia Research</i> , 2014, 158, 7-10.	1.1	11
207	Coping styles of individuals at clinical high risk for developing psychosis. <i>Microbial Biotechnology</i> , 2014, 8, 68-76.	0.9	47
208	Youth-caregiver Agreement on Clinical High-risk Symptoms of Psychosis. <i>Journal of Abnormal Child Psychology</i> , 2014, 42, 649-658.	3.5	7
209	Current status specifiers for patients at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 158, 69-75.	1.1	45
210	The content of attenuated psychotic symptoms in those at clinical high risk for psychosis. <i>Psychiatry Research</i> , 2014, 219, 506-512.	1.7	19
211	Altered relationships between age and functional brain activation in adolescents at clinical high risk for psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2014, 221, 21-29.	0.9	17
212	Reliability of functional magnetic resonance imaging activation during working memory in a multi-site study: Analysis from the North American Prodrome Longitudinal Study. <i>NeuroImage</i> , 2014, 97, 41-52.	2.1	48
213	Family-Focused Treatment for Adolescents and Young Adults at High Risk for Psychosis: Results of a Randomized Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 848-858.	0.3	148
214	Neurocognitive Growth Charts and Psychosis. <i>JAMA Psychiatry</i> , 2014, 71, 361.	6.0	0
215	A randomized trial of family focused therapy with populations at clinical high risk for psychosis: Effects on interactional behavior.. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 90-101.	1.6	56
216	The effect of aerobic exercise on cortical architecture in patients with chronic schizophrenia: a randomized controlled MRI study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 469-473.	1.8	58

#	ARTICLE	IF	CITATIONS
217	Cortisol Levels and Risk for Psychosis: Initial Findings from the North American Prodrome Longitudinal Study. <i>Biological Psychiatry</i> , 2013, 74, 410-417.	0.7	221
218	Potential molecular mechanisms for decreased synaptic glutamate release in dysbindin-1 mutant mice. <i>Schizophrenia Research</i> , 2013, 146, 254-263.	1.1	25
219	Early traumatic experiences in those at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2013, 7, 300-305.	0.9	95
220	Sexual dimorphisms and prediction of conversion in the NAPLS psychosis prodrome. <i>Schizophrenia Research</i> , 2013, 144, 43-50.	1.1	54
221	Comprehensive analysis of copy number variation in monozygotic twins discordant for bipolar disorder or schizophrenia. <i>Schizophrenia Research</i> , 2013, 146, 289-290.	1.1	16
222	Psychotropic medication use in youth at high risk for psychosis: Comparison of baseline data from two research cohorts 1998-2005 and 2008-2011. <i>Schizophrenia Research</i> , 2013, 148, 99-104.	1.1	33
223	The Psychosis High-Risk State. <i>JAMA Psychiatry</i> , 2013, 70, 107.	6.0	1,222
224	Genetic Risk for Schizophrenia, Obstetric Complications, and Adolescent School Outcome: Evidence for Gene-Environment Interaction. <i>Schizophrenia Bulletin</i> , 2013, 39, 1067-1076.	2.3	35
225	Decreased Birth Weight in Psychosis: Influence of Prenatal Exposure to Serologically Determined Influenza and Hypoxia. <i>Schizophrenia Bulletin</i> , 2013, 39, 1037-1044.	2.3	24
226	Reciprocal social behavior in youths with psychotic illness and those at clinical high risk. <i>Development and Psychopathology</i> , 2013, 25, 1187-1197.	1.4	21
227	Multisensory Encoding Improves Auditory Recognition. <i>Multisensory Research</i> , 2013, 26, 581-592.	0.6	24
228	Premorbid functional development and conversion to psychosis in clinical high-risk youths. <i>Development and Psychopathology</i> , 2013, 25, 1171-1186.	1.4	75
229	Between-site reliability of startle prepulse inhibition across two early psychosis consortia. <i>NeuroReport</i> , 2013, 24, 626-630.	0.6	6
230	Community Reforms to Reduce Severity, Chronicity, and Disability of Psychosis: Do They Work?. <i>American Journal of Psychiatry</i> , 2012, 169, 345-347.	4.0	4
231	Phospholipids and insulin resistance in psychosis: a lipidomics study of twin pairs discordant for schizophrenia. <i>Genome Medicine</i> , 2012, 4, 1.	3.6	106
232	North American Prodrome Longitudinal Study (NAPLS 2): Overview and recruitment. <i>Schizophrenia Research</i> , 2012, 142, 77-82.	1.1	235
233	Social cognition in 22q11.2 microdeletion syndrome: Relevance to psychosis?. <i>Schizophrenia Research</i> , 2012, 142, 99-107.	1.1	68
234	Whither the Attenuated Psychosis Syndrome?. <i>Schizophrenia Bulletin</i> , 2012, 38, 1130-1134.	2.3	85

#	ARTICLE	IF	CITATIONS
235	Recovery From an At-Risk State: Clinical and Functional Outcomes of Putatively Prodromal Youth Who Do Not Develop Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 1225-1233.	2.3	138
236	Negative symptoms in individuals at clinical high risk of psychosis. <i>Psychiatry Research</i> , 2012, 196, 220-224.	1.7	226
237	Social Cognition in Schizophrenia, Part 1: Performance Across Phase of Illness. <i>Schizophrenia Bulletin</i> , 2012, 38, 854-864.	2.3	354
238	The Genetic and Environmental Determinants of the Association Between Brain Abnormalities and Schizophrenia: The Schizophrenia Twins and Relatives Consortium. <i>Biological Psychiatry</i> , 2012, 71, 915-921.	0.7	52
239	Structural and functional neuroimaging phenotypes in dysbindin mutant mice. <i>NeuroImage</i> , 2012, 62, 120-129.	2.1	19
240	Altered age-related trajectories of amygdala-prefrontal circuitry in adolescents at clinical high risk for psychosis: A preliminary study. <i>Schizophrenia Research</i> , 2012, 134, 1-9.	1.1	70
241	Processing Speed and Neurodevelopment in Adolescent-Onset Psychosis: Cognitive Slowing Predicts Social Function. <i>Journal of Abnormal Child Psychology</i> , 2012, 40, 645-654.	3.5	29
242	Prodromal psychosis screening in adolescent psychiatry clinics. <i>Microbial Biotechnology</i> , 2012, 6, 69-75.	0.9	59
243	A randomized trial of family focused treatment for adolescents and young adults at risk for psychosis: study rationale, design and methods. <i>Microbial Biotechnology</i> , 2012, 6, 283-291.	0.9	30
244	Hippocampal morphology in lithium and non-lithium-treated bipolar I disorder patients, non-bipolar co-twins, and control twins. <i>Human Brain Mapping</i> , 2012, 33, 501-510.	1.9	58
245	Objective tests for schizophrenia: window to the future. <i>World Psychiatry</i> , 2011, 10, 36-37.	4.8	3
246	Psychosis risk screening with the Prodromal Questionnaire – Brief Version (PQ-B). <i>Schizophrenia Research</i> , 2011, 129, 42-46.	1.1	306
247	Abnormal movements are associated with poor psychosocial functioning in adolescents at high risk for psychosis. <i>Schizophrenia Research</i> , 2011, 130, 164-169.	1.1	37
248	At Clinical High Risk for Psychosis: Outcome for Nonconverters. <i>American Journal of Psychiatry</i> , 2011, 168, 800-805.	4.0	428
249	Reduced Dysbindin Expression Mediates N-Methyl-D-Aspartate Receptor Hypofunction and Impaired Working Memory Performance. <i>Biological Psychiatry</i> , 2011, 69, 28-34.	0.7	106
250	Response to De Nadai Letter. <i>American Journal of Psychiatry</i> , 2011, 168, 550-551.	4.0	0
251	Integrity of emotional and motivational states during the prodromal, first-episode, and chronic phases of schizophrenia. <i>Journal of Abnormal Psychology</i> , 2010, 119, 71-82.	2.0	33
252	Mapping reliability in multicenter MRI: Voxel-based morphometry and cortical thickness. <i>Human Brain Mapping</i> , 2010, 31, 1967-1982.	1.9	77

#	ARTICLE	IF	CITATIONS
253	Treatment history in the psychosis prodrome: characteristics of the North American Prodrome Longitudinal Study Cohort. <i>Microbial Biotechnology</i> , 2010, 4, 220-226.	0.9	48
254	Structural and Functional Brain Abnormalities in Schizophrenia. <i>Current Directions in Psychological Science</i> , 2010, 19, 226-231.	2.8	125
255	Neurofibromin regulates corticostriatal inhibitory networks during working memory performance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 13141-13146.	3.3	144
256	Neuropsychology of the Prodrome to Psychosis in the NAPLS Consortium_{title}&Relationship to Family History and Conversion to Psychosis</sub>&&alt-title</sub>&Neuropsychology of Prodrome to Psychosis</alt-title</sub>. <i>Archives of General Psychiatry</i> , 2010, 67, 578.	13.8	390
257	Identification and Treatment of a Pineal Region Tumor in an Adolescent With Prodromal Psychotic Symptoms. <i>American Journal of Psychiatry</i> , 2010, 167, 1033-1037.	4.0	28
258	Candidate Gene Studies in the GWAS Era: The<i>MET</i></i>Proto-Oncogene, Neurocognition, and Schizophrenia. <i>American Journal of Psychiatry</i> , 2010, 167, 369-372.	4.0	10
259	Markers of Basal Ganglia Dysfunction and Conversion to Psychosis: Neurocognitive Deficits and Dyskinesias in the Prodromal Period. <i>Biological Psychiatry</i> , 2010, 68, 93-99.	0.7	86
260	Language network dysfunction as a predictor of outcome in youth at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2010, 116, 173-183.	1.1	98
261	Predicting the longitudinal effects of the family environment on prodromal symptoms and functioning in patients at-risk for psychosis. <i>Schizophrenia Research</i> , 2010, 118, 69-75.	1.1	70
262	ELEVATED SERUM SPHINGOMYELIN ASSOCIATES WITH REDUCED GRAY MATTER DENSITY: EVIDENCE FROM TWINS DISCORDANT FOR SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2010, 117, 370-371.	1.1	0
263	The relationship between psychotic-like symptoms and neurocognitive performance in a general adolescent psychiatric sample. <i>Schizophrenia Research</i> , 2010, 123, 77-85.	1.1	52
264	Striatal volumes and dyskinetic movements in youth at high-risk for psychosis. <i>Schizophrenia Research</i> , 2010, 123, 68-70.	1.1	47
265	What Is the Role of Theories in the Study of Schizophrenia?. <i>Schizophrenia Bulletin</i> , 2009, 35, 563-567.	2.3	14
266	Symptomatic and functional correlates of regional brain physiology during working memory processing in patients with recent onset schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2009, 173, 177-182.	0.9	14
267	Efficiency of working memory encoding in twins discordant for schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2009, 174, 97-104.	0.9	12
268	Obstetric complications and risk for conversion to psychosis among individuals at high clinical risk. <i>Microbial Biotechnology</i> , 2009, 3, 226-230.	0.9	11
269	Serological pattern consistent with infection with type I <i>Toxoplasma gondii</i> in mothers and risk of psychosis among adult offspring. <i>Microbes and Infection</i> , 2009, 11, 1011-1018.	1.0	126
270	Dysbindin Modulates Prefrontal Cortical Glutamatergic Circuits and Working Memory Function in Mice. <i>Neuropsychopharmacology</i> , 2009, 34, 2601-2608.	2.8	95

#	ARTICLE	IF	CITATIONS
271	Cognitive Functioning Prior to the Onset of Psychosis: The Role of Fetal Exposure to Serologically Determined Influenza Infection. <i>Biological Psychiatry</i> , 2009, 65, 1040-1047.	0.7	97
272	White Matter Integrity and Prediction of Social and Role Functioning in Subjects at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2009, 66, 562-569.	0.7	209
273	Family problem solving interactions and 6-month symptomatic and functional outcomes in youth at ultra-high risk for psychosis and with recent onset psychotic symptoms: A longitudinal study. <i>Schizophrenia Research</i> , 2009, 107, 198-205.	1.1	70
274	Obsessive compulsive symptoms in the psychosis prodrome: Correlates of clinical and functional outcome. <i>Schizophrenia Research</i> , 2009, 108, 170-175.	1.1	93
275	Progressive brain structural changes mapped as psychosis develops in "at risk" individuals. <i>Schizophrenia Research</i> , 2009, 108, 85-92.	1.1	273
276	Re-evaluating dorsolateral prefrontal cortex activation during working memory in schizophrenia. <i>Schizophrenia Research</i> , 2009, 108, 143-150.	1.1	89
277	Paternal age as a risk factor for schizophrenia: How important is it?. <i>Schizophrenia Research</i> , 2009, 114, 1-5.	1.1	76
278	The relation of antipsychotic and antidepressant medication with baseline symptoms and symptom progression: A naturalistic study of the North American Prodrome Longitudinal Sample. <i>Schizophrenia Research</i> , 2009, 115, 50-57.	1.1	61
279	Elucidating a Magnetic Resonance Imaging-Based Neuroanatomic Biomarker for Psychosis: Classification Analysis Using Probabilistic Brain Atlas and Machine Learning Algorithms. <i>Biological Psychiatry</i> , 2009, 66, 1055-1060.	0.7	134
280	Common genetic determinants of schizophrenia and bipolar disorder in Swedish families: a population-based study. <i>Lancet, The</i> , 2009, 373, 234-239.	6.3	1,785
281	Validity of the Prodromal Risk Syndrome for First Psychosis: Findings From the North American Prodrome Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2009, 35, 894-908.	2.3	368
282	Lack of Association Between Neuropsychological Performance and Level of Psychosis-Proneness in an Adolescent Psychiatric Sample. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 669-674.	0.5	7
283	Test-retest and between-site reliability in a multicenter fMRI study. <i>Human Brain Mapping</i> , 2008, 29, 958-972.	1.9	225
284	Parent attitudes and parent adolescent interaction in families of youth at risk for psychosis and with recent-onset psychotic symptoms. <i>Microbial Biotechnology</i> , 2008, 2, 268-276.	0.9	31
285	Remember and know judgments during recognition in chronic schizophrenia. <i>Schizophrenia Research</i> , 2008, 100, 181-190.	1.1	49
286	Abnormally high EEG alpha synchrony during working memory maintenance in twins discordant for schizophrenia. <i>Schizophrenia Research</i> , 2008, 103, 293-297.	1.1	35
287	Gender differences in symptoms, functioning and social support in patients at ultra-high risk for developing a psychotic disorder. <i>Schizophrenia Research</i> , 2008, 104, 237-245.	1.1	83
288	Diffusion Tensor Imaging of the Superior Longitudinal Fasciculus and Working Memory in Recent-Onset Schizophrenia. <i>Biological Psychiatry</i> , 2008, 63, 512-518.	0.7	308

#	ARTICLE	IF	CITATIONS
289	Maternal Exposure to Herpes Simplex Virus and Risk of Psychosis Among Adult Offspring. <i>Biological Psychiatry</i> , 2008, 63, 809-815.	0.7	207
290	Decreased Neurotrophic Response to Birth Hypoxia in the Etiology of Schizophrenia. <i>Biological Psychiatry</i> , 2008, 64, 797-802.	0.7	75
291	Neurodevelopment and the Transition from Schizophrenia Prodrome to Schizophrenia: Research Imperatives. <i>Biological Psychiatry</i> , 2008, 64, 737-738.	0.7	22
292	Verbal recall and recognition in twins discordant for schizophrenia. <i>Psychiatry Research</i> , 2008, 159, 271-280.	1.7	23
293	Neural phenotypes of common and rare genetic variants. <i>Biological Psychology</i> , 2008, 79, 43-57.	1.1	11
294	Developmental disruptions in neural connectivity in the pathophysiology of schizophrenia. <i>Development and Psychopathology</i> , 2008, 20, 1297-1327.	1.4	125
295	Gene-Environment Interaction and Covariation in Schizophrenia: The Role of Obstetric Complications. <i>Schizophrenia Bulletin</i> , 2008, 34, 1083-1094.	2.3	177
296	Prediction of Psychosis in Youth at High Clinical Risk. <i>Archives of General Psychiatry</i> , 2008, 65, 28.	13.8	1,160
297	Editor's Introduction: The Empirical Status of the Ultra High-Risk (Prodromal) Research Paradigm. <i>Schizophrenia Bulletin</i> , 2007, 33, 661-664.	2.3	93
298	Recruitment and Treatment Practices for Help-Seeking "Prodromal" Patients. <i>Schizophrenia Bulletin</i> , 2007, 33, 715-726.	2.3	105
299	Preliminary Findings for Two New Measures of Social and Role Functioning in the Prodromal Phase of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 33, 688-702.	2.3	484
300	Specific developmental disruption of disrupted-in-schizophrenia-1 function results in schizophrenia-related phenotypes in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18280-18285.	3.3	198
301	North American Prodrome Longitudinal Study: A Collaborative Multisite Approach to Prodromal Schizophrenia Research. <i>Schizophrenia Bulletin</i> , 2007, 33, 665-672.	2.3	258
302	Manifest disease and motor cortex reactivity in twins discordant for schizophrenia. <i>British Journal of Psychiatry</i> , 2007, 191, 178-179.	1.7	26
303	The Course of Neurocognition and Social Functioning in Individuals at Ultra High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2007, 33, 772-781.	2.3	139
304	The relationship between performance and fMRI signal during working memory in patients with schizophrenia, unaffected co-twins, and control subjects. <i>Schizophrenia Research</i> , 2007, 89, 191-197.	1.1	118
305	Self-report of attenuated psychotic experiences in a college population. <i>Schizophrenia Research</i> , 2007, 93, 144-151.	1.1	109
306	The effects of genetic liability for schizophrenia and maternal smoking during pregnancy on obstetric complications. <i>Schizophrenia Research</i> , 2007, 93, 229-236.	1.1	35

#	ARTICLE	IF	CITATIONS
307	Ecological assessment of executive dysfunction in the psychosis prodrome: A pilot study. <i>Schizophrenia Research</i> , 2007, 93, 350-354.	1.1	27
308	Cortical mapping of genotype-phenotype relationships in schizophrenia. <i>Human Brain Mapping</i> , 2007, 28, 519-532.	1.9	23
309	Psychoeducational multi-family group treatment with adolescents at high risk for developing psychosis. <i>Microbial Biotechnology</i> , 2007, 1, 325-332.	0.9	37
310	Analogical reasoning in working memory: Resources shared among relational integration, interference resolution, and maintenance. <i>Memory and Cognition</i> , 2007, 35, 1445-1455.	0.9	122
311	Endophenotypes in the Genetic Analyses of Mental Disorders. <i>Annual Review of Clinical Psychology</i> , 2006, 2, 267-290.	6.3	362
312	Inherited Auditory-Cortical Dysfunction in Twin Pairs Discordant for Schizophrenia. <i>Biological Psychiatry</i> , 2006, 60, 612-620.	0.7	88
313	Positive family environment predicts improvement in symptoms and social functioning among adolescents at imminent risk for onset of psychosis. <i>Schizophrenia Research</i> , 2006, 81, 269-275.	1.1	128
314	Neurocognitive performance and functional disability in the psychosis prodrome. <i>Schizophrenia Research</i> , 2006, 84, 100-111.	1.1	232
315	Brain Dopamine D ₁ Receptors in Twins Discordant for Schizophrenia. <i>American Journal of Psychiatry</i> , 2006, 163, 1747-1753.	4.0	68
316	Mapping Heritability and Molecular Genetic Associations With Cortical Features Using Probabilistic Brain Atlases: Methods and Applications to Schizophrenia. <i>Neuroinformatics</i> , 2006, 4, 5-20.	1.5	28
317	Striatal dopamine D1 and D2 receptor balance in twins at increased genetic risk for schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2006, 146, 13-20.	0.9	30
318	The inheritance of intermediate phenotypes for schizophrenia. <i>Current Opinion in Psychiatry</i> , 2005, 18, 135-140.	3.1	75
319	Memory and verbal learning functions in twins with bipolar-I disorder, and the role of information-processing speed. <i>Psychological Medicine</i> , 2005, 35, 205-215.	2.7	107
320	Dorsolateral Prefrontal Cortex Activity During Maintenance and Manipulation of Information in Working Memory in Patients With Schizophrenia. <i>Archives of General Psychiatry</i> , 2005, 62, 1071.	13.8	176
321	Association of DISC1/TRAX Haplotypes With Schizophrenia, Reduced Prefrontal Gray Matter, and Impaired Short- and Long-term Memory. <i>Archives of General Psychiatry</i> , 2005, 62, 1205.	13.8	314
322	The HMG-CoA Reductase Inhibitor Lovastatin Reverses the Learning and Attention Deficits in a Mouse Model of Neurofibromatosis Type 1. <i>Current Biology</i> , 2005, 15, 1961-1967.	1.8	361
323	Hippocampal activations during encoding and retrieval in a verbal working memory paradigm. <i>NeuroImage</i> , 2005, 25, 1224-1231.	2.1	92
324	Spatial Working Memory Function in Twins with Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2005, 58, 930-936.	0.7	88

#	ARTICLE	IF	CITATIONS
325	The prodromal questionnaire (PQ): Preliminary validation of a self-report screening measure for prodromal and psychotic syndromes. <i>Schizophrenia Research</i> , 2005, 79, 117-125.	1.1	259
326	Clinical and genetic high-risk strategies in understanding vulnerability to psychosis. <i>Schizophrenia Research</i> , 2005, 79, 35-44.	1.1	53
327	The prodromal questionnaire (PQ): preliminary validation of a self-report screening measure for prodromal and psychotic syndromes. <i>Schizophrenia Research</i> , 2005, 79, 117-25.	1.1	88
328	Regional Brain Abnormalities in 22q11.2 Deletion Syndrome: Association With Cognitive Abilities and Behavioral Symptoms. <i>Neurocase</i> , 2004, 10, 198-206.	0.2	30
329	Search for cognitive trait components of schizophrenia reveals a locus for verbal learning and memory on 4q and for visual working memory on 2q. <i>Human Molecular Genetics</i> , 2004, 13, 1693-1702.	1.4	74
330	Reliability of brain volumes from multicenter MRI acquisition: A calibration study. <i>Human Brain Mapping</i> , 2004, 22, 312-320.	1.9	82
331	Maintenance and manipulation of information in schizophrenia: further evidence for impairment in the central executive component of working memory. <i>Schizophrenia Research</i> , 2004, 68, 173-187.	1.1	91
332	Spatial working memory as an endophenotype for schizophrenia. <i>Biological Psychiatry</i> , 2003, 53, 624-626.	0.7	260
333	Regional brain morphology and duration of illness in never-medicated first-episode patients with schizophrenia. <i>Schizophrenia Research</i> , 2003, 64, 79-81.	1.1	21
334	Familial loading associates with impairment in visual span among healthy siblings of schizophrenia patients. <i>Biological Psychiatry</i> , 2003, 54, 623-628.	0.7	98
335	Reduced left hemispheric white matter volume in twins with bipolar I disorder. <i>Biological Psychiatry</i> , 2003, 54, 896-905.	0.7	122
336	Do schizotypal symptoms mediate the relationship between genetic risk for schizophrenia and impaired neuropsychological performance in co-twins of schizophrenic patients?. <i>Biological Psychiatry</i> , 2003, 54, 1200-1204.	0.7	56
337	Prodromal Assessment With the Structured Interview for Prodromal Syndromes and the Scale of Prodromal Symptoms: Predictive Validity, Interrater Reliability, and Training to Reliability. <i>Schizophrenia Bulletin</i> , 2003, 29, 703-715.	2.3	1,492
338	Early and Late Neurodevelopmental Influences in the Prodrome to Schizophrenia: Contributions of Genes, Environment, and Their Interactions. <i>Schizophrenia Bulletin</i> , 2003, 29, 653-669.	2.3	238
339	A Prospective Study of Childhood Neurocognitive Functioning in Schizophrenic Patients and Their Siblings. <i>American Journal of Psychiatry</i> , 2003, 160, 2060-2062.	4.0	186
340	Drs. van Erp and Cannon Reply. <i>American Journal of Psychiatry</i> , 2003, 160, 1186-a-1186.	4.0	1
341	Obstetric Complications and Neurodevelopmental Mechanisms in Schizophrenia. , 2003, , 111-137.		4
342	Cortex mapping reveals regionally specific patterns of genetic and disease-specific gray-matter deficits in twins discordant for schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 3228-3233.	3.3	281

#	ARTICLE	IF	CITATIONS
343	Mapping genetic influences on human brain structure. <i>Annals of Medicine</i> , 2002, 34, 523-536.	1.5	75
344	Contributions of Genetic Risk and Fetal Hypoxia to Hippocampal Volume in Patients With Schizophrenia or Schizoaffective Disorder, Their Unaffected Siblings, and Healthy Unrelated Volunteers. <i>American Journal of Psychiatry</i> , 2002, 159, 1514-1520.	4.0	206
345	Levels of analysis in etiological research on schizophrenia. <i>Development and Psychopathology</i> , 2002, 14, 653-666.	1.4	25
346	Fetal Hypoxia and Structural Brain Abnormalities in Schizophrenic Patients, Their Siblings, and Controls. <i>Archives of General Psychiatry</i> , 2002, 59, 35.	13.8	238
347	Antipsychotic Drug Treatment in the Prodromal Phase of Schizophrenia. <i>American Journal of Psychiatry</i> , 2002, 159, 1230-1232.	4.0	40
348	A Multivariate Prediction Model of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2002, 28, 649-682.	2.3	70
349	A Twin Study of Genetic Contributions to Hippocampal Morphology in Schizophrenia. <i>Neurobiology of Disease</i> , 2002, 11, 83-95.	2.1	113
350	Elucidating continuities and discontinuities between schizotypy and schizophrenia in the nervous system. <i>Schizophrenia Research</i> , 2002, 54, 151-156.	1.1	47
351	Genetic Contributions to Altered Callosal Morphology in Schizophrenia. <i>Journal of Neuroscience</i> , 2002, 22, 3720-3729.	1.7	81
352	Perception of parent-child relationships in high-risk families, and adult schizophrenia outcome of offspring. <i>Journal of Psychiatric Research</i> , 2002, 36, 41-47.	1.5	49
353	The neuropsychology and neuroanatomy of bipolar affective disorder: a critical review. <i>Bipolar Disorders</i> , 2001, 3, 106-150.	1.1	479
354	Quantitative neural indicators of liability to schizophrenia: Implications for molecular genetic studies. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 16-19.	2.4	54
355	Genetic influences on brain structure. <i>Nature Neuroscience</i> , 2001, 4, 1253-1258.	7.1	1,018
356	The Neurocognitive Phenotype of the 22Q11.2 Deletion Syndrome: Selective Deficit in Visual-Spatial Memory. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2001, 23, 447-464.	0.8	201
357	A Prospective Cohort Study of Childhood Behavioral Deviance and Language Abnormalities as Predictors of Adult Schizophrenia. <i>Schizophrenia Bulletin</i> , 2000, 26, 395-410.	2.3	130
358	Childhood Cognitive Functioning in Schizophrenia Patients and Their Unaffected Siblings: A Prospective Cohort Study. <i>Schizophrenia Bulletin</i> , 2000, 26, 379-393.	2.3	211
359	Working memory constrains abstraction in schizophrenia. <i>Biological Psychiatry</i> , 2000, 47, 34-42.	0.7	110
360	P300 subcomponent abnormalities in schizophrenia: III. Deficits in unaffected siblings of schizophrenic probands. <i>Biological Psychiatry</i> , 2000, 47, 380-390.	0.7	96

#	ARTICLE	IF	CITATIONS
361	The Inheritance of Neuropsychological Dysfunction in Twins Discordant for Schizophrenia. <i>American Journal of Human Genetics</i> , 2000, 67, 369-382.	2.6	340
362	A prospective cohort study of neurodevelopmental processes in the genesis and epigenesis of schizophrenia. <i>Development and Psychopathology</i> , 1999, 11, 467-485.	1.4	74
363	Neurodevelopmental processes in the ontogenesis and epigenesis of psychopathology. <i>Development and Psychopathology</i> , 1999, 11, 375-393.	1.4	109
364	Neurodevelopmental influences in the genesis and epigenesis of schizophrenia: An overview. <i>Applied and Preventive Psychology</i> , 1998, 7, 47-62.	0.8	10
365	Leukocyte differentials predict short-term clinical outcome following antipsychotic treatment in schizophrenia. <i>Biological Psychiatry</i> , 1998, 43, 887-896.	0.7	18
366	The Genetic Epidemiology of Schizophrenia in a Finnish Twin Cohort. <i>Archives of General Psychiatry</i> , 1998, 55, 67.	13.8	413
367	School teacher ratings predictive of psychiatric outcome 25 years later. <i>British Journal of Psychiatry</i> , 1998, 172, 7-13.	1.7	114
368	On the nature and mechanisms of obstetric influences in schizophrenia: a review and synthesis of epidemiologic studies. <i>International Review of Psychiatry</i> , 1997, 9, 387-398.	1.4	62
369	Apolipoprotein E genotype in schizophrenia. <i>NeuroReport</i> , 1997, 8, 1523-1526.	0.6	34
370	Structural brain abnormalities in schizophrenia: A family study. <i>Biological Psychiatry</i> , 1997, 42, 1080-1086.	0.7	21
371	Apolipoprotein E ϵ 4 allele and schizophrenia. <i>NeuroReport</i> , 1997, 8, ii-ii.	0.6	0
372	Leukocytes and organ-nonspecific autoantibodies in schizophrenics and their siblings: markers of vulnerability or disease?. <i>Biological Psychiatry</i> , 1996, 40, 825-833.	0.7	52
373	Activation of the prefrontal cortex during judgments of recency. <i>NeuroReport</i> , 1996, 7, 2803-2806.	0.6	56
374	Abnormalities of Brain Structure and Function in Schizophrenia: Implications for Aetiology and Pathophysiology. <i>Annals of Medicine</i> , 1996, 28, 533-539.	1.5	57
375	Dr. Gur and Colleagues Reply. <i>American Journal of Psychiatry</i> , 1995, 152, 818-818.	4.0	0
376	Neuropsychological Vulnerability Markers of Schizophrenia. <i>Neuropsychopharmacology</i> , 1994, 11, 268-268.	2.8	0
377	Developmental Brain Abnormalities in the Offspring of Schizophrenic Mothers. <i>Archives of General Psychiatry</i> , 1993, 50, 551.	13.8	198
378	Ventricular enlargement and premorbid deficits in school-occupational attainment in a high risk sample. <i>Schizophrenia Research</i> , 1991, 4, 49-52.	1.1	13

#	ARTICLE	IF	CITATIONS
379	Neuro-developmental, brain imaging and psychophysiological perspectives on the neuropsychology of schizophrenia. Behavioral and Brain Sciences, 1991, 14, 43-44.	0.4	0
380	Antecedents of Predominantly Negative and Predominantly Positive-Symptom Schizophrenia in a High-Risk Population. Archives of General Psychiatry, 1990, 47, 622.	13.8	179
381	Fetal Neural Development and Schizophrenia. Schizophrenia Bulletin, 1989, 15, 149-161.	2.3	97
382	Genetic and Perinatal Determinants of Structural Brain Deficits in Schizophrenia. Archives of General Psychiatry, 1989, 46, 883.	13.8	148