

Zhenhua Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5092576/publications.pdf>

Version: 2024-02-01

69
papers

1,853
citations

201674

27
h-index

302126

39
g-index

74
all docs

74
docs citations

74
times ranked

2315
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical implications of high NQO1 expression in breast cancers. <i>Journal of Experimental and Clinical Cancer Research</i> , 2014, 33, 14.	8.6	130
2	Combination of Proteasome and HDAC Inhibitors for Uterine Cervical Cancer Treatment. <i>Clinical Cancer Research</i> , 2009, 15, 570-577.	7.0	98
3	NQO1 protein expression predicts poor prognosis of non-small cell lung cancers. <i>BMC Cancer</i> , 2015, 15, 207.	2.6	76
4	The Oncoprotein HBXIP Uses Two Pathways to Up-regulate S100A4 in Promotion of Growth and Migration of Breast Cancer Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 30228-30239.	3.4	72
5	NQO1 overexpression is associated with poor prognosis in squamous cell carcinoma of the uterine cervix. <i>BMC Cancer</i> , 2014, 14, 414.	2.6	65
6	High expression of NQO1 is associated with poor prognosis in serous ovarian carcinoma. <i>BMC Cancer</i> , 2015, 15, 244.	2.6	56
7	DEK over expression as an independent biomarker for poor prognosis in colorectal cancer. <i>BMC Cancer</i> , 2013, 13, 366.	2.6	55
8	Valproic acid targets HDAC1/2 and HDAC1/PTEN/Akt signalling to inhibit cell proliferation via the induction of autophagy in gastric cancer. <i>FEBS Journal</i> , 2020, 287, 2118-2133.	4.7	50
9	High expression of ezrin predicts poor prognosis in uterine cervical cancer. <i>BMC Cancer</i> , 2013, 13, 520.	2.6	46
10	Î²-lapachone suppresses tumour progression by inhibiting epithelial-to-mesenchymal transition in NQO1-positive breast cancers. <i>Scientific Reports</i> , 2017, 7, 2681.	3.3	44
11	The clinicopathological significance of Mortalin overexpression in invasive ductal carcinoma of breast. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 42.	8.6	43
12	DEK overexpression in uterine cervical cancers. <i>Pathology International</i> , 2008, 58, 378-382.	1.3	42
13	Ezrin overexpression predicts the poor prognosis of gastric adenocarcinoma. <i>Diagnostic Pathology</i> , 2012, 7, 135.	2.0	42
14	Significance of NQO1 overexpression for prognostic evaluation of gastric adenocarcinoma. <i>Experimental and Molecular Pathology</i> , 2014, 96, 200-205.	2.1	42
15	Target gene screening and evaluation of prognostic values in non-small cell lung cancers by bioinformatics analysis. <i>Gene</i> , 2018, 647, 306-311.	2.2	42
16	Ezrin protein overexpression predicts the poor prognosis of pancreatic ductal adenocarcinomas. <i>Experimental and Molecular Pathology</i> , 2015, 98, 1-6.	2.1	39
17	DEK overexpression is correlated with the clinical features of breast cancer. <i>Pathology International</i> , 2012, 62, 176-181.	1.3	37
18	The NQO1/PKLR axis promotes lymph node metastasis and breast cancer progression by modulating glycolytic reprogramming. <i>Cancer Letters</i> , 2019, 453, 170-183.	7.2	36

#	ARTICLE	IF	CITATIONS
19	Ezrin contributes to cervical cancer progression through induction of epithelial-mesenchymal transition. <i>Oncotarget</i> , 2016, 7, 19631-19642.	1.8	36
20	Clinicopathological significance of DEK overexpression in serous ovarian tumors. <i>Pathology International</i> , 2009, 59, 443-447.	1.3	34
21	High expression of DEK predicts poor prognosis of gastric adenocarcinoma. <i>Diagnostic Pathology</i> , 2014, 9, 67.	2.0	34
22	Superior efficacy of co-treatment with the dual PI3K/mTOR inhibitor BEZ235 and histone deacetylase inhibitor Trichostatin A against NSCLC. <i>Oncotarget</i> , 2016, 7, 60169-60180.	1.8	34
23	Expression of Indian Hedgehog signaling molecules in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009, 135, 235-240.	2.5	33
24	Ezrin promotes breast cancer progression by modulating AKT signals. <i>British Journal of Cancer</i> , 2019, 120, 703-713.	6.4	33
25	DEK promoted EMT and angiogenesis through regulating PI3K/AKT/mTOR pathway in triple-negative breast cancer. <i>Oncotarget</i> , 2017, 8, 98708-98722.	1.8	33
26	β-Np63 protein expression in uterine cervical and endometrial cancers. <i>Journal of Cancer Research and Clinical Oncology</i> , 2006, 132, 811-816.	2.5	29
27	Prognostic implications of ezrin and phosphorylated ezrin expression in non-small cell lung cancer. <i>BMC Cancer</i> , 2014, 14, 191.	2.6	29
28	Ezrin promotes pancreatic cancer cell proliferation and invasion through activating the Akt/mTOR pathway and inducing YAP translocation. <i>Cancer Management and Research</i> , 2019, Volume 11, 6553-6566.	1.9	29
29	Mortalin is a distinct bio-marker and prognostic factor in serous ovarian carcinoma. <i>Gene</i> , 2019, 696, 63-71.	2.2	29
30	Clinicopathological implications of Tiam1 overexpression in invasive ductal carcinoma of the breast. <i>BMC Cancer</i> , 2016, 16, 681.	2.6	21
31	HBXIP over expression as an independent biomarker for cervical cancer. <i>Experimental and Molecular Pathology</i> , 2017, 102, 133-137.	2.1	20
32	Mortalin expression in pancreatic cancer and its clinical and prognostic significance. <i>Human Pathology</i> , 2017, 64, 171-178.	2.0	20
33	Mechanisms Underlying Cancer Growth and Apoptosis by DEK Overexpression in Colorectal Cancer. <i>PLoS ONE</i> , 2014, 9, e111260.	2.5	20
34	Paip1 affects breast cancer cell growth and represents a novel prognostic biomarker. <i>Human Pathology</i> , 2018, 73, 33-40.	2.0	19
35	Mortalin contributes to colorectal cancer by promoting proliferation and epithelial-mesenchymal transition. <i>IUBMB Life</i> , 2020, 72, 771-781.	3.4	19
36	Clinicopathological implications of NQO1 overexpression in the prognosis of pancreatic adenocarcinoma. <i>Oncology Letters</i> , 2017, 13, 2996-3002.	1.8	17

#	ARTICLE	IF	CITATIONS
37	Sineoculis homeobox homolog 1 protein overexpression as an independent biomarker for pancreatic ductal adenocarcinoma. <i>Experimental and Molecular Pathology</i> , 2014, 96, 54-60.	2.1	16
38	HBXIP overexpression is correlated with the clinical features and survival outcome of ovarian cancer. <i>Journal of Ovarian Research</i> , 2017, 10, 26.	3.0	16
39	Ezrin regulates skin fibroblast size/mechanical properties and YAP-dependent proliferation. <i>Journal of Cell Communication and Signaling</i> , 2018, 12, 549-560.	3.4	15
40	Paip1 predicts poor prognosis and promotes tumor progression through AKT/GSK-3 β pathway in lung adenocarcinoma. <i>Human Pathology</i> , 2019, 86, 233-242.	2.0	15
41	Ezrin promotes hepatocellular carcinoma progression by modulating glycolytic reprogramming. <i>Cancer Science</i> , 2020, 111, 4061-4074.	3.9	15
42	High expression of oncoprotein DEK predicts poor prognosis of small cell lung cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 5016-23.	0.5	15
43	<p>The prognostic value of Tiam1 correlates with its roles in epithelial–mesenchymal transition progression and angiogenesis in lung adenocarcinoma</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 1741-1752.	1.9	14
44	Lipid metabolism regulator human hydroxysteroid dehydrogenase-like 2 (HSDL2) modulates cervical cancer cell proliferation and metastasis. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 4846-4859.	3.6	14
45	Cordycepin Inhibits Cancer Cell Proliferation and Angiogenesis through a DEK Interaction via ERK Signaling in Cholangiocarcinoma. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2020, 373, 279-289.	2.5	13
46	Distribution of HPV genotypes in uterine cervical lesions in Yanbian, northern China. <i>Pathology International</i> , 2008, 58, 643-647.	1.3	12
47	Sineoculis homeobox homolog 1 protein is associated with breast cancer progression and survival outcome. <i>Experimental and Molecular Pathology</i> , 2014, 97, 247-252.	2.1	12
48	Sineoculis homeobox homolog 1 protein as an independent biomarker for gastric adenocarcinoma. <i>Experimental and Molecular Pathology</i> , 2014, 97, 74-80.	2.1	12
49	DEK protein overexpression predicts poor prognosis in pancreatic ductal adenocarcinoma. <i>Oncology Reports</i> , 2017, 37, 857-864.	2.6	12
50	Role of Paip1 on angiogenesis and invasion in pancreatic cancer. <i>Experimental Cell Research</i> , 2019, 376, 198-209.	2.6	12
51	Protein expression and gene promoter hypermethylation of CD99 in transitional cell carcinoma of urinary bladder. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011, 137, 49-54.	2.5	11
52	Clinical implication of Tiam1 overexpression in the prognosis of patients with serous ovarian carcinoma. <i>Oncology Letters</i> , 2016, 12, 3492-3498.	1.8	11
53	Upregulation of Tiam1 contributes to cervical cancer disease progression and indicates poor survival outcome. <i>Human Pathology</i> , 2018, 75, 179-188.	2.0	11
54	<p>Paip1 overexpression is involved in the progression of gastric cancer and predicts shorter survival of diagnosed patients</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 6565-6576.	2.0	11

#	ARTICLE	IF	CITATIONS
55	Paip1 Indicated Poor Prognosis in Cervical Cancer and Promoted Cervical Carcinogenesis. <i>Cancer Research and Treatment</i> , 2019, 51, 1653-1665.	3.0	11
56	Overexpression of sineoculis homeobox homolog 1 predicts poor prognosis of hepatocellular carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 3018-27.	0.5	11
57	LETM1 overexpression is correlated with the clinical features and survival outcome of breast cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 12893-900.	0.5	11
58	The molecular mechanism of baicalein repressing progression of gastric cancer mediating miR-7/FAK/AKT signaling pathway. <i>Phytomedicine</i> , 2022, 100, 154046.	5.3	11
59	SPOCK1 promotes metastasis in pancreatic cancer via NF- κ B-dependent epithelial-mesenchymal transition by interacting with κ B- β . <i>Cellular Oncology (Dordrecht)</i> , 2022, 45, 69-84.	4.4	11
60	Significant association of PKM2 and NQO1 proteins with poor prognosis in breast cancer. <i>Pathology Research and Practice</i> , 2020, 216, 153173.	2.3	10
61	SPOCK1/SIX1 axis promotes breast cancer progression by activating AKT/mTOR signaling. <i>Aging</i> , 2021, 13, 1032-1050.	3.1	10
62	High Expression of Leucine Zipper-EF-Hand Containing Transmembrane Protein 1 Predicts Poor Prognosis in Head and Neck Squamous Cell Carcinoma. <i>BioMed Research International</i> , 2014, 2014, 1-8.	1.9	9
63	Cellular adjustment of gastric cancer for hepatic metastasis in successive orthotopic implantation model. <i>Cancer Biology and Therapy</i> , 2006, 5, 1313-1319.	3.4	7
64	Ectopic expression of HSDL2 is related to cell proliferation and prognosis in breast cancer. <i>Cancer Management and Research</i> , 2019, Volume 11, 6531-6542.	1.9	6
65	Ezrin as a prognostic indicator regulates colon adenocarcinoma progression through glycolysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 710-720.	2.8	5
66	miR-21-5p/Tiam1-mediated glycolysis reprogramming drives breast cancer progression via enhancing PFKL stabilization. <i>Carcinogenesis</i> , 2022, 43, 705-715.	2.8	4
67	Commentary on statistical mechanical models of cancer. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2021, 572, 125877.	2.6	1
68	The Significance of SIX1 as a Prognostic Biomarker for Survival Outcome in Various Cancer Patients: A Systematic Review and Meta-Analysis. <i>Frontiers in Oncology</i> , 2021, 11, 622331.	2.8	1
69	CD44 enhances adriamycin resistance in chronic myelogenous leukaemia cells K562. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 983-989.	1.3	0