

Philippa Anne Garety

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5094402/publications.pdf>

Version: 2024-02-01

201
papers

17,738
citations

15504

65
h-index

14208

128
g-index

209
all docs

209
docs citations

209
times ranked

7097
citing authors

#	ARTICLE	IF	CITATIONS
1	A cognitive model of the positive symptoms of psychosis. <i>Psychological Medicine</i> , 2001, 31, 189-195.	4.5	1,240
2	A cognitive model of persecutory delusions. <i>British Journal of Clinical Psychology</i> , 2002, 41, 331-347.	3.5	669
3	Measurement of Delusional Ideation in the Normal Population: Introducing the PDI (Peters et al.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i> 4.3 660	4.3	660
4	Cognitive approaches to delusions: A critical review of theories and evidence. <i>British Journal of Clinical Psychology</i> , 1999, 38, 113-154.	3.5	652
5	Psychological investigation of the structure of paranoia in a non-clinical population. <i>British Journal of Psychiatry</i> , 2005, 186, 427-435.	2.8	579
6	The Lambeth Early Onset (LEO) Team: randomised controlled trial of the effectiveness of specialised care for early psychosis. <i>BMJ: British Medical Journal</i> , 2004, 329, 1067.	2.3	505
7	Measuring Delusional Ideation: The 21-Item Peters et al. Delusions Inventory (PDI). <i>Schizophrenia Bulletin</i> , 2004, 30, 1005-1022.	4.3	491
8	Probabilistic Judgements in Deluded and Non-Deluded Subjects. <i>Quarterly Journal of Experimental Psychology Section A: Human Experimental Psychology</i> , 1988, 40, 801-812.	2.3	482
9	Londonâ€œEast Anglia randomised controlled trial of cognitiveâ€œbehavioural therapy for psychosis. <i>British Journal of Psychiatry</i> , 1997, 171, 319-327.	2.8	387
10	Reasoning, Emotions, and Delusional Conviction in Psychosis.. <i>Journal of Abnormal Psychology</i> , 2005, 114, 373-384.	1.9	379
11	Connecting neurosis and psychosis: the direct influence of emotion on delusions and hallucinations. <i>Behaviour Research and Therapy</i> , 2003, 41, 923-947.	3.1	375
12	The Brief Core Schema Scales (BCSS): psychometric properties and associations with paranoia and grandiosity in non-clinical and psychosis samples. <i>Psychological Medicine</i> , 2006, 36, 749-759.	4.5	340
13	Emotion and psychosis: Links between depression, self-esteem, negative schematic beliefs and delusions and hallucinations. <i>Schizophrenia Research</i> , 2006, 86, 181-188.	2.0	336
14	Implications for neurobiological research of cognitive models of psychosis: a theoretical paper. <i>Psychological Medicine</i> , 2007, 37, 1377-1391.	4.5	290
15	Advances in understanding and treating persecutory delusions: a review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1179-1189.	3.1	275
16	Persecutory delusions: developing the understanding of belief maintenance and emotional distress. <i>Psychological Medicine</i> , 2001, 31, 1293-1306.	4.5	259
17	Comments on the content of persecutory delusions: Does the definition need clarification?. <i>British Journal of Clinical Psychology</i> , 2000, 39, 407-414.	3.5	257
18	Londonâ€œEast Anglia randomised controlled trial of cognitiveâ€œbehavioural therapy for psychosis. <i>British Journal of Psychiatry</i> , 1997, 171, 420-426.	2.8	253

#	ARTICLE	IF	CITATIONS
19	Cognitive-behavioural therapy and family intervention for relapse prevention and symptom reduction in psychosis: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2008, 192, 412-423.	2.8	251
20	AVATAR therapy for auditory verbal hallucinations in people with psychosis: a single-blind, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 31-40.	7.4	249
21	Virtual reality study of paranoid thinking in the general population. <i>British Journal of Psychiatry</i> , 2008, 192, 258-263.	2.8	226
22	Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 712-722.	4.3	225
23	Trauma and Hallucinatory Experience in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 501-507.	1.0	186
24	Why Do People With Delusions Fail to Choose More Realistic Explanations for Their Experiences? An Empirical Investigation.. <i>Journal of Consulting and Clinical Psychology</i> , 2004, 72, 671-680.	2.0	183
25	Specialised care for early psychosis: Symptoms, social functioning and patient satisfaction. <i>British Journal of Psychiatry</i> , 2006, 188, 37-45.	2.8	183
26	WORRY, WORRY PROCESSES AND DIMENSIONS OF DELUSIONS: AN EXPLORATORY INVESTIGATION OF A ROLE FOR ANXIETY PROCESSES IN THE MAINTENANCE OF DELUSIONAL DISTRESS. <i>Behavioural and Cognitive Psychotherapy</i> , 1999, 27, 47-62.	1.2	173
27	Cognitive behavioural therapy for drug-resistant psychosis. <i>The British Journal of Medical Psychology</i> , 1994, 67, 259-271.	0.5	171
28	A large-scale validation study of the Medication Adherence Rating Scale (MARS). <i>Schizophrenia Research</i> , 2008, 100, 53-59.	2.0	171
29	Cognitive functioning in delusions: A longitudinal analysis. <i>Behaviour Research and Therapy</i> , 2006, 44, 481-514.	3.1	164
30	Acting on persecutory delusions: The importance of safety seeking. <i>Behaviour Research and Therapy</i> , 2007, 45, 89-99.	3.1	163
31	Persecutory delusions and catastrophic worry in psychosis: Developing the understanding of delusion distress and persistence. <i>Behaviour Research and Therapy</i> , 2007, 45, 523-537.	3.1	155
32	Negative Cognition, Depressed Mood, and Paranoia: A Longitudinal Pathway Analysis Using Structural Equation Modeling. <i>Schizophrenia Bulletin</i> , 2012, 38, 1063-1073.	4.3	154
33	The London-East Anglia randomized controlled trial of cognitive-behaviour therapy for psychosis IV: Self-esteem and persecutory delusions. <i>British Journal of Clinical Psychology</i> , 1998, 37, 415-430.	3.5	152
34	Jumping to conclusions and paranoid ideation in the general population. <i>Schizophrenia Research</i> , 2008, 102, 254-260.	2.0	148
35	Effect of early intervention on 5-year outcome in non-affective psychosis. <i>British Journal of Psychiatry</i> , 2010, 196, 372-376.	2.8	146
36	Cost-effectiveness of an early intervention service for people with psychosis. <i>British Journal of Psychiatry</i> , 2010, 196, 377-382.	2.8	144

#	ARTICLE	IF	CITATIONS
37	Measuring delusional experiences: A method and its application. <i>British Journal of Clinical Psychology</i> , 1987, 26, 257-265.	3.5	143
38	Acting on Delusions. II: The Phenomenological Correlates of Acting on Delusions. <i>British Journal of Psychiatry</i> , 1993, 163, 77-81.	2.8	133
39	A Randomized Experimental Investigation of Reasoning Training for People With Delusions. <i>Schizophrenia Bulletin</i> , 2011, 37, 324-333.	4.3	124
40	Jumping to conclusions, a lack of belief flexibility and delusional conviction in psychosis: A longitudinal investigation of the structure, frequency, and relatedness of reasoning biases.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 129-139.	1.9	123
41	Characteristics of delusional experience. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1987, 236, 294-298.	0.9	122
42	Cognitive, Emotional, and Social Processes in Psychosis: Refining Cognitive Behavioral Therapy for Persistent Positive Symptoms. <i>Schizophrenia Bulletin</i> , 2006, 32, S24-S31.	4.3	122
43	Difficulties implementing a mental health guideline: an exploratory investigation using psychological theory. <i>Implementation Science</i> , 2007, 2, 8.	6.9	122
44	Clinical, socio-demographic and psychological characteristics in individuals with persistent psychotic experiences with and without a need for care. <i>World Psychiatry</i> , 2016, 15, 41-52.	10.4	119
45	The Psychology of Persecutory Ideation II. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 309-315.	1.0	115
46	The psychological effect of an urban environment on individuals with persecutory delusions: The Camberwell walk study. <i>Schizophrenia Research</i> , 2008, 99, 77-84.	2.0	115
47	Psychological Mechanisms Mediating Effects Between Trauma and Psychotic Symptoms: The Role of Affect Regulation, Intrusive Trauma Memory, Beliefs, and Depression. <i>Schizophrenia Bulletin</i> , 2016, 42, S34-S43.	4.3	111
48	Choice of Outcome In Cbt for psychoses (CHOICE): The Development of a New Service User-Led Outcome Measure of CBT for Psychosis. <i>Schizophrenia Bulletin</i> , 2010, 36, 126-135.	4.3	107
49	Neuropsychological functioning and jumping to conclusions in delusions. <i>Schizophrenia Research</i> , 2013, 150, 570-574.	2.0	106
50	Current Paranoid Thinking in Patients With Delusions: The Presence of Cognitive-Affective Biases. <i>Schizophrenia Bulletin</i> , 2013, 39, 1281-1287.	4.3	105
51	Targeting reasoning biases in delusions: A pilot study of the Maudsley Review Training Programme for individuals with persistent, high conviction delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011, 42, 414-421.	1.2	104
52	Cognitive assessment of voices: Further developments in understanding the emotional impact of voices. <i>British Journal of Clinical Psychology</i> , 1998, 37, 173-188.	3.5	103
53	Can Virtual Reality be Used to Investigate Persecutory Ideation?. <i>Journal of Nervous and Mental Disease</i> , 2003, 191, 509-514.	1.0	102
54	Cognitive Mechanisms of Change in Delusions: An Experimental Investigation Targeting Reasoning to Effect Change in Paranoia. <i>Schizophrenia Bulletin</i> , 2015, 41, 400-410.	4.3	102

#	ARTICLE	IF	CITATIONS
55	Reasoning and Delusions. <i>British Journal of Psychiatry</i> , 1991, 159, 14-18.	2.8	92
56	Cognitive factors maintaining persecutory delusions in psychosis: The contribution of depression.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 1121-1131.	1.9	86
57	“Jumping to conclusions” data-gathering bias in psychosis and other psychiatric disorders “ Two meta-analyses of comparisons between patients and healthy individuals. <i>Clinical Psychology Review</i> , 2016, 46, 151-167.	11.4	86
58	Delusions and decision-making style: Use of the Need for Closure Scale. <i>Behaviour Research and Therapy</i> , 2006, 44, 1147-1158.	3.1	81
59	Differences in Cognitive and Emotional Processes Between Persecutory and Grandiose Delusions. <i>Schizophrenia Bulletin</i> , 2013, 39, 629-639.	4.3	81
60	The Lambeth Early Onset Crisis Assessment Team Study: general practitioner education and access to an early detection team in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s133-s139.	2.8	78
61	Virtual reality and paranoid ideations in people with an “at-risk mental state” for psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s63-s68.	2.8	77
62	A Measure of State Persecutory Ideation for Experimental Studies. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 781-784.	1.0	77
63	Predicting Recovery From Schizophrenia: A Retrospective Comparison of Characteristics at Onset of People With Single and Multiple Episodes. <i>Schizophrenia Bulletin</i> , 2005, 31, 735-750.	4.3	70
64	A validation of a new measure of activity in psychosis. <i>Schizophrenia Research</i> , 2006, 85, 288-295.	2.0	69
65	Early psychosis in the inner city: a survey to inform service planning. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 537-544.	3.1	68
66	Paranoia. , 0, , .		68
67	The prediction of hallucinatory predisposition in non-clinical individuals: Examining the contribution of emotion and reasoning. <i>British Journal of Clinical Psychology</i> , 2005, 44, 127-132.	3.5	67
68	The Stress of the Street for Patients With Persecutory Delusions: A Test of the Symptomatic and Psychological Effects of Going Outside Into a Busy Urban Area. <i>Schizophrenia Bulletin</i> , 2015, 41, 971-979.	4.3	67
69	Opportunities and challenges in Improving Access to Psychological Therapies for people with Severe Mental Illness (IAPT-SMI): Evaluating the first operational year of the South London and Maudsley (SLaM) demonstration site for psychosis. <i>Behaviour Research and Therapy</i> , 2015, 64, 24-30.	3.1	67
70	Cognitive Biases Questionnaire for Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 300-313.	4.3	66
71	A new unit for long-stay psychiatric patients: organization, attitudes and quality of care. <i>Psychological Medicine</i> , 1984, 14, 183-192.	4.5	65
72	The Psychology of Persecutory Ideation I. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 302-308.	1.0	64

#	ARTICLE	IF	CITATIONS
73	Thinking Well: A randomised controlled feasibility study of a new CBT therapy targeting reasoning biases in people with distressing persecutory delusional beliefs. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 48, 82-89.	1.2	64
74	Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 302-315.	4.3	63
75	Attributional style in psychosisâ€”The role of affect and belief type. <i>Behaviour Research and Therapy</i> , 2006, 44, 1597-1607.	3.1	61
76	Delusions: Problems in definition and measurement. <i>The British Journal of Medical Psychology</i> , 1985, 58, 25-34.	0.5	59
77	Fast and slow thinking in distressing delusions: A review of the literature and implications for targeted therapy. <i>Schizophrenia Research</i> , 2019, 203, 80-87.	2.0	59
78	Do Antipsychotics Improve Reasoning Biases? A Review. <i>Psychosomatic Medicine</i> , 2010, 72, 681-693.	2.0	57
79	The multidimensional measurement of the positive symptoms of psychosis. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, 88-96.	2.1	56
80	An Examination of Hypervigilance for External Threat in Individuals with Generalized Anxiety Disorder and Individuals with Persecutory Delusions Using Visual Scan Paths. <i>Quarterly Journal of Experimental Psychology Section A: Human Experimental Psychology</i> , 2000, 53, 549-567.	2.3	54
81	Remission and relapse in psychosis: operational definitions based on case-note data. <i>Psychological Medicine</i> , 2006, 36, 1551-1562.	4.5	50
82	Content and affect in persecutory delusions. <i>British Journal of Clinical Psychology</i> , 2006, 45, 561-577.	3.5	48
83	Discrepant illness perceptions, affect and expressed emotion in people with psychosis and their carers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 277-283.	3.1	48
84	Social defeat predicts paranoid appraisals in people at high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 168, 16-22.	2.0	48
85	Factors Affecting Sense of Presence in a Virtual Reality Social Environment: A Qualitative Study. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2019, 22, 288-292.	3.9	48
86	Caregiving and Illness Beliefs in the Course of Psychotic Illness. <i>Canadian Journal of Psychiatry</i> , 2008, 53, 460-468.	1.9	47
87	SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 510.	1.6	44
88	How Inclusive, User-Centered Design Research Can Improve Psychological Therapies for Psychosis: Development of SlowMo. <i>JMIR Mental Health</i> , 2018, 5, e11222.	3.3	44
89	Lambeth Early Onset (LEO) and Outreach & Support in South London (OASIS) service. <i>Microbial Biotechnology</i> , 2007, 1, 97-103.	1.7	42
90	Changes in delusions in the early phase of antipsychotic treatment â€” An experience sampling study. <i>Psychiatry Research</i> , 2014, 215, 568-573.	3.3	42

#	ARTICLE	IF	CITATIONS
91	Clinical relevance of appraisals of persistent psychotic experiences in people with and without a need for care: an experimental study. <i>Lancet Psychiatry</i> , 2017, 4, 927-936.	7.4	42
92	Effects of SlowMo, a Blended Digital Therapy Targeting Reasoning, on Paranoia Among People With Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 714.	11.0	41
93	COGNITIVE THERAPY IN EARLY PSYCHOSIS: A PILOT RANDOMIZED CONTROLLED TRIAL. <i>Behavioural and Cognitive Psychotherapy</i> , 2003, 31, 473-478.	1.2	40
94	Need for closure and anxiety in delusions: A longitudinal investigation in early psychosis. <i>Behaviour Research and Therapy</i> , 2006, 44, 1385-1396.	3.1	40
95	Jumping to conclusions and persecutory delusions. <i>European Psychiatry</i> , 2008, 23, 457-459.	0.2	39
96	Psychological flexibility and nonjudgemental acceptance in voice hearers: relationships with omnipotence and distress. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 1150-1162.	2.3	37
97	Caregiver Reports of Patient-Initiated Violence in Psychosis. <i>Canadian Journal of Psychiatry</i> , 2014, 59, 376-384.	1.9	37
98	Factors in outcome of cognitive-behavioural therapy for psychosis: Users' and clinicians' views. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2005, 78, 513-529.	2.5	36
99	Detecting improvements in acute psychotic symptoms using experience sampling methodology. <i>Psychiatry Research</i> , 2013, 210, 82-88.	3.3	36
100	Patient Perceptions of Caregiver Criticism in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 85-91.	1.0	35
101	Jumping to conclusions: the psychology of delusional reasoning. <i>Advances in Psychiatric Treatment</i> , 2011, 17, 332-339.	0.5	35
102	Impact of State Anxiety on the Jumping to Conclusions Delusion Bias. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 879-886.	2.3	34
103	Measuring Adherence in CBT for Psychosis: A Psychometric Analysis of an Adherence Scale. <i>Behavioural and Cognitive Psychotherapy</i> , 2008, 36, 163-178.	1.2	34
104	Helping patients with paranoid and suspicious thoughts: a cognitive-behavioural approach. <i>Advances in Psychiatric Treatment</i> , 2006, 12, 404-415.	0.5	33
105	Appraisals and Responses to Experimental Symptom Analogues in Clinical and Nonclinical Individuals With Psychotic Experiences. <i>Schizophrenia Bulletin</i> , 2014, 40, 845-855.	4.3	33
106	Recovery from daily-life stressors in early and chronic psychosis. <i>Schizophrenia Research</i> , 2019, 213, 32-39.	2.0	33
107	AVATAR Therapy for Distressing Voices: A Comprehensive Account of Therapeutic Targets. <i>Schizophrenia Bulletin</i> , 2020, 46, 1038-1044.	4.3	33
108	The role of safety-seeking behaviours in maintaining threat appraisals in psychosis. <i>Behaviour Research and Therapy</i> , 2013, 51, 75-81.	3.1	32

#	ARTICLE	IF	CITATIONS
109	Coping Styles in Carers of People With Recent and Long-Term Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 423-424.	1.0	31
110	Does Assertive Community Outreach Improve Social Support? Results From the Lambeth Study of Early-Episode Psychosis. <i>Psychiatric Services</i> , 2012, 63, 216-222.	2.0	31
111	The use of immersive virtual reality (VR) to predict the occurrence 6 months later of paranoid thinking and posttraumatic stress symptoms assessed by self-report and interviewer methods: A study of individuals who have been physically assaulted.. <i>Psychological Assessment</i> , 2014, 26, 841-847.	1.5	31
112	Identification of the delivery of cognitive behavioural therapy for psychosis (CBTp) using a cross-sectional sample from electronic health records and open-text information in a large UK-based mental health case register. <i>BMJ Open</i> , 2017, 7, e015297.	1.9	31
113	Increasing access to psychological therapies for people with psychosis: Predictors of successful training. <i>Behaviour Research and Therapy</i> , 2012, 50, 457-462.	3.1	30
114	Targeting Recovery in Persistent Persecutory Delusions: A Proof of Principle Study of a New Translational Psychological Treatment (the Feeling Safe Programme). <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 539-552.	1.2	30
115	Moment-to-moment associations between negative affect, aberrant salience, and paranoia. <i>Cognitive Neuropsychiatry</i> , 2018, 23, 299-306.	1.3	30
116	The effects of an Audio Visual Assisted Therapy Aid for Refractory auditory hallucinations (AVATAR) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50	1.6	29
117	Jumping to the wrong conclusions? An investigation of the mechanisms of reasoning errors in delusions. <i>Psychiatry Research</i> , 2014, 219, 275-282.	3.3	27
118	The characteristics of delusions: A cluster analysis of deluded subjects. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1988, 237, 112-114.	0.9	26
119	Training Frontline Mental Health Staff to Deliver "Low Intensity" Psychological Therapy for Psychosis: A Qualitative Analysis of Therapist and Service User Views on the Therapy and its Future Implementation. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 298-313.	1.2	26
120	Experiences of outcome monitoring in service users with psychosis: Findings from an Improving Access to Psychological Therapies for people with Severe Mental Illness (<sc>IAPT</sc> " <sc>SMI</sc>") demonstration site. <i>British Journal of Clinical Psychology</i> , 2017, 56, 253-272.	3.5	26
121	Making Sense of Delusions. <i>Psychiatry (New York)</i> , 1992, 55, 282-291.	0.7	24
122	Understanding reduced activity in psychosis: the roles of stigma and illness appraisals. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1685-1693.	3.1	24
123	Jumping to conclusions and perceptions in early psychosis: Relationship with delusional beliefs. <i>Cognitive Neuropsychiatry</i> , 2010, 15, 422-440.	1.3	23
124	The relationship between depressive symptoms and negative symptoms in people with non-affective psychosis: a meta-analysis. <i>Psychological Medicine</i> , 2019, 49, 2486-2498.	4.5	23
125	Bad me paranoia in early psychosis: A relatively rare phenomenon. <i>British Journal of Clinical Psychology</i> , 2005, 44, 521-528.	3.5	22
126	Liberal Acceptance Bias, Momentary Aberrant Salience, and Psychosis: An Experimental Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 871-882.	4.3	22

#	ARTICLE	IF	CITATIONS
127	Interpersonal processes in paranoia: a systematic review. <i>Psychological Medicine</i> , 2018, 48, 2299-2312.	4.5	21
128	Optimising AVATAR therapy for people who hear distressing voices: study protocol for the AVATAR2 multi-centre randomised controlled trial. <i>Trials</i> , 2021, 22, 366.	1.6	21
129	From preconscious to conscious processing-where does the abnormality lie in delusions?. <i>Schizophrenia Research</i> , 1997, 24, 120.	2.0	20
130	Paranoid Explanations of Experience: A Novel Experimental Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2011, 39, 21-34.	1.2	20
131	Using Virtual Reality to Assess Associations Between Paranoid Ideation and Components of Social Performance: A Pilot Validation Study. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2019, 22, 51-59.	3.9	20
132	Psychological characteristics of religious delusions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1051-1061.	3.1	18
133	A pilot validation study of a new measure of activity in psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 905-911.	3.1	17
134	Assessing Levels of Subthreshold Psychotic Symptoms in the Recovery Phase: The Schizotypal Symptoms Inventory (SSI). <i>Journal of Experimental Psychopathology</i> , 2012, 3, 582-593.	0.8	17
135	Are there reliable and valid measures of anxiety for people with psychosis? A systematic review of psychometric properties. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 173-198.	2.5	17
136	The Application of Cognitive-Behavioral Therapy for Psychosis in Clinical and Research Settings. <i>Psychiatric Services</i> , 2007, 58, 1297-1302.	2.0	15
137	Improving Access to psychological therapies for people with severe mental illness (IAPT-SMI): Lessons from the South London and Maudsley psychosis demonstration site. <i>Behaviour Research and Therapy</i> , 2019, 116, 104-110.	3.1	15
138	Virtual reality-based assessment and treatment of social functioning impairments in psychosis: a systematic review. <i>International Review of Psychiatry</i> , 2021, 33, 337-362.	2.8	15
139	A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 459-466.	1.2	14
140	Subjective experience of paranoid ideation in a virtual reality social environment: A mixed methods cross-sectional study. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 337-345.	2.7	14
141	Elucidating negative symptoms in the daily life of individuals in the early stages of psychosis. <i>Psychological Medicine</i> , 2021, 51, 2599-2609.	4.5	14
142	Early intervention in psychosis. <i>Psychiatric Bulletin</i> , 2000, 24, 321-323.	0.3	13
143	Urbanicity, Persecutory Delusions, and Clinical Intervention: The Development of a Brief CBT Module for Helping Patients with Persecutory Delusions Enter Social Urban Environments. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 42-51.	1.2	13
144	Developing a theoretical understanding of therapy techniques: An illustrative analogue study. <i>British Journal of Clinical Psychology</i> , 2005, 44, 241-254.	3.5	12

#	ARTICLE	IF	CITATIONS
145	OUP accepted manuscript. Schizophrenia Bulletin, 2018, 44, 126-136.	4.3	12
146	Coping with Unusual ExperienceS for 12â€“18 year olds (CUES+): a transdiagnostic randomised controlled trial of the effectiveness of cognitive therapy in reducing distress associated with unusual experiences in adolescent mental health services: study protocol for a randomised controlled trial. Trials, 2017, 18, 586.	1.6	12
147	Training the Frontline Workforce to Deliver Evidence-Based Therapy to People With Psychosis: Challenges in the GOALS Study. Psychiatric Services, 2018, 69, 9-11.	2.0	12
148	Attributional biases in paranoia: The development and validation of the Achievement and Relationships Attributions Task (ARAT). Cognitive Neuropsychiatry, 2009, 14, 87-109.	1.3	11
149	The effects of a brief CBT intervention, delivered by frontline mental health staff, to promote recovery in people with psychosis and comorbid anxiety or depression (the GOALS study): study protocol for a randomized controlled trial. Trials, 2014, 15, 255.	1.6	11
150	Improving implementation of evidence based practice for people with psychosis through training the wider workforce: Results of the GOALS feasibility randomised controlled trial. Journal of Behavior Therapy and Experimental Psychiatry, 2018, 59, 121-128.	1.2	11
151	The Role of Sense of Voice Presence and Anxiety Reduction in AVATAR Therapy. Journal of Clinical Medicine, 2020, 9, 2748.	2.4	11
152	A Pilot Evaluation of Therapist Training in Cognitive Therapy for Psychosis: Therapy Quality and Clinical Outcomes. Behavioural and Cognitive Psychotherapy, 2015, 43, 478-489.	1.2	10
153	The U&I study: study protocol for a feasibility randomised controlled trial of a pre-cognitive behavioural therapy digital â€œinformed choiceâ€™ intervention to improve attitudes towards uptake and implementation of CBT for psychosis. Trials, 2018, 19, 644.	1.6	10
154	Negative Communication in Psychosis. Journal of Nervous and Mental Disease, 2014, 202, 829-832.	1.0	9
155	Occupational functioning in early non-affective psychosis: the role of attributional biases, symptoms and executive functioning. Epidemiology and Psychiatric Sciences, 2014, 23, 71-84.	3.9	9
156	The clinical relevance of appraisals of psychotic experiences. World Psychiatry, 2017, 16, 140-141.	10.4	9
157	Family interventions in psychosis: a scale to measure therapist adherence. Journal of Family Therapy, 2009, 31, 270-283.	1.0	8
158	Exploring the Development, Validity, and Utility of the Short-Form Version of the CHoice of Outcome In Cbt for PsychosEs: A Patient-Reported Outcome Measure of Psychological Recovery. Schizophrenia Bulletin, 2021, 47, 653-661.	4.3	8
159	The impact of Patient and Public Involvement in the SlowMo study: Reflections on peer innovation. Health Expectations, 2022, 25, 191-202.	2.6	8
160	Theories of cognition, emotion and the social world: missing links in psychosis. , 2008, , 219-237.		7
161	The need for closure in caregivers of people with psychosis. Epidemiologia E Psichiatria Sociale, 2010, 19, 159-167.	0.9	7
162	Therapeutic advances for people with delusions will come from greater specification and empirical investigation. World Psychiatry, 2015, 14, 180-181.	10.4	7

#	ARTICLE	IF	CITATIONS
163	Impact of crime victimization on initial presentation to an early intervention for psychosis service and 18-month outcomes. <i>Microbial Biotechnology</i> , 2017, 11, 123-132.	1.7	7
164	Assessing the subjective experience of participating in a clinical trial (AVATAR). <i>Psychiatry Research</i> , 2018, 263, 82-87.	3.3	7
165	Overgeneral autobiographical memory bias in clinical and non-clinical voice hearers. <i>Psychological Medicine</i> , 2019, 49, 113-120.	4.5	6
166	Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	1.7	6
167	The role of characterisation in everyday voice engagement and AVATAR therapy dialogue. <i>Psychological Medicine</i> , 2022, 52, 3846-3853.	4.5	6
168	Clinical and theoretical relevance of responses to analogues of psychotic experiences in people with psychotic experiences with and without a need-for-care: an experimental study. <i>Psychological Medicine</i> , 2020, 50, 761-770.	4.5	5
169	Need for care, adversity exposure and perceived stress in clinical and healthy voice-hearers. <i>Psychological Medicine</i> , 2021, 51, 1944-1950.	4.5	5
170	The Early Youth Engagement in first episode psychosis (EYE-2) study: pragmatic cluster randomised controlled trial of implementation, effectiveness and cost-effectiveness of a team-based motivational engagement intervention to improve engagement. <i>Trials</i> , 2021, 22, 272.	1.6	5
171	Across the continuum: Associations between (fluctuations in) momentary self-esteem and psychotic experiences. <i>Schizophrenia Research</i> , 2021, 238, 188-198.	2.0	5
172	The relationship between jumping to conclusions and social cognition in first-episode psychosis. <i>NPJ Schizophrenia</i> , 2022, 8, .	3.6	5
173	Acute mental health service use by patients with severe mental illness after discharge to primary care in South London. <i>Journal of Mental Health</i> , 2015, 24, 208-213.	1.9	4
174	Changes in delusional dimensions and emotions over eight weeks of antipsychotic treatment in acute patients. <i>Psychiatry Research</i> , 2015, 228, 393-398.	3.3	4
175	Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. Efficacy and Mechanism Evaluation, 2021, 8, 1-90.	0.7	4
176	Bridging the Digital Divide in Psychological Therapies: Observational Study of Engagement With the SlowMo Mobile App for Paranoia in Psychosis. <i>JMIR Human Factors</i> , 2022, 9, e29725.	2.0	4
177	Construction of "paranoia": Does Harper enable voices other than his own to be heard?. <i>The British Journal of Medical Psychology</i> , 1994, 67, 145-146.	0.5	3
178	Beyond Belief"New Approaches to the Treatment of Paranoia. , 2020, , 591-613.		3
179	Insight and delusions: a cognitive psychological approach. , 2004, , 89-100.		3
180	SlowMo therapy, a new digital blended therapy for fear of harm from others: An account of therapy personalisation within a targeted intervention. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 423-446.	2.5	3

#	ARTICLE	IF	CITATIONS
181	Identifying victimisation profiles in people with psychosis and a history of childhood trauma: a latent class analysis. <i>Psychosis</i> , 2023, 15, 66-76.	0.8	3
182	The service user experience of SlowMo therapy: A co-produced thematic analysis of service users' subjective experience. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 680-700.	2.5	3
183	Sensory deception – A scientific analysis of hallucination. <i>Behaviour Research and Therapy</i> , 1990, 28, 255.	3.1	2
184	Psychological aspects of psychosis: subjective meaning and longitudinal course. <i>Current Opinion in Psychiatry</i> , 1993, 6, 847-851.	6.3	2
185	Is there an association between caregiver antipathy and psychosis? A systematic review. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 798-821.	2.5	2
186	Relating behaviours and therapeutic actions during AVATAR therapy dialogue: An observational study. <i>British Journal of Clinical Psychology</i> , 2021, 60, 443-462.	3.5	2
187	Confronting Auditory Hallucinations Using Virtual Reality: The Avatar Therapy. <i>Studies in Health Technology and Informatics</i> , 2015, 219, 192-6.	0.3	2
188	The cognitive neuropsychology of schizophrenia. <i>Personality and Individual Differences</i> , 1993, 15, 608.	2.9	1
189	Poster #182 CHANGE IN DELUSIONAL DIMENSIONS, REASONING BIASES AND EMOTIONS IN THE FIRST 8 WEEKS OF ANTIPSYCHOTIC TREATMENT. <i>Schizophrenia Research</i> , 2012, 136, S346.	2.0	1
190	Schematic beliefs and problem solving performance predict depression in people experiencing persecutory delusions. <i>Journal of Psychiatric Research</i> , 2018, 100, 5-7.	3.1	1
191	Placebo: Theory, research, and mechanisms. <i>Behaviour Research and Therapy</i> , 1987, 25, 73-74.	3.1	0
192	Expressed emotion in families. <i>Behaviour Research and Therapy</i> , 1988, 26, 192.	3.1	0
193	Delusional beliefs. <i>Behaviour Research and Therapy</i> , 1990, 28, 99-100.	3.1	0
194	Reconstructing schizophrenia. <i>Behaviour Research and Therapy</i> , 1991, 29, 381.	3.1	0
195	Cognitive-Behavior Therapy of Schizophrenia. By D. G. Kingdon and D. Turkington. (Pp. 212.) Lawrence Erlbaum: Hove. 1994.. <i>Psychological Medicine</i> , 1995, 25, 652-653.	4.5	0
196	Points of View: Stories of Psychopathology By James E. Mitchell. Philadelphia: Brunner-Routledge. 2001. 222 pp. £17.95 (pb). ISBN: 1-58391-005-0. <i>Psychiatric Bulletin</i> , 2002, 26, 360-360.	0.3	0
197	The Case Study Guide to Cognitive Behaviour Therapy of Psychosis. D. Kingdon & D. Turkington (eds), Chichester: John Wiley & Sons, 2002, 240 pb. ISBN: 0-471-49861-0. <i>Psychiatric Bulletin</i> , 2004, 28, 69-69.	0.3	0
198	Delusions. , 2006, , 205-213.		0

#	ARTICLE	IF	CITATIONS
199	MISATTRIBUTING SPEECH AND JUMPING TO CONCLUSIONS: A PROSPECTIVE STUDY OF COGNITIVE BIASES AND OUTCOME IN PEOPLE WITH PRODROMAL SIGNS OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2010, 117, 446-447.	2.0	0
200	Understanding the Outcome Findings of Cognitive-Behavioral Therapy for Psychosis: A Cognitive Model and Its Clinical Implications. , 2002, , 352-366.		0
201	Delusions. , 2006, , 205-213.		0